UNIVERSITAS GADJAH MADA
PENGGUNAAN SINBIOTIK YANG BERBASIS ISOLAT CAMPURAN DAN WHEAT POLLARD DALAM RANSUM UNTUK MENINGKATKAN PRODUKTIVITAS AYAM KAMPUNG
CAHYA SETYA UTAMA, Prof. Dr. Ir. Zuprizal, DEA, IPU;.Dr. Ir. Chusnul Hanim, M.Si. IPM;.Prof. Ir. Wihandoyo, MS,F
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdel-Raheem, S. M, S. M. S. Abd-Allah and K. M. A. Hassanein. 2012. The effects of prebiotic, probiotic and synbiotic supplementation on intestinal microbial ecology and histomorphology of broiler chickens. Int. J. Agro. Vet. Med. 6(4): 277–289.

Abun. 2008. Hubungan Mikroflora dengan metabolisme dalam saluran pencernaan unggas dan monogastrik. Makalah ilmiah. Fakultas Peternakan Universitas Padjajaran, Bandung.

Ade, F.Y. 2013. Isolasi dan identifikasi jamur-jamur pendegradasi amilosa pada empelur tanaman sagu (*Metroxylon* sagu Rottb.). Jurnal Ilmiah Edu Research. 2(1): 27-34.

Ahmad, R. Z. 2005. Pemanfaatan khamir *Saccharomyces cerevisiae* untuk ternak. Wartazoa. 15 (1): 49 – 55.

Ahmad, R. Z. 2008. Pemanfaatan cendawan untuk meningkatkan produktivitas dan kesehatan ternak. Jurnal Litbang Pertanian. 27 (3): 1-9.

Alam, M. Z, M. A. Manchur and M. N. Anwar. 2004. Isolation, purification, characterization of cellulolytic enzymes produced by *Streptomyces omiyaensis*. J. Biol. Sci.10:1647- 1653.

Alexopoulus. C.J., C.W. Mims, and M. Blackwell. 1996. Introductory to Mycology. 4th ed. John Wiley and Sons. Inc., New York.

Alloui, M. N, W. S. Szczurek and´ S. W. Tkiewicz. 2013. The usefulness of prebiotics and probiotics in modern poultry nutrition: review. Ann. Anim. Sci. 1: 17–32.

Ammor. M. S. and B. Mayo. 2007. Selection criteria for lactic acid bacteria to be used as functional starter cultures in dry sausage production. Meat Sci 76: 138–146.

Andayani, P., A. K. Wardani dan E. S. Murtini. 2008. Isolasi dan identifikasi mikrobia dari tempe sorgum coklat (*Sorghum bicolor*) serta potensinya dalam mendegradasi pati dan protein. Jurnal Teknologi Pertanian. 9(2): 95-105.

Anonim. 2006. API 50 CHL Medium. Biomerieux, Inc, Marcy l'Etoile, France.

AOAC. 2006. Official Methods of Analysis, 18th ed. Association of Official Analytical Chemists, Washington, DC.

Aparicio-Saguilán, A., E. Flores-Huicochea, J. Tovar, F. García-Suárez, F. Gutiérrez-Meraza and L. A. Bello-Pérez. 2005. Resisten starch-rich powders prepared by autoclaving of native and lintnerized banana starch: partial characterization. Starch/Stärke. 57:405–412.

Austic, R. E. and Nesheim. 1990. Poultry Production, 13th ed. Lea and Febiger. Philadelph. London.

UNIVERSITAS GADJAH MADA
PENGGUNAAN SINBIOTIK YANG BERBASIS ISOLAT CAMPURAN DAN WHEAT POLLARD DALAM RANSUM UNTUK MENINGKATKAN PRODUKTIVITAS AYAM KAMPUNG
CAHYA SETYA UTAMA, Prof. Dr. Ir. Zuprizal, DEA, IPU;.Dr. Ir. Chusnul Hanim, M.Si. IPM;.Prof. Ir. Wihandoyo, MS,F
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Awad, W. A., K. Ghareeb, S. Nitch, S. Pasteiner, S. A. Raheem, dan J. Bohm, 2008. Efect of dietary inclusion of probiotic, prebiotic and symbiotic on intestinal glucose absorbtion of broiler chickens. Inter. J. Poult. Sci. 7: 688-691

Axelsson, L. 1998. Lactid acid bacteria: clasification and physiology. In: Salminen S, Wright AV (eds).Lactid acid bacteria: microbiology and functional aspects. Marcel Dekker, New York.

Bacus, J. 1984. Utilization of Microorganism in Meat Processing. Research Studies Press. Letchworth, England.

Badan Pusat Statistik (BPS). 2018. Statistik Indonesia. Badan Pusat Statistik, Jakarta.

Bailey, J.S., L. C. Blankenship and N. A. Cox. (1991). Effect of fructo-oligosaccharide on *Salmonella* colonization of the chicken intestine. Poult. Sci. 70(12): 2433-2438.

Balevi, T., U. S. Ucan, B. Coskun, V. Kurtoglu and I. S. Cetingul. 2010. Effect of dietary probiotic on performance and humoral immune response in layer hens. Brit. Poult. Sci. 42(4): 456-461.

Baron, J. M. 1989. Friendly Bacteria. Reserved by The Roger Wyburn Mason and Jack M. Blount Foundation for Eradication of Rheumatoid Disease AKA The Arthritis Trust of America.

Bedford, M., 2000. Removal of antibiotic growth promoters from poultry diets: Implications and strategies to minimize subsequent problems. World. Poult. Sci. J. 56:347-365.

Begley, M., C. G. M. Gahan and C. Hill. 2002. Bile stress response in listeria monocytogenes lo28: adaptation, cross-protection, and identification of genetic loci involved in bile resistance. Appl. Environ. Microbiol. 68(12):6005-6012.

Belitz, H.D. and W. Grossch. 1999. Food Chemistry. Springer Verlag, Berlin.

Bengmark, S. (2001). Pre, pro and symbiotics. Curr. Opin. Clin. Nutr. Metab. Care 4(6): 571-579.

Besten, G. D., K. V. Eunen, A. K. Groen, K. Venema, D. J. Reijngoud, and B. M. Bakker. 2013. The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. J. Lipid Res. 54: 2325-2340.

Bezkorovainy, A., 2001. Probiotics: Determinants of survival and growth in the gut. Am.J. Clin. Nutr. 73(2):399S-405S.

Bird, A.R., I. L. Brown and D.L. Topping. 2000. Starches, resisten starches, the gut microflora and human health. Curr. Issues Intesty. Microbiol 1(1):25-37.

Bjorck, L., T. Matoba and B. M. Nair. 1985. *In vitro* enzimatic determination of the protein nutritional value and the amount of available lysine in extruded cereal based products. Agric. Biol. Chem. 49(4): 945-950.

UNIVERSITAS GADJAH MADA
PENGGUNAAN SINBIOTIK YANG BERBASIS ISOLAT CAMPURAN DAN WHEAT POLLARD DALAM RANSUM UNTUK MENINGKATKAN PRODUKTIVITAS AYAM KAMPUNG
CAHYA SETYA UTAMA, Prof. Dr. Ir. Zuprizal, DEA, IPU;.Dr. Ir. Chusnul Hanim, M.Si. IPM;.Prof. Ir. Wihandoyo, MS,F
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Boekhorst, J, M. Wels, M. Kleerebezem and R. J. Siezen. 2006. The predicted secretome of *Lactobacillus plantarum* WCFS1 sheds light on interactions with its environment. Microbiol.152:3175-3183.

Brouns, F., B. Kettlitz, and E. Arrigoni. 2002. *Resisten starch* and the butyrate revolution. Trends in Food Sci. Technol 13(8): 251–26.

Brown, I. L., K. J. McNaught, R. N. Ganly, P. L. Conway, A. J. Evans and D. L. Topping. 2000. Probiotic compositions. Intl. Patent WO 96/08261/A1. Issued March 21, 2000. Univ. New South Wales.

Brugier, S and F. Patte. 1975. Antagonisus zwichen *Saccharomyces cerevisiae* and verschiedenen bakterien *in vitro*. Versuch. Le Me´d de Paris 4:3–8.

Bryant, C. M and B. R Hamaker. 1997. Effect of lime and gelatinization of corn flour and starch. J. Cereal Chem. 74(2): 171-175.

Buckle, K. A, R. A. Edwards, G. H. Fleet dan M. Wootton. 1987. Ilmu Pangan. Penerbit Universitas Indonesia, Jakarta (Diterjemahkan oleh H. Purnomo dan Adiono).

Butt, H. 1999. Exploring management protocols for chronic fatique syndrome: a case for pro and prebiotics. Probiot. 8:2-6.

Carr, F, J. D. Chill, and N. Maida. 2002. The lactic acid bacteria: A literature survey. Critical Reviews Microbiol. 28(4):281–370.

Charalampopoulos, D., S. S. Pandiella and C. Webb. 2002. Growth studies of potentially probiotic lactic acid bacteria in cereal – based substrates. J. App. Microbiol. 92:851 –859.

Choct, M and G. Annison . 1992. The inhibition of nutrient digestion by wheat pentosans. Brit. J. Nutr. 67(1):123-132.

Choct, M, R. J. Hughes, J. Wang, M. R Bedford, A. J Morgan and G. Annison. 1996. Increased small intestinal fermentation is partly responsible for the antinutritive activity of non starch polysaccharides in chickens. Brit. Poult. Sci. 37(3): 609 -621.

Choi, J. Y., P. L. Shinde, I. K. Kwon, Y. H. Song and B. J. Chae. 2009. Effect of wood vinegar on the performance, nutrient digestibility and intestinal microflora in weanling pigs. Asian-Aust. J. Anim. Sci. 22 (2) : 287 – 274

Choudhari, A., S. Shinde and B. N. Ramteke. 2008. Prebiotics and probiotics as health promoters. Vet. World. 1(2): 59-61.

Chu, Y. F., J. Sun, X. Wu and R. H. Liu. 2002. Antioxidants and antiproliferative activities of vegetables. J. Agri. Food. Chem. 50(23): 6910-6916. DOI: 10.1021/jf020665f

Cherney, D.J.R. 2000. Characterization of Forages by Chemical Analysis. *Dalam* : Forage Evaluation In Ruminant Nutrition. CABI Publishing, New York.

Collins, M. D. and G. R. Gibson, (1999). Probiotics, prebiotics, and symbiotics: approaches for modulating the microbial ecology of the gut. Am. J. Clinic Nutr 69(5): 1052S-1057S.

Crampton, E. W. and L. E. Haris, 1969. Applied Animal Nutrition Ed. 1st The Engsminger Publishing Company, California.

UNIVERSITAS GADJAH MADA
PENGGUNAAN SINBIOTIK YANG BERBASIS ISOLAT CAMPURAN DAN WHEAT POLLARD DALAM RANSUM UNTUK MENINGKATKAN PRODUKTIVITAS AYAM KAMPUNG
CAHYA SETYA UTAMA, Prof. Dr. Ir. Zuprizal, DEA, IPU;.Dr. Ir. Chusnul Hanim, M.Si. IPM;.Prof. Ir. Wihandoyo, MS,F
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Cristofaro, E., F. Motty and J. J. Wuhrmann.1994. Sugars in Nutrition. Academic Press. New York.

Daulay, D dan A. Rahman. 1992. Teknologi Fermentasi Sayuran dan Buah-Buahan. Laporan Penelitian. Pusat Antar Universitas Pangan dan Gizi Institut Pertanian Bogor, Bogor.

Davis, W.W. dan T.R. Stout. 1971. Disc plate methods of microbiological antibiotic assay. Appl. Microbiol. 22(4)*:* 659-665.

Dewi, C., T. Purwoko dan A. Pangastuti. 2004. Produksi gula reduksi oleh *Rhizopus oryzae* dari substrat bekatul. Bioteknologi*.* 2(1): 21-26.

Dube, H.C. 1996. An Introduction to Fungi. 2nd Ed. Vikas House PVT, Delhi.

Eerlingen, R.C., M. Crombez, and J.A. Delcour. 1993. Enzyme resisten starch I. quantitative and qualitative influence of incubation time and temperature of autoclaved starch on resisten starch formation. J. Cereal Chem. 70(3): 339-344.

Eliasson, A. C and M. Gudmundsson. 1996. Starch: Physiochemical and Functional Aspects. in Eliasson, A.C. 1996. Carbohydrates in Foods. Marcell Dekker. New York

Elliot, G.C. 1994. Reproduction in Fungi Genetical and Physiological Aspects. Botany Department Univ. of Glasgow, Chapman and Hall. London.

Endo. T., M. Nakano, S. Shimizu, M Fukushima and S. Miyoshi. 1999. Effect of probiotic on the lipid metabolism of cocks fed on cholesterol-enriched diet. Biosci. Biothech. Biochem. 63 (9): 1569-1575.

Erdogrul, O and F. Erbilir. 2006. Isolation and charakterization of *Lactobacillus bulgaricus* and *Lactobacillus casei* from various foods. Turk. J. Biol. 30: 39 – 44.

Fardiaz, S. 1988. Fisiologi Fermentasi. Pusat Antar Universitas Pangan dan Gizi. Institut Pertanian Bogor, Bogor.

Fardiaz, S. 1992. Mikrobiologi Pangan. PT. Gramedia Pustaka Utama. Jakarta

Fennema, O. R. 1996. Principles of Food Sciences. Part I (Food Chemistry). Marcell Dekker Inc. New York.

Fooks, L. J., R. Fuller and G. R. Gibson. 1999. Prebiotics, probiotics and human gut microbiology. J. Int. Dairy. 9(1): 53-61.

Fuller, R. 1992. Probiotics: The Scientific Basis. Chapman and Hall, London.

Fuller, R. 1997. Probiotics 2: Applications and Practical Aspects. Chapman and Hall, London.

Fuller, R. 2001. The chicken gut microflora and probiotic supplements. J. Poult. Sci. 38:189-196.

Giraud, G. R. and C.M. Williams. 2000. Funtional Foods, Concept to Product. CRC Press. New York

Goering, H. K and P.J. Van Soest. 1970. Forage Fiber Analysis. Agric. Handbook No. 379. ARS, USDA, Washington DC.

UNIVERSITAS GADJAH MADA
PENGGUNAAN SINBIOTIK YANG BERBASIS ISOLAT CAMPURAN DAN WHEAT POLLARD DALAM RANSUM UNTUK MENINGKATKAN PRODUKTIVITAS AYAM KAMPUNG
CAHYA SETYA UTAMA, Prof. Dr. Ir. Zuprizal, DEA, IPU;.Dr. Ir. Chusnul Hanim, M.Si. IPM;.Prof. Ir. Wihandoyo, MS,F
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Gómez, S., M. L. Angeles, M. C. Mojica, and S. Jalukar. 2012. Combination of an enzymatically hydrolyzed yeast and yeast culture with a direct-fed microbal in the feeds of broiler chickens. Asian-Aust. J. Anim. Sci. 25: 665-673.

Goni, I, L. G Diz, E. Manas and F. S Calixto. 1996. Analysis of resistant starch: a method for foods and food products. J. Food Chem. 56 (4): 445-449.

Govers, M. J. A. P, N. J. Gannon, F. R. Dunshea, P. R. Gibson and J. G. Muir. 1999. Wheat bran affects the site of fermentation of resisten starch and luminal indexes related to colon cancer risk: a study in pigs. Gut. 45:840–847.

Gunawan dan M. S. Sundari. 2003. Pengaruh penggunaan probiotik dalam ransum terhadap produktivitas ayam. Wartazoa 3(3): 34-37.

Hamilton, J. M. T. 2004. Probiotics and prebiotics in the elderly. Postgraduate Med. J. 80:447-451. DOI:10.1136/pgmj.2003.015339

Hancock, J. D, R. F. F. Fines and T. L. Gugle. 1991. Extrusion of shorgum, soybean meal and whole soybeans improves growth performance and nutrient digesbility in finishing pigs. Agricultural Experiment Station and Cooperative Extension Service. Kansas State University. Kansas.

Hardy, H., J. Harris, E. Lyon, J. Beal and A. D. Foey. 2013. Probiotics, prebiotics and immunomodulation of gut mucosal defences: homeostasis and immunopathology. Nutr. 5(6):1869-1912.

Harrigan W. F. 1998. Laboratory Methods in Food Microbiology. Academic Press, Inc, New York.

Harris, R. S and E. Karmas. 1988. Nutritional Evaluation of Food Processing. 3rd Ed. AVI Publ, Westport.

Hartadi, H., S. Reksohadiprodjo dan A.D. Tilman 1997. Tabel Komposisi Bahan Pakan untuk Indonesia. Gadjah Mada University Press, Yogyakarta.

Hastiono, S. 2004. Hikmah hidup bersama cendawan. Wartazoa. 14 (4): 178-183.

Hartono, E. F, N. Iriyanti dan S. Suhermiyati. 2016. Efek penggunaan sinbiotik terhadap kondisi miklofora dan histologi usus ayam sentul jantan. Jurnal Agripet. 16(2): 97-105.

Herich, R. and M. Levkut. 2002. Lactic acid bacteria, probiotics and immune system. Vet. Med. Czech. 47: 169-180.

Hidayat, S. C. M, S. Harimurti dan L. M. Yusiati. 2016. Pengaruh suplementasi probiotik bakteri asam laktat terhadap histomorfologi usus dan performan puyuh jantan. Buletin Peternakan 40 (2): 101-106

Hodge, J. E. and E. M. Osman. 1976. Carbohydrate. Di dalam: Fennema, O. R. (ed.). Principles of Food Sciences. Marcel Dekker. Inc., New York.

Holsheimer, J.P. and C.H. Veerkamp. 1992. Effect of dietary energy, protein and lysine content on performance and yields of two strains of male broiler chicks. Poult. Sci. 71(5):872-879.

UNIVERSITAS GADJAH MADA
PENGGUNAAN SINBIOTIK YANG BERBASIS ISOLAT CAMPURAN DAN WHEAT POLLARD DALAM RANSUM UNTUK MENINGKATKAN PRODUKTIVITAS AYAM KAMPUNG
CAHYA SETYA UTAMA, Prof. Dr. Ir. Zuprizal, DEA, IPU;.Dr. Ir. Chusnul Hanim, M.Si. IPM;.Prof. Ir. Wihandoyo, MS,F
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Holt, J. G, N. R. Krieg, H. A. Peter, J. T. Staley and S. T. Williams. 1994. Bergey's Manual of Determinative Bacteriology 9th edition. Williams and Wilkins. Baltimore, Maryland.

Howling D. 1980. The Influence of the structure of starch on its rheological properties. Food Chem. 6(1): 51-61.

Holzapfel, W.H., P. Haberer, R. Geisen, J. Björkroth and U. Schillinger. 2001. Taxonomy and important features of probiotic microorganisms in food nutrition. Am. J. Clin. Nutr. 73(2):365S-373S.

Huang, D. P and L.W. Rooney. 2001. Starches for Snacks Foods. Dalam R.W. Lusas and L.W. Rooney (eds). 2001. Snack Foods Processing. CRC Press. New York.

Huang, M.K., Y.J. Choi, R. Houde, J.W. Lee, B. Lee dan X. Zhao. 2004. Effect of *Lactobacilli* and *Acidophilic fungus* on the production performance and immune responses in broiler chickens. Poult. Sci. 83(5) : 788-795.

Hustiany, R. 2006. Modifikasi asilasi dan suksinilasi pati tapioka sebagai bahan enkapsulasi komponen flavor. Disertasi, Institut Pertanian Bogor. Bogor.

Ichwan, W. M. 2003. Membuat Pakan Ayam Ras Pedaging cetakan I. Agromedia Pustaka. Jakarta.

Ichikawa, H., T. Kuroiwa, A. Inagaki, R. Shineha, T. Nishihira, S. Satomi, and T. Sakata. 1999. Probiotic bacteria stimulate gut epithelial cell proliferation in rat. Dig. Dis. Sci. 44: 2119-2123.

Ilman, R. J., G. B. Storer and D. L. Topping. 1993. White wheat flour lowers plasma cholesterol and increases cecal steroids relative to whole wheat flour, wheat bran and wheat pollard in rats. J. Nutr. 123(6): 1094–1100. DOI: 10.1093/jn/123.6.1094

Irma, S. R, E. Zubaida dan E. Saparianti.2015. Evaluasi Pertumbuhan Isolat Probiotik (*L. casei* dan *L. plantarum*) dalam medium fermentasi berbasis ubi jalar (*Ipomoea batatas L*.) selama proses fermentasi (kajian jenis isolat dan jenis tepung ubi jalar). Jurnal Aplikasi Teknologi Pangan 4 (4):133-141.

Iskandar, S., Z. Desmayati, S. Sastrodihardjo, T. Sartika, P. Stiadi dan T. Sutanti. 1998. Respon pertumbuhan ayam kampung dan ayam silangan pelung terhadap ransum berbeda kandungan protein. Jurnal Ilmu Ternak dan Veteriner. 3(1):1-14.

Iskandar, S., P. Handayani dan D. Sudrajat. 2001. Retensi energi dan nitrogen dan laju pencernaan pada ayam silangan pelung x kampung pada pola pemberian ransum dengan protein berbeda. Prosiding. Seminar Nasional Teknologi Peternakan dan Veteriner. Balai Penelitian Ternak, Bogor. 597-605.

Iskandar, S. 2006. Ayam silangan pelung-kampung: Tingkat protein ransum untuk produksi daging umur 12 minggu. Wartazoa. 16(2): 65-71.

Jenie, B.S.L dan W.P. Rahayu. 1993. Penanganan Limbah Industri Pangan. Kanisius, Yogyakarta.

Jung, G. H. J. 1997. Analysis of Forage Fiber and Cell Walls in Ruminant Nutrition. J. Nutr. 127: 810–813.

UNIVERSITAS GADJAH MADA
PENGGUNAAN SINBIOTIK YANG BERBASIS ISOLAT CAMPURAN DAN WHEAT POLLARD DALAM RANSUM UNTUK MENINGKATKAN PRODUKTIVITAS AYAM KAMPUNG
CAHYA SETYA UTAMA, Prof. Dr. Ir. Zuprizal, DEA, IPU;.Dr. Ir. Chusnul Hanim, M.Si. IPM;.Prof. Ir. Wihandoyo, MS,P
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Kabir, S. M. L., M. M. Rahman, M. B. Rahman and S. U. Ahmed. 2004. The dinamics of probiotics on growth performance and immune response in broilers. J. Poult. Sci. 3(5): 361 – 364

Kabir, S. M. L. 2009. Effect of probiotics on broiler meat quality. Afric. J. Biotech. 8(15): 3623 – 3627.

Kearsly, M.W. 1988. Physical, Chemical and Biochemical Methods of Analysis of Carbohidrates. Analysis of Food Carbohydrates. Elsevier Applied Science Publisher Ltd. England.

Khalid, M. N. and H. M. Elmer, 2008. Proteolytic Activity By Strains *L. plantarum* and *L. casei*. Journal Department of Food Science. University Wisconsin. Madison

Khalimi, K. 2010. Pemanfaatan ragi dalam pengendalian penyakit tumbuhan yang ramah lingkungan. Jurnal Bumi Lestari. 10 (2): 215-221.

Khuluq, A. D. 2012. Potensi pemanfaatan limbah tebu sebagai pakan fermentasi probiotik. Buletin Tanaman Tembakau, Serat dan Minyak Industri. 4 (1): 37‒45.

Kompiang, I.P. 2009. Pemanfaatan mikroorganisme sebagai probiotik untuk meningkatkan produksi ternak unggas di Indonesia. Pengembangan Inovasi Pertanian. 2 (3): 177 – 191.

Krabi, R. E, A. A. Assamoi, F. A. Ehon and Niamke. 2015. Screening of lactic acid bacteria as potential starter for the production of attieke, a fermented cassava food. J. Fac. Food Eng. 14(1): 21-29

Kruger, J. E. and R. B. Matsuo. 1996. Pasta and Noodle Technology. American Association of Cereal Chemist, Inc. St. Paul, Minnesota, USA.

Kusnadi, H., H. P. S. Jafendi, Zuprizal dan P. W. Heru. 2014. Pegaruh tingkat protein dengan imbangan energi yang sama terhadap pertumbuhan ayam leher gundul dan normal sampai umur 10 minggu. Buletin Peternakan. 38(3):163-173.

Lewthwaite, S. L, K. H. Sutton and C. M. Triggs. 1997. Free sugar composition of sweet potato cultivars after storage. New Zealand J.Crop and Hortic. Sci. 25:33-41.

Li, X., L. Q. Liu and C. L. Xu. (2008). Effects of supplementation of fructo-oligosaccharide and/or *Bacillus Subtilis* to diets on performance and intestinal microflora in broilers. Archiv für Tierzucht 51: 64-70.

Lodder, J . 1970 . The Yeast: A Taxonomic Study Second Revised and Enlarged Edition. The Netherland, Northolland Publishing Co., Amsterdam.

Lu., Z. X., K. Z. Walker, J. G Moir, T. Mascara and K. O. Dea. 2000. Arabinoxylan fiber a by product of wheat flour processing, reduce the postprandial glucose respon in normoglycemic subjects. Am. J. Clin. Nutr. 71(5):1123-1128.

Lu, C. D, J. R. Kawas, O.G. Maghoub. 2005. Fiber digestion and utilization in goats. Small Rumin. Res. 60:45-65.

UNIVERSITAS GADJAH MADA
PENGGUNAAN SINBIOTIK YANG BERBASIS ISOLAT CAMPURAN DAN WHEAT POLLARD DALAM RANSUM UNTUK MENINGKATKAN PRODUKTIVITAS AYAM KAMPUNG
CAHYA SETYA UTAMA, Prof. Dr. Ir. Zuprizal, DEA, IPU;.Dr. Ir. Chusnul Hanim, M.Si. IPM;.Prof. Ir. Wihandoyo, MS,F
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Mamiek, B., 1993. Fermacto versus enzymes. Fermacto. Pet. Ag. Inc. ed., Elgin, IL, USA.

Marsono, Y. 1999. Perubahan kadar *resisten starch* (RS) dan komposisi kimia beberapa bahan pangan kaya karbohidrat dalam proses pengolahan. Agritech. 9(3):124-127

Masniawati. A, T. Kuswinanti, R. B. Gobel dan R. Risnawaty. 2013. Identifikasi cendawan terbawa pada benih padi lokal aromatik pulu mandoti, pulu pinjan, dan pare lambau asal Kabupaten Enrekang, Sulawesi Selatan. Manasir. 1 (1): 51-59.

Mateova, S., J. Saly, M. Tuckova, J. Koscova, R. Nemcova, M. Gaalovaand D Baranova. 2008. Effect of probiotics, prebiotics and herb oil on performance and metabolic parameters of broiler chikchens. Medycyna Weterynaryjna. 64 (3): 294 – 297.

McNaught, C.E., and J. MacFie, 2001. Probiotics in clinical practice: a critical review of the evidence. Nutr. Res 21: 343-353.

Meryandini, A, W. Widosari, B. Maranatha, T. C. Sunarti, N. Rachmania and H. Satria. 2009. Isolasi bakteri selulolitik dan karakterisasi enzimnya. Makara Sains, 13(1), 33-38.

Mile, R.D., G. D. Butcher, P. R. Henry dan R. C. Littell. 2006. Effecf of antibiotic growth promoters on broiler performance, intestinal growth parameters, and quantitative morphology. J. Poult. Sci. 85: 476-485.

Miller, T. L. and J. M. Wolin, 1996. Pathways of acetate, propionate, and butyrate formation by the human fecal microbial flora. Appl. Environ. Microbiol. 62(5):1589 –1592

Mohan, B., R. Kardifel, A. Natarajan and M. Bhaskaran. 1996. Effect of probiotic supplementation on growth, nitrogen utilisation and serum cholesterol in broilers. Brit. Poult. Sci. 37(2): 395 – 401.

Molenaar, D, F. Bringel, F. H. Schuren, W. M. de Vos, R. J. Siezen and M. Kleerebezem. 2005. Exploring *Lactobacillus plantarum* genome diversity by using microarrays. J. Bacteriol. 187:6119-6127.

Monoura , P; M. Rahman, M. F. R. Khan, M. B. Rahman and M. M. Rahman. 2008. Effect of vitamins, mineral dan probiotics on production of antibody and live weight gain following vaccination with BCRDV in broiler birds. Bangl. J. Vet. Med 6 (1): 31 – 36.

Mookiah, S., C.C. Sieo, K. Ramasamy, N. Abdullah and Y. W. Ho. 2014. Effects of dietary prebiotics, probiotic and symbiotic on performance, caecal bacterial populations and caecal fermentation concentrations of broiler chickens. J. Sci. Food Agric. 94(2): 341–348.

Murarolli, V. D. A., M. F. C. Burbarelli, G. V. Polycarpo, P. A. P. Ribeiro, M. E. G. Moro and R. Albuquerque. 2014. Prebiotic, probiotic and symbiotic as alternative to antibiotics on the performance and immune response of broiler chickens. Brazilian J. Poult. Sci. 16(3): 279-284.

UNIVERSITAS GADJAH MADA
PENGGUNAAN SINBIOTIK YANG BERBASIS ISOLAT CAMPURAN DAN WHEAT POLLARD DALAM RANSUM UNTUK MENINGKATKAN PRODUKTIVITAS AYAM KAMPUNG
CAHYA SETYA UTAMA, Prof. Dr. Ir. Zuprizal, DEA, IPU;.Dr. Ir. Chusnul Hanim, M.Si. IPM;.Prof. Ir. Wihandoyo, MS,F
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Murry, Jr., A. C., A. Hinton Jr. and H. Morrison. 2004. Inhibition of growth of *Escherichia coli, Salmonella typhimurium* and *Clostridia perfringens* on chicken feed media by *Lactobacillus salivarius* and *Lactobacillus plantarum.* Int. J. Poult. Sci. 3(9): 603 – 607.

Nahason, S. N., H. S. Nakaue and L. W. Mirosh. 1994. Production variables and nutrient retention in single comb white leghorn laying pullets fed diets supplemented with direct fed microbials. Poult. Sci. 73(11): 1699 – 1711.

Narasimha, G. 2005. Nutrient effects on productions of cellulolytic enzymes *by Aspergillus niger*. J. Biotech. 5: 472-476.

National Research Council. 2001. Nutrient Requirement of Dairy Cattle, 7 th Ed. National Academy Press. Washington, D.C.

Oberman, H. 1985. Fermented Milks. In Microbiology of Fermented Foods. Vol. 1 Edited by J. B. Wood. Elsevier Appl. Sci. Publ. New York.

Panda, A.K., M.R. Reddy, S.V. Rama Rao and N.K. Praharaj, 2003. Production performance, serum/yolk cholesterol and immune competence of white leghorn layers as influenced by dietary supplementation with probiotic. Trop. Anim. Health Prod. 35(1): 85-94.

Pantaya, D., Nahrowi dan L. A. Sofyan. 2005. Penambahan enzim cairan rumen pada pakan berbasis *wheat pollard* dengan proses pengolahan steam pelleting pada performans broiler. Media Kedokteran Hewan. 21(1): 35-39.

Partridge G, G., P. F. Al cantara and D. Creswell. 1998. Effect of xylanase addition to corn/soybean meal, *wheat pollard* diets for grower/finisher pigs. Proc 8th. World Congress Anim Prod. Seoul, Korea.

Patterson, J. A., and K.M. Burkholder, 2003. Application of prebiotics and probiotics in poultry production. Poult. Sci. 82(4): 627-631. DOI:10.1093/ps/82.4.627

Pelczar, M. J., dan E. C. S. Chan. 1988. Dasar-Dasar Mikrobiologi 2. (Diterjemahkan oleh Hadiutomo, Imas, Tjitrosomo dan Angka). Universitas Indonesia Press, Jakarta.

Pelicano, E. R. L., P. A. Souza, H. B. A. Souza, D. F. Figueiredo, M. M. Boiago, S. R. Carvalho, and V. F. Bordon. 2005. Intestinal mucosa development in broiler chickens fed natural growth promoters. Braz. J. Poult. Sci. 7: 221-229.

Perić, L., N. Milošević, D. Zikić, S. Bjedov, D. Cvetković, S. Markov, M. Mohnl and T. Steiner. 2010. Effects of probiotic and phytogenic products on performance, gut morphology and cecal microflora of broiler chickens. Archiv. Tierzucht 53: 350-359.

Plengvidhya, V. F. Breidt, Z. Lu and H. Fleming. 2007. DNA fingerprinting of lactic acid bacteria in sauerkraut Fermentation. Appl. Environ. Microbiol. 73(23): 7697–7702.

Praasad, J., H. Gill, J. Smart dan P. K. Gopal. 1998. Selection and characterization of *Lactobacillus* and *Bifidobacterium* strains for use as probiotics. Int. Dairy J. 8(12): 993-1002.

UNIVERSITAS GADJAH MADA
PENGGUNAAN SINBIOTIK YANG BERBASIS ISOLAT CAMPURAN DAN WHEAT POLLARD DALAM RANSUM UNTUK MENINGKATKAN PRODUKTIVITAS AYAM KAMPUNG
CAHYA SETYA UTAMA, Prof. Dr. Ir. Zuprizal, DEA, IPU;.Dr. Ir. Chusnul Hanim, M.Si. IPM;.Prof. Ir. Wihandoyo, MS,F
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Preston, T. R. and R. A. Leng. 1987. Matching Ruminant Production System with Available Resources in the Tropics and Sub-tropics. Penambul Books, Armidale, Australia.

Purwoko, T. 2007. Fisiologi Mikroba. Bumi Aksara, Jakarta.

Rackis, J. J. 1989. Physiological Effects of Food Carbohydrates. American Chemical Society. Washington D.C.

Raharjo, Y.C., T. Haryanti dan D. Gultom. 2000. Evaluasi nilai nutrisi pollard gandum terfermentasi dengan *Aspergillus niger* NRRL 337 pada itik alabio dan mojosari. Seminar Nasional Peternakan dan Veteriner. 5(8): 320-328.

Resnawati, H. dan I. A. K. Bintang, 2014. Kebutuhan pakan ayam kampung periode pertumbuhan. Prosiding Lokakarya Nasional Inovasi Teknologi Pengembangan Ayam Lokal: 138-141. Bogor.

Resta, S. C. 2009. Effects of Probiotics and Commensals on Intestinal Epithelial Physiology: Implications for Nutrient Handling. J. Physiol. 587: 4169-4174.

Retnoningtyas, E.S, A. Ayucitra, F. Maramis, O.W. Yong, F. W. Pribadi dan N. K. Tanti. 2013. Fermentasi substrat padat dan fermentasi substrat cair pada produksi asam laktat dari kulit pisang dengan *Rhizopus oryzae.* Jurnal Teknik Kimia Indonesia 11 (4): 1 – 5.

Ryan, S. M., G. F. Fitzgerald and D. Sinderen. 2006. Screening for and Identification of Starch-,Amylopectin-, and Pullulan-Degrading Activities in Bifidobacterial Strains. Department of Microbiology, University College Cork, Western Road, Cork, Ireland

Rycroft, C. E., M. R. Jones, G. R. Gibson and R. A. Rastall. 2001. A comparative in vitro evaluation of the fermentation properties of prebiotic oligosaccharides. J. Appl. Microbiol. 91:878-887.

Saarela, M., G. Mogensen, R. Fonden, J. Matto and T. Mattila-Sandholm. 2000. Probiotic bacteria: safety, functional and technological properties. J. Biotech. 84(3): 197-215.

Sajilata, M. G, S. S. Rekha and P.R. Kulkarni. 2006. Resisten starch – A review. Comprehensive Reviews in Food Science and Food Safety. 5(1):1-17.

Salminen, S and A. V. Wright. 1993. Lactic Acid Bacteria: Microbiology and Functional Aspects. Marcel Dekker Inc. New York.

Sari, E. M. A, E. Suprijatna dan W. Sarengat. 2017. Pengaruh Sinbiotik untuk Aditif Pakan Ayam Petelur terhadap Kandungan Kimiawi Telur. Jurnal Peternakan Indonesia. 19 (1): 16-22

Sebayang, F. 2006. Pembuatan etanol dari molases secara fermentasi menggunakan sel *Saccharomyces cerevisiae* yang terimobilisasi pada kalsium alginat. Jurnal Teknologi Proses 5 (2): 75 – 80.

Sibbald, I. R. 1980. Metabolizable energy in poultry nutrition. Bio Sci. 30(11):736-741.

Sibbald, I. R and M. S. Wolynetz. 1985. Estimates of retained nitrogen used to correct estimates of bioavailable energy. Poult. Sci. 64: 1506 – 1513.

UNIVERSITAS GADJAH MADA
PENGGUNAAN SINBIOTIK YANG BERBASIS ISOLAT CAMPURAN DAN WHEAT POLLARD DALAM RANSUM UNTUK MENINGKATKAN PRODUKTIVITAS AYAM KAMPUNG
CAHYA SETYA UTAMA, Prof. Dr. Ir. Zuprizal, DEA, IPU;.Dr. Ir. Chusnul Hanim, M.Si. IPM;.Prof. Ir. Wihandoyo, MS,F
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Sieo, C. C., N. Abdullah, W. S. Tan and Y. W. Hot. 2005. Influence of glucanase-producing lactobacilli strains on intestinal characteristics and feed passage rate of broiler chickens. J. Poult. Sci. 84: 734-741

Simon, O. 2005. Micro-organism as feed additives-probiotics. Advances in Pork Production 16: 161-167.

Solis de los Santos, F., M. B. Farnell, G. Tellez, J. M. Balog, N. B. Anthony, A. Torres- Rodriguez, S. Higgins, B. M. Hargis and A. M. Donoghue. 2005. Effect of prebiotik on gut development and ascites incidence of broilers reared in a hypoxic environment. Poultry Sci. 84:1092-1100

Steel, R. G. D. dan J. H. Torrie. 1993. Prinsip dan Prosedur Statistik Suatu Pendekatan Biometrik. Diterjemahkan oleh Bambang Sumantri. Cetakan ke- 4. Gramedia Pustaka Utama, Jakarta.

Suardana, I. W., I. N. Suarsana, I. N. Sujaya dan K. G. Wiryawan. 2007. Isolasi dan Identifikasi bakteri asam laktat dari cairan rumen sapi bali sebagai kandidat biopreservatif. Jurnal Veteriner. 8(4): 155 – 159.

Suci, D. M, E. Mursyida, T. Setianah dan R. Mutia. 2005. Program pemberian makanan berdasarkan kebutuhan protein dan energi pada setiap fase pertumbuhan ayam poncin. Media Peternakan. 28(2): 70-76.

Sudarmadji, S., B. Haryono, dan Suhardi. 1984. Prosedur Analisa untuk Bahan Makanan dan Pertanian. Liberty, Yogyakarta.

Sugito dan M. Delima. 2007. Dampak cekaman panas terhadap pertambahan bobot badan, rasio heterofil, limfosit dan suhu tubuh ayam broiler. J. Ked. Hewan 3(1): 216-226

Sujaya, N., Y. Ramona, N.P. Widarini, N. P Suariani, N. M. Utama Dwipayanti, K. A. Nocianitri dan N. W. Nursini. 2008. Isolasi dan karakterisasi bakteri asam laktat dari susu kuda Sumbawa. Jurnal Veteriner. 9(2): 52-59.

Suryani, Y., P. Andayaningsih dan I. Hernawan. 2012. Isolasi dan identifikasi jamur selulolitik pada limbah produksi bioetanol dari singkong yang berpotensi dalam pengolahan limbah menjadi pakan domba. Jurnal ISTEK. 6(2):1-10.

Suthama, N. 2006. Kajian aspek “protein turnover” tubuh pada ayam kedu periode pertumbuhan. Media Peternakan. 29(2): 47-53.

Taggart, P. 2004. Starch as an ingredients: manufacture and applications. Di dalam: Ann Charlotte Eliasson (ed). Starch in Food: Structure, Function, and Applications. CRC Press, Baco Raton, Florida.

Tawwab. M. A., M. Azza., A. Rahman., N. E. M. Ismael. 2008. Evaluation of commercial live bakers’ Yeast, Saccharomyces cerevisiae as a growth and immunity promoter for fry nile tilapia, *Oreochromis niloticus* (L.) challenged in situ with *Aeromonas hydrophila*. Aquacult. 280 :185–189.

Thomas, D. J. and W. A. Atwell. 1997. Starches. Eagen Press Handbook Series. Minnesota. USA.

Topping, D. L., M. Fukushima and A. R. Bird. 2003. Resisten starch as prebiotic and synbiotic: State of the art. Proc. Nutr. Soc. 62(1):171–176.

UNIVERSITAS GADJAH MADA
PENGGUNAAN SINBIOTIK YANG BERBASIS ISOLAT CAMPURAN DAN WHEAT POLLARD DALAM RANSUM UNTUK MENINGKATKAN PRODUKTIVITAS AYAM KAMPUNG
CAHYA SETYA UTAMA, Prof. Dr. Ir. Zuprizal, DEA, IPU;.Dr. Ir. Chusnul Hanim, M.Si. IPM;.Prof. Ir. Wihandoyo, MS,F
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Utama, C. S dan A. Mulyatno. 2009. Potensi limbah pasar sayur menjadi supplemen fermentasi. Jurnal Kesehatan Unimus. 2(1):6-13.

Van Immerseel, J. Russel, M. Flythe, I. Gantois, L. Timbermont, F. Pasmans, F. Haesebrouck, and R. Ductalle. 2006. The use organic acids to combat salmonella in poultry: a mechanistic explanation of the efficacy. Avian Pathol. 35: 182-188.

Van Soest, P. J., J. B. Robertson and B.A. Lewis. 1991. Methods for dietary fiber, neutral detergent fiber and non-starch polysaccharides in relation to animal nutrition. J. Dairy Sci. 74: 3583-3597.

Villena, J., M. Medina, E. Vintini and S. Alvarez. 2008. Stimulation of Respiratory Immunity by oral administration of *Lactobacillus lactis*. Canadian J Microbiol. 54(8): 630-638.

Volk, Wesley A dan Wheeler. 1992. Mikrobiologi Dasar. Jilid 2. Edisi Kelima. Erlangga, Jakarta.

Vranjes, V and C. Wenk. 1995. The influence of extruded vs untreated barley in the feed, with and without dietary enzyme supplement on broiler performance. Anim. Feed Sci. Tech. 54: 21-32.

Wahyu J. 1994. Ilmu Nutrisi Unggas. Penerbit Gadjah Mada University Press. Yogyakarta.

Wallace, R.J. 1994. Ruminal microbiology, biotechnology and ruminant nutrition: progress and problems. J. Anim. Sci. 72(11): 2992-3003.

Wallace, R.J. and C.J. Newbold. 1992. Rumen fermentation and its manipulation the development of yeast cultures as feed additives. Alltech's Asia-Pacific Lecture Tour.

Walter, H.G. and G. O. Kohler. 1978. Treated and untreated cellulosic wastes as animal feeds: Recent work in the United States of America. Agr. Env. 6(2): 229-243.

Waluyo, L. 2005. Mikrobiologi Umum. Universitas Muhammadiyah Malang Press. Malang.

Wardani, W. W., N. Ramli dan W. Hermana. 2004. Ketersediaan energi ransum yang mengandung *wheat pollard* hasil olahan cairan rumen diproses secara steam pelleting pada ayam broiler. Jurnal Media Peternakan. 27 (3): 123-128.

Wigyanto, Suharjono dan Novita. 2001. Pengaruh konsentrasi gula reduksi sari hati nanas dan inokulum *Saccharomyces cerevisiae* pada fermentasi etanol. Jurnal Teknologi Pertanian. 2 (1): 68 – 77.

Wolfenden, A. D., J. L. Vicente., L. R. Bielke., C. M. Pixley and S. E. Higgins. 2007. Effect of a Defined competitive exclusion culture of prophylaxis and reduction of horizontal transmission of *Salmonella enteritidis* in broiler chickens. Int. J. Poult. Sci. 6 (7): 489 – 492.

Wulan, S. T, T. D. Widyaningsih dan D. Ekasari. 2007. Modifikasi pati alami dan pati hasil pemutusan rantai cabang dengan perlakuan fisik/kimia untuk meningkatkan kadar pati resisten pada pati beras. Jurnal Teknologi Pertanian. 8(2): 80-87.

UNIVERSITAS
GADJAH MADA
**PENGGUNAAN SINBIOTIK YANG BERBASIS ISOLAT CAMPURAN DAN WHEAT POLLARD DALAM RANSUM UNTUK
MENINGKATKAN PRODUKTIVITAS AYAM KAMPUNG**
CAHYA SETYA UTAMA, Prof. Dr. Ir. Zuprizal, DEA, IPU;.Dr. Ir. Chusnul Hanim, M.Si. IPM;.Prof. Ir. Wihandoyo, MS,F
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Wurzburg, O. B. 1989. Modified Starches. Properties and Uses. CRC Press, 5. Boca Raton, Florida.

Yeo, J and K. I. Kim. 1997. Effect of feeding diets containing an antibiotic, a probiotic, or yucca extract on growth and intestinal urease activity in broiler chicks. Poult. Sci. 76(2): 381 – 385.

Yiannikouris, A., G. Andre, L. Poughon, J. Francois, C.G. Dussap, G. Jeminet, G. Bertin and J.P. Jouany. 2006. Chemical and conformational study of the interactions involved in mycotoxin complexation with beta-d-glucans. Biomacromolecules. 7(4):1147-1155.

Yoon, K. Y, E. W. Edward and D. H. Yong. 2004. Probiotication of tomato juice by lactic acid bacteria. J. Microbiol: 315-318

Yusrizal and T. C. Chen. 2003. Effect of adding chicory fructans in feed on broiler growth performans, serum cholesterol and intestine length. Int. J. Poult. Sci. 2 (3): 214-219.

Zhongdong, L., L. Peng and J. F. Kennedy. 2005. The technology of molecular manipulation and modification asisted by microwaves as applied to starch granules. Carbohydrate Polymers, 61(3): 374−378.

Zubaidah, E, E. Saparianti and J. Hindrawan. 2012. Studi aktivitas antioksidan pada bekatul dan susu skim terfermentasi probiotik *Lactobacillus plantarum B2* dan *Lactobacillus acidophilus*. Jurnal Teknologi Pertanian, 3(2): 111-118