

## DAFTAR PUSTAKA

- Agus F, Rahayu S. 2004. Mimba (*Azadirachta indica*) dan manfaatnya. [www.wolrdagroforestry.org/files/leaflet](http://www.wolrdagroforestry.org/files/leaflet).
- Ahadian F. 2012. Efektivitas skabisida ekstrak daun mimba (*Azadirachta indica* A.Juss) terhadap tungau *Sarcoptes scabiei* secara in vitro. *Skripsi*. Universitas Sumatera Utara.
- Akmal SC, Semiarty R, Gayatri. 2013. Hubungan personal hygiene dengan kejadian skabies di pondok pendidikan Islam Darul Ulum, Palarik Air Pacah, Kecamatan Koto Tangah Padangtahun 2013. *Jurnal Kesehatan Andalas*; 2(3):164-167.
- Alzohairy MA. 2016. Therapeutics Role of *Azadirachta indica* (Neem) and Their Active Constituents in Diseases Prevention and Treatment. *Evidence-Based Complementary and Alternative Medicine*; article ID 7382506 : 1-11.
- Amer M, Mostafa FF, Nasr AN, el-Harras M. 1995. The Role of mast cells in treatment of scabies. *Int J Dermatol*; 34(3): 186-9.
- Anonim. 2015. 15 Manfaat brotowali untuk obat tradisional skabies. [Manfaat.co.id](http://Manfaat.co.id), April I, 2015.
- Anonim. 2008. Mimba (*Azadirachta indica* A.Juss). <https://bptsitubondo.wordpress.com>, Juni 2008.
- Arlan LG, Morgan MS. 2017. A review of *Sarcoptes scabiei*: past, present and future. *Parasites & Vectors*; 10(297):1-22.
- Ayati SH, Kazeli B, Abbas A, Cicero A, Pirro M, Sahebkar A. 2017. *Regulatory effects of berberine on microRNome in cancer and other conditions. Critical reviews in oncology/hematology*; 116:147-158.
- Azizah IN, Setiyowati W. 2011. Hubungan tingkat pengetahuan ibu pemulung tentang personal higyene dengan kejadian skabies pada balita di tempat pembuangan akhir kota Semarang. *Dinamika Kebidanan* 1, 1-5.
- Baur B, Sarkar J, Manna N, Bandyopadhyay L. 2013. The Pattern of Dermatological Disorders among Patients Attending the SkinO.P.D of A Tertiary Care Hospital in Kolkata, India. *Journal of Dental and Medical Sciences*; 3: 1-6.
- Bhat SA, Mounsey KE, Liu X, Walton SF. 2017. Host immune responses to the itch mite, *Sarcoptes scabiei* in humans. *Parasite and Vectors*; 10:385.
- Bouvresse S, Chosidow O. 2010. Scabies in healthcare settings. *Curr Opin Infect Dis*; 23(2):111-8.
- Burkhart CG, Burkhart CN, Burkhart KM. 2000. An epidemiologic and therapeutic reassessment of scabies. *Cutis*; 65:233-40.
- Cancer Chemoprevention Research Center (CCRC) Farmasi UGM. 2014. Mimba (*Azadirachta indica* Juss.). Available from: <http://www.ccrcc.farmasi.ugm.ac.id>.
- Castillo AL, Osi MO, Ramos JDA, De Francia, Dujunco MU, Quilala PF. 2013. Efficacy and safety of *Tinospora cordifolia* lotion in *Sarcoptes scabiei* var

- hominis-infected pediatric patients: A single blind, randomized controlled trial. *Journal of Pharmacology and Pharmacotherapeutics*; 4(1):39-46.
- Centers for Disease Control and Prevention. 2005. Scabies fact sheet. [http://www.cdc.gov/ncidod/dpd/parasites/scabies.factsht\\_scabies.htm](http://www.cdc.gov/ncidod/dpd/parasites/scabies.factsht_scabies.htm).
- Centers for Disease Control and Prevention. 2008. Scabies. Laboratory Identification of Parasites of Public Health Concern Division of Parasitic Disease. [www.cdc.gov/dpdx/scabies/index.html](http://www.cdc.gov/dpdx/scabies/index.html).
- Cestari TF, Martignago BF. 2005. Scabies, pediculosis, bedbugs, and stinkbugs: uncommon presentations. *Clin Dermatol*; 23:545-54.
- Charles V, Charles SX. 1992. The use and efficacy of *Azadirachta indica* ADR ('Neem') and *Curcuma longa* ('Turmeric') in scabies. A pilot study. *Trop Geogr Med*; 44(1-2):178-81.
- Chowsido O. 2006. Scabies. *The New England Journal of Medicine*; 354 (16): 1718-1727.
- Ciftci IK, Karaca S, Dogru O, Cetinkaya Z, Kulac K. 2006. Prevalence of pediculosis and scabies in preschool nursery children of Afyon, Turkey. *Korean Journal of Parasitology*; 44: 95-98.
- Cordoro KM, Iston DM. Scabies. 2012. In: Hogan D et al., eMedicine World Medical Library [online]. (<http://www.emedicine.com/derm/topic382.htm>, accessed 13 April 2013).
- Currie BJ, McCarthy JS. 2010. Permethrin and ivermectin for scabies. *New England Journal of Medicine*; 362:717-725.
- Dahlan MS. 2013. Besar sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. Edisi 3. Penerbit Salemba Medika.
- De Franci JL, Yoro MS. 2005. A Comparative study of the efficacy of formulated *Tinospora rumphii* Boerl. Lotion and Crothamiton in the treatment of scabies in children. *Phillipine Journal of Pediatrics*; 54(4):198-203.
- Du YH, Li JL, Jia RY, et al. 2009. Acaricidal activity of four fractions and octadecanoic acid-tetrahydrofuran-3,4-diyl ester isolated from chloroform extracts of neem (*Azadirachta indica*) oil against *Sarcoptes scabiei var. cuniculi* larvae in vitro. *Veterinary Parasitology*; 163:175-178.
- Engelman D, Fuller LC, Steer AC. 2018. Consensus criteria for the diagnosis of scabies: A Delphi study of international experts. *PLOS Neglected Tropical Diseases*; 12(5):1-9.
- Feldmeier H. 2008. Ectoparasites and arthropod vectors: Ectoparasite infestations. In: Heggenhougen HK, Quah SR, editors. Tackling the growing crisis of public health. International encyclopedia of public health. CA: Elsevier Inc. p.282-94.
- Feng AW, Yu C, Mao Q, Li N, Li QR, Li JS. 2011. Berberine hydrochloride attenuates cyclooxygenase-2 expression in rat small intestinal mucosa during acute endotoxemia. *Fitoterapia*; 82:976-82.
- Fischer K, Holt DC, Harumal P, et al. 2003. Generation and characterization of cDNA clones from *Sarcoptes scabiei var. hominis* for an expressed sequence tag library: identification of homologues of house dust mite allergens. *Am J Trop Med Hyg*; 68:61-64.

- FitzGerald D, Grainger RJ, Reid A. 2014. Intervention for preventing the spread of investation in close contacts of people with scabies. *Cochrane Database Syst Rev*; 2:CD009943.
- Flinders DC, De Schweinitz P. 2004. Pediculosis and scabies. *Am Fam Physician*; 69(2):341-348.
- Fraser J. 1994. Permethrin: a Top End viewpoint and experience. *Med J Aust*; 160(12):806.
- Hamm H, Beiteke U, Hoger PH, Seitz CS, Thaci D, Sunderkotter C. 2006. Treatment of scabies with 5% permethrin cream: results of a German multicentre study. *JDDG*; 5:407-13.
- Handoko. 2011. Skabies. Dalam: *Ilmu Penyakit Kulit dan Kelamin edisi VI*. Bagian Ilmu Penyakit Kulit dan Kelamin FK UI Jakarta. hal 122-125.
- Hay RJ, Steer AC, Engelman D, Walton S. 2012. Scabies in the developing world: its prevalence, complications and management. *Clinical Microbiology and Infection*; 18(4):313-323.
- Heukelbach J, Feldmeier H. 2004. Ectoparasites-the underestimated reality. *Lancet*; 363(9412):889-91.
- Heukelbach J, Wilcke T, Winter B, Feldmeier. 2005. Epidemiology and morbidity of scabies and pediculosis capitis in resource-poor communities in Brazil. *British Journal of Dermatology*; 153:150-156.
- Hicks MI, Elston DM. 2009. Scabies. *Dermatol Ther*; 22(4):279-92.
- Ishii N, Asai T, Asahina A, Ishiko A, et al. 2017. Guideline for the diagnosis and treatment of scabiesnin Japan (third edition). Japanese Dermatological Association. *The Journal of Dermatology*; pp 1-24.
- Isman MB, Koul O, Luczynski A, Kaminskis J. 1990. Insecticidal and antifeedant bioactivities of neem oils and their relationship to azadirachtin content. *J.Agric.Food Chem*; 38:1406-1411.
- Janeway CAJ, Travers P, Walport M, Shlomchik MJ. 2001. The complement system and innate immunity. In: Sarah G, editor. *Immunobiology: The immune system in health and disease*. New York: Garland Science.
- Johnston G, Sladden M. 2005. Scabies: diagnosis and treatment. *British Medical Journal*; 331:619-622.
- Karaca S, Kelekci KH, Er Ogus, et al. 2015. Scabies Incognito Presenting as Subcorneal Pustular Dermatositis-like Eruption. Case Report. *Turkiye Parazitol Derg*; 39:244-247.
- Karthikeyan K. 2005. Treatment of scabies: newer perspectives. *Postgrad Med J*; 81:7-11.
- Karthikeyan K. 2009. Crusted scabies. *Indian Journal of Dermatology, Venereology and Leprology*; 75(4):340-347.
- Kartono F, Lee EW, Lanum D, et al. 2007. Crusted Norwegian scabies in an adult with Langerhans cell histiocytosis: mishaps leading to sysemic chemotherapy. *Arch Dermatol*; 143:626-628.
- Koriem K. 2013. Review on pharmacological and toxicological effects of oleum azadirachti oil. *Asian Pac J Trop Biomed*; 3(10):834-40.

- Kupeli E, Kosar M, Yesilada E, Baser K. 2002. A comparative study on the anti-inflammatory, antinociceptive and antipyretic effects of isoquinoline alkaloids from the roots of Turkish Berberis species. *Life Sci*; 72:645-57.
- Kuspriyanto. 2002. Pengaruh sanitasi dan higiene perorangan terhadap penyakit kulit. *Tesis*. Universitas Airlangga.
- Mancini AJ, Frieden IJ, Paller AS. 1998. Scabies and infantile acropustulosis are difficult to differentiate from one another. *Pediatr Dermatol*; 15:337-41.
- Ma'rufi I, Keman S, Notobroto HB. 2005. Faktor sanitasi lingkungan yang berperan terhadap prevalensi penyakit skabies studi pada santri di pondok pesantren kabupaten Lamongan. *Jurnal Kesehatan Lingkungan II* :11-18.
- Mittal J, Sharma MM, Batra A. 2014. Tinospora cordifolia: a multipurpose medicinal plant-A review. *Journal of Medicinal Plants Studies*; 2(2):32-47.
- Mounsey KE, Pasay CJ, Arlian LG, Morgan MS, Holt DC, Currie BJ. 2010. Increased transcription of Glutathione S-transferases in acaricide exposed scabies mites. *Parasite Vectors*; 3:43.
- Onayemi O, Isezuo SA, Njoku CH. 2005. Prevalence of different skin conditions in an outpatients' setting in north-western Nigeria. *International Journal of Dermatology*; 44:7-11.
- Orion E, Marcos B, Davidovici B, Wolf R. 2006. Itch and scratch: scabies and pediculosis. *Clin Dermatol*; 24(3):168-75.
- Pandey M, Chikara SK, Vyas MK, Sharma R, Thakur GS, Bisen, PS. 2012. Tinospora cordifolia: a climbing shrub in health care management. *International Journal of Pharma and Bio Sciences*; 3(4):612-628.
- Panduan Cara Kerja Praktikum Farmasi Kedokteran II. 2005. Bagian Farmasi Kedokteran Fakultas Kedokteran UGM.
- Passay C, Arlian L, Morgan M, Vyszanski-Moher D, Rose A, Holt D, et al. 2008. High resolution analysis for the detection of a mutation associated with permethrin resistance in a population of scabies mites. *Med.Vet.Entomol*; 22:82-88.
- Raharnie AD, Amiruddin MD, Adam AM. 2012. Study of retrospective in scabies patient in jaury academic hospital Makassar. *IJDV*; 1:1-6.
- Raza N, Qadir SNR, Agna H. 2009. Risk factor for scabies among male soldier in Pakistan: case-control study. *Eastern Mediterranean Health Journal*; 15:1-6.
- Reich A, Heisig M, Phan NQ, et al. 2012. Visual Analogue Scale: Evaluation of the Instrumen for the Assessment of Pruritus. *Acta Derm Venereol*; 92:449-581.
- Rivera EF, Sison EM, Aligui G. 1983. A comparative study of the efficacy of crotamiton and tinospora rumphii in the treatment of scabies in children. *J Philippine Med Assoc*; 58:265-67.
- Salavastru CM, Chosidow O, Boffa MJ, Janier M, Tiplica GS. 2017. European guideline for the management of scabies. *JEADV*; 31:1248-1253.
- Salazar N, Sabordo N, Romero R, Montalban C, Acacio M, Tarrayo M, et al. 1987. Tinospora rumphii Boerl (Makabuhay) in the treatment of scabies. *Philippine J Microbiol Infect Dis*; 16:25-9.

- Sarma DN, Khosa RI, Sahai M. 1995. Isolation of Jatrorrhizine from *Tinospora cordifolia* roots. *Planta Med*; 61:98-9.
- Sashidaran PN. 2016. UK National Guideline on the Management of Scabies. *Clinical Effectiveness Group British Association for Sexual Health and HIV*.
- Scheinfeld N. 2004. Controlling scabies in institutional settings. *Am J Clin Dermatol*; 5(1):31-7.
- Sengupta S, Mukherjee A, Goswami R, Basu S. 2009. Hypoglycemic activity of the antioxidant saponarin, characterized as alpha-glucosidase inhibitor present in *Tinospora cordifolia*. *J Enzyme Inhib Med Chem*; 24:684-690.
- Setyaningrum YI. 2013. Skabies penyakit kulit yang terabaikan: prevalensi, tantangan dan pendidikan sebagai solusi pencegahan. *Prosiding seminar nasional biologi X*.
- Stone SP, Jonathan NG, Rocky EB. 2008. In: Fitzpatrick's Dermatology in General Medicine, 8<sup>th</sup> ed. New York, MC Graw-Hill; pp 2030-311.
- Sungkar S. 1997. Skabies. *Majalah Kedokteran Indonesia* 47; 1:33-42.
- Taplin D, Meinking TL, Chen JA, Sanchez R. 1990. Comparison of Crothamiton 10% cream (Eurax) and Permethrin 5% cream (Elimite) for the treatment of scabies in children. *Pediatr Dermatol*; 7:67-73.
- Thomas J, Peterson GM, Walton SF, et al. 2015. Scabies: an ancient global disease with a need for new therapies. *BMC Infectious Disease*; 15:250.
- Usha V, Nair TVG. 2000. A comparative study of oral ivermectin and topical permethrin cream in the treatment of scabies. *J Am Acad Dermatol*; 42:236-40.
- Walton SF. 2010. The immunology of susceptibility and resistance to scabies. *Parasite Immunol*; 32(8): 532-40.
- Walton SF, Myerscough MR, Currie BJ. 2000. Studies in vitro on the relative efficacy of current acaricides for *Sarcoptes scabiei var. hominis*. *Trans R Soc Trop Med Hyg*; 94:92-96.
- Walton SF, Holt DC, Currie BJ, Kemp DJ. 2004. Scabies: new future for a neglected disease. *Adv Parasitol*; 57:309-76.
- Wardhana AH, Manurung J, Iskandar T. 2006. Skabies: tantangan penyakit zoonosis masa kini dan masa datang. *Wartazoa*; 16:1-13.
- Wong SS, Woo PC, Yuen KY. 2005. Unusual laboratory findings in a case of Norwegian scabies provided a clue to diagnosis. *J Clin Microbiol*; 43:2542-2544.
- World Health Organization (WHO). 2008. Traditional medicine. Fact sheet No.134. Retrieved from: [www.who.int/mediacentre/factsheet/fs134/en/](http://www.who.int/mediacentre/factsheet/fs134/en/)