

## DAFTAR PUSTAKA

- AAO. (2015). *Retina and Vitreous BCSC Sec-12*. San Francisco.
- Acan, D., Calan, M., Er, D., Arkan, T., Kocak, N., Bayraktar, F., & Kaynak, S. (2018). The prevalence and systemic risk factors of diabetic macular edema: A cross-sectional study from Turkey. *BMC Ophthalmol*, 18(1), 1–8.
- Adibhatla, R. M., & Hatcher, J. F. (2007). Role of lipids in brain injury and diseases. *Future Lipidol*, 2(4), 403–422.
- Agarwal, A., & Garg, V. (2015). Role of Systemic Risk Factors in Diabetic Macular Edema in Type 2. *J Dent Med Sci*, 14(10), 1–4.
- Aiello, L. P., Silva, P., Cavallerano, J. D., & Klein, R. (2016). Diabetic Eye Disease. In *Endocrinology: Adult and Pediatric* (Seventh Ed, p. 907–919.e5). Elsevier.
- Al-Shabrawey, M., Rojas, M., Sanders, T., Behzadian, A., El-Remessy, A., Bartoli, M., ... Caldwell, R. B. (2008). Role of NADPH Oxidase in Retinal Vascular Inflammation. *Investigative Ophthalmology & Visual Science*, 49(7), 3239. <https://doi.org/10.1167/iovs.08-1755>
- Albers, J. J., Marcovina, S. M., Imperatore, G., Snively, B. M., Stafford, J., Fujimoto, W. Y., ... Dabelea, D. M. (2008). Prevalence and Determinants of Elevated Apolipoprotein B and Dense Low-Density Lipoprotein in Youths with Type 1 and Type 2 Diabetes. *J Clin Endocrinol Metab*, 93(March), 735–742.
- Anagnostis, P., Stevenson, J. C., Crook, D., Johnston, D. G., & Godsland, I. F. (2016). Effects of gender , age and menopausal status on serum apolipoprotein concentrations. *Clin Endocrinol (Oxf)*, 85(5), 733–740.
- Ankit, B., Mathur, G., Agrawal, R., & Mathur, K. (2017). Stronger relationship of serum apolipoprotein A-1 and B with diabetic retinopathy than traditional lipids. *Indian J. Endocrinol. Metab.*, 21(1), 102.
- Association, A. D. (2018). 6 . Glycemic Targets : Standards of Medical Care in Diabetes d 2018. *Diabetes Care*, 41(January), 55–64.
- Bachorik, P. S., Lovejoy, K. L., Carroll, M. D., & Johnson, C. L. (1997). Apolipoprotein B and AI distributions in the United States, 1988-1991: results of the National Health and Nutrition Examination Survey III (NHANES III). *Clin. Chem.*, 43(12), 2364–2378.
- Baskin, D. (2010). Optical coherence tomography in diabetic macular edema. *Curr Opin Ophthalmol*, (21), 172–177.
- Behre, C., Bergström, G., & Schmidt, C. (2010). Moderate Physical Activity Is Associated With Lower ApoB/ApoA-I Ratios Independently of Other Risk Factors in Healthy, Middle-Aged Men. *Angiology*, 61(8), 775–779.
- Benarous, R., Sasongko, M. B., Qureshi, S., Fenwick, E., Dirani, M., Wong, T. Y., & Lamoureux, E. L. (2011). Differential Association of Serum Lipids with Diabetic Retinopathy and Diabetic Macular Edema. *Invest. Ophthalmol. Vis. Sci.*, 52(10), 7464.
- Bhagat, N., Grigorian, R. A., Tutela, A., & Zarbin, M. A. (2009). Diabetic

- Macular Edema: Pathogenesis and Treatment. *Surv. Ophthalmol*, 54(1), 1–32.
- Bhatnagar, D., & Durrington, P. N. (1991). Clinical value of apolipoprotein measurement. *Ann. Clin. Biochem.*, 28(5), 427–437.
- Cetin, E. N., Bulgu, Y., Ozdemir, S., Topsakal, S., Akın, F., Aybek, H., & Yıldırım, C. (2013). Association of serum lipid levels with diabetic retinopathy. *Int. J. Ophthalmol.*, 6(3), 346–9.
- Chait, A., & Montes, V. N. (2011). Apolipoproteins and diabetic retinopathy. *Diabetes Care*, 34(2), 529–531.
- Chan, D. C., Watts, G. F., Redgrave, T. G., Mori, T. A., & Barrett, P. H. R. (2002). Apolipoprotein B-100 kinetics in visceral obesity: Associations with plasma apolipoprotein C-III concentration. *Metabolism: Clin Exp*, 51(8), 1041–1046.
- Chang, Y. C., & Wu, W. C. (2013). Dyslipidemia and diabetic retinopathy. *Rev. Diabet. Stud.*, 10(2–3), 121–132.
- Chen, E., Looman, M., Laouri, M., Gallagher, M., Van Nuys, K., Lakdawalla, D., & Fortuny, J. (2010). Burden of illness of diabetic macular edema: literature review. *Curr. Med. Res. Opin.*, 26(7), 1587–1597.
- Chew, E. Y., Klein, M. L., Iii, F. L. F., Remaley, N. a, Murphy, R. P., Chantry, K., ... Miller, D. (1996). Association of elevated serum lipid levels with retinal hard exudate in Diabetic Retinopathy. *Arch Ophthalmol*, 114, 1079–1084.
- Chou, T. H., Wu, P. C., Kuo, J. Z. C., Lai, C. H., & Kuo, C. N. (2009). Relationship of diabetic macular oedema with glycosylated haemoglobin. *Eye*, 23(6), 1360–1363.
- Contois, J. H., Mcnamara, J. R., Lammi-Keefe, C. J., Wilson, P. W. F., Massov, T., & Schaefer, E. J. (1996). Reference intervals for plasma apolipoprotein B determined with a standardized commercial immunoturbidimetric assay: Results from the Framingham Offspring Study. *Clin Chem*, 42(4), 515–523.
- Crosby-Nwaobi, R., Chatziralli, I., Sergentanis, T., Dew, T., Forbes, A., & Sivaprasad, S. (2015). Cross talk between lipid metabolism and inflammatory markers in patients with diabetic retinopathy. *J Diabetes Res*, 2015.
- Daruich, A., Matet, A., Moulin, A., Kowalczyk, L., Nicolas, M., Sellam, A., ... Behar-Cohen, F. (2017). Mechanisms of macular edema: Beyond the surface. *Prog. Retin. Eye Res.*, (October).
- Das, R., Kerr, R., Chakravarthy, U., & Hogg, R. E. (2015). Dyslipidemia and Diabetic Macular Edema: A Systematic Review and Meta-Analysis. *Ophthalmology*, 122(9), 1820–1827.
- de Faria, J. M. L., Jalkh, A. E., Trempe, C. L., & McMeel, J. W. (1999). Diabetic macular edema: Risk factors and concomitants. *Acta Ophthalmologica Scandinavica*, 77(2), 170–175.
- Deguchi, Y., Maeno, T., Saishin, Y., Hori, Y., Shiba, T., & Takahashi, M. (2011). Relevance of the serum apolipoprotein ratio to diabetic retinopathy. *Japanese Journal of Ophthalmology*, 55(2), 128–131. <https://doi.org/10.1007/s10384-010-0913-y>

- Dharmastuti, D. ., Agni, A. ., Pawiroranu, S., Sofro, A. ., Wardhana, F. ., Haryanto, S., ... Sasongko, M. B. (2017). Associations of Physical Activity and Sedentary Behaviour with Vision-Threatening Diabetic Retinopathy in Indonesian Population with Type 2 Diabetes Mellitus: Jogjakarta Eye Diabetic Study in the Community ( JOGED . COM ) Associations of Physical Activit. *Ophthalmol Epid*, 0(0), 1–7.
- Diep, T. M., & Tsui, I. (2013). Risk factors associated with diabetic macular edema. *Diabetes Res Clin Pract*, 100(3), 298–305.
- Ding, J., & Wong, T. Y. (2012). Current epidemiology of diabetic retinopathy and diabetic macular edema. *Curr. Diab. Rep.*, 12(4), 346–354.
- Diyarbakir, M., & Adana, M. (1989). Apolipoproteins: biochemistry, methods and clinical Chemical composition of low density lipoprotein ( LDL ), 17(Ldl), 63–68.
- Du, M., Wu, M., Fu, D., Yang, S., Chen, J., Wilson, K., & Lyons, T. J. (2013). Effects of modified LDL and HDL on retinal pigment epithelial cells: A role in diabetic retinopathy? *Diabetologia*, 56(10), 2318–2328.
- Du, X.-L., Edelstein, D., Rossetti, L., Fantus, I. G., Goldberg, H., Ziyadeh, F., ... Brownlee, M. (2000). Hyperglycemia-induced mitochondrial superoxide overproduction activates the hexosamine pathway and induces plasminogen activator inhibitor-1 expression by increasing Sp1 glycosylation. *Proc. Natl. Acad. Sci.*, 97(22), 12222–12226.
- Duvillard, L., Pont, F., Florentin, E., Gambert, P., Verges, B., Metabolisme, I. U., ... Medecine, F. De. (2000). Metabolic abnormalities of apolipoprotein B-containing lipoproteins in non-insulin-dependent diabetes : a stable isotope kinetic study. *European J Clin Invest*, 30, 685–694.
- El-mofty, H., Hakim, M. A. A., Ali, H., El, G., Allah, O. K., & Mosaad, P. S. (2013). Retinopathy and Dyslipidemia in Type II Diabetes Mellitus in Egyptian Patients. *Clin. Exp. Ophthalmol.*, 4(1), 1–3.
- Fernandez, J., Mendez, I., Aroca, P. R., & Salvat, M. (2004). Risk factors for diffuse and focal macular edema. *J Diabetes Complications*, 18, 211–215.
- Fliesler, S. J. (2015). Cholesterol homeostasis in the retina: seeing is believing. *J. Lipid Res.*, 56(1), 1–4.
- Ghosh, S., Bansal, P., Shejao, H., Hegde, R., Roy, D., & Biswas, S. (2015). Correlation of morphological pattern of optical coherence tomography in diabetic macular edema with systemic risk factors in middle aged males. *Int Ophthalmol* (2015), 35, 3–10.
- Hammer, S. S., & Busik, J. V. (2017). The role of dyslipidemia in diabetic retinopathy. *Vision Res.*, 139, 228–236.
- Harper, C. R., & Jacobson, T. A. (2010). Using apolipoprotein B to manage dyslipidemic patients: Time for a change? *Mayo Clin. Proc.*, 85(8), 771–772.
- Hee, M. R., Puliafito, C. A., Duker, J. S., Reichel, E., Coker, J. G., Wilkins, J. R., ... Fujimoto, J. G. (2010). Topography of diabetic macular edema with optical coherence tomography.pdf. *Ophthalmology*, 105(2), 360–370.
- Hernandez-Martinez, C., Azrak, C., Baeza-d, M. V., Mart, J., & Gil-guill, V. F. (2015). Detection of diabetic macular oedema : validation of optical coherence tomography using both foveal thickness and intraretinal fluid.

- PeerJ*. <https://doi.org/DOI.10.7717/peerj.1394>
- Idiculla, J., Nithyanandam, S., Joseph, M., Mohan, V. K. A., Vasu, U., & Sadiq, M. (2012). Serum lipids and diabetic retinopathy: A cross-sectional study. *Indian J. Endocrinol. Metab.*, *16*(Suppl 2), S492–S494.
- Iwai, M., Yoshino, G., Matsushita, M., Morita, M., Matsuba, K., Kazumi, T., & Baba, S. (1990). Abnormal Lipoprotein Composition in Normolipidemic Diabetic Patients. *Diabetes Care*, *13*(7), 792–796.
- Jeng, C.-J., Hsieh, Y.-T., Yang, C.-M., Yang, C.-H., Lin, C.-L., & Wang, I.-J. (2016). Diabetic Retinopathy in Patients with Diabetic Nephropathy: Development and Progression. *PLoS ONE*, *11*(8), e0161897.
- Jungner, I., Are, H., Holme, I., Furberg, C. D., Sniderman, A. D., & Gustaf, K. (2004). The apoB / apoA-I ratio is better than the cholesterol ratios to estimate the balance between plasma proatherogenic and antiatherogenic lipoproteins and to predict coronary risk. *Clin Chem Lab Med*, *42*(12), 1355–1363.
- Jungner, I., Marcovina, S. M., Walldius, G., Holme, I., Kolar, W., & Steiner, E. (1998). Apolipoprotein B and A-I values in 147 576 Swedish males and females, standardized according to the World Health Organization-International Federation of Clinical Chemistry First International Reference Materials. *Clin Chem*, *44*(8 I), 1641–1649.
- Keech, A., Mitchell, P., Summanen, P., O’Day, J., Davis, T., Moffitt, M., ... Colman, P. (2007). Effect of fenofibrate on the need for laser treatment for diabetic retinopathy (FIELD study): a randomised controlled trial. *Lancet*, *370*(9600), 1687–1697.
- Klein, R. (2002). Blood pressure control and diabetic retinopathy. *Br J Ophthalmol*, *365*–367.
- Klein, R., Moss, S. E., Klein, B. E. K., Davis, M. D., & DeMets, D. L. (1989). The Wisconsin Epidemiologic Study of Diabetic Retinopathy: XI. The Incidence of Macular Edema. *Ophthalmology*, *96*(10), 1501–1510.
- Krishnamoorthy, R. (2017). Apolipoproteins an Early and Better Diagnostic Marker for Diabetic Retinopathy. *J Clin Diagn Res*, *11*(10), 1–5.
- Kriska, A., Laporte, E., Patrick, L., & Orchard, J. (1991). The association of physical activity and diabetic complications insulin-dependent diabetes mellitus: The epidemiology study-VII. *J Clin Epidemiol*, *44*(11), 1207–1214.
- Kuwata, H., Okamura, S., Hayashino, Y., Tsujii, S., & Ishii, H. (2017). Higher levels of physical activity are independently associated with a lower incidence of diabetic retinopathy in Japanese patients with type 2 diabetes: A prospective cohort study, Diabetes Distress and Care Registry at Tenri (DDCRT15). *PLoS ONE*, *12*(3), e0172890.
- Lacis, I., Solomatins, I., Gertnere, J., & Macijevska, A. (2010). Current Aspects of Epidemiology , Pathogenesis and Treatment in Diabetic Macular Edema. *Acta Chirurgica Latviensis*, *2010*(8), 98–101.
- Lee, R., Wong, T. Y., & Sabanayagam, C. (2015). Epidemiology of diabetic retinopathy, diabetic macular edema and related vision loss. *Eye and Vision*, *2*(1), 17.
- Lim, Y., Yoo, S., Lee, S. A., Chin, S. O., Heo, D., Moon, J. C., & Moon, S.

- (2015). Apolipoprotein B Is Related to Metabolic Syndrome Independently of Low Density Lipoprotein Cholesterol in Patients with Type 2 Diabetes. *Endocrinol Metab*, 208–215.
- Liu, Y., Song, Y., Tao, L., Qiu, W., Lv, H., Jiang, X., ... Li, X. (2017). Prevalence of diabetic retinopathy among 13473 patients with diabetes mellitus in China: a cross-sectional epidemiological survey in six provinces. *BMJ Open*, 7(1), e013199.
- Loprinzi, P. D., Brodowicz, G. R., Solomon, S. D., & Ramulu, P. Y. (2014). Accelerometer-assessed physical activity and diabetic retinopathy in the united states. *JAMA Ophthalmol*, 132(8), 1017–1019.
- Luxmi, S., Ritika, M., Lubna, A., Pragati, G., & Lal, B. B. (2018). Diabetic macular edema and its association to systemic risk factors in an urban north Indian population . *J Clin Ophthalmol*, 2(2).
- Mathur, R., Bhaskaran, K., Edwards, E., Lee, H., Chaturvedi, N., Smeeth, L., & Douglas, I. (2017). Population trends in the 10-year incidence and prevalence of diabetic retinopathy in the UK: A cohort study in the Clinical Practice Research Datalink 2004-2014. *BMJ Open*, 7(2), 1–12.
- Meleth, A. D., Agrón, E., Chan, C. C., Reed, G. F., Arora, K., Byrnes, G., ... Chew, E. Y. (2005). Serum inflammatory markers in diabetic retinopathy. *Invest Ophthalmol Vis Sci*, 46(11), 4295–4301.
- Miljanovic, B., Glynn, R. J., Nathan, D. M., Manson, J. E., & Schaumberg, D. A. (2004). A Prospective Study of Serum Lipids and Risk of Diabetic Macular Edema in Type 1 Diabetes. *Diabetes*, 53(11), 2883–2892.
- Mociran, M., Dragos, C., & Hâncu, N. (2009). Risk Factors and Severity of Diabetic Retinopathy in Maramureş Abstract : *Applied Medical Informatics*, 24(1), 47–52.
- Munakarmi, N., Pokharel, A., Malla, O. K., & Pradhananga, C. L. (2016). The prevalence and risk factors of diabetic maculopathy in type 2 diabetes mellitus: A study from Central Nepal, 4(1), 16–21.
- Namitha, D., Shilpashree, Y., Nusrath, A., Rajeswari, A., & Rani, N. A. (2017). Apolipoprotein A-I and Apolipoprotein B : Better Indicators of Dyslipidemia in Diabetic Retinopathy Patients ? *Indian Journal Med Biochem*, 21(2), 142–146.
- Narayana, S., Koora, S., & Shaker, I. A. (2012). “ The Evaluation of Serum Fasting Blood Sugar and Lipid Profile including Apo A and Apo B in Diabetic Retinopathy Subjects .” Abstract : *Indian Journal of Basic & Applied Medical Research*, (2), 94–102.
- Ono, Y., Aoki, S., Ohnishi, K., Yasuda, T., Katsumi Kawano, & Tsukada, Y. (1998). Increased serum levels of advanced glycation end-products and diabetic complications. *Diabetes Res Clin Pract*, 41(2), 131–137.
- Ozer, P. A., Unlu, N., Demir, M. N., Hazirolan, D. O., Acar, M. A., & Duman, S. (2009). Serum lipid profile in diabetic macular edema. *J Diabetes Complications*, 23(4), 244–248.
- Pandelaki, K., Adam, J. M. ., & Sugondo, S. (2010). *Buku Ajar Ilmu Penyakit Dalam*. (A. W. Sudoyo, B. Setiyohadi, I. Alwi, M. Simadibrata K, & S. Setiati, Eds.) (V). Jakarta: Interna Publishing.

- Prakash, G., Agrawal, R., Satsangi, S., & Prakash, S. (2016). Comparison of serum apolipoproteins and traditional lipids in eyes with diabetic retinopathy in Indian population: A case series. *Middle East Afr J Ophthalmol*, 23(2), 212.
- Priyadarshini, N., Annamalai, R., & Muthukumar, M. (2017). The relationship between blood sugar levels (glycosylated haemoglobin) and the risk of development of diabetic retinopathy. *Int J Med Res Rev*, 5(1), 61–67.
- Resnikoff, S., Pascolini, D., Etya'ale, D., Kocur, I., Pararajasegaram, R., Pokharel, G. P., & Mariotti, S. P. (2004). Global data on visual impairment in the year 2002. *Bulletin of the World Health Organization*, 82(11), 844–851.
- Rizk, M. N., Aly, H., Samir, P., El Mofty, H., & Allah, O. K. (2013). Apolipoprotein B level and diabetic microvascular complications : is there a correlation ? *Egypt J Intern Med*, 25, 137–142.
- Romero-Aroca, P. (2010). Targeting the pathophysiology of diabetic macular edema. *Diabetes Care*, 33(11), 2484–2485.
- Romero-Aroca, P., Baget-Bernaldiz, M., Pareja-Rios, A., Lopez-Galvez, M., Navarro-Gil, R., & Verges, R. (2016). Diabetic Macular Edema Pathophysiology: Vasogenic versus Inflammatory. *J Diabetes Res*, 2016, 1–17.
- Rosner, B. (2015). *Fundamentals of biostatistics (8ed)*. Boston:Nelson education.
- Rowe, C. W., Haider, A. S., Viswanathan, D., Jones, M., Attia, J., Wynne, K., & Acharya, S. (2017). Insulin resistance correlates with maculopathy and severity of retinopathy in young adults with Type 1 Diabetes Mellitus. *Diabetes Res. Clin. Pract.*, 131, 154–160.
- Sanchez-Tocino, H., Alvarez-vidal, A., Maldonado, M. J., & Moreno-montan, J. (2002). Retinal Thickness Study with Optical Coherence Tomography in Patients with Diabetes AND. *Invest Ophthalmol Vis Sci*, 43(5), 1588–1594.
- Sasongko, M. B., Wong, T. Y., Nguyen, T. T., Kawasaki, R., Jenkins, A. J., Shaw, J., ... Wang, J. J. (2012). Serum apolipoproteins are associated with systemic and retinal microvascular function in people with diabetes. *Diabetes*, 61(7), 1785–1792.
- Sasongko, M. B., Wong, T. Y., Nguyen, T. T., Kawasaki, R., Jenkins, A., Shaw, J., & Wang, J. J. (2011). Serum apolipoprotein AI and B are stronger biomarkers of diabetic retinopathy than traditional lipids. *Diabetes Care*, 34(2), 474–479.
- Shea, A. M., Curtis, L. H., Hammill, B. G., Kowalski, J. W., Ravelo, A., Lee, P. P., ... Schulman, K. A. (2009). Resource Use and Costs Associated With Diabetic Macular Edema in Elderly Persons. *Arch Ophthalmol.*, 126(12), 1748–1754.
- Shearman, J., Micklewright, D., Hardcastle, J., Hamlin, M., & Draper, N. (2010). The Effect of Physical Activity on Serum Lipids , Lipoprotein , and Apolipoproteins. *Arch Exerc Health Dis*, 2(2010), 42–49.
- Shera, A. S., Jawad, F., Maqsood, A., & Jamal, S. (2004). Prevalence of Chronic Complications and Associated Factors in Type 2 Diabetes. *JPMA*, 54(54).
- Soewondo, P., Soegondo, S., Suastika, K., Pranoto, A., Soeatmadji, D. W., &

- Tjokroprawiro, A. (2010). The DiabCare Asia 2008 study – Outcomes on control and complications of type 2 diabetic patients in Indonesia. *Medical Journal of Indonesia*, (January), 235.
- Stefansson, E., Bek, T., Porta, M., Larsen, N., Kristinsson, J. K., & Agardh, E. (2000). Screening and prevention of diabetic blindness. *Acta Ophthalmol Scand*, 78(4), 374–385.
- Stratton, I. M., Kohner, E. M., Aldington, S. J., Turner, R. C., Holman, R. R., Manley, S. E., & Matthews, D. R. (2001). UKPDS 50: Risk factors for incidence and progression of retinopathy in Type II diabetes over 6 years from diagnosis. *Diabetologia*, 44(2), 156–163.
- Ting, D. S. W., Cheung, G. C. M., & Wong, T. Y. (2016). Diabetic retinopathy: global prevalence, major risk factors, screening practices and public health challenges: a review. *Clin Exp Ophthalmol*, 44(4), 260–277.
- Tognon, G., Berg, C., Mehlig, K., Thelle, D., Strandhagen, E., Gustavsson, J., ... Lissner, L. (2012). Comparison of apolipoprotein (apoB/apoA-I) and lipoprotein (Total Cholesterol/HDL) ratio determinants. focus on obesity, diet and alcohol intake. *PLoS ONE*, 7(7).
- Varma, R., Bressler, N. M., Doan, Q. V., Gleeson, M., Danese, M., Bower, J. K., ... Turpcu, A. (2014). Prevalence of and risk factors for diabetic macular edema in the United States. *JAMA Ophthalmology*, 132(11), 1334–1340.
- Vergès, B. (2010). Abnormal hepatic apolipoprotein B metabolism in type 2 diabetes. *J Atherosclerosis*, 211, 353–360.
- Verma, M., Paneri, S., Badi, P., & Raman, P. G. (2006). Effect of increasing duration of diabetes mellitus type 2 on glycated hemoglobin and insulin sensitivity, 21(1), 142–146.
- World Health Organization. (2018). *ACTIVE: a technical package for increasing physical activity*. Geneva.
- Wu, M., Chen, Y., Wilson, K., Chirindel, A., Ihnat, M. A., Yu, Y., ... Lyons, T. J. (2008). Intraretinal leakage and oxidation of LDL in diabetic retinopathy. *Invest Ophthalmol Vis Sci*, 49(6), 2679–2685.
- Yamamoto, T., Iimuro, S., Ohashi, Y., Sone, H., Yamashita, H., & Ito, H. (2012). Prevalence and risk factors for diabetic maculopathy, and its relationship to diabetic retinopathy in elderly Japanese patients with type2 diabetes mellitus. *Geriatr Gerontol Int*, 12(Suppl 1), 134–140.
- Yamauchi, T., & Kadowaki, T. (2008). Physiological and pathophysiological roles of adiponectin and adiponectin receptors in the integrated regulation of metabolic and cardiovascular diseases. *Int J Obes*, 32, S13–S18.
- Yau, J. W. Y., Rogers, S. L., Kawasaki, R., Lamoureux, E. L., Kowalski, J. W., Bek, T., ... Wong, T. Y. (2012). Global Prevalence and Major Risk Factors of Diabetic Retinopathy. *Diabetes Care*, 35(3), 556–564.
- Zander, E., Herfurth, S., Bohl, B., Heinke, P., Kohnert, K. D., Kerner, W., & Herrmann, U. (2000). Maculopathy in patients with diabetes mellitus type 1 and type 2: Associations with risk factors. *Br J Ophthalmol*, 84(8), 871–876.
- Zhang, X., Zeng, H., Bao, S., Wang, N., & Gillies, M. C. (2014). Diabetic macular edema: new concepts in patho-physiology and treatment. *Cell & Bioscience*, 4(1), 27.



Zheng, W., Mast, N., Saadane, A., & Pikuleva, I. A. (2015). Pathways of cholesterol homeostasis in mouse retina responsive to dietary and pharmacologic treatments. *J Lipid Res*, 56(1), 81–97.