

## DAFTAR PUSTAKA

- Addington, J., Cornblatt, B. A., Ph, D., Cadenhead, K. S., Cannon, T. D., ... Ph, D. (2011). At clinical high risk for psychosis: Outcome for nonconverters, (8), 800–806
- Addington, J., & Heinszen, R. (2012). Prediction and prevention of psychosis in youth at clinical high risk. *Annual review of clinical psychology*, 8(1), 269–289. <https://doi.org/10.1146/annurev-clinpsy-032511-143146>
- Addington, J., Penn, D., Woods, S. W., Addington, D., & Perkins, D. O. (2008). Social functioning in individuals at clinical high risk for psychosis. *Schizophrenia Research*, 99(1–3), 119–124. <https://doi.org/10.1016/j.schres.2007.10.001>
- Addington, J., Stowkowy, J., & Weiser, M. (2015). Screening tools for clinical high risk for psychosis. *Early Intervention in Psychiatry*, 9(5), 345–356. <https://doi.org/10.1111/eip.12193>
- Aldao, A., & Nolen-Hoeksema, S. (2010). Specificity of cognitive emotion regulation strategies: A transdiagnostic examination. *Behaviour Research and Therapy*, 48(10), 974–983. <https://doi.org/10.1016/j.brat.2010.06.002>
- Ali, M., & Asrori, M. (2012). *Psikologi remaja perkembangan peserta didik*. Jakarta: PT. Bumi Aksara.
- Arango, C. (2011). Attenuated psychotic symptoms syndrome: How it may affect child and adolescent psychiatry. *European Child and Adolescent Psychiatry*, 20(2), 67–70. <https://doi.org/10.1007/s00787-010-0144-2>
- Arsyad, M. (2015). Validasi modul pelatihan "ketangguhan" untuk meningkatkan prestasi akademik siswa atlet kelas khusus olahraga. (*Unpublished Thesis*). Yogyakarta: Fakultas Psikologi UGM.
- Ashturkar, M. D., & Dixit, J. V. (2013). Selected epidemiological aspects of schizophrenia : A cross sectional study at tertiary care hospital in Maharashtra, 4(1), 65–69.
- Aspinwall, L. G. (2006). The psychology of future-oriented thinking: From achievement to proactive coping, adaptation, and aging, 29(4), 203–235. <https://doi.org/10.1007/s11031-006-9013-1>
- Aspinwall, L. G., & Taylor, S. E. (1997). A stitch in time: Self-regulation and proactive coping. *Psychological Bulletin*, 121 (3), 417–436.
- Astuti, K. (1994). Hubungan antara tipe kepribadian hardiness dengan somatisasi pada ibu rumah tangga. (*Unpublished Scripton*). Yogyakarta: Fakultas Psikologi UGM.
- Azwar, S. 2003. *Sikap Manusia, Teori dan Pengukurannya*. Yogyakarta: Pustaka Belajar.

- Azwar, S. (2016). *Konstruksi tes kemampuan kognitif*. Yogyakarta: Pustaka Pelajar
- Azwar, S. (2018). *Metode penelitian psikologi* (2<sup>nd</sup> ed). Yogyakarta: Pustaka Belajar.
- Ballon, J. S., Kaur, T., Marks, I. I., & Cadenhead, K. S. (2007). Social functioning in young people at risk for schizophrenia. *Psychiatry Research*, *151*(1–2), 29–35. <https://doi.org/10.1016/j.psychres.2006.10.012>
- Bandura, A. (1997). *Self efficacy: The exercise of control*. New York: W.H. Freeman and Company
- Bartone, P. T., Hystad, S. W., Eid, J., & Brevik, J. I. (2012). Psychological hardiness and coping style as risk/resilience factors for alcohol abuse. *Military medicine*, *177*(5), 517–524. <https://doi.org/10.7205/MILMED-D-11-00200>
- Bartone, P. T., Johnsen, B. H., Eid, J., Hystad, S. W., & Laberg, J. C. (2016). Hardiness, avoidance coping, and alcohol consumption in war veterans: A moderated-mediation study. *Stress and Health*, *33*(5), 498–507. <https://doi.org/10.1002/smi.2734>
- Bartone, P. T., Paul, N. (2007). *Growing transformational leaders: Exploring the role of personality hardiness*. USA: The National University
- Baumeister, R. F. (2007). *Encyclopedia of Social Psychology*. USA: Sage Publications.
- Bhaskar, M. P & More, J. B. (2015). Role of trainer and training aids in improving effectiveness of training among employes-a study of large scale industries Ahmednagar district. *International Journal of Emerging Research in Management & Technology*, *4*, 114-119.
- Burke, L. A., & Hutchins, H. M. (2008). A study of best practices in training transfer and proposed model of transfer. *Human Resource Development Quarterly*, *19*(2), 107–128.
- Byrne, R. E., & Morrison, A. P. (2014). Young people at risk of psychosis : Their subjective experiences of monitoring and cognitive behaviour therapy in the early detection and intervention evaluation 2 trial, 357–371. <https://doi.org/10.1111/papt.12013>
- Cannon, T. D., Cadenhead, K., Cornblatt, B., Woods, S. W., Addington, J., Walker, E., ... Heinsen, R. (2008). Prediction of psychosis in youth at high clinical risk: A multisite longitudinal study in North America. *Archives of General Psychiatry*, *65*(1), 28–37. <https://doi.org/10.1001/archgenpsychiatry.2007.3>
- Carver, C. S., Scheier, M. F., & Segerstrom, S. C. (2010). Optimism. *Clinical psychology review*, *30*(7), 879–889. <https://doi.org/10.1016/j.cpr.2010.01.006>
- Cheppy Riyana. 2007. *Pedoman pengembangan media video*. Jakarta: P3AI UPI.
- Child, M., Mental, Y., Service, H., Brisbane, S., Lucia, S., Wales, S., & Wales, N.

- S. (2006). Psychotic-like experiences in the general community : the correlates of CIDI psychosis screen items in an Australian sample, (November 2005), 231–238. <https://doi.org/10.1017/S0033291705006392>
- Chong, H. Y., Teoh, S. L., Wu, D. B.-C., Kotirum, S., Chiou, C.-F., & Chaiyakunapruk, N. (2016). Global economic burden of schizophrenia: a systematic review. *Neuropsychiatric disease and treatment*, 12, 357–373. <https://doi.org/10.2147/NDT.S96649>
- Compton, M. T., & Broussard, B. (2009). *The first episode of psychosis: A guide for patients and their families*. New York: Oxford University Press.
- Corder, G. W., & Foreman, D. I. (2009). *Nonparametrics Statistics for Non Statiscians: A step by step approach*. Hoboken: John Wiley & Sons, Inc.
- Cornblatt, B., & Obuchowski, M. (1997) Update of high-risk research: 1987–1997. *International Review of Psychiatry*, 9, 437–447.
- Crowley, B. J., Jr, B. H., & Hobdy, J. (2003). Psychological Hardiness and Adjustment to Life Events in Adulthood, 10(4).
- Dam, D. S. Van, Nierop, M. Van, Viechtbauer, W., Velthorst, E., & Winkel, R. Van. (2015). Childhood abuse and neglect in relation to the presence and persistence of psychotic and depressive symptomatology. *Psychological Medicine*. 45, 1363–1377. <https://doi.org/10.1017/S0033291714001561>
- Day, K., Starbuck, R., & Petrakis, M. (2017). Family group interventions in an early psychosis program : A re-evaluation of practice after 10 years of service delivery. <https://doi.org/10.1177/0020764017710301>
- Davison, G.C., Neale, J.M., & Kring, A.M. (2006). *Psikologi Abnormal* (9<sup>th</sup> ed). Jakarta: PT Raja Grafindo Persada.
- De Koning., Ojn, B., Tamj, V. A., & He, B. (2009). Clinical overview Early intervention in patients at ultra high risk of psychosis : benefits and risks, 426–442. <https://doi.org/10.1111/j.1600-0447.2009.01372.x>
- Demyttenaere, K., Bruffaerts, R., Posada-Villa, J., Gasquet, I., Kovess V., Lepine, J. P., ... Chatterji, S. (2004). Prevalence, severity, and unmet need for treatment of mental disorders in the world health organization world mental health surveys. *JAMA*, 291(21), 2581–2590. <https://dx.doi.org/10.1001/jama.291.21.2581>
- Deyreh, E. (2012). Comparison between high school students in cognitive and affective coping strategies. *Procedia - Social and Behavioral Sciences*, 46, 289–293. <https://doi.org/10.1016/j.sbspro.2012.05.108>
- Diah, A. (2017). Pelatihan SINERGI II untuk meningkatkan kemampuan coping proaktif siswa SMK. (*Unpublished Thesis*). Yogyakarta: Fakultas Psikologi Universitas Gadjah Mada.
- Diane, L., & John, T. (2017). Gender and the relationships among mental

toughness, hardiness, optimism and coping in collegiate athletics: A structural equation modeling approach. *Journal of Sport Behavior*; Mar 2017; 40, 1

DiBartolo, M. C., & Soeken, K. L. (2003). Appraisal, coping, hardiness, and self-perceived health in community-dwelling spouse caregivers of persons with dementia. *Research in Nursing & Health*, 26(6), 445–458. <https://doi.org/10.1002/nur.10107>

Dickson, J. M., & Macleod, A. K. (2004). Approach and avoidance goals and plans : Their relationship to anxiety and depression, 28(3), 415–432.

Dogaheh, E. R., Khaledian, M., & Arya, A. R. M. (2013). The relationship of psychological hardiness with emotional intelligence and workaholism. *Journal of Practice in Clinical Psychology*, 1(4), 211–217.

Domínguez-martínez, T., Medina-pradas, C., & Kwapil, T. R. (2017). Relatives ' expressed emotion , distress and attributions in clinical high-risk and recent onset of psychosis. *Psychiatry Research*, 247(November 2016), 323–329. <https://doi.org/10.1016/j.psychres.2016.11.048>

Engel, M., Fladung, A., Fritzsche, A., & Lincoln, T. M. (2017). Journal of Behavior Therapy and The relevance of goal-orientation for motivation in high versus low proneness to negative symptoms, 55, 113–120. <https://doi.org/10.1016/j.jbtep.2017.01.004>

Eppelmann, L., Parzer, P., Lenzen, C., Bürger, A., Haffner, J., Resch, F., & Kaess, M. (2016). Stress, coping and emotional and behavioral problems among German high school students. *Mental Health and Prevention*, 4(2), 81–87. <https://doi.org/10.1016/j.mhp.2016.03.002>

Field, A. (2009). *Discovering Statistics Using SPSS*. (3<sup>rd</sup> ed). London: Sage Publications Ltd.

Fusar-Poli, P., Bonoldi, I., Yung, A. R., Borgwardt, S., Kempton, M. J., Valmaggia, L., ... McGuire, P. (2012). Predicting psychosis: Meta-analysis of transition outcomes in individuals at high clinical risk. *Archives of General Psychiatry*, 69(3), 220–229. <https://doi.org/10.1001/archgenpsychiatry.2011.1472>

Fusar-Poli, P., & Yung, A. R. (2012). Should attenuated psychosis syndrome be included in DSM-5? *The Lancet*, 379(9816), 591–592. [https://doi.org/10.1016/S0140-6736\(11\)61507-9](https://doi.org/10.1016/S0140-6736(11)61507-9)

Geoffroy, P. A., & Scott, J. (2017). Prodrome or risk syndrome: what's in a name? *International Journal of Bipolar Disorders*, 5(1), 7. <https://doi.org/10.1186/s40345-017-0077-5>

Giuliano, A., Li, H., I. Meshulam-Gately, R., M. Sorenson, S., A. Woodberry, K., & J. Seidman, L. (2012). Neurocognition in the Psychosis Risk Syndrome: A Quantitative and Qualitative Review. *Current Pharmaceutical Design*, 18(4), 399–415. <https://doi.org/10.2174/138161212799316019>

- Good, B. J. & Subandi, M. A. (2000). A study of first episode/first contact psychosis in Special Region Yogyakarta Province, Indonesia. *Preliminary Research Report*.
- Greenglass, E. R. (2002). Proactive coping. In E. Frydenberg (Ed.). *Beyond coping: Meeting goals, vision, and challenges* (pp. 37-62). London: Oxford University Press.
- Greenglass, E. R., & Fiksenbaum, L. (2009). Proactive coping, positive affect, and well-being. *European Psychologist*, 14(1), 29–39. <https://doi.org/10.1027/1016-9040.14.1.29>
- Greenglass E, Fiksenbaum L, Eaton J. (2006). The relationship between coping, social support, functional disability and depression in the elderly. *Journal of Anxiety, Stress, and Coping*, 19, 15–31.
- Greenglass, E., Schwarzer, R. & Laghi, F. (2008). *The proactive coping inventory for adolescents* (PCI-A). Retrieved from <http://estherg.info.yorku.ca/greenglass-pci>
- Greenland-White, S. E., Ragland, J. D., Niendam, T. A., Ferrer, E., & Carter, C. S. (2017). Episodic memory functions in first episode psychosis and clinical high risk individuals. *Schizophrenia Research*, 188, 151–157. <https://doi.org/10.1016/j.schres.2017.01.035>
- Haidl, T., Rosen, M., Schultze-Lutter, F., Nieman, D., Eggers, S., Heinimaa, M., ... Ruhrmann, S. (2018). Expressed emotion as a predictor of the first psychotic episode — Results of the European prediction of psychosis study. *Schizophrenia Research*. <https://doi.org/10.1016/j.schres.2018.03.019>
- Halgin, R. P., & Whitbourne, S. K. (2005). *Abnormal psychology: Clinical perspectives on psychological disorders*. New York, NY: McGraw-Hill.
- Hampel, P., & Petermann, F. (2006). Perceived stress, coping, and adjustment in adolescents. *Journal of Adolescent Health*, 38(4), 409–415. <https://doi.org/10.1016/j.jadohealth.2005.02.014>
- Harvatin, H. C. (2009). Hardiness and coping strategies. (*Unpublished Thesis*). United State: Kean University.
- Hidayati, N. K. (2012). Pelatihan “SINERGI II” untuk meningkatkan kemampuan coping proaktif pada siswa remaja tengah. (*Unpublished Thesis*). Yogyakarta: Fakultas Psikologi Universitas Gadjah Mada.
- Hurlock, E.B. (2007). *Psikologi perkembangan: Suatu pendekatan sepanjang rentang kehidupan* (trans: Istiwidayanti et al., 5<sup>th</sup> ed). Jakarta: Erlangga.
- Jalbrzikowski, M., Sugar, C. A., Zinberg, J., Bachman, P., Cannon, T. D., & Bearden, C. E. (2014). Coping styles of individuals at clinical high risk for developing psychosis. *Early Intervention in Psychiatry*, 8(1), 68–76. <https://doi.org/10.1111/eip.12005>

- Jamal, Y., & Farooqi, Y. N. (2015). Hardiness and coping as predictors of professional life stress among house-job doctors, *I3(1)*, 55–58.
- Jaya, E. S. (2017). Confirmatory factor analysis of the Indonesian version of Community Assessment of Psychic Experiences analisis faktor konfirmatoris dari Assesmen Komunitas terhadap Pengalaman Psikotik versi Indonesia, *21(1)*, 1–12. <https://doi.org/10.7454/mssh.v21i1.3495>
- Jiang, X., Lyons, M. D., & Huebner, E. S. (2016). An examination of the reciprocal relations between life satisfaction and social problem solving in early adolescents. *Journal of Adolescence*, *53*, 141–151. <https://doi.org/10.1016/j.adolescence.2016.09.004>
- Kang, M. J., Bang, M., Lee, S. Y., Lee, E., Yoo, S. W., & An, S. K. (2018). Coping styles in individuals at ultra-high risk for psychosis: Associations with cognitive appraisals. *Psychiatry Research*, *264*(June 2017), 162–168. <https://doi.org/10.1016/j.psychres.2018.03.079>
- Kobasa, S. C. (1979). Stressful life events, personality, and health: An inquiry into hardiness. *Journal of Personality and Social Psychology*, *37*, 1–11.
- Kobasa, S. C., Maddi, S. R., & Kahn, S. (1982). Hardiness and health: A prospective study. *Journal of Personality and Social Psychology*, *42*, 168–177. doi:10.1037/0022-3514.42.1.168
- Kommesch, M., Wagner, M., Pützfeld, V., Berning, J., Janssen, B., Decker, P., ... Bechdolf, A. (2016). Coping as a predictor of treatment outcome in people at clinical high risk of psychosis. *Early Intervention in Psychiatry*, *10(1)*, 17–27. <https://doi.org/10.1111/eip.12130>
- Kraan, T., van Dam, D. S., Velthorst, E., de Ruigh, E. L., Nieman, D. H., Durston, S., ... de Haan, L. (2015). Childhood trauma and clinical outcome in patients at ultra-high risk of transition to psychosis. *Schizophrenia Research*, *169*(1–3), 193–198. <https://doi.org/10.1016/j.schres.2015.10.030>
- Lahey, B. B. (2012). *Psychology: An Introduction* (11<sup>th</sup> ed). New York: The MacGraw-Hill Companies, Inc.
- Lazarus, R. S., & Folkman, S. (1984). *Stress, appraisal, and coping*. Newyork: Springer Publishing Company.
- Lazarus, R. S., & Launier, R. (1978). *Stress-related transactions between person and environment*. New York: Plenum.
- Lee, S. Y., Kim, K. R., Park, J. Y., Park, J. S., Kim, B., Kang, J. I., ... Kwon, J. S. (2011). Coping strategies and their relationship to psychopathologies in people at ultra high-risk for psychosis and with schizophrenia. *The Journal of Nervous and Mental Disease*, *199*(2). doi: 10.1097/NMD.0b013e3182083b96
- Lee, T. Y., Lee, J., Kim, M., Choe, E., & Kwon, J. S. (2018). Can we predict psychosis outside the clinical high-risk state? A systematic review of non-

psychotic risk syndromes for mental disorders. *Schizophrenia Bulletin*, 44(2), 276–285. <https://doi.org/10.1093/schbul/sbx173>

- Leff, J. & Vaughn, C. (1985). *Expressed emotion in families*. New York: The Guilford Press.
- Lower, R., Wilson, J., Medin, E., Corlett, E., Turner, R., Wheeler, K., & Fowler, D. (2015). Evaluating an early intervention in psychosis service for “high-risk” adolescents: Symptomatic and social recovery outcomes. *Early Intervention in Psychiatry*, 9(3), 260–267. <https://doi.org/10.1111/eip.12139>
- Locke, E. A., Latham, G. P., & Edwin, A. (2002). Building a practically useful theory of goal setting and task motivation, 57(9), 705–717. <https://doi.org/10.1037//0003-066X.57.9.705>
- Loui, M. C. (2009). What can students learn in an extended role-play simulation on technology and society ?, (2001), 37–47.
- Maddi, S. (1999). The personality construct of hardiness: Effects on experiencing, coping and strain. *Consulting Psychology Journal: Practice and Research*, 51(2), 83-94. Retrieved April 26, 2008 from EBSCOhost database.
- Maddi, S. R. (2004). Hardiness: An operationalization of existential courage. *Journal of Humanistic Psychology*, 44, 279–298.
- Maddi, S. R. (2006). Hardiness: The courage to grow from stresses. *Journal of Positive Psychology*, 1(3), 160–168.
- Maddi, S. R. (2013). *Hardiness: Turning stressful circumstances into resilient growth*. New York: Springer Science and Business Media.
- Maddi, S. R., & Harvey, R. H. (2009). Expressed in positive cognitions, 292–305.
- Maddi, S. R., & Kobasa, S. C. (1984). *The hardy executive: Health under stress*. Homewood, IL: Dow Jones-Irwin.
- Maramis, W. F. (2010). *Catatan ilmu kedokteran jiwa*. Surabaya: Airlangga University Press
- Maslim, R. (2013). *Diagnosis gangguan jiwa, rujukan ringkas PPDGJ III dan DSM-5*. Jakarta: PT Nuh Jaya.
- Masillo, A., Valmaggia, L. R., Saba, R., Brandizzi, M., Lindau, J. F., Solfanelli, A., ... Fiori Nastro, P. (2016). Interpersonal sensitivity and functioning impairment in youth at ultra-high risk for psychosis. *European Child and Adolescent Psychiatry*, 25(1), 7–16. <https://doi.org/10.1007/s00787-015-0692-6>
- Mason, A., & Singh, C. (n.d.). Helping students learn effective problem solving strategies by reflecting with peers arXiv : 1602 . 05628v1 [ physics . ed-ph ] 17 Feb 2016, 1–22.

- Maxwell, S. E., & Delaney, H. D. (2003). *Designing experiments and analyzing data: A model comparison perspective*. Mahwah, N. J: Lawrence Erlbaum.
- Mcausland, L., Cannon, T. D., Cornblatt, B. A., Hospital, Z. H., Mcglashan, T. H., Perkins, D. O., ... Medical, D. (2015). Anxiety in youth at clinical high risk for psychosis Copyright information ;, 0–13. <https://doi.org/10.1111/eip.12274>
- McGorry, P. D., Hickie, I. B., Yung, A. R., Pantelis, C., & Jackson, H. J. (2006). Clinical staging of psychiatric disorders: A heuristic framework for choosing earlier, safer and more effective interventions. *Australian and New Zealand Journal of Psychiatry*, 40(8), 616–622. <https://doi.org/10.1111/j.1440-1614.2006.01860.x>
- Miller, Tandy, J., Mcglashan, Thomas, H., Joanna, Rosen, ... Lubna. (2002). Prospective diagnosis of the initial prodrome for schizophrenia based. *The American Journal of Psychiatry*, 159(5).
- Millman, Z. B., Pitts, S. C., Thompson, E., Kline, E. R., Demro, C., Weintraub, M. J., ... Schiffman, J. (2018). Perceived social stress and symptom severity among help-seeking adolescents with versus without clinical high-risk for psychosis. *Schizophrenia Research*, 192, 364–370. <https://doi.org/10.1016/j.schres.2017.06.002>
- Monks, F. J., Knoers, A. M. P., & Haditono, S. R. (2004). *Psikologi perkembangan: Pengantar dalam berbagai Bagianannya*. Yogyakarta: Gadjah Mada University Press.
- Moritz, S., Lüdtke, T., Westermann, S., Hermeneit, J., Watroba, J., & Lincoln, T. M. (2016). Dysfunctional coping with stress in psychosis . An investigation with the Maladaptive and Adaptive Coping Styles ( MAX ) questionnaire. *Schizophrenia Research*, 175(1–3), 129–135. <https://doi.org/10.1016/j.schres.2016.04.025>
- Morrison, A. P., Stewart, S. L. K., French, P., Bentall, R. P., Birchwood, M., Byrne, R., ... Dunn, G. (2011). Original Article Early detection and intervention evaluation for people at high-risk of psychosis-2 ( EDIE-2 ): trial rationale , design and baseline characteristics, (June 2010), 24–32. <https://doi.org/10.1111/j.1751-7893.2010.00254.x>
- Mossaheb, N., Becker, J., Schaefer, M. R., Klier, C. M., Schloegelhofer, M., Papageorgiou, K., & Amminger, G. P. (2012). The Community Assessment of Psychic Experience (CAPE) questionnaire as a screening-instrument in the detection of individuals at ultra-high risk for psychosis. *Schizophrenia Research*, 141(2–3), 210–214. <https://doi.org/10.1016/j.schres.2012.08.008>
- Munauwarah, S. M. (2008). Tipe kepribadian tangguh, harga diri, dukungan sosial, dan resiliensi pada remaja penyintas bencana gempa bumi di Yogyakarta. (*Unpublished Thesis*). Yogyakarta: Fakultas Psikologi Universitas Gadjah Mada.

- Nasution, I. K. (2007). Stres Pada Remaja. (*Unpublished Scription*). Medan: Universitas Sumatera Utara.
- National Research Council (US) and Institute of Medicine (US). (2009). *Preventing mental, emotional, and behavioral disorders among young people: Progress and possibilites*. Washington DC: The National Academies Press.
- Nevid, J. S., Rathus, S. A., & Greene, B. (2005). *Psikologi Abnormal* (5<sup>th</sup> ed). Jakarta: Erlangga.
- Öksüz, E., Karaca, S., Özaltın, G., & Alpay, M. (2017). The Effects of Psychoeducation on the Expressed Emotion and Family Functioning of the Family Members in First-Episode Schizophrenia. *Community Mental Health Journal*, 53(4), 464–473. <https://doi.org/10.1007/s10597-017-0086-y>
- Papalia, E. D. (2009). *Human development: Perkembangan manusia*. Jakarta: Salemba Humanika.
- Phillips, L. J., Edwards, J., & McMurray, N. (2012). Comparison of experiences of stress and coping between young people at risk of psychosis and a non-clinical cohort, (July 2011), 69–88. <https://doi.org/10.1017/S1352465811000397>
- Phillips, L. J., Nelson, B., Yuen, H. P., Francey, S. M., Simmons, M., Stanford, C., ... McGorry, P. D. (2009). study design and baseline characteristics, (April).
- Piko, B. (2001). Gender differences and similarities in adolescents' ways of coping. *Psychological Record*, 51(2).
- Poorman, P. B. (2002). Biography and role playing: Fostering empathy in abnormal psychology. *Teaching of Psychology*, 29(1), 32–36. [https://doi.org/10.1207/S15328023TOP2901\\_08](https://doi.org/10.1207/S15328023TOP2901_08)
- Prince, M., Patel, V., Saxena, S., Maj, M., Maselko, J., Phillips, M. R., & Rahman, A. (2007). No health without mental health. *The Lancet*, 370(9590), 859–877. [https://doi.org/10.1016/S0140-6736\(07\)61238-0](https://doi.org/10.1016/S0140-6736(07)61238-0)
- Pruessner, M., Iyer, S. N., Faridi, K., Joobar, R., & Malla, A. K. (2011). Stress and protective factors in individuals at ultra-high risk for psychosis, first episode psychosis and healthy controls. *Schizophrenia Research*, 129(1), 29–35. <https://doi.org/10.1016/j.schres.2011.03.022>
- Purwanto. (2010). *Metodologi penelitian kuantitatif*. Yogyakarta: Pustaka pelajar.
- Raffaelli, M., Andrade, F. C. D., Wiley, A. R., Sanchez-Armass, O., Edwards, L. L., & Aradillas-Garcia, C. (2013). Stress, social support, and depression: A test of the stress-buffering hypothesis in a mexican sample. *Journal of Research on Adolescence*, 23(2), 283–289. <https://doi.org/10.1111/jora.12006>
- Raune, D., Kuipers, E., & Bebbington, P. E. (2004). Expressed emotion at first-episode psychosis : investigating a carer appraisal model Expressed emotion at first-episode psychosis : investigating a carer appraisal model, 321–326. <https://doi.org/10.1192/bjp.184.4.321>

- Riset Kesehatan Dasar (Riskesdas). (2013). *Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2013*. Retrieved from: <http://www.depkes.go.id/resources/download/general/Hasil%20Riskesdas%202013.pdf> tanggal 1 Juli 2018.
- Riyana, C. (2007). *Pedoman Pengembangan Media Video*. Jakarta: P3AI UPI
- Rössler, W., Hengartner, M. P., Ajdacic-Gross, V., Haker, H., Gamma, A., & Angst, J. (2011). Sub-clinical psychosis symptoms in young adults are risk factors for subsequent common mental disorders. *Schizophrenia Research*, *131*(1–3), 18–23. <https://doi.org/10.1016/j.schres.2011.06.019>
- Rurhmann. (2010). Prediction of Psychosis in Adolescents and Young Adults at High Risk. *Arch Gen Psychiatry*, *67*(3), 241–251.
- Russell, J. D., & Johanningsmeier, K. A. (1981). *Improving competence through modular instruction*. Iowa: Kendall/Hunt Publishing.
- Sadock, B. J., & Sadock, V. A. (2010). *Buku ajar psikiatri klinis: Kaplan & Sadock* (2<sup>nd</sup> ed). Jakarta: Penerbit Buku Kedokteran EGC
- Santrock, J.W. (2007). *Psikologi Perkembangan* (11<sup>th</sup> ed). Jakarta: Erlangga
- Sarafino. (2008). *Health psychology: Biopsychosocial interactions* (6<sup>th</sup> ed). United States: John Wiley & Sons, Inc
- Sarwono. S.W. (2011). *Psikologi Remaja*. Jakarta: PT Raja Grafindo Persada
- Saxena, S. (2015). Relationship between psychological hardiness and mental health among college students, *6*(8), 823–825.
- Schlosser, D. A., Zinberg, J. L., Loewy, R. L., Casey-Cannon, S., O'Brien, M. P., Bearden, C. E., ... Cannon, T. D. (2010). Predicting the longitudinal effects of the family environment on prodromal symptoms and functioning in patients at-risk for psychosis. *Schizophrenia Research*, *118*(1–3), 69–75. <https://doi.org/10.1016/j.schres.2010.01.017>
- Schwarzer, R. (1999). *Proactive coping theory*. Paper presented at the 20th International Conference of the Stress and Anxiety Research Society (STAR), Cracow, Poland.
- Schwarzer, R. (2001). Stress, resources, and proactive coping. *International Association for Applied Psychology*, *50* (3), 400-407.
- Seniati, Yulianto, & Setiadi. (2005). *Psikologi Eksperimen*. Jakarta: PT. Indeks
- Shadish, W. R., Cook, T. D., & Campbell, D. T. (2002). *Experimental and Quasi-Experimental Design for Generalized Causal Inference*. USA: Houghton Mifflin Company.
- Smith, N., Young, A., & Lee, C. (2004). Optimism, health-related hardiness and well-being among older Australian women. *Journal of Health Psychology*,

9(6), 741–752. <https://doi.org/10.1177/1359105304045373>

- Sternberg, R. J. (2006). *Thinking and problem solving*. San Diego: Academic Press.
- Stowkowy, J., & Addington, J. (2013). Predictors of a clinical high risk status among individuals with a family history of psychosis. *Schizophrenia Research, 147*(2–3), 281–286. <https://doi.org/10.1016/j.schres.2013.03.030>
- Sugiyono. (2007). *Statistika untuk penelitian*. Bandung: Alfabeta.
- Sukmono, R. J. (2009). *Training meditasi “NSR”: Natural stress reduction*. Jakarta: PT. Raja Grafindo Persada.
- Suls, J., & Fletcher, B. (1985). The relative efficacy of avoidant and nonavoidant coping strategies: A meta-analysis. *Journal of Health Psychology, Vol. 4* (3):249-88
- Supratiknya, A. (2011). *Merancang program dan modul: Psikoedukasi*. Yogyakarta: Universitas Sanata Dharma.
- Tarbox, S. I., Addington, J., Cadenhead, K. S., Cannon, T. D., Cornblatt, B. A., Perkins, D. O., ... Woods, S. W. (2013). Premorbid functional development and conversion to psychosis in clinical high-risk youths. *Development and Psychopathology, 25*(4 PART 1), 1171–1186. <https://doi.org/10.1017/S0954579413000448>
- Taylor, S. E. (2003). *Health Psychology* (5<sup>th</sup> ed). United States of America: Mc Graw-Hill, Inc.
- Taylor, S. E., & Stanton, A. L (2007). Coping resources, coping process and mental health. *The annual review of clinical psychology, 3*. 377-401. <https://doi.org/10.1146/annurev.clinpsy.3.022806.091520>
- Thompson, E., Rakhshan, P., Pitts, S. C., Demro, C., Millman, Z. B., Bussell, K., ... Schiffman, J. (2018). Family functioning moderates the impact of psychosis-risk symptoms on social and role functioning. *Schizophrenia Research, (xxxx)*, 6–11. <https://doi.org/10.1016/j.schres.2018.08.035>
- Tsai, K. H., López, S., Marvin, S., Zinberg, J., Cannon, T. D., O’Brien, M., & Bearden, C. E. (2015). Perceptions of family criticism and warmth and their link to symptom expression in racially/ethnically diverse adolescents and young adults at clinical high risk for psychosis. *Early Intervention in Psychiatry, 9*(6), 476–486. <https://doi.org/10.1111/eip.12131>
- Valmaggia, L. R., Mccrone, P., Knapp, M., Woolley, J. B., Broome, M. R., & Tabraham, P. (2009). Economic impact of early intervention in people at high risk of psychosis, 1617–1626. <https://doi.org/10.1017/S0033291709005613>
- van der Steen, Y., Gimpel-Drees, J., Lataster, T., Viechtbauer, W., Simons, C. J. P., Lardinois, M., ... Myin-Germeys, I. (2017). Clinical high risk for psychosis: the association between momentary stress, affective and psychotic symptoms. *Acta Psychiatrica Scandinavica, 136*(1), 63–73.

<https://doi.org/10.1111/acps.12714>

- van Os, J., Verdoux, H., Hanssen, M., 1999. *CAPE (Community Assessment of Psychic Experiences)*. Retrieved from: <http://cape42.homestead.com/index.html>
- Von Eye, A., & Mun, E. Y. (2005). *Analyzing rater agreement: Manifest variable methods*. Mahwah, NJ: Lawrence Erlbaum
- Walker, J. (2005). *Adolescent stress and depression*. Retrieved from: <https://conservancy.umn.edu>
- Walker, E. F., Trotman, H. D., Pearce, B. D., Addington, J., Cadenhead, K. S., Cornblatt, B. A., ... Woods, S. W. (2013). Cortisol levels and risk for psychosis: Initial findings from the North American prodrome longitudinal study. *Biological Psychiatry*, 74(6), 410–417. <https://doi.org/https://doi.org/10.1016/j.biopsych.2013.02.016>
- World Health Organization (WHO). (2004). *Prevention of Mental Disorders: Effective Interventions and Policy Options*. Geneva, Switzerland: World Health Organization
- World Health Organization (WHO). (2008). *The global burden of disease: 2004 Update*. Retrieved from: [http://www.who.int/healthinfo/global\\_burden\\_disease/2004\\_report\\_update](http://www.who.int/healthinfo/global_burden_disease/2004_report_update)
- World Health Organization (WHO). 2018. *Schizophrenia*. Retrieved from: <http://www.who.int/news-room/fact-sheets/detail/schizophrenia>
- Yung, A. R., McGorry, P. D., McFarlane, C. A., Jackson, H. J., Patton, G. C., & Rakkar, A. (1996). Monitoring and care of young people at incipient risk of psychosis. [Review] [83 refs]. *Schizophr Bull*, 22(2), 283–303. <https://doi.org/10.1093/schbul/22.2.283>
- Yung, A. R., & Nelson, B. (2013). The ultra-high risk concept—A Review, 58(1), 5–12. <https://doi.org/10.1177/070674371305800103>
- Yung, A. R., Phillips, L. J., Pan, H., & McGorry, P. D. (2004). Risk factors for psychosis in an ultra high-risk group : psychopathology and clinical features, 67, 131–142. [https://doi.org/10.1016/S0920-9964\(03\)00192-0](https://doi.org/10.1016/S0920-9964(03)00192-0)