

REFERENCES

- Afifi, A.H., Kagiya, I., El-Desoky, A.H., Kato, H., Mangindaan, R.E.P., De Voogd, N.J., Hifnawy, M.S., and Tsukamoto, S., 2017, Sulawesins A-C, Furanosesterterpene Tetrone Acids That Inhibit USP7, from a *Psammocinia* sp. Marine Sponge, *J. Nat. Prod.*, 80, 2045–2050.
- Alvin, A., Miller, K.I., and Neilan, B.A., 2014, Exploring the potential of endophytes from medicinal plants as sources of antimycobacterial compounds, *Microbiol. Res.*, 169, 483–495.
- Aniszewski, T., 2007, *Alkaloids - Secrets of Life Alkaloid Chemistry, Biological Significance, Applications and Ecological Role*, Elsevier.
- Ariefta, N.R., 2015, Screening of novel secondary metabolites from endophytic fungi of tropical forest, *Thesis*, Postgraduate Program of Chemistry, Faculty of Mathematics and Natural Sciences Universitas Gadjah Mada, Yogyakarta.
- Ariefta, N.R., Kristiana, P., Aboshi, T., Murayama, T., Tawaraya, K., Koseki, T., Kurisawa, N., Kimura, K.I., and Shiono, Y., 2018, New isocoumarins, naphthoquinones, and a cleistanthane-type diterpene from *Nectria pseudotrichia* 120-1NP, *Fitoterapia*, 127, 356–361.
- Ariefta, N.R., Kristiana, P., Nurjanto, H.H., Momma, H., Kwon, E., Ashitani, T., Tawaraya, K., Murayama, T., Koseki, T., Furuno, H., Usukhbayar, N., Kimura, K.I., and Shiono, Y., 2017, Nectrianolins A, B, and C, new metabolites produced by endophytic fungus *Nectria pseudotrichia* 120-1NP, *Tetrahedron Lett.*, 58, 4082–4086.
- Astuti, P., Wahyono, and Nababan, O.A., 2014, Antimicrobial and cytotoxic activities of endophytic fungi isolated from *Piper crocatum* Ruiz & Pav, *Asian Pac. J. Trop. Biomed.*, 4, S592–S596.
- Bérdy, J., 2012, Thoughts and facts about antibiotics: Where we are now and where we are heading, *The Journal of Antibiotics*, 65, 385–395.
- Burgess, M.L., Barrow, K.D., Gao, C., Heard, G.M., and Glenn, D., 1999, Carotenoid Glycoside Esters from the Thermophilic Bacterium *Meiothermus ruber*, *J. Nat. Prod.*, 62, 859–863.
- Chen, M., Chai, W., Zhu, R., Song, T., Zhang, Z., and Lian, X.Y., 2018, Streptopyrazinones A–D, rare metabolites from marine-derived *Streptomyces* sp. ZZ446, *Tetrahedron*, 74, 2100–2106.
- Cragg, G.M., Kingston, D.G.I., and Newman, D.J., 2005, *Anticancer agents from natural products*, CRC Press Taylor & Francis Group, Boca Raton.
- Flack, H.D. and Bernardinelli, G., 2008, The use of X-ray crystallography to

determine absolute configuration, *Chirality*, 20, 681–690.

- Garcia-Cela, E., Kiaitsi, E., Medina, A., Sulyok, M., Krska, R., and Magan, N., 2018, Interacting environmental stress factors affects targeted metabolomic profiles in stored natural wheat and that inoculated with *F. graminearum*, *Toxins*, 10, 56.
- Goers, L., Freemont, P., and Polizzi, K.M., 2014, Co-culture systems and technologies: Taking synthetic biology to the next level, *J. R. Soc. Interface*, 11, 20140065.
- Gouda, S., Das, G., Sen, S.K., Shin, H.S., and Patra, J.K., 2016, Endophytes: A treasure house of bioactive compounds of medicinal importance, *Front. Microbiol.*, 7, 1–8.
- Greenfield, M., Pareja, R., Ortiz, V., Gómez-Jiménez, M.I., Vega, F.E., and Parsa, S., 2015, A novel method to scale up fungal endophyte isolations, *Biocontrol Sci. Technol.*, 25, 1208–1212.
- Gu, W., 2009, Bioactive metabolites from *alternaria brassicicola* ML-P08, an endophytic fungus residing in *malus halliana*, *World J. Microbiol. Biotechnol.*, 25, 1677–1683.
- Gunatilaka, A.A.L., 2006, Natural Products from Plant-associated Microorganisms: Distribution, Structural Diversity, Bioactivity, and Implications of Their Occurrence, *J Nat Prod*, 69, 509–526.
- Gutierrez, R.M.P., Gonzalez, A.M.N., and Ramirez, A.M., 2012, Compounds Derived from Endophytes : A Review of Phytochemistry and Pharmacology, *Curr. Med. Chem*, 19, 2992–3030.
- Harneti, D., Supriadin, A., Ulfah, M., Safari, A., Supratman, U., Awang, K., and Hayashi, H., 2014, Cytotoxic constituents from the bark of *Aglaia eximia* (Meliaceae), *Phytochem. Lett.*, 8, 28–31.
- Hassner, A., Krepski, L.R., and Alexanian, V., 1978, Aminopyridines as acylation catalysts for tertiary alcohols, *Tetrahedron*, 34, 2069–2076.
- Hewage, R.T., Aree, T., Mahidol, C., Ruchirawat, S., and Kittakoop, P., 2014, One strain-many compounds (OSMAC) method for production of polyketides, azaphilones, and an isochromanone using the endophytic fungus *Dothideomycete* sp., *Phytochemistry*, 108, 87–94.
- Hoffman, A.M., Mayer, S.G., Strobel, G.A., Hess, W.M., Sovocool, G.W., Grange, A.H., Harper, J.K., Arif, A.M., Grant, D.M., and Kelley-swift, E.G., 2008, Purification, identification and activity of phomodione, a furandione from an endophytic *Phoma* species, *Phytochemistry*, 69, 1049–1056.
- Huang, T. and Lin, S., 2017, Microbial Natural Products: A Promising Source for

Drug Discovery, *J. Appl. Microbiol. Biochem.*, 1, 3–5.

- Hussain, A., Rather, M.A., Dar, M.S., Aga, M.A., Ahmad, N., Manzoor, A., Qayum, A., Shah, A., Mushtaq, S., Ahmad, Z., and Hassan, Q.P., 2017, Bioorganic & Medicinal Chemistry Letters Novel bioactive molecules from *Lentzea violacea* strain AS 08 using one strain-many compounds (OSMAC) approach, *Bioorg. Med. Chem. Lett.*, 27, 2579–2582.
- Hussein, E.I., Jacob, J.H., Shakhathreh, M.A.K., Abd Al-razaq, M.A., Juhmani, A. salam F., and Cornelison, C.T., 2017, Exploring the microbial diversity in Jordanian hot springs by comparative metagenomic analysis, *Microbiologyopen*, 6, 1–8.
- Karthika, K. and Paulsamy, S., 2015, TLC and HPTLC fingerprints of various secondary metabolites in the stem of the traditional medicinal climber, *Solenanthes amplexicaulis*, *Indian J. Pharm. Sci.*, 77, 111.
- Khan, A.A., Bacha, N., Ahmad, B., Lutfullah, G., Farooq, U., and Cox, R.J., 2014, Fungi as chemical industries and genetic engineering for the production of biologically active secondary metabolites, *Asian Pac. J. Trop. Biomed.*, 4, 859–870.
- Khan, R.A., 2018, Natural products chemistry: The emerging trends and prospective goals, *Saudi Pharm. J.*, 26, 739–753.
- Kusumi, T., Fujita, Y., Ohtani, I., and Hiroshi Kakisawa, 1991, Anomaly In The Modified Mosher's Method: Absolute Configurations of some Marine Cembranolides, *Tetrahedron Lett.*, 32, 2923–2926.
- Larionov, E. and Zipse, H., 2011, Organocatalysis: Acylation catalysts, *Wiley Interdiscip. Rev. Comput. Mol. Sci.*, 1, 601–619.
- LI, J., Larregieu, C.A., and Benet, L.Z., 2016, Classification of natural products as sources of drugs according to the biopharmaceutics drug disposition classification system (BDDCS), *Chin. J. Nat. Med.*, 14, 888–897.
- Liu, W., Yang, F., Zhang, R., Shi, X., Lu, X., Luan, Y., Xiu, Z., and Dong, Y., 2016, Phytochemistry Letters Production of polyketides with anthelmintic activity by the fungus *Talaromyces wortmannii* using one strain-many compounds (OSMAC) method, *Phytochem. Lett.*, 18, 157–161.
- Martinez-Klimova, E., Rodríguez-Peña, K., and Sánchez, S., 2017, Endophytes as sources of antibiotics, *Biochem. Pharmacol.*, 134, 1–17.
- Menard, R. and Sulea, T., 2012, Selective inhibition of USP7, *Chem. Biol.*, 19, 437–438.
- Muslihah, N.I., 2016, Isolation of Eremophilane and Its New Derivative Compound from Endophytic Fungi of *Penicilium* sp, *Thesis*, Postgraduate Program of

Chemistry, Faculty of Mathematics and Natural Sciences Universitas Gadjah Mada, Yogyakarta.

- Naman, C.B., Leber, C.A., and Gerwick, W.H., 2017, *Modern Natural Products Drug Discovery and Its Relevance to Biodiversity Conservation*. In Kurtböke, I., *Microbial Resources: From Functional Existence in Nature to Applications*. Elsevier Inc, Amsterdam.
- Newman, D.J. and Cragg, G.M., 2016, Natural Products as Sources of New Drugs from 1981 to 2014, *J. Nat. Prod.*, 79, 629–661.
- Ni, T.W., Tofanelli, M.A., and Ackerson, C.J., 2015, *Structure Determination by Single Crystal X-ray Crystallography*. In Tsukuda, T., and Häkkinen, H., *Protected Metal Clusters From Fundamentals to Applications*, 9, Elsevier, Amsterdam.
- Ouellette, R.J. and Rawn, J.D., 2018, *Methods for Structure Determination Nuclear Magnetic Resonance and Mass Spectrometry*, In Ouellette, R.J. and Rawn, J.D., *Organic Chemistry*. Elsevier, Amsterdam.
- Paranagama, P.A., Wijeratne, E.M.K., and Gunatilaka, A.A.L., 2007, Uncovering Biosynthetic Potential of Plant-Associated Fungi: Effect of Culture Conditions on Metabolite Production by *Paraphaeosphaeria quadrisepata* and *Chaetomium chiversii* (1), *J. Nat. Prod.*, 70, 1939–1945.
- Philp, J. dan Atlas, R., 2017, *Microbial Resources for Global Sustainability*. In Kurtböke, I., *Microbial Resources: From Functional Existence in Nature to Applications*. Elsevier Inc, Amsterdam.
- Refaey, M.S., Hassanein, A.M.M., Mostafa, M.A.H., Wanas, A.S., and Ali, A.A., 2017, Two new iridoid glycosides from *Odontonema cuspidatum* and their bioactivities, *Phytochem. Lett.*, 22, 27–32.
- Sairenji, S., Kikuchi, T., Abozeid, M.A., Takizawa, S., Sasai, H., Ando, Y., Ohmatsu, K., Ooi, T., and Fujita, M., 2017, Determination of the absolute configuration of compounds bearing chiral quaternary carbon centers using the crystalline sponge method, *Chem. Sci.*, 8, 5132–5136.
- Seco, M., Quin, E., and Riguera, R., 2004, The Assignment of Absolute Configuration by NMR †, *Chem. Rev.*, 104, 17–117.
- Selim, K., 2012, Biology of Endophytic Fungi, *Curr. Res. Environ. Appl. Mycol.*, 2, 31–82.
- Shank, E.A. and Kolter, R., 2009, New developments in microbial interspecies signaling, *Curr. Opin. Microbiol.*, 12, 205–214.
- Sharma, D., Pramanik, A., and Agrawal, P.K., 2016, Evaluation of bioactive secondary metabolites from endophytic fungus *Pestalotiopsis neglecta* BAB-

5510 isolated from leaves of *Cupressus torulosa* D. Don, 3 *Biotech*, 6, 1–14.

- Siriwach, R., 2013, Screening of novel secondary metabolites from endophytic fungi by chemical library analysis, *PhD thesis*, Department of Biotechnology, Graduate School of Engineering, Osaka University, Osaka.
- Stone, Jeffrey K, Jon D Polishook, and James F White. 2004. *Endophytic Fungi*. In Gregory M. Mueller, Gerald F. Bills, and Mercedes S. Foster, *Biodiversity of Fungi: Inventory and Monitoring Methods*, Elsevier Inc, Amsterdam.
- Strohl, W.R., 2000, The role of natural products in a modern drug discovery program, *Drug Discov. Today*, 5, 39–41.
- Suzuki, T., Kiyotani, T., Maeda, M., Katayama, T., Tomita-Yokotani, K., Syaffi, W., and Muladi, S., 2011, Furanoditerpenes from *Arcangelisia flava* (L.) Merr. and their antifungal activity, *Phytochem. Lett.*, 4, 333–336.
- Szakács, Z. and Sánta, Z., 2015, NMR Methodological Overview., In, *Anthropic Awareness*. Elsevier, pp. 257–289.
- Tang, J.W., Wang, W.G., Li, A., Yan, B.C., Chen, R., Li, X.N., Du, X., Sun, H.D., and Pu, J.X., 2017, Polyketides from the endophytic fungus *Phomopsis* sp. sh917 by using the one strain/many compounds strategy, *Tetrahedron*, 73, 3577–3584.
- Tolulope, Ra., Adeyemi, A., Erute, Ma., and Abiodun, Ts., 2015, Isolation and screening of endophytic fungi from three plants used in traditional medicine in Nigeria for antimicrobial activity, *Int. J. Green Pharm.*, 9, 58.
- Torres, M.S., White, J.F., Tadych, M., and Bills, G.F., 2011, Isolation and identification of fungal endophytes, *BioBien Innov. Paimio*, 153–164.
- Urda, C., Fernández, R., Rodríguez, J., Pérez, M., Jiménez, C., and Cuevas, C., 2017, Daedophamide, a Cytotoxic Cyclodepsipeptide from a *Daedalopelta* sp. Sponge Collected in Indonesia, *J. Nat. Prod.*, 80, 3054–3059.
- Vankar, P.S., Srivastava, J., Molčanov, K., and Kojic-Prodić, B., 2009, Withanolide A series steroidal lactones from *Eucalyptus globulus* bark, *Phytochem. Lett.*, 2, 67–71.
- Vasundhara, M., Kumar, A., and Reddy, M.S., 2016, Molecular approaches to screen bioactive compounds from endophytic fungi, *Front. Microbiol.*, 7, 1–12.
- Venkatachalam, A., Thirunavukkarasu, N., and Suryanarayanan, T.S., 2015, Distribution and diversity of endophytes in seagrasses, *Fungal Ecol.*, 13, 60–65.
- Wang, W.J., Li, D.Y., Li, Y.C., Hua, H.M., Ma, E.L., and Li, Z.L., 2014, Caryophyllene sesquiterpenes from the marine-derived fungus *Ascotricha* sp.

ZJ-M-5 by the one strain-many compounds strategy, *J. Nat. Prod.*, 77, 1367–1371.

Wijeratne, E.M.K., He, H., Franzblau, S.G., Hoffman, A.M., and Gunatilaka, A.A.L., 2013, Phomapyrrolidones A-C, Antitubercular Alkaloids from the Endophytic Fungus *Phoma* sp. NRRL 46751, *J. Nat. Prod.*, 76, 1860–1865.

Wittstein, K., Rascher, M., Rucic, Z., Löwen, E., Winter, B., Köster, R.W., and Stadler, M., 2016, Corallocins A-C, Nerve Growth and Brain-Derived Neurotrophic Factor Inducing Metabolites from the Mushroom *Herichium coralloides*, *J. Nat. Prod.*, 79, 2264–2269.

Wolf, J. H. D. (1993). Ecology of epiphytes and epiphyte communities in montane rainforests, Colombia. *Ph.D. thesis*, Department of Systematics Evolution and Palaeobiology University of Amsterdam, Amsterdam.

Zhang, Z., He, X., Zhang, G., Che, Q., Zhu, T., Gu, Q., and Li, D., 2017, Inducing Secondary Metabolite Production by Combined Culture of *Talaromyces aculeatus* and *Penicillium variabile*, *J. Nat. Prod.*, 80, 3167–3171.

Zin, N.M., Remali, J., Nasrom, M.N., Ishak, S.A., Baba, M.S., and Jalil, J., 2017, Bioactive compounds fractionated from endophyte *Streptomyces* SUK 08 with promising ex-vivo antimalarial activity, *Asian Pac. J. Trop. Biomed.*, 7, 1062–1066.