



## References

- [1] B. Kundu, N. K. Vissa, and V. K. Gahalaut, "Influence of anthropogenic groundwater unloading in Indo-Gangetic plains on the 25 April 2015 Mw 7.8 Gorkha, Nepal earthquake," *Geophys. Res. Lett.*, vol. 42, no. 24, p. 10,607-10,613, Dec. 2015.
- [2] G. R. Foulger, M. P. Wilson, J. G. Gluyas, B. R. Julian, and R. J. Davies, "Global review of human-induced earthquakes," *Earth-Science Rev.*, Jul. 2017.
- [3] T. L. Holzer and J. C. Savage, "Global Earthquake Fatalities and Population," *Earthq. Spectra*, vol. 29, no. 1, pp. 155–175, Feb. 2013.
- [4] M. R. Mansouri Daneshvar and F. T. Freund, "Remote Sensing of Atmospheric and Ionospheric Signals Prior to the Mw 8.3 Illapel Earthquake, Chile 2015," *Pure Appl. Geophys.*, 2017.
- [5] A. Bhardwaj *et al.*, "A review on remotely sensed land surface temperature anomaly as an earthquake precursor," *International Journal of Applied Earth Observation and Geoinformation*. 2017.
- [6] R. D. Cicerone, J. E. Ebel, and J. Britton, "A systematic compilation of earthquake precursors," *Tectonophysics*, vol. 476, no. 3–4, pp. 371–396, Oct. 2009.
- [7] A. K. Saraf, S. Choudhury<sup>1</sup>, V. Rawat, P. Banerjee<sup>2</sup>, S. Dasgupta<sup>3</sup>, and J. D. Das, "Detecting Earthquake Precursor : A Thermal Remote Sensing Approach."
- [8] "The Science of Earthquakes." [Online]. Available: <https://earthquake.usgs.gov/learn/kids/eqscience.php>. [Accessed: 26-Apr-2018].
- [9] K. D. Marano, D. J. Wald, and T. I. Allen, "Global earthquake casualties due to secondary effects: a quantitative analysis for improving rapid loss analyses," *Nat. Hazards*, vol. 52, no. 2, pp. 319–328, Feb. 2010.
- [10] F. Niu and K. Yamaoka, "Preface to the Focus Section on Nonexplosive Source Monitoring and Imaging," *Seismol. Res. Lett.*, vol. 89, no. 3, pp. 972–973, May 2018.
- [11]. : "Indonesia Tsunami Early Warning System - InaTEWS :." [Online]. Available: [http://inatews.bmkg.go.id/new/tentang\\_eq.php](http://inatews.bmkg.go.id/new/tentang_eq.php). [Accessed: 08-May-2018].
- [12] V. Hjorleifsdottir *et al.*, "Characteristics of Large Earthquakes Occurring on the Shallowest Portion of the Mexican Subduction Megathrust," *Am. Geophys. Union, Fall Meet. 2017, Abstr. #S51A-0590*, 2017.



- [13] K. M. Asim, A. Idris, T. Iqbal, and F. Martínez-Álvarez, “Seismic indicators based earthquake predictor system using Genetic Programming and AdaBoost classification,” *Soil Dyn. Earthq. Eng.*, vol. 111, no. February, pp. 1–7, 2018.
- [14] G. Balasis and M. Mandea, “Can electromagnetic disturbances related to the recent great earthquakes be detected by satellite magnetometers?,” *Tectonophysics*, vol. 431, no. 1–4, pp. 173–195, 2007.
- [15] G. Guo and B. Wang, “Cloud anomaly before Iran earthquake,” *Int. J. Remote Sens.*, vol. 29, no. 7, pp. 1921–1928, Apr. 2008.
- [16] G. Sharma, P. K. Champati ray, S. Mohanty, and S. Kannaujiya, “Ionospheric TEC modelling for earthquakes precursors from GNSS data,” *Quat. Int.*, vol. 462, pp. 65–74, 2017.
- [17] A. He, X. Fan, G. Zhao, Y. Liu, R. P. Singh, and Y. Hu, “Co-seismic response of water level in the Jingle well (China) associated with the Gorkha Nepal (Mw 7.8) earthquake,” *Tectonophysics*, vol. 714–715, pp. 82–89, 2017.
- [18] H. V. Alvan, S. Mansor, H. Omar, and F. H. Azad, “Precursory signals associated with the 2010 M8.8 Bio-Bio earthquake (Chile) and the 2010 M7.2 Baja California earthquake (Mexico),” *Arab. J. Geosci.*, vol. 7, no. 11, pp. 4889–4897, Nov. 2014.
- [19] A. Borghi, A. Aoudia, R. E. M. Riva, and R. Barzaghi, “GPS monitoring and earthquake prediction: A success story towards a useful integration,” *Tectonophysics*, vol. 465, no. 1–4, pp. 177–189, 2009.
- [20] R. A. Grant, J. P. Raulin, and F. T. Freund, “Changes in animal activity prior to a major ( $M = 7$ ) earthquake in the Peruvian Andes,” *Phys. Chem. Earth, Parts A/B/C*, vol. 85–86, pp. 69–77, Jan. 2015.
- [21] A. Tomer, “Radon as a Earthquake Precursor: A Review,” vol. 4, no. 6, 2016.
- [22] D. Desonie, “Earth’s Fresh Water,” 2016.
- [23] R. Yan, H. Woith, and R. Wang, “Groundwater level changes induced by the 2011 Tohoku earthquake in China mainland,” *Geophys. J. Int.*, vol. 199, no. 1, pp. 533–548, 2014.
- [24] C.-H. Chen *et al.*, “Identification of earthquake signals from groundwater level records using the HHT method,” *Geophys. J. Int.*, vol. 180, no. 3, pp. 1231–1241, Mar. 2010.
- [25] G. Igarashi *et al.*, “Radon Anomaly: A Possible Precursor of the 1978 Izu-Oshima-kinkai Earthquake,” *Science (80-)*, vol. 207, no. 4433, pp. 882–



883, Jul. 1995.

- [26] A. Gregori, P. Žvab, J. Vaupoti, J. Mazur, and K. Kozak, “Radon Levels in Outdoor Air and Soil Gas Related To Geology of Slovenia,” pp. 1–12.
- [27] J. W. Kim, H. Y. Joo, R. Kim, and J. H. Moon, “Investigation of the relationship between earthquakes and indoor radon concentrations at a building in Gyeongju, Korea,” *Nucl. Eng. Technol.*, vol. 50, no. 3, pp. 512–518, Apr. 2018.
- [28] H. Woith, “Radon earthquake precursor: A short review,” *European Physical Journal: Special Topics*. 2015.
- [29] A. Deb, M. Gazi, J. Ghosh, S. Chowdhury, and C. Barman, “Monitoring of soil radon by SSNTD in Eastern India in search of possible earthquake precursor,” *J. Environ. Radioact.*, vol. 184–185, pp. 63–70, Apr. 2018.
- [30] M. Awais, A. Barkat, A. Ali, K. Rehman, W. Ali Zafar, and T. Iqbal, “Satellite thermal IR and atmospheric radon anomalies associated with the Haripur earthquake (Oct 2010; Mw 5.2), Pakistan,” *Adv. Sp. Res.*, vol. 60, no. 11, pp. 2333–2344, Dec. 2017.
- [31] Z. Jilani, T. Mehmood, A. Alam, M. Awais, and T. Iqbal, “Monitoring and descriptive analysis of radon in relation to seismic activity of Northern Pakistan,” *J. Environ. Radioact.*, vol. 172, pp. 43–51, Jun. 2017.
- [32] Sunarno, M. M. Waruwu, and R. Wijaya, “Development of the real time telemonitoring system for earthquake prediction deduced from fluctuations in groundwater levels at Yogyakarta region-Indonesia,” *J. Theor. Appl. Inf. Technol.*, vol. 83, no. 1, pp. 95–99, 2016.
- [33] S.-J. Wang, K.-C. Hsu, W.-C. Lai, and C.-L. Wang, “Estimating the extent of stress influence by using earthquake triggering groundwater level variations in Taiwan,” *J. Asian Earth Sci.*, vol. 111, pp. 373–383, Nov. 2015.
- [34] T. Yoshikawa, T. Noda, T. Kodaka, and T. Takaine, “Analysis of the effect of groundwater level on the seismic behavior of an unsaturated embankment on clayey ground,” *Soil Dyn. Earthq. Eng.*, vol. 85, pp. 217–230, Jun. 2016.
- [35] S.-H. Lee *et al.*, “Groundwater level changes on Jeju Island associated with the Kumamoto and Gyeongju earthquakes,” *Geomatics, Nat. Hazards Risk*, vol. 8, no. 2, pp. 1783–1791, Dec. 2017.
- [36] BMKG, “Gempabumi-Terkini.” [Online]. Available: <http://www.bmkg.go.id/gempabumi/gempabumi-terkini.bmkg>. [Accessed: 11-Jul-2018].