

DAFTAR PUSTAKA

- Alessandrini, L., Romani, S., Pinnavaia, G., & Rosa, M. . (2008). Near infrared spectroscopy: An analytical tool to predict coffee roasting degree. *Analytica Chimica ACTA* 625 (2008) 95-102. Available at www.sciencedirect.com.
- Almada, D. P. (2009). *Pengaruh perubahan proses dekafeinasi kopi dalam reaktor kolom tunggal terhadap mutu kopi*. Institut Pertanian Bogor.
- AOAC. (1995). Official Method of Analysis: 16th Edition – Volume.2 : Chapter 30 p.2 “Caffeine in Roasted Coffee” & Chapter 44 p.4 “Preparation & Use of Clariying Reagent.”
- Ciptadi, W. & Nasution, M. . (1985). *Pengolahan kopi*. Departemen Teknologi Hasil Pertanian. Fatemeta-IPB. Bogor.
- Clarke, R.J. & Macrae, R. (1987). Coffee. In *Vol.2 (Technology)*. London: Elsevier Applied Science Publishers.
- Clifford, M.N., Wu, W., Kirkpatrick, J., & Kuhnert, N. (2007). Profiling the chlorogenic acids and other caffeic acid derivatives of herbal chrysanthemum by LC-MSn. *Journal Agricultural Food Chemicals*, 55, 929–936.
- Clifford, M.N. & Wilson, K. (1985). *Botany, Biochemistry, and Production of Beans and Beverages*. Croom Helm, Ltd. Sidney.
- Clifford, M. . (1979). Chlogenic Acids--Their complex nature and routine determination in coffee beans. *Journal Food Chemicals*, 4.
- Clifford, M. N. (1985). Chemical and Physical Aspects of green coffee and coffee products. In *Boteny, Biochemistry, and Production of Bean & Beverage* (pp. 305–374). Westport, Connecticut: The AVI Publ.Co.Inc.
- Cropley, V., Croft, R., Silber, B., Neale, C., Scholey, A., Stough, C., & Schmitt, J. (2012). Does coffee enriched with chlorogenic acids improve mood and cognition after acute administration in healthy elderly? A pilot study. *Psychopharmacology*, 219(3), 737–749. <https://doi.org/10.1007/s00213-011-2395-0>
- De Marco, I., Riemma, S., & Iannone, R. (2018). Life cycle assessment of supercritical CO₂ extraction of caffeine from coffee beans. *Journal of Supercritical Fluids*, 133(September 2017), 393–400. <https://doi.org/10.1016/j.supflu.2017.11.005>

- Espinoza-Pe´rez J.D., Vargas A., Robles-Olvera V.J., R.-J. G. C., & M.A., G.-A. (2007). Mathematical modeling of caffeine kinetic during solid–liquid extraction of coffee beans. *Journal of Food Engineering*, 81, 72–78.
- George, S.E., Ramalakshmi, K., & Rao, M. L. J. (2008). A perception on health benefits of coffee. *Food Science Nutrition*, 48(Crit. Rev.), 464–486.
- Heldman, D.R. & Singh, R. . (1981). *Food Engineering. 2nd Eds. Westport Connecticut* (Heldman, D).
- Herawati, H. & Sukohar, A. (2013). Pengaruh asam Klorogenat kopi Robusta Lampung terhadap ekspresi Cyclin D1 dan Caspase 3 pada Cell Lines HEP-G2. In *Seminar Nasional Sains & Teknologi V. Lembaga Penelitian Universitas Lampung. 19-20 November 2013* (pp. 533–540). Bandar Lampung.
- Herrero-Hernández, J.A & Frutos, M. . (2015). Influence of Rutin and Ascorbic Acid in Colour, Plum Anthocyanins and Antioxidant Capacity Stability in Model Juices. *Journal of Food Chemistry*, (173), 495–500.
<http://kopital.id/2017/01/11/kopi-tanpa-kafein.> (n.d.).
- International Coffee Organization. (2016). *Annual Reviewer 2014-2015*. London.
- Jeszka-Skowron, M., Sentkowska, A., Pyrżyńska, K., & De Peña, M. P. (2016). Chlorogenic acids, caffeine content and antioxidant properties of green coffee extracts: influence of green coffee bean preparation. *European Food Research and Technology*, 242(8), 1403–1409.
<https://doi.org/10.1007/s00217-016-2643-y>
- Johnston, K.L., Clifford, M.N.& Morgan, L. . (2003).). Coffee acutely modifies gastrointestinal hormon secretion and glucose tolerance in human In: Glycemic effect of chlorogenic acid and caffeine. *American Journal Clin Nutrition*, 78 (4), 728–733.
- Kemenperin. (2013). *Produksi kopi Nusantara ke tiga terbesar di dunia. Sambutan Menteri Perindustrian dalam Seminar dan Pameran Kopi Nusantara pada tanggal 25 Juni 2013*. Jakarta.
- Lara, D. R. (2010). Caffeine, mental health, and psychiatric disorders. *Journal of Alzheimer’s Disease*, 20(SUPPL.1). <https://doi.org/10.3233/JAD-2010-1378>
- Lelyana, R. (2008). *Pengaruh kopi terhadap kadar asam urata darah*. Universitas Diponegoro. Semarang.
- Lestari, H. (2004). *Dekafeinasi kopi Robusta dengan sistem pengukusan-pelarutan*. Tesis. Universitas Gadjah Mada. Yogyakarta. 79 hal.

- Liang, N., Xue, W., Kennepohl, P., & Kitts, D. D. (2016). Interactions between major chlorogenic acid isomers and chemical changes in coffee brew that affect antioxidant activities. *Food Chemistry*, 213, 251–259. <https://doi.org/10.1016/j.foodchem.2016.06.041>
- Mubarak, A., Bondonno, C. P., Liu, A. H., Considine, M. J., Rich, L., Mas, E., Hodgson, J. M. (2012). Acute effects of chlorogenic acid on nitric oxide status, endothelial function, and blood pressure in healthy volunteers: A randomized trial. *Journal of Agricultural and Food Chemistry*, 60(36), 9130–9136. <https://doi.org/10.1021/jf303440j>
- Mulato, S. (2002). *Simposium Kopi 2002 dengan tema Mewujudkan perkopian Nasional Yang Tangguh melalui Diversifikasi Usaha Berwawasan Lingkungan dalam Pengembangan Industri Kopi Bubuk Skala Kecil Untuk Meningkatkan Nilai Tambah Usaha Tani Kopi Rakyat*. Denpasar : 16 – 17 Oktober 2002.
- Nugroho, J., Lumbanbatu, J. dan Rahayoe, R. (2009). Makalah Bidang Teknik Produk Pertanian: “Pengaruh Suhu dan Lama Penyangraian, Terhadap Sifat Fisik-Mekanis Biji Kopi Robusta.” *Seminar Nasional Dan Gelar Teknologi PERTETA*, (Mataram).
- Panggabean, E. (2011). *Buku Pintar Kopi*. Jakarta: PT. AgroMedia Pustaka.
- Purwadaria, H.K., S. Mulato, dan A. M. S. (2007). *Dekafeinasi kopi dalam reaktor kolom tunggal dengan pelarut tersier dari pulpa kakao*. Bogor: *Laporan Hasil Penelitian Tahun I, LPPM*. LPPM, Institut Pertanian Bogor. Bogor.
- Puslitkoka. (2009). Pusat Penelitian Kopi dan Kakao. Pengolahan Kopi., (Tersedia pada <http://iccri.net/pengolahan-kopi/> [Diunduh 24 Desember 2014].).
- Ratna, Y & Anisah, R. (2000). Dekafeinasi kopi robusta pada pembuatan kopi bubuk dengan larutan NaOH. In *Makalah Seminar Nasional Industri Pangan*. Bogor: Institut Pertanian Bogor.
- Renate, D., Pratama, F., Yuliati, K., & Priyanto, G. (2014). Model Kinetika Degradasi Capsaicin Cabai Merah Giling Pada Berbagai Kondisi Suhu Penyimpanan. *Agritech*, 34(3), 330–336. Retrieved from <https://journal.ugm.ac.id/agritech/article/view/9462/7036>
- Rusmantri. (2002). *Dekafeinasi kopi robusta dengan pelarut air pada berbagai suhu dan pH*. Tesis Teknologi Hasil Perkebunan. Pasca Sarjana Universitas Gadjah Mada Yogyakarta.
- SCAA. 2012. Specialty Coffee Association of America. Standard for Cupping, Grind for Cupping.

- Shan, J., Suzuki, T., Suhandy, D., Ogawa, Y., & Kondo, N. (2014). Chlorogenic acid (CGA) determination in roasted coffee beans by Near Infrared (NIR) spectroscopy. *Engineering in Agriculture, Environment and Food*, 7, 139–142.
- Sivetz, M. & Desroiser, N. W. (1979). *Coffee Technology*. Westport, Connecticut: The AVI Publisher Co.Inc.
- Sivetz, M. (1963). Fruit-Green, Roast and Soluble Coffee”. In *Coffee Processing Technology*. Wesport, Connecticut, USA.: The AVI Publishing Company.
- Spilller, G. A. (1997). *Caffeine*. Boca Raton, Florida. USA: CRC PrESS.
- Suharman & Gafar, P. A. (2017). Teknologi dekafeinasi kopi Robusta untuk Industri Kecil dan Menengah (IKM). *Jurnal Dinamika Penelitian Industri*, Vo.28(No.2), hal 87-93.
- Suhartono, J., Pertiwi, D.S., Faslah, A., & Saputra, Y. S. (2005). Penentuan Koefisien Perpindahan Massa pada Dekafeinasi Kopi dengan Pelarut Methylene Chloride. In *Prosiding Seminar Nasional Rekayasa Kimia dan Proses 2005* (p. Hal. B-11-1 sampai B-11-7).
- Summers, V. (2013). Chlorogenic Acid and Its Derivatives in Coffee. In <http://www.decodedscience.com/coffee-Chemistry-Acid-in-brew/40741>. Diakses Januari 2015.
- Tamakoshi, A., Lin, Y., Kawado, M., Yagyu, K., Kikuchi, S., & Iso, H. (2011). Effect of coffee consumption on all-cause and total cancer mortality: Findings from the JACC study. *European Journal of Epidemiology*, 26(4), 285–293. <https://doi.org/10.1007/s10654-011-9548-7>
- Tripathi, H., Koshy, R., Kachroo, M., & Mayachari, A. S. (2014). Method development and validation for quantification of chlorogenic acid in *Coffea arabica* extract using high performance liquid chromatography, 6(6), 89–92.
- Van Dijk, A. E., Olthof, M. R., Meeuse, J. C., Seebus, E., Heine, R. J., & Van Dam, R. M. (2009). Acute effects of decaffeinated coffee and the major coffee components chlorogenic acid and trigonelline on glucose tolerance. *Diabetes Care*, 32(6), 1023–1025. <https://doi.org/10.2337/dc09-0207>
- Wei, F., Furihata, K., Koda, M., Hu, F., Miyakawa, T. & Tanokura, M. (2012). Roasting Process of Coffee Beans as Studied by Nuclear Magnetic Resonance: Time Course of Changes in Composition. *Journal Agricultural Food Chemicals*, 60(4), pp.1005–1012.

- Widyotomo, S., Purwadaria, H.K., & Ismayadi, C. (2012). Peningkatan mutu dan nilai tambah kopi melalui pengembangan proses fermentasi dan dekafeinasi. In *Prosiding InSINas 2012* (p. 135–139.).
- Widyotomo, S. & Mulato, S. (2007). Kafein: Senyawa Penting pada biji kopi. *Warta Pusat Penelitian Kopi Dan Kakao*, 23 (1), 44–50.
- Widyotomo, S. (2011). *Pengembangan model matematik Proses dekafeinasi biji kopi Robusta dalam reaktor kolom tunggal*. Disertasi. Sekolah Pascasarjana Institut Pertanian Bogor IPB, Bogor.
- Widyotomo, S. (2012). Perkembangan Teknologi Proses Dekafeinasi Kopi di Pusat Penelitian Kopi dan Kakao Indonesia. *Warta Pusat Penelitian Kopi Dan Kakao Indonesia*. 24 (1) Februari 2012, hal. 21-26.
- Wijaya, D. A. & S. S. Yuwono (2015). Pengaruh lama pengukusan dan konsentrasi etil asetat terhadap karakteristik kopi pada proses dekafeinasi kopi robusta. *Jurnal Pangan Dan Agroindustri*, Vo.3 No.4, p.1560-1566. September 2015.
- Winarno, F. . (2004). *Kimia Pangan dan Gizi*. Jakarta: Penerbit PT Gramedia Pustaka Utama.