

DAFTAR PUSTAKA

- Agudelo-Laverde. A.L.M, Schebor, C. Dan Buera, M.P. 2013. Water Content Effect on the Chromatic Attributes of Dehydrated Strawberries during Storage, as Evaluated by Image Analysis. *Food Science Technology* :52(2):157-162.
- Aini, N., Prihananto, V. dan Wijonarko, G. 2014. Karakteristik Kurva Isotherm Sorpsi Air Tepung Jagung Instan. *Agritech* : 34(1): 50 – 55.
- Ajith, S.A., Pramod, S., Kumari, C.P. dan Potty, V.P. 2015. Effect of Storage Temperatures and Humidity on Proximate composition, Peroxide Value and Iodine Value of Raw Cashew nuts. *Journal of Food Science Technology* 2(7) : 4631–4636.
- Akanbi, T. O., Nazamid, S. dan Adebawale.A.A.2009. Functional and Pasting Properties of a Tropical Breadfruit *Artocarpus Altilis* Starch From Ile-Ife, Osun State. Nigeria. *International Food Research Journal* 16: 151-157.
- Alcalde-Eon, C., Saavedra, G., Pascual-Teresa, S. dan Rivas-Gonzalo, J.C. 2004. Liquid Chromatography–mass Spectrometry Identification of Anthocyanins of *Isla oca* (*Oxalis tuberosa* Mol.) Tubers. *Journal of Chromatography* : 1054 : 211–215.
- Al-Muhtaseb, A.H., Mc.Minn, W.A.M. dan Magee, T.R.A. 2002. Moisture sorption isotherm characteristics of food products: a review. *Food and Bioproducts Processing*: 80: 118-128.
- Ambarsari, I., Sarjana. dan Choliq. A, 2009. Rekomendasi Dalam Penetapan Standar Mutu Tepung Ubi Jalar. Balai Pengkajian Teknologi Pertanian, Jawa Tengah.
- Amin, I. dan Lee, W.Y. 2005. Effect of Different Blanching Times on Antioxidant Properties In Selected Cruciferous Vegetables. *Journal of Food Science Agricultural* : 85:2314–2320.
- Amr, A. dan Al-Tamimi, E. 2007. Stability of The Crude Extracts of *Ranunculus asiaticus* Anthocyanins and Their Use as Food Colourants. *International Journal of Food Science and Technology*: 42 :985 – 991.
- Andarwulan, N. dan Faradilla, R.H.F. 2012^a. Pewarna Alami untuk Pangan. South East Asian Food and Agricultural Science and Technology (SEAFAST) Center, Institut Pertanian Bogor.

- Andarwulan, N. dan Faradilla, R.H.F. 2012^b. Senyawa Fenolik Pada Beberapa Sayuran Indigenous dari Indonesia. South East Asian Food and Agricultural Science and Technology (SEAFAST) Center, Institut Pertanian Bogor.
- Andersen, M. dan Markham, K.R. 2006. Flavonoids. New York: Taylor & Francis Group.
- Anonim. 2008. Uwi-uwian di Hotel Bintang di Taiwan. <http://slimfkmua.blogspot.com/2009/12/pemanfaatan-ubi-alabio-dioscorea-alata.html>. Diunduh 20 Mei 2010.
- Arja, F.S., Darwis, D. dan Adlis Santoni, A. 2013. Isolasi, identifikasi, dan Uji Antioksidan Senyawa Antosianin dari Buah Sikaduduk (*Melastoma malabathricum* L.) Serta Aplikasi Sebagai Pewarna Alami. Jurnal Kimia Universitas Andalas, 2 (1) : 124-127.
- Awika, J.M., Rooney, L.W. dan Waniska, R.D. 2004. Anthocyanins from Black Sorghum and Their Antioxidant Properties. Food Chemistry, 90 : 293--301.
- Azima, A.M.S., Noriham, A. dan Manshoor, N. 2014. Anthocyanin Content in Relation to The Antioxidant Activity and Colour Properties of *Garcinia Mangostana* Peel, *Syzigium Cumini* and *Clitoria Ternatea* Extracts. International Food Research Journal, 21(6): 2369-2375.
- Baah, F. D., Maziya-Dixon, B., Asiedu, R., Oduro, I. dan Ellis, W.O. 2009. Nutritional and Biochemical Composition of *D. alata* (*Dioscorea* spp) Tubers. Journal of Food, Agriculture and Environment : 7(2):373-378.
- Babbar, N., Oberoi, H.S., Sandhu , S.K. dan Bhargav, V.K. 2014. Influence of Different Solvents in Extraction of Phenolic Compounds from Vegetable Residues and Their Evaluation as Natural Sources of Antioxidants. Journal Food Science Technology, 51 (10) : 2568--2575.
- Bagchi, K. dan Puri, S. 1988. Free Radical and Antioxidant in Health and Disease. Eastern Mediterranean Health Journal : 4 (2) : 350 – 360.
- Bagchi, D.C.K., Sen, M. dan Atalay, M. 2004. Anti-angiogenic, Antioxidant and Anti-carcinogenic Properties of a Novel Anthocyanin-rich Berry Extract Formula. Biochemistry (Moscow) : 69 : 75-80.
- Bajpai, V.K., Majumder, R. dan Jae Gyu Park, J.G. 2016. Isolation and Purification of Plant Secondary Metabolites using Column-

Chromatographic Technique. *Bangladesh Journal Pharmacology* : 11: 844-848.

Bakowska-Barczak, A. 2005. Acylated Anthocyanins as Stable, Natural Food Colorants :A Review. Department of Fruit, Vegetable and Cereal Technology, Agricultural University, Wroclaw. *Polish Journal of Food and Nutrition Science* :14/55(2):107–116.

Bell L.N. dan Labuza, T.P. 2000. *Moisture Sorption Practical Aspects of Isotherm Measurement and Use*. 2nd Edition. American Association of Cereal Chemists Inc., USA.

Bellail, A.A., Omayma E., Shaltout, O.E., Youssef, M.M., Ahmed M. dan El Gamal, A. 2012. Effect of Home-Cooking Methods on Phenolic Composition and Antioxidant Activity of Sweetpotato (*Ipomoea batatas* (L.) Lam.) Cultivars Grown in Egypt. *Food and Nutrition Sciences*, 3 : 490-499.

Blessington, T., Nzaramba, M. N., Scheuring, D., Hale, A., Reddivari, L., dan Miller, J. C., Jr. 2010. Cooking Methods and Storage Treatments of Potato: Effects on Carotenoids, Antioxidant Activity, and Phenolics. *American Journal of Potato Research*: 87(6):479–491.

Braithwaite, A dan Smith, F. J. 1995. *Chromatographic Methods*. Kluwer Academic Publishers, London

Bridgers, E.N., Chinn, M.S. dan Truong, V. 2010. Extraction of Anthocyanins from Industrial Purple-fleshed Sweetpotatoes and Enzymatic Hydrolysis of Residues for Fermentable Sugars. *Industrial Crops and Products* : 32 : 613–620.

Burgos, G., Auqui, S., Amoros, W., Salas, E. dan Bonierbale, M. 2009. Ascorbic Acid Concentration of Native Andean Potato Varieties as Affected by Environment, Cooking and Storage. *Journal of Food Composition and Analysis* : 22 (6):533–538.

Burgos, G., Amoros, W., Salas, E., Munoa, L., Sosa, P., Diaz, C. dan Bonierbale, M. 2012. Carotenoid Concentrations of Native Andean Potatoes as Affected by Cooking. *Food Chemistry* : 133 :1131–1137.

Burgos, G., Amoros, W., Munoa, L., Sosa, P., Cayhualla, E., Sanchez, C., Diaz, C. dan Bonierbale, M. 2013. Total Phenolic, Total Anthocyanin and Phenolic Acid Concentrations and Antioxidant Activity of Purple-Fleshed Potatoes as Affected By Boiling. *Journal of Food Composition and Analysis* : 30:6–12.

- Boeing, J.S., Barizão, E.O., Silva, B.C., Montanher, P.F., Almeida, V.C. dan Visentainer, J.V. 2014. Evaluation of Solvent Effect on The Extraction of Phenolic Compounds and Antioxidant Capacities from The Berries: Application of Principal Component Analysis. *Chemistry Central Journal* : 8 (48) : 2-9.
- Cannell, R.J.P. 1998. *Natural Produk Isolation*. Humana Press, Totowa.
- Carocho, M. dan Ferreira, I.C 2013. A Review on Antioxidants, Prooxidants and Related Controversy: Natural and Synthetic Compounds, Screening and Analysis Methodologies and Future Perspectives . *Food and Chemical Toxicology* :51:15–25.
- Castaneda-Ovando, A., Pacheco-Hernandez, M.L., Paez-Hernandez, M.E., Rodriguez, J.A. dan Galan-Vidal, C.A. 2009. Chemical Studies of Anthocyanins: A review. *Food Chemistry* : 113 :859–871.
- Cavalcanti, R.N., Santos, D.T. dan Meireles, M.A.A. 2011. Non thermal Stabilization Mechanism of Anthocyanins In Model and Food Systems : An overview. *Journal Food Research International*, 44 : 499-509.
- Cevallos-Casals, B.A. dan Cisneros-Zevallos, L. 2004. Stability of Anthocyanin-based Aqueous Extracts of Andean Purple Corn and Red-fleshed Sweet Potato Compared to Synthetic and Natural Colorants. *Food Chemistry* : 86:69–77.
- Chellarama , C., Parthasarathy, V., Praveena, M.M. Johna, A.A., Ananda, T.P., Priya, G. dan Kesavan, D. 2014. Analysis of Phenolic Content and Antioxidant Capacity of Potato (*Solanum tuberosum* L.) from Tamilnadu Region, India : Selection And Peer Review Under Responsibility of Asia-Pacific. *Chemical, Biological & Environmental Engineering Society, APCBEE Procedia* 8 : 105- – 108.
- Choi, Y., Lee , S.M., Chun, J., Lee, H.B. dan Lee, J. 2006. Influence of Heat Treatment on The Antioxidant Activities and Polyphenolic Compounds of Shiitake (*Lentinus edodes*) Mushroom. *Food Chemistry* : 99 : 381–387.
- Chou, S.T., Chiang, B.H., Chung, Y.C., Chen, P.C. dan Hsu, C.K. 2006. Effects of Storage Temperatures on The Antioxidative Activity and Composition of Yam Food Chemistry : 98 : 618–623.
- Chukwu, O. dan Lawal, A.O. 2015. Comparative Study of Storage Stability of Sweet Potato and Yam Flours. *International Journal of Emerging Technologies in Engineering Research (IJETER)* : 3(3) : 44 - 49.

- Cipriano, P.dA., Ekici, L., Barnes, R.C., Gomes, C., Stephen T. dan Talcott, S.T. 2015. Pre-heating and Polyphenol Oxidase Inhibition Impact on Extraction of Purple Sweet Potato Anthocyanins. *Food Chemistry* : 180 : 227–234.
- Cretu, G.C. dan Morlock, G.E. 2014. Analysis of Anthocyanins In Powdered Berry Extracts by Planar Chromatography Linked with Bioassay and Mass Spectrometry. *Food Chemistry* : 146 :104–112.
- Dea, A.M. 2014. Identifikasi dan Kuantifikasi Antosianin dari Fraksi Bunga Rosela (*Hibiscus sabdariffa* L.) dan Pemanfaatannya Sebagai Zat Warna Dye-sensitized Solar Cell (DSSC). Skripsi, MIPA. Universitas Diponegoro. Semarang.
- Deighton, N., Brennan, R., Finn, C. dan Davies, H. V. 2000. Antioxidant Properties of Domesticated and Wild Rubus Species. *Journal of the Science of Food and Agriculture*. 80 : 1307–1313.
- Dewanto, V., Wu, X., Kafui, K., Adom, K.K. dan Liu, R.H.2002^a. Thermal Processing Enhances the Nutritional Value of Tomatoes by Increasing Total Antioxidant Activity. *Journal of Agricultural and Food Chemistry*: 50:3010-3014.
- Dewanto, V., Wu, X. dan Liu, R.H. 2002^b. Processed Sweet Corn Has Higher Antioxidant Activity. *Journal of Agricultural and Food Chemistry* : 50 :4959-4964.
- Durst, R.W. dan Wrolstad, R.E. 2005. Separation and Characterization of Anthocyanins by HPLC. In: Wrolstad, R.E., T.E. Acree, E.A. Decker, M.H. Penner, D.S. Reid, S.J. Schwartz, C.F. Shoemaker, D. Smith and P. Sporns (eds.), *Handbook of Food Analytical Chemistry (Vol 2): Pigments, Colorants, Flavors, Texture and Bioactive Food Components*, pp. 33–45. John Wiley and Sons, Inc., New Jersey.
- El Husna, N., Novita, M., dan Rohaya, S. 2013. Kandungan Antosianin dan Aktivitas Antioksidan Ubi Jalar Ungu Segar dan Produk Olahannya. *Agritech* 33 (3) : 296-302.
- Escribano-Bailon, M.T., Santos-Buela, C. dan Rivas-Gonzalo, J.C. 2004. Anthocyanins in Cereal : Review. *Journal of Chromatography* : (1054) : 129 – 141.
- Ezeocha V. C. dan Ojmelukwe P. C. 2012. The Impact of Cooking on The Proximate Composition and Anti-Nutritional Factors of Water Yam

(*Dioscorea alata*). Journal of Stored Products and Postharvest Research : 3(13) : 172 – 176.

Fan, G. Han, Y., Gu. Z. dan Chen, D. 2008. Optimizing Conditions for Anthocyanins Extraction from Purple Sweet Potato Using Response Surface Methodology (RSM). LWT, 41:155-160.

Fang, Z., Wua, D., Yü, D., Ye, X., Liu, D. dan Chen, J. 2011. Phenolic Compounds in Chinese Purple Yam and Changes During Vacuum Frying. Food Chemistry :128 : 943–948.

Fang, Z., Zhang, M., Sun, Y., dan Sun, J. 2007. Polyphenol Oxidase from Bayberry (*Myrica rubra* Sieb. et Zucc.) and Its Role in Anthocyanin Degradation. Food Chemistry:103: 268–273.

Federer, W. 1991. Statistic and Society: Data Colecction and Interpretation 2nd ed. New York. Marcel Dekker.

Feng Rentian., Min Ni Hong., Wang Shiow, Y., Tourkova, I.L., Shurin, M.R., Harada, H. dan Xiao, M.Y. 2007. Cyanidin-3rutinoside a Natural Polyphenol Antioxidant, Selectively Kills Leukemic Cells by Induction of Oxidative Stress. The Journal of Biological Chemistry : 282 : 13468 – 13476.

Fennema, O.R. 1976. Principle of Food Science Food Chemistry. Marcel Decker Inc. New York.

Fleschhut, J., Kratzer, F., Rechkemmer, G. dan Kulling, S. E. 2006. Stability and Biotransformation of Various Dietary Anthocyanins Invitro. European Journal of Nutrition : 45 (1) : 7–18.

Flick, G.J., Robert, J.R. Ory, L. dan Allen St Angelo, J. 1997. Comparison of Nutrient Composition and of Enzyme Activity in purple, green and white eggplants. Journal Agricultural Food Chemistry : 25 (1) : 117-120.

Garzóna, G.A dan Wrolstad, R.E. 2001. The stability of Pelargonidin-based Anthocyanins at Varying Water Activity. Food Chemistry : 75 (2) : 185-196.

Giusti, M.M. dan Wrolstad , R.E.1996. Characterization of Red Radish Antocyanin. Journal of Food Science : 61 (2) : 322 -326.

Giusti, M.M. dan Wrolstad , R.E., 2003. Acylated Anthocyanins From Edible Sources and Their Applications in Food Systems. Journal Biochemistry Engineering:14:217–225.

- Giusti, M.M., Polit, M.F., Ayvaz, H., Tay, D. dan Manrique, I. 2014. Characterization and Quantitation of Anthocyanins and Other Phenolics in Native Andean Potatoes. *Journal Agricultural Food Chemistry* : 62 : 4408–4416.
- Gritter, R.J. 1991. Pengantar Kromatografi. Penterjemah : Kosasih Padmawinata. Edisi Kedua. ITB. Bandung.
- Hapsari, R.T. 2014. Prospek Uwi Sebagai Pangan Fungsional dan Bahan Diversifikasi Pangan. *Buletin Palawija* (27) : 26-38.
- Harborne, J.B. 1987. Metode Fitokimia. Penuntun Cara Modern Menganalisis Tumbuhan. Alih bahasa Kosasih Padmawinata. 2006. Bandung: Institut Teknologi Bandung.
- Halliwell, B. dan Gutteridge, J.M., 1995. The Definition and Measurement of Antioxidants in Biological Systems. *Free Radic. Biological Medicine* 18 : 125–126.
- Halliwell, B. 2007. Biochemistry of Oxidative Stress. *Biochemistry Society Transactions* : 35 : 1147– 1150.
- Hamouz, K. Lachman, J. Pazderů, K., Tomášek, J., Hejtmánková, K. dan Pivec, V. 2011. Differences in Anthocyanin Content and Antioxidant Activity of Potato Tubers with Different Flesh Colour. *Plant Soil Environ*, 57 (10) : 478–485.
- Hassan, H. A. dan Abdel-Aziz, A. F. 2010. Evaluation of Free Radical-scavenging and Antioxidant Properties of Black berry Against Fluoride Toxicity in Rats. *Food and Chemical Toxicology* : 48 : 1999–2004.
- He, F., Liang, N.N, Mu, L., Pan, Q.H., Wang, J., Malcolm J., Reeves , M.J. dan Duan, C.Q. 2012. Anthocyanins and Their Variation in Red Wines I. Monomeric Anthocyanins and Their Color Expression. *Molecules* : 17 : 1571-1601.
- He, H., Gao, H., Liu, G., Hu, L., Tang, X., Zhao, X., Dong, J. dan Jin, H. 2014. Identification of Anthocyanins in Chinese Purple Yam (*Dioscorea alata* L.) by High Performance Liquid Chromatography - Ion Trap Time of Flight Tandem Mass Spectrometry (LCMS-IT-TOF). *International Symposium on Human Health Effects of Fruits and Vegetables (FAVHEALTH)*.

- Helen, O.T., Olusola, A.E., Eghosa, E.I. dan Bond, A.U. 2013. *Dioscorea alata* L. Reduces Body Weight by Reducing Food Intake and Fasting Blood Glucose Level. *British Journal of Medicine and Medical Research*:4 :1871-1880.
- Herawati, H. 2008. Penentuan Umur Simpan pada Produk Pangan. *Jurnal Penelitian dan Pengembangan Pertanian* : 27 :4 : 470-475.
- Hosseini, S., Gharachorloo, M., Ghiassi-Tarzi, B. dan Ghavami, M. 2016. Evaluation of the Organic Acids Ability for Extraction of Anthocyanins and Phenolic Compounds from Different Sources and Their Degradation Kinetics during Cold Storage. *Polish Journal of Food Nutrition Science* : 66 (4) : 261–269.
- Hiemori, M., Koh, E. dan Mitchell, A.E. 2009. Influence of Cooking on Anthocyanins in Black Rice (*Oryza sativa* L. *japonica* var. SBR). *Journal Agricultural Food Chemistry* : 57: 1908–1914.
- Hsu, C.L., Chen, W., Weng, Y.M. dan Tseng, C.Y. 2003. Chemical Composition, Physical Properties, and Antioxidant Activities of Yam Flours as Affected by Different Drying Methods. *Food Chemistry* : 83 : 85-92.
- Htwe, N.N., Srilaong, V., Tanprasert, K., Tongchitpakdee, S., Kanlayanarat, S. dan Uthairatanakijet, A. 2010. Effects of Storage Time and Temperature on Radical Scavenging Activities and Bioactive Compounds in Colored Rice Varieties. *Journal of Food, Agriculture & Environment* :8 (3&4) : 26-31.
- Hudson, E. A., Dinh, P. A., Kokubun, T., Simmonds, M. S. dan Gescher, A. 2000. Characterization of Potentially Chemopreventive Phenols in Extracts of Brown Rice that Inhibit The Growth of Human Breast and Colon Cancer Cells. *Cancer Epidemiology, Biomarkers and Prevention*: 9 :1163–1170.
- Huang, Y.C., Chang, Y.H. dan Shao, Y.Y. 2006. Effects of Genotype and Treatment on The Antioxidant Activity of Sweet Potato in Taiwan. *Food Chemistry*. 98 : 529–538.
- Imbert, M. P. dan Seaforth, C. 1968. Anthocyanins in *Dioscorea alata* L. *Experientia* :24 : 445–447.
- Jackman, R. L. dan Smith. J. L. 1996. Anthocyanins and Betalains. In: Hendry, G. A. F. and J. D. Houghton. *Natural Food Colorants Second Edition* p 243-280. Chapman and Hall, London.

- James, A.K., Godard, M. dan Watson, B. 1996. Development of Anthocyanins and Tannins in Pinot noir Grapes and their Relative Importance in Wine. Department of Food Science and Technology Oregon State University.
- Jayakody, L., Hoover, R., Liu, Q. dan Donner, E. 2007. Studies on Tuber Starches. II. Molecular Structure, Composition and Physicochemical Properties of Yam (*Dioscorea* sp.) Starches Grown in Sri Lanka. Carbohydrate Polymers : 69 : 148–163.
- Jeong, S.M., Kim, S.Y., Kim, D.R., Jo, S.C., Nam, K.C., Ahn, D.U. dan Lee, S.C. 2004. Effect of Heat Treatment on the Antioxidant Activity of Extracts from Citrus Peels. Journal Agricultural Food Chemistry : 52 : 3389-3393.
- Jiao, Y., Yanjie Jiang, Y., Zhai, W. dan Yang, Z. 2012. Studies on Antioxidant Capacity of Anthocyanin Extract From Purple Sweet Potato (*Ipomoea batatas* L.). African Journal of Biotechnology : 11(27) : 7046-7054.
- Jiménez, N., Bohuon, P., Dornier, M. Bonazzic, C., Pérez, A.M. dan Vaillant, F. 2012. Effect of Water Activity on Anthocyanin Degradation and Browning Kinetics at High Temperatures (100–140 °C). Food Research International : 47(1): 106-115.
- Jordheim, M. 2007. Isolation, Identification dan Properties of Pyranoanthocyanins and Anthocyanin Forms. Dissertation for the degree of Philosophiae Doctor (PhD) Department of Chemistry University of Bergen.
- Kaur, C., dan Kapoor, H. C. 2002. Antioxidant Activity and Total Phenolic Content of Some Asian Vegetables. International Journal of Food Science and Technology : 37 : 153–161.
- Khlebnikov, A.I., Schepetkin, I.A., Domina, N.G., Kirpotina, L.N. dan Quinn, M.T. 2007. Improved Quantitative Structure–Activity Relationship Models to Predict Antioxidant Activity of Flavonoids In Chemical, Enzymatic, and Cellular systems. Bioorganic & Medicinal Chemistry : 15 : 1749–1770.
- Khoddami, A., Wilkes, M.A. dan Roberts, T.H. 2013. Techniques for Analysis of Plant Phenolic Compounds. Molecules : 18: 2328-2375.
- Kita, A., Bąkowska-Barczak, A., Hamouz, K., Kułakowska, K. dan Grażyna Lisińska, G. 2013. The effect of Frying on Anthocyanin Stability and Antioxidant Activity of Crisps From Red- And Purple-Fleshed

Potatoes (*Solanum tuberosum* L.). *Journal of Food Composition and Analysis*. 32 : 169–175.

Kita, A., Bakowska-Barczak, A., Lisinska, G., Hamouz, K. dan Kulakowska, K. 2014. Antioxidant activity and quality of red and purple flesh potato chips. *LWT - Food Science and Technology*, xxx :1-7.

Kim, H.W., Kim, J.B., Cho, S.M., Chung, M.N, Lee, Y.M., Chu, S.M., Che, J.H., Kim, S.N., Kim, S.Y., Cho, Y.S., Kim, J.H., Park, H.J. dan Lee, D.J. 2012. Anthocyanin Changes in The Korean Purple-Fleshed Sweet Potato, Shinzami, as Affected by Steaming and Baking. *Food Chemistry* :130 : 966–972.

Kohartono, G., Sutedja, A.M. dan Widyawati, P.S . 2014. Perubahan Kadar Senyawa Bioaktif dan Aktivitas Antioksidan Beras Organik Hitam Varietas Jawa dengan Pengemas Polipropilen Selama Enam Bulan Penyimpanan. *Jurnal Teknologi Pangan dan Gizi* : 13 (2): 69-74.

Kong, J., Chia, L., Goh, N., Chia, T., dan Brouillard, R., 2003. Analysis and Biological Activities Of Anthocyanins. *Phytochemistry*, 64 : 923–933.

Kotan, Y.I dan Kusriani, H. 2014. Kajian Pustaka Antosianin Dari Buah Duwet atau Jamblang (*Syzygium cumini*). Sekolah Tinggi Farmasi Bandung.

Kowalczyk, E., Krzesinski, P., Kura, M., Szmigiel, B. dan Blaszczyk, J. 2003. Anthocyanins in Medicine. *Polish Journal Pharmacology* : 55 : 699-702.

Kristiana, H.D., Ariviani, S. dan Khasanah, L. 2012. Ekstraksi Pigmen Antosianin Buah Senggani (*Melastoma malabathricum* Auct. non Linn) Dengan Variasi Jenis Pelarut. *Jurnal Teknosains Pangan*: 1(1) : 105-108.

Kumar, S., Sandir, R. dand Ojha., S. 2014. Evaluation of Antioxidant activity and Total Phenol in Different Varieties of *Lantana camara* Leaves. *BMC Research Notes* 7:560-569.

Labuza, T.P, 1984. Moisture Sorption: Practical Asepticts of Isotherm Measurement and Use. American Association of Cereal Chemists, St Paul, Minnesota.

Lachman, J., Hamouz, K., Orsáka, M., Pivec, V., Hejtmánková, K., Pazderů, K., Dvořák, P. dan Čepl, J. 2012. Impact of Selected Factors – Cultivar, Storage, Cooking and Baking on The Content of

Anthocyanins in Coloured-Flesh Potatoes. *Food Chemistry*, 133 : 1107--1116.

Lapornik, B., Prošek, M dan Wondra, A.G. 2005. Comparison of Extracts Prepared From Plant By-Products Using Different Solvents and Extraction Time. *Journal of Food Engineering* : 71: 214-222.

Larbi, J.A. 2010. Production and Storage of Minimally Processed Chips from Water yam (*Dioscorea alata*). Faculty of Biosciences College of Science. The Department of Biochemistry and Biotechnology, Kwame Nkrumah University of Science and Technology. Ghana.

Lee, M.J., Park J.S., Choi, D.S., dan Jung, M.Y. 2013. Characterization and Quantitation of Anthocyanins in Purple-Fleshed Sweet Potatoes Cultivated in Korea by HPLC-DAD and HPLC-ESI-QTOF-MS/MS. *Journal of Agricultural and Food Chemistry* : 61 : 3148-3158.

Lemos, M.A., Maryam, M., Aliyu, M., Kynoch, G., Raj Joseph, L. dan Hungerford, G. 2013. Effect of Cooking on The Levels of Bioactive Compounds in *Purple Majesty Potato*. Inside Food Symposium, Leuven, Belgium.

Lemos, M.A., Aliyu, M. M. dan Hungerford, G. 2015. Influence of Cooking on The Levels of Bioactive Compounds in Purple Majesty Potato Observed via Chemical and Spectroscopic Means. *Food Chemistry*, 173 : 462--467.

Leo, L., Leone, A., Longo, C., Lombardi, D.A., Raimo, F. dan Zacheo, G., 2008. Antioxidant Compounds and Antioxidant Activity in ‘early potatoes’. *Journal of Agricultural and Food Chemistry* :56: 4154–4163.

Lestario, L.N. 2006. Antioksidan Buah Duwet (*Syzygium cumini*). Disertasi. Program Studi Ilmu Pangan. FTP UGM. Yogyakarta.

Li, H., Deng , Z., Zhu, H., Hu, C., Liu, R., Young, J.C. dan Tsao, R. 2012. Highly Pigmented Vegetables: Anthocyanin Compositions and Their Role in Antioxidant Activities. *Food Research International* : 46 :250–259.

Lingga, P., Sarwono, B., Rahardi, F., Rahardja, P.C., Afriastini, J.J., Wudianto, R. dan Apriadji. W.H. 1986. Bertanam ubi-ubian. Penebar Swadaya, Jakarta.

Lubag, A.J.M., Antonio, Jr., Laurena, C. dan Tecson-Mendoza, E.M. 2008. Antioxidants of Purple and White Greater Yam (*Dioscorea alata* L.)

- Varieties from the Philippines. *Philippine Journal of Science* :137 (1): 61-67.
- Madison. 1995. Thin Layer Chromatography. <http://www.chemguide.co.uk/analysis/chromatography/thinlayer.html>. Diakses tanggal 01 November 2015.
- Madhavi, D.L., Deshpande, S.S. dan Salunkhe, D.K. 1995. Food Antioxidant. Technological, Toxicological and Health Perspectives. Marcel Dekker. New York.
- Mahmudatussa'adah, A., Fardiaz, D., Nuri, A. dan Feri, K. 2014. Karakteristik Warna Dan Aktivitas Antioksidan Antosianin Ubi Jalar Ungu. *Jurnal Teknologi & Industri Pangan*. 25 (2) :176-184.
- Maier, T., Fromm, M., Schieber, A., Kammerer, D.R., dan Carle, R. 2009. Process and Storage Stability of Anthocyanins and Non-Anthocyanin Phenolics In Pectin and Gelatin Gels Enriched With Grape Pomace Extracts. *European Food Research and Technology* : 104 :732–739.
- Manu, F.D.W., Oduro, I., Ellis, W.O., Asiedu, R. dan Dixon, B.M. 2013. Food Quality Changes in Water yam (*Dioscorea alata*) during Growth and Storage. *Asian Journal of Agriculture and Food Sciences* : 1 (3): 66- 72.
- Markakis, P. 1982. Stability of Anthocyanins in Foods, Anthocyanins as Food Colors. Academic Press inc. New York.
- Markham, K.R. 1988. Cara Mengidentifikasi Flavonoid. Terjemahan, 2007. Penerbit ITB. Bandung.
- Moraga, G., Igual, M., García-Martínez, E., Mosquera, L.H. dan Martínez, N. 2012. Effect of Relative Humidity And Storage Time on The Bioactive Compounds and Functional Properties of Grapefruit Powder. *Journal of Food Engineering* :112 (3): 191-199.
- Moriya, C., Hosoya, T., Agawa, S., Sugiyama, Y., Kozono, I., Shin-Ya, K., Terahara, N. dan Kumazawa, S. 2015. New acylated Anthocyanins From Purple Yam and Their Antioxidant Activity. *Bioscience Biotechnology Biochemistry*: 79 (9) : 1484-1492.
- Nacz, M. dan Shahidi, F. 2006. Phenolics in Cereals, Fruits and Vegetables: Occurrence, Extraction and Analysis. *Journal of Pharmaceutical and Biomedical Analysis* : 41:1523–1542.

- Nayak, B. 2011. Effect of Thermal Processing on The Phenolic Antioxidants of Colored Potatoes. Washington State University Department of Biological Systems Engineering.
- Nichenametla, S. N., Taruscio, T. G., Barney, D. L. dan Exon, J. H. 2006. A Review of The Effects and Mechanisms of Polyphenolics in Cancer. *Critical Reviews in Food Science and Nutrition* : 46(2) : 161–183.
- Nina, K.C.J., Ghislaine, D.C. Hubert, K.K., Désiré Patrice, A.Y., Patrice, K.L. dan Alphonse, K. 2017. Biochemical and Functional Properties of Yam Flour During The Post-harvest Conservation of *Dioscorea alata* cultivar « Azaguié ». *Current Journal of Applied Science and Technology* :21(6): 1-10.
- Obiegbuna, J.E, Okeke, A.U.G dan Igwe, E.C. 2014. Effect of Storage Relative Humidity on Somechemical Composition and Browning Development of Treated *Cocoyam (Colocasia esculenta)* Corm Flour. *Journal of Scientific Research & Reports* : 3(4): 592-609.
- Oboh, G. 2005. Effect of Blanching on The Antioxidant Properties of Some Tropical Green Leafy Vegetables. Biochemistry Department, Federal University of Technology, LWT. 38 :13–517.
- Ogawa, K., Sakakibara, H., Iwata, R., Ishii, T., Sato, Y., Goda, T., Shimoi, K., dan Kumazawa, S. 2008. Anthocyanin Composition and Antioxidant Activity of the Crowberry (*Empetrum nigrum*) and Other Berries. *Journal Agricultural Food Chemistry*: 56 :4457–4462.
- Oki, T., Masuda, M., Furuta, S., Nishiba, Y., Terahara, N. dan Suda, I. 2002. Involvement of Anthocyanins and Other Phenolic Compounds in Radical-scavenging Activity of Purple-Fleshed Sweet Potato Cultivars. *Journal of Food Science*. 67: 1752–1756.
- Osunde, Z.D. 2008. Minimizing Postharvest Losses in Yam (*Dioscorea* spp.): Treatments and Techniques. Food Science and Technology to Improve Nutrition and Promote National Development, International Union of Food Science & Technology : 12 : 1-12.
- Ozo, O.N., Caygill, J.C., dan Coursey, D.G. 1984. Phenolics of Five Yam (*Dioscorea*) Species. *Phytochemistry* : 23: 329-331.
- Palleros, D. R. 2000. *Experimental Organic Chemistry*. John Willey and Sons. New York
- Pantelidis, G.E., Vasilakakis, M., Manganaris, G.A. dan Diamantidis, G. 2007. Antioxidant Capacity, Phenol, Anthocyanin and Ascorbic Acid

Contents in Raspberries, Blackberries, Red Currants, Gooseberries and Cornelian Cherries Food Chemistry:102 : 777–783.

Park, J.S., Woo, J.W. Choi, G.H., Choi, D.S. dan Jung, M.Y. 2015. Chlorogenic Acid Profiles and Antioxidant Potentials of 17 Sweet Potato Varieties Cultivated in Korea: Impact of Extraction Condition and Classification by Hierarchical Clustering Analysis. *Journal of Food Chemistry & Nanotechnology*, 1 (1) : 3-12.

Patras , A., Brunton, N.P., O'Donnell, C., dan Tiwari, B.K. 2010. Effect of Thermal Processing on Anthocyanin Stability In Foods: Mechanisms and Kinetics of Degradation. *Trends in Food Science and Technology* : 21 :3-11.

Patras, A., Tiwari, B.K., dan Brunton, N.P. 2011. Influence of Blanching and Low Temperature Preservation Strategies on Antioxidant Activity and Phytochemical Content of Carrots, Green Beans And Broccoli. *LWT - Food Science and Technology* : 44 : 299-306.

Plantus. 2008. Mengenal Plasma Nutfah Tanaman Pangan.
<http://anekaplanta.wordpress.com/2008/03/02/mengenal-plasmanutfah-tanaman-pangan>. Diunduh Maret 2008.

Pokorny , J., Yanishlieva, N. dan Gordon, M. 2001. Antioxidants in Food. CRC Press. Boca Raton Boston New York Washington, DC.

Priyanto, G., Turama, I., dan Hamzah, B. 2015. Model Perubahan Mutu Tepung Rebung Selama Penyimpanan . Prosiding Seminar Agroindustri dan Lokakarya Nasional FKPT-TPI Program Studi TIP-UTM.Palembang.

Pujimulyani^a, D., Raharjo, S., Marsono, Y. dan Santoso, U. 2010. The Antioxidant Activity and Phenolic Content of Fresh and Blanched White Saffron (*Curcuma mangga* Val.). *Agritech*, 30: 2 : 68-74.

Pujimulyani^b, D., Raharjo, S., Marsono, Y. dan Santoso, U. 2010. Blanching Effects on Antioxidant Activity, Phenol, Flavonoid and Condensed Tannin Contents of White Saffron (*Curcuma mangga* Val.). *Agritech*, 30 : 141-147.

Purnomosari, D. 2008. Studi Isoterm Sorpsi Lembab Dan Fraksi Air Terikat Pada Tepung Gapek. Fakultas Pertanian Universitas Sebelas Maret Surakarta.

- Raharjo, S. 2006. Kerusakan Oksidatif Makanan. Gadjah Mada University Press. Yogyakarta.
- Rahman, M.M., Ichiyanagi, T., Komiyama, T., Hatano, Y. dan Konishi, M. 2006. Superoxida Radical and Peroxynitrite-scavenging Activity of Anthocyanins : Structure Activity Relationship and Their Sinergism. *Free Radical Research* : 40 (9) : 993 -1002.
- Raj Bhandari, M. dan Kawabata, J. 2004. Organic Acid, Phenolic Content and Antioxidant Activity of Wild Yam (*Dioscorea* Spp.) Tubers of Nepal. *Food Chemistry* :88 :163–168.
- Ramos-Escudero, F., Santos-Buelga, C., Perez-Alonzso, J.J., Yanez, J.A. dan Duenas, M. 2010. HPLC-DAD-ESI/MS Identification of Anthocyanins in *Dioscorea trifida* L. Yam Tubers (*Purple sachapapa*). *European Food Research and Technology* : 230 : 745 – 752.
- Rašper, V. dan Coursey, D. G. 1967. Anthocyanins of *Dioscorea alata* L. *Experientia* :23 : 611–612.
- Revilla, E., Ryan, J. dan Martin-Ortega, G. 1998. Comparison of Several Procedure Used for Ectraxtion of Anthocyanin from Red Grapes. *Journal Agricultural Food Chemistry* : 46 : 4592 – 4597.
- Rice-Evans, C., Miller, N. J., dan Paganga, G.1997. Antioxidant Properties of Phenolic Compounds. *Trends in Plant Science* : 2:152–159.
- Robinson, T. 1991. Kandungan organik tumbuhan tinggi. Ed6 (1995). Translated : Kosasih Padmawinata. Penerbit ITB. Bandung.
- Roy, M.K., Juneja, L.R., Isobe, S. dan Tsushida, T. 2009. Steam Processed Broccoli (*Brassica oleracea*) has Higher Antioxidant Activity in Chemical and Cellular Assay Systems. *Food Chemistry* : 114: 263-269.
- Sakthidevi, G. dan Mohan, V.R. 2013. Total Phenolic, Flavonoid Contents and *In vitro* Antioxidant Activity of *Dioscorea alata* Tuber. *Journal of Pharmaceutical Science and Research* : 5(5) :115 – 119.
- Salahudin, A.D. 2009. Identification of an Anthocyanin Compound from Strawberry Fruits then Using as an Indicator in Volumetric Analysis. *Journal of Family Medicine* :7 :7: 57-62.
- Sastrohamidjojo, H. 2001. Spektroskopi. Yogyakarta: Liberty.

- Santas, J., Carbó, R., Gordon, M.H. dan Almajano, M.P. 2008. Comparison of The Antioxidant Activity of Two Spanish Onion Varieties. *Food Chemistry* :107 : 1210-1216.
- Septyanti, C. 2012. Potensi Pelepah Temulawak (*Curcuma xanthorrhiza*) sebagai Antikanker dan Antioksidan. Departemen Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam. Institut Pertanian Bogor.
- Serrano, O., Fortuny, S. dan Beloso, M. 2010. Changes in Bioactive Composition of Fresh-cut Strawberries Stored Under Super Atmospheric Oxygen, Low Oxygen or Passive Atmosphere. *Journal of Food Composition and Analysis* : 23:37-43.
- Shao, Y., Xu, F., Sun, X., Bao, J. dan Beta, T. 2014. Identification and Quantification of Phenolic Acid and Anthocyanins as Antioxidants in Bran, Embryo and Endosperm of White, Red and Black Rice Kernels (*Oryza sativa* L.). *Journal of Food Cereal Science* : 59 :211 – 218.
- Shoyama, Y., Nishioka, I., Herath, W., Uemoto, S., Fujieda, K. dan Okubo, H. 1990. Two Acylated Anthocyanins from *Dioscorea alata*. *Phytochemistry* : 29 (9) : 2999-3001.
- Steed, L. E., dan Truong, V.D. 2008. Anthocyanin Content, Antioxidant Activity, and selected physical properties of Flowable Purple-fleshed Sweetpotato Purees. *Journal of Food Science* : 73(5) : S215–221.
- Suyitno, 1995. Serat Makanan dan Perilaku Aktivitas Air Bubuk Buah. Disertasi Universitas Gadjah Mada, Yogyakarta.
- Tang, Y., Cai, W. dan Xu, B. 2015. Profiles of Phenolics, Carotenoids and Antioxidative Capacities of Thermal Processed White, Yellow, Orange and Purple Sweet Potatoes Grown In Guilin, China. *Food Science and Human Wellness*, 4 (3) :123-132.
- Teow, C.C., Truong, V.D., McFeeters, R.F., Thompson, R.L. Pecota, K.V. dan Yencho, G.C. 2007. Antioxidant Activities, Phenolic and β -Carotene Contents of Sweet Potato Genotypes with Varying Flesh Colours. *Food Chemistry*, 103: 829–838.
- Teixeira, A.P., Oliveira, I.M.A., Lima, E.S. dan Matsuura, T. 2013. The Use of Purple Yam (*Dioscorea trifida*) as a Health-Promoting Ingredient In Bread Making. *Journal of Research in Biology*: 3(1) :747-758.
- Tensiska., Sukarminah, E. dan Natalia, D. 2006. Ekstraksi Pewarna Alami dari Buah Arben (*Rubus idaeus* (Linn.) dan Aplikasinya Pada Sistem Pangan. <http://digilib.umm.ac.id>. Diakses 12 Januari 2017.

- Tonon, R.V., Brabet, C. dan Hubinger, M.D. 2010. Anthocyanin Stability and Antioxidant Activity of Spray-Dried Acai (*Euterper oleracea* Mart.) Juice Produced with Different Carrier Agents. *Food Research International*: 43:907–914.
- Tokugoslu, O. dan Yildirim, Z. 2012. Effects of Cooking Methods On The Anthocyanin Levels and Antioxidant Activity of a Local Turkish Sweetpotato [*Ipomoea batatas* (L.) Lam] Cultivar Hatay Kirmizi: Boiling, Steaming and Frying Effects . *Turkish Journal of Field Crops* :17(1):87-90.
- Truong, V.D., Deighton, N., Thompson, R.T., Mcfeeters, R.F., Dean, L.O., Pecota, K.V. dan Yencho, G.C. 2010. Characterization of Anthocyanins and Anthocyanidins in Purple-Fleshed Sweetpotatoes by HPLC-DAD/ESI-MS/MS. *Journal of Agricultural Food Chemistry* : 58: 404–410.
- Udensi, E.A. Oselebe, H.O. dan Onuoha, A.U. 2010. Antinutritional Assessment of *D. alata* Varieties. *Pakistan Journal of Nutrition* : 9 (2): 179-181.
- Ukom, A.N., Ojmelukwe, P.C., Ezeama, C.F., Ortiz, D.O. dan Aragon,I.J. 2014. Phenolic Content and Antioxidant Activity of Some Under-Utilized Nigerian Yam (*Dioscorea* Spp.) and Cocoyam (*Xanthosomamaffa* (Scoth)) Tubers. *IOSR Journal of Environmental Science, Toxicology and Food Technology (IOSR-JESTFT)*: 8 (7) :104-111.
- Vogel, K. 1985. *Buku Teks Analisis Anorganik Kualitatif Makro dan Semi Makro. Terjemahan.* PT Kalman Media Pustaka. Jakarta.
- Volden, J.G., Borge, I.A., Bengtsson, G.B., Hansen, M., Thygesen, I.E. dan Wicklund, T. 2008. Effect of Thermal Treatment on Glucosinolates and Antioxidant Related Parameters in Red Cabbage (*Brassica oleracea* L. ssp. *capitata* f. *rubra*). *Food Chemistry* :109 : 595-605.
- Von Loesecke, H.W. 1943. *Drying and Dehidration of Food.* Washington D.C.
- Wachidah, L.N. 2013. Uji Aktivitas Antioksidan serta Penentuan Kandungan Fenolat dan Flavonoid Total dari Buah Parijoto (*Medinilla speciosa* Blume) Fakultas Kedokteran dan Ilmu Kesehatan, Program Studi Farmasi, Universitas Islam Negeri, Syarif Hidayatulloh. Jakarta.

- Wang, H., Cao, G., dan Prior, R.L. 1997. Oxygen Radical Absorbing Capacity of Anthocyanins. *Journal of Agricultural and Food Chemistry* : 45: 304–309.
- Wang, D., Ma, Y., Guo, X.F. dan Zheng, Q.Y. 2014. Effect of Drying Temperature on Quality of Purple Sweet Potato Powder. *Applied Mechanics and Materials* :568:1911-1944.
- Wasono, M.S.E, dan Yuwono, S.S. 2014. Pendugaan Umur Simpan Tepung Pisang Goreng Menggunakan Metode *Accelerated Shelf Life Testing* dengan Pendekatan *Arrhenius*. *Jurnal Pangan dan Agroindustri* : 2 : 4 :178-187.
- Wiczowski, W., Szawara-Nowak, D., dan Topolska, J. 2013. Red Cabbage Anthocyanins: Profile, Isolation, Identification, and Antioxidant Activity. *Food Research International* : 51 : 303–309.
- Wijaya, S.I., Widjanarko, B.S. dan Susanto, T. 2001. Ekstraksi dan Karakterisasi Pigmen dari Kulit Rambutan (*Nephelium lappaceum*) var Binjai. *Biosain Universitas Brawijaya*. Malang : I : 2 - 8.
- Wirda, Z., Halim, H., Millati, M. dan Zulhidiani, R. 2011. Pengaruh Berbagai Jenis Pelarut dan Asam Terhadap Rendemen Antosianin dari Kubis Merah (*Brassica oleraceae capitata*). *Agroscentiae*:18(2) : 57 – 65.
- Wrolstad, R.E., Durst, R.W. dan Lee, J. 2005. Tracking Color and Pigment Changes in Anthocyanin Product. *Trends in Food Science and Technology* : 16 : 423 – 428.
- Wulaningrum, R.A., Sunarto, W. dan Alauhdin, M. 2013. Pengaruh Asam Organik dalam Ekstraksi Zat warna Kulit Buah Manggis (*Garcinia mangostana*). *Indonesian Journal Chemical Science* : 2 : 2 :119-124.
- Xavier, M.F., Lopes, T.F., Quadri, M.G.N. dan Quadri, M.B. 2008. Extraction of Red Cabbage Anthocyanins: Optimization of the Operation Conditions of the Column Process. *Brazilian Archives of Biology and Technology*:51 : 143-152.
- Xu, B.J. dan Chang, S.K. 2007. A Comparative Study on Phenolic Profiles and Antioxidant Activities of Legumes Affected by Extraction Solvents. *Journal of Food Science* : 72 (2) : S 159-166.
- Xu, B., dan Chang, S. K. C. 2008. Characterization of Phenolic Substances and Antioxidant Properties of Food Soybeans Grown in the North

Dakota – Minnesota Region. *Journal of Agricultural and Food Chemistry* : 56(19) : 9102–9113.

Xu, J., Su, X., Lim, S., Griffin, Carey, J.E., Katz, B., Tomich, J., Smith, J.S. dan Wang, W. 2015. Characterisation and Stability of Anthocyanins in Purple-Fleshed Sweet Potato P40. *Food Chemistry* : 186 : 90–96.

Yang, J., Ou, X., Zhang, X., Zhou, Z., dan Ma, L. 2017. Effect of Different Solvents on The Measurement of Phenolics and The Antioxidant Activity of Mulberry (*Morus atropurpurea* Roxb.) with Accelerated Solvent Extraction. *Journal of Food Science* : 82 (3) : 605-612.

Yin, L., Chen, T., Yun Li, Y, Fu, S., Li, L., Xu, M. dan Niu, Y. 2016. A Comparative Study on Total Anthocyanin Content, Composition of Anthocyanidin, Total Phenolic Content and Antioxidant Activity of Pigmented Potato Peel and Flesh. *Food Science and Technology Research* : 22 (2) : 219-226.

Yoshida, K., Kondo, T. dan Goto, T. 1991. Unusually Stable Monoacylated Anthocyanin From Purple Yam *Dioscorea alata*. *Tetrahedron Lett* :32:5579–5580.

Yuli. 2009. Ubi Alabio, Sumber Pangan Alternatif Pengganti Beras. <http://www.vivaborneo.com/ubi-alabio-sumber-pangan-alternatif-pengganti-beras.htm/comment-page-1>. Diakses 20 Mei 2014.