

## DAFTAR PUSTAKA

- Anonim. (2010). Standar Antropometri Penilaian Status Gizi Anak. Keputusan Menteri Kesehatan Indonesia. No : 1995/Menkes/SK/XII/2010
- Anonim. (2014). Studi Diet Total : Survei Konsumsi Makanan Individu Indonesia 2014. Badan Penelitian dan Pengembangan Kesehatan
- Agans, R, Rigsbee L, Kenche H, Michail S, Khamis HJ & Paliy O. (2011). Distal Gut Microbiota of Adolescent Children is Different from That Adults. *Blackwell Publishing Microbiology Ecology*. Vol. 77. 404-412.
- Alander, M, De smet I, Nollet L, Vestraete W, Von Wright A, & Molin G. (1999). The Effect of Probiotic Strains on The Microbiota of The Simulator of The Human Intestinal Microbial System (SHIME). *International Journal of Food Microbiology* 46, 71-79.
- Angelakis E, Bastelica D, Ben Amara A, El Filali A, Dutour A, Mege JL, Alessi MC, Raoult D. (2012). An evaluation of the effects of *Lactobacillus ingluviei* on body weight, the intestinal microbiome and metabolism in mice. *Microb Pathogen* 52(1):61-8.
- Ardhana, MM & Fleet GH. (2003). The Microbial Ecology of Cocoa Bean Fermentations in Indonesia. *International Journal of Food Microbiology* 86(1-2), 87-99
- Arumugam M, Raes J, Pelletier E, Le Paslier D, Yamada T, Mende DR, Fernandes GR, Tap J, Bruls T, Batto JM, Bertalan M, Borruel N, Casellas F, Fernandez L, Gautier L, Hansen T, Hattori M, Hayashi T, Kleerebezem M, Kurokawa K, Leclerc M, Levenez F, Manichanh C, Nielsen HB, Nielsen T, Pons N, Poulain J, Qin J, Sicheritz-Ponten T, Tims S, Torrents D, Ugarte E, Zoetendal EG, Wang J, Guarner F, Pedersen O, de Vos WM, Brunak S, Doré J; MetaHIT Consortium, Antolín M, Artiguenave F, Blottiere HM, Almeida M, Brechot C, Cara C, Chervaux C, Cultrone A, Delorme C, Denariáz G, Dervyn R, Foerstner KU, Friss C, van de Guchte M, Guedon E, Haimet F, Huber W, van Hylckama-Vlieg J, Jamet A, Juste C, Kaci G, Knol J, Lakhdari O, Layec S, Le Roux K, Maguin E, Mérieux A, Melo Minardi R, M'rini C, Muller J, Oozeer R, Parkhill J, Renault P, Rescigno M, Sanchez N, Sunagawa S, Torrejon A, Turner K, Vandemeulebrouck G, Varela E, Winogradsky Y, Zeller G, Weissenbach J, Ehrlich SD, Bork P. (2011). Enterotypes of the human gut microbiome. *Nature* 473(7346):174-80
- Atarashi K, Tanoue T, Oshima K, Suda W, Nagano Y, Nishikawa H, Fukuda S, Saito T, Narushima S, Hase K, Kim S, Fritz JV, Wilmes P, Ueha S, Matsushima K, Ohno H, Olle B, Sakaguchi S, Taniguchi T, Morita H, Hattori M, Honda K.

- (2013). Treg induction by a rationally selected mixture of Clostridia strains from the human microbiota. *Nature* 500(7461):232-6.
- Brito, BM, Plaza-Díaz J, Muñoz-Quezada S, Gómez-Llorente C, Gil A. (2012). Probiotic mechanisms of action. *Ann Nutr Metab* 61:160–174
- Champagne, Claude P, R. Paul Ross, Maria Saarela, Ken Flemming Hansen, Dimitris Charalampopoulos. (2011). Recommendations for the viability assessment of probiotics as concentrated cultures and in food matrices. *International Journal of Food Microbiology* Vol. 149 (3), 185-193
- Chen, HM, Yu YN, Wang JL, Lin YW, Kong X, Yang CQ, Yang L, Liu ZJ, Yuan YZ, Liu F, Wu JX, Zhong L, Fang DC, Zou W, Fang JY. (2013). Decreased Dietary Fiber Intake and Structural Alteration of Gut Microbiota in Patients with Advanced Colorectal Adenoma. *Am. J. Clin. Nutr.* 97 1044-1052
- Cocolin, L, Manzano M, Cantoni C., & Comi G. (2000). Development of Rapid Method for The Identification of *Lactobacillus* Spp. Isolated from Naturally Fermented Italian Sausages Using Ploymerase Chain Reaction-Temperature Gradient Gel Electrophoresis. *Letters in Applied Microbiology* 30(2), 126-129
- Conlon, M.A. Bird, A. R. (2015). The Impact of Diet and Lifestyle on Gut microbiota and Human Health. *Nutriens*. (7): 17-44
- Cotillard A, Kennedy SP, Kong LC, Prifti E, Pons N, Le Chatelier E, Almeida M, Quinquis B, Levenez F, Galleron N, Gougis S, Rizkalla S, Batto JM, Renault P; ANR MicroObes consortium, Doré J, Zucker JD, Clément K, Ehrlich SD. (2013). Dietary intervention impact on gut microbial gene richness. *Nature* 29;500(7464):585-8
- David LA, Maurice CF, Carmody RN, Gootenberg DB, Button JE, Wolfe BE, Ling AV, Devlin AS, Varma Y, Fischbach MA, Biddinger SB, Dutton RJ, Turnbaugh PJ. (2014). Diet rapidly and reproducibly alters the human gut microbiome. *Nature* 23;505(7484):559-63
- De Filippo C, Cavalieri D, Di Paola M, Ramazzotti M, Poullet JB, Massart S, Collini S, Pieraccini G, dan Lionetti P. (2010). Impact of Diet in Shaping Gut Microbiota Revealed by A Comparative Study in Children from Europe and Rural Africa. *Proc Natl Acad Sci U S A* 107(33):14691-6
- Elli M, Maria Luisa Callegari, Susanna Ferrari, Elena Bessi, Daniela Cattivelli, Sara Soldi, Lorenzo Morelli, Nathalie Goupil Feuillerat, and Jean-Michel Antoine. (2006). Survival of Yogurt Bacteria in the Human Gut. *Applied and environmental microbiology* p. 5113–5117

- FAO/WHO. (2001). *Probiotics in Food: Health and Nutritional Properties and Guidelines for Evaluation*. World Health Organization, Food and Agricultural Organization of United Nation: Rome
- García-Albiach R, Pozuelo de Felipe MJ, Angulo S, Morosini MI, Bravo D, Baquero F, del Campo R. (2008). Molecular analysis of yogurt containing *Lactobacillus delbrueckii* subsp. *bulgaricus* and *Streptococcus thermophilus* in human intestinal microbiota. *American Journal of Clinical Nutrition* ;87(1):91-6.
- Gargari, G, Taverniti V, Balzaretto S, Ferrario C, Gardana C, Simonetti P, Guglielmetti S. (2016). Consumption of a *Bifidobacterium bifidum* Strain for 4 Weeks Modulates Dominant Intestinal Bacterial Taxa and Fecal Butyrate in Healthy Adults. *American Society for Microbiology. Applied and Environmental Microbiology*. Vol 82:19 5850-5859
- Gibbs, PA. (2009). *Foodborne Pathogens, Hazards, Risk Analysis and Control : Pathogenic Clostridium Species*. Woodhead Publishing Series in Food Science, Technology and Nutrition p820-843. London
- Gorvitovskaia A, Holmes S.P, dan Huse S.M. (2016). Interpreting *Prevotella* and *Bacteroides* as Biomarkers of Diet and Lifestyle. *Crossmark: Microbiome* 4:15
- Grönlund MM, Lehtonen OP, Eerola E, Kero P. (1999). Fecal microflora in healthy infants born by different methods of delivery: permanent changes in intestinal flora after cesarean delivery. *J Pediatr Gastroenterol Nutr* (1):19-25.
- Hayashi H, Sakamoto M, Benno Y. (2002). Phylogenetic analysis of the human gut microbiota using 16S rDNA clone libraries and strictly anaerobic culture-based methods. *Microbiol Immunol* 46: 535–548.
- Herías MV, Hesse C, Telemo E, Midtvedt T, Hanson LA, Wold AE. (1999). Immunomodulatory effects of *Lactobacillus plantarum* colonizing the intestine of gnotobiotic rats. *Clinical and Experimental Immunology : Journal of Translational Immunology* 116(2): 283–290.
- Hold GL, Pryde SE, Russell VJ, Furrer E, Flint HJ. (2002). Assessment of microbial diversity in human colonic samples by 16S rDNA sequence analysis. *FEMS Microbiol Ecol* 39:33–39
- Holzappel WH, Haberer P, Snel J, Schillinger U, Huis in't Veld JH. (1998). Overview of gut flora and probiotics. *Int J Food Microbiol* 41(2):85-101
- Johansson, M. L., Molin, G., Jeppsson, B., Nobaek, S., Ahrne, S., & Bengmark, S. (1993). Administration of different *Lactobacillus* strains in fermented oatmeal soup: In vivo colonization of human intestinal mucosa and effect on the indigenous flora. *Applied and Environmental Microbiology* 59(1), 15–20.

- Kabisyah, A, Widada J, Utami T, Rahayu ES. (2018). *Pengaruh Konsumsi Probiotik Powder *Lactobacillus plantarum* Mut-7 pada Populasi *Bacteroidetes*, *E. coli*, *S. aureus*, dan Senyawa *Putrefactive* Pada Siswa SMPN 1 Ngemplak*. Thesis, Universitas Gadjah Mada. Yogyakarta
- Kadooka ,Y, M Sato, K Imaizumi, A Ogawa, K Ikuyama, Y Akai, M Okano, M Kagoshima dan T Tsuchida. (2010). Regulation of abdominal adiposity by probiotics (*Lactobacillus gasseri* SBT2055) in adults with obese tendencies in a randomized controlled trial. *European Journal of Clinical Nutrition* 64, 636–643
- Kovatcheva-Datchary P, Nilsson A, Akrami R, Lee YS, De Vadder F, Arora T, Hallen A, Martens E, Björck I, dan Bäckhed F.. (2015). Dietary Fiber-Induced Improvement in Glucose Metabolism is Associated With Increased Abundance of *Prevotella*. *Pubmed: Cell Metab*; 1;22(6) 971-82
- Kurakawa, T, Ogata K, Matsuda K, Tsuji H, Kubota H, Takada T, Kado Y, Asahara T, Takahashi T, and Nomoto K. (2015). Diversity of Intestinal *Clostridium coccooides* Group in the Japanese Population, as Demonstrated by Reverse Transcription- Quantitative PCR. *Plos-One* 10(5) e0126226.
- Lei, V, Amoa-Awua WK, & Brimer L. (1999). Degradation of Cyanogenic Glycosides by *Lactobacillus plantarum* Strains from Spontaneous Cassava Fermentation and Other Microorganism. *International Journal of Food Microbiology* Vol. 53 (2-3), 169-184
- Louis P, Flint HJ. (2009). Diversity, metabolism and microbial ecoLog10y of butyrate-producing bacteria from the human large intestine. *FEMS Microbiol Lett* 294: 1–8. doi:
- Manolopoulou E, Sarantinopoulos P, Zoidou E, Aktypis A, Moschopoulou E, Kandarakis IG, Anifantakis EM. (2003). Evolution of microbial populations during traditional Feta cheese manufacture and ripening. *International Journal of Food Microbiology* Vol. 82(2), 153-161.
- Manson JM, Rauch M, Gilmore MS. (2008). The commensal microbiology of the gastrointestinal tract. *Adv Exp Med Biol* 635:15–28.
- Mariat D, O Firmesse, F Levenez, VD Guimarães, H Sokol., J Doré, G Corthier dan J-P Furet. (2009). The Firmicutes/Bacteroidetes ratio of the human microbiota changes with age. *BMC Microbiology* 9:123
- Marya, DT, Nurliyani. (2017). *Susu fermentasi kombinasi starter *Lactobacillus plantarum* dad 13, *Lactococcus lactis* dan yeast sebagai makanan fungsional antidiabetes*. Skripsi. Universitas Gadjah Mada. Yogyakarta

- Matsuki T, Watanabe K, Fujimoto J, Takada T, Tanaka R. (2004). Use of 16S rRNA gene-targeted group-specific primers for real-time PCR analysis of predominant bacteria in human feces. *Appl Environ Microbiol.* 70: 7220–7228.
- Matsuda K, Tsuji H, Asahara T, Matsumoto K, Takada T, Nomoto K. (2009). Establishment of an analytical system for the human fecal microbiota, based on reverse transcription-quantitative PCR targeting of multicopy rRNA molecules. *Appl Environ Microbiol.* 75(7):1961-9
- McCabe, LR, R Irwin, L Schaefer, RA Britton. (2013). Probiotic Use Decreases Intestinal Inflammation and Increases Bone Density in Healthy Male but not Female Mice. *National Institute of Health. J Cell Physiol.* 228(8): 1793–1798.
- Million M, Angelakis E, Paul M, Armougom F, Leibovici L, Raoult D. (2012). Comparative meta-analysis of the effect of *Lactobacillus* species on weight gain in humans and animals. *Elsevier. Microbial Pathogenesis* 53:100-108
- Mitsuoka, T. (1982). Recent Trends in Research on Intestinal Flora. *JBF lecture. Bifidobacteria microflora* Vol 1(1), 3-24
- Nakayama, Jiro; Watanabe, Koichi; Jiang, Jiahui; Matsuda, Kazunori; Chao, Shiou-Huei; Haryono, Pri; La-ongkham, Orawan; Sarwoko, Martinus-Agus; Sujaya, I. Nengah; Zhao, Liang; Chen, Kang-Ting; Chen, Yen-Po; Chiu, Hsueh-Hui; Hidaka, Tomoko; Huang, Ning- Xin; Kiyohara, Chikako; Kurakawa, Takashi; Sakamoto, Naoshige; Sonomoto, Kenji; Tashiro, Kousuke; Tsuji, Hirokazu; Chen, Ming-Ju; Leelavatcharamas, Vichai; Liao, Chii-Cherng; Nitisingprasert, Sunee; Rahayu, Endang S.; Ren, Fa-Zheng; Tsai, Ying-Chieh; Lee, Yuan-Kun. (2015). Diversity in gut bacterial community of school-age children in Asia. *Nature : Scientific Reports - Metagenomics, Microbiome.* 5 : 8397
- Ngatirah, Rahayu, ES, Harmayani E. (2000). *Seleksi bakteri asam laktat sebagai agensia probiotik yang berpotensi menurunkan kolesterol.* Disertasi, Universitas Gadjah Mada. Yogyakarta
- Niedzielin K, Kordecki H, Birkenfeld B. (2001). A controlled, double-blind, randomized study on the efficacy of *Lactobacillus plantarum* 299V in patients with irritable bowel syndrome. *European Journal of Gastroenterology & Hepatology.* 13(10):1143-1147
- Nurliyani, Madarina Julia, Eni Harmayani, Muthi Ikawati & Endang Baliarti. (2015). Potency of *Lactobacillus plantarum* Dad-13 and Sweet Potato (*Ipomoea batatas*) Fiber as Immunomodulator in Rats Infected With *Salmonella Typhimurium*. *Journal of Food Research*; Vol. 4, No. 3

- Odamaki, T, Kato K, Sugahara H, Hashikura N, Takahashi S, Xiao JZ, Abe F, Osawa R. (2016). Age-related changes in gut microbiota composition from newborn to centenarian: a cross-sectional study. *BMC Microbiology*: 16:90
- Panjaitan, M, Rahayu ES, Widada J, Utami T, Cahyanto MN. (2018). *Pengaruh Konsumsi Probiotik Powder *Lactobacillus plantarum* Dad-13 Pada Populasi *Lactobacillus plantarum*, *Bacteroides fragilis*, *Prevotella* dan Senyawa Putrefactive dari Feses Siswa SMPN 1 Ngemplak*. Thesis, Universitas Gadjah Mada. Yogyakarta.
- Purwandhani, S. N., Utami, T., Millati, R dan Rahayu, E. S. (2017). Isolation, characterization and screening of folate-producing bacteria from traditional fermented food (dadih). *International Food Research Journal* 25(2): 566-572
- Rahayu, E.S; Yogeswara, Agung; Mariyatun; Windiarti, L; Utami, T; Watanabe, K. (2015). Molecular Characteristic of Indigeneous Probiotic Strains From Indonesia. *International Journal of Probiotics and Prebiotics*. Vol 10 No 4.
- Rahayu, E.S; Cahyanto, M.N; Mariyatun; Sarwoko, M.K; Haryono, P; Windiarti, L; Sutriyanto, J; Kandarina, I; Nurfiyani, S; Zulaichah, E; Utami, T. (2016). Effects of Consumption of Fermented Milk Containing Indigenous Probiotic *Lactobacillus plantarum* Dad-13 on The Fecal Microbiota of Healthy Indonesian Volunteers. *International Journal of Probiotics & Prebiotics*. Vol 11 No. 2, 91-98
- Rajoka, MSR, Shi J, Mehwish HM, Zhu J, Li Q, Shao D, Huang Q, Yang H. (2017). Interaction Between Diet Composition and Gut Microbiota and its Impact on Gastrointestinal Tract Health. Science Direct. *Food Science and Human Wellness* 6. 121-130
- Rusiaro, DP, Utami T, Cahyanto MN. (2016). *Viabilitas Kultur Kering Beku *Lactobacillus plantarum* Dad 13 Selama Penyimpanan pada Berbagai Suhu*. Skripsi, Universitas Gadjah Mada. Yogyakarta.
- Saad N., C. Delattre, M. Urdaci, J.M. Schmitter, P. Bressollier. (2013). An overview of the last advances in probiotic and prebiotic field. *LWT - Food Science and Technology* 50: 1-16.
- Spanhaak, S, R Havenaar, G Scaafsma. (1998). The effect of consumption of milk fermented by *Lactobacillus casei* strain Shirota on the intestinal micro<sup>-</sup>ora and immune parameters in humans. *European Journal of Clinical Nutrition* 52, 899-907
- Toscano, M, De-Grandi R, Miniello VL, Mattina R, Drago L. (2017). Ability of *Lactobacillus kefir* LKF01 (DSM32079) to Colonize The Intestinal

Environment and Modify The Gut Microbiota Composition of Healthy Individuals. Science Direct. *Digestive and Liver Disease* vol. 49, 261-267.

Vesa, T., Pochart, P., & Marteau, P. (2000). Pharmacokinetics of *Lactobacillus plantarum* NCIMB 8826, *Lactobacillus fermentum* KLD, and *Lactococcus lactis* MG 1363 in the human gastrointestinal tract. *Alimentary Pharmacology & Therapeutics*, 14(6), 823–828.

Vries, MC, Vaughan EE, Kleerebezem M, Vos WM. (2006). *Lactobacillus plantarum* – Survival, functional and potential probiotic properties in the human intestinal tract. Elsevier. *International Dairy Journal*. 16: 1018-1028