

DAFTAR PUSTAKA

- Ackermann, G., S. Thomalla, F. Ackermann, R. Schaumann, A. C. Rodloff, dan B. R. Ruf. (2005). Prevalence and characteristics of bacteria and host factors in an outbreak situation of antibiotic-associated diarrhoea. *J. Med. Micro* 54: 149 – 153.
- Afriani, Suryono, dan Lukman, H.2011. Karakteristik dadih susu sapi hasil fermentasi beberapa starter bakteri asam laktat yang diisolasi dari dadih.Vol 01. No. 1 september.
- Alander, M., Satokari, R, Korpela, R, Saxelin, M, Vilpponen-Salmela, T., Mattila-Sandholm, T. And von Wrigt, A. 1999. Persistence of colonisation of human colonic mucosa by a prociotic strain, *Lactobacillus rhamnosus* GG after oral comsution. *Applied Environment Microbiology* 65: 351-354
- Anonim^b. 2017. Instruction manual ZymoBIOMICSTTM DNA Miniprep Kit. <https://www.funakoshi.co.jp/data/datasheet/ZYR/D4300> . Diakses tanggal 20 Desember 2017. Yogyakarta.
- Breban, M. 2016. Gut microbiota and inflammatory joint diseases. *Joint Bone Spine*. <http://dx.doi.org/10.1016/j.jbspin.2016.04.005>.
- Brenner, D. J., N. R. Krieg, J. T. Stanley. 2005. Gamaproteobacteria. New York: Springer. 1108.
- Buckle, K.A: Edwards, G.H; Fleet and M. Wooton. 1987. Ilmu Pangan Penerjemah Hari Purnomo dan Adiono. Universitas Indonesia. Press. Jakarta
- Cahyono F, Manongga SP, & Picauly I. 2016. Faktor penentu stunting anak balita pada berbagai zona ekosistem di Kabupaten Kupang. *J Gizi Pangan*, 11(1):9-18.
- Checkley W, Buckley G, Gilman RH, Assis AMO, Guerrant RL, Valentiner-branth P, Lanata CF, Black RE, Morris SS. 2008. Multi-country analysis of the effects of diarrhoea on childhood stunting. *International Journal of Epidemiology* 37: 816- 830. <http://doi.org/10.1093/ije/dyn099>.
- Cox, N. A., A. J. Mercuri, B. J. Juven, dan J. E. Thomson. (1975). *Enterobacteriaceae* at various stages of poultry chilling. *Journal of Food Science* 40: 43-46.

- Conlon, M. A., & Bird, A. R. 2015. *The Impact of Diet and Lifestyle on Gut Microbiota and Human Health. Nutrients*, 17-44.
- Dinh DM, Ramadass B, Kattula D, Sarkar R, Naumova EN, Kang G, Ward HD. 2016. Longitudinal analysis of the intestinal microbiota in persistently stunted young children in South India. *Plos One* 11(5):1-17. <http://doi.org/10.1371/journal.pone.0155405>.
- De Vrese. M. And P.R. Marteau, 2007. Probiotic and Prebiotic: Effect on Dhiarrhea. *Journal Nutrition* 137: 803S- 811S
- De Filipo, C., D. Cavaliere, M. Di Paola, M. Ramazzotti, J. B. Pouillet, S. Massart, S. Collini, G. Pieraccini, dan P. Lionetti. (2010). Impact of diet in shaping gut microbiota revealed by a comparative study in children from Europe and rural Africa. *PNAS* 107 (33) : 14691 – 14696.
- Diana B. Dock, MSc, Marcia Q. Latorraca, PhD, Jose´ E. Aguilar-Nascimento, MD, PhD, and Maria H. G. Gomes-da-Silva, PhD. 2004. Probiotics Enhance Recovery From Malnutrition and Lessen Colonic Mucosal Atrophy After Short-term Fasting in Rats *From the Department of Nutrition and Dietetics and the Department of Surgery, Federal University of Mato Grosso, Cuiaba´, Brazil* 20 (5):473-476
- Djunaedi, Djoni. 2007. Pengaruh Probiotik pada Respon Imun. *Jurnal Kedokteran Brawijaya*, Vol. XXIII, No. 1, April
- Dos Reis, S. A., L. L. dan Concecao, N. P. Siquera, D. D. Rosa, L. L. Da Silva, dan M. D. C. G. Peluzio. (2017). Review or the mechanisms of probiotic action in the prevention of colorectal cancer. *Nutrition Research* 97 : 1 – 19.
- Drago, L., M. Toscano, V. Rodighiero, E. D. Vecchi, dan G. Mogna. (2012). Cultivable and pyrosequenced feses microflora in centenarians and young subjects. *J. Clin. Gastroenterol* 46 (1) : 81 - 84.
- Fakhri S. AL-Ajeeli, May T. Flayyih, Lujain A. Alkhazrajy. 2013. Anti Obesity and Lipid – Lowering effect of *Lactobacillus* Spp. As Probiotic on The Obese Rat. *Iraqi Journal of Science*, 2013, Vol.54, No.3, pp.526-530
- FAO/WHO. 2001. www.who.int. Accessed 14 May 2011
- Foo, H.L., Loh, T.C., Lai, P.W., Lim, Y.Z., Kufli, C.N. dan Rusul Gulam. 2003. Effects of Adding *Lactobacillus plantarum* I-UL4 Metabolites in Drinking Water of Rats. *Pakistan Journal of Nutrition* 2 (5): 283-288

- Fuller, R. 1989, A Review: Probiotics in man and animals, *Journal of Applied Bacteriology* 66: 365-378
- Finegold, S. M., H. R. Attebery, dan V. L. Sutter. (1974). Effect of diet on human feses flora: comparison of Japanese and America diets. *The America Journal of Clinical Nutrition* 27: 1456 – 1469.
- Gibson, G. R., & Roberfroid, M. B. (1995). Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *The Journal of nutrition*, 125 (60): 1401-1412
- Hamer, H. M., Jonkers, D. M. A. E., Venema, K., Vanhoutvin, S. A. L. W., Troost, F. J., & Brummer, R. J. (2008). The role of butyrate on colonic function. *Alimentary pharmacology & therapeutics*, 27 (2), 104-119.
- He M, Yang YX, Han H, Men JH, Bian LH, Wang GD. 2005. Effects of yogurt supplementation on the growth of preschool children in Beijing suburbs. *Author information Biomed Environ Sci.* ;18(3):192-7.
- Harahap IA. 2016. Recovery *Lactobacillus plantarum* Mut-7 pada feses orang indonesia dewasa sehat yang mengonsumsi susu fermentasi dengan deteksi molekuler. Thesis. Universitas Gadjah Mada: Yogyakarta
- Harata, G., H. Kumar, F. He, K. Miyazawa, K Yoda, M. Kawase, A. Kubota, M. Hiraramatsu, S. Rautava, dan S. Salminen. 2017. *Probiotic* modulate gut microbiota and helath status in japanese cedar pollinosis patients during the pollen season. 2017. *Eur. J. Nurt.* 56 : 2245 – 2253.
- Hascoet, J. M., C . Hubert, F. Rochat, H. Legagneur, S. Gaga, S. Emady-Azar, dan P. G. Steehout. 2011. Effect of formula composition on the development infanct gut microbiota. *JPGN.* 52: 756 – 762.
- Harata, G., H. Kumar, F. He, K. Miyazawa, K Yoda, M. Kawase, A. Kubota, M. Hiraramatsu, S. Rautava, dan S. Salminen. (2017). Probiotic modulate gut microbiota and helath status in japanese cedar pollinosis patients during the pollen season. 2017. *Eur. J. Nurt* 56 : 2245 – 2253.
- Hendricks KM, Duggan C, Gallagher L., 1995. Malnutrition in hospitalized pediatric patients. Current prevalence. *Arch Pediatr Adolesc Med.* Oct 149(10):1118-22
- Helmyati S, Juffrie M, Rahayu ES, & Kandarina I. 2015. A comparative study of gut mcrobiota profiles of children living ini Kulon Progo and West Lombok. *Pakistan Journal of Nutrition* 14(11):762-764.

- Hidaka, H., T. Eida, T. Takizawa, T. Tokunaag, dan Y. Yashiro. (1986). Effect of fructooligosaccharides on intestinal flora and human health 5 (1) : 37 – 50.
- Hodges, K. dan R. Gill. (2010). Infectious diarrhea cellular and molecular mechanisms. *Gut Microbes* 1 (1) 4 – 21.
- Huawei Z, Suzanne L. Ic, Feng-Qi Z, Denis G. Wright, 2016.”Colonic inflammation accompanies an increase of β -catenin signaling and *Lachnospiraceae*/*Streptococcaceae* bacteria in the hind gut of high-fat diet-fed mice, *Journal of Nutritional Biochemistry* 35 : 30–36
- Kataoka-Kato, A., K. Nishida, M. Takada, M. Kawai, H. Kikuchi-Hayakawa, K. Suda, H. Ishikawa, Y. Gondo, K. Shimizu, T. Matsuki, A. Kushiro, R. Hoshi, O. Watanabe, T. Igarashi, K. Miyazaki, Y. Kuwano, dan K. Rokutan. (2016). Fermented milk containing *Lactobacillus casei* strain *Shirota* preserves the diversity of gut microbiota and relieves abdominal dysfunction in healthy medical students exposed to academic stress. *American Society Microbiology* 82. 12 : 3649 - 3658.
- Kechagia, M., D. Basoulis, S. Konstantopoulou, D. Dimitriadi, K. Gyftopoulou, N. Skarmoutsou, dan E. M. Fakiri. (2013). Health benefit of probiotics: A review. *ISRN Nutrition* 1 – 7.
- Kushiro, R. Hoshi, O. Watanabe, T. Igarashi, K. Miyazaki, Y. Kuwano, dan K. Rokutan. (2016). Fermented milk containing *Lactobacillus casei* strain *Shirota* preserves the diversity of gut microbiota and relieves abdominal dysfunction in healthy medical students exposed to academic stress. *American Society Microbiology* 82. 12 : 3649 - 3658.
- La-Ongkham, O., Nakphaicit, M., Leelavatcharamas, V., Keawsompong, S., and Nitisinprasert, S. 2015. Distinct Gut Microbiota of Healthy Children from Two Different Geographic Regions of Thailand. *Archives of Microbiology* 197(4):561–73.
- Lagier, J., M. Million, P. Hugon, F. Armougom, dan D. Raoult. (2012). Human gut microbiota : repertoire and variations. *Frontiers in Cellular and Infection Microbiology* 2 : 136.
- Lestari, L. A., E. Harmayani, dan Y. Marsono. (2003). Supplementation of indigenous probiotic bacteria into yoghurt. *Indo. Food and Nutr. Progress* 1(1) : 1 – 6.
- Lee, K.Y. and Salminen, S., 2009. Handbook of probiotics dan prebiotics 2nd ed New Jersey. John Wiley an sons, pp. 177-540

- Liu, Y., G. R. Gibson, dan G. E. Walton. (2016). Impact of high fat diets, prebiotics and probiotics on gut microbiota and immune function, with relevance to elderly populations. *Nutrition and Aging* 3 : 171 - 192.
- Lin A, Bik EM, Costello EK, Dethlefsen L, Haque R, Relman DA, & Singh U. 2013. Distinct distal gut microbiome diversity and composition in healthy children from Bangladesh and the United States. *Plos One* 8(1). <http://doi.org/10.1371/journal.pone.0053838>.
- Mwaniki dan Makokha. 2013. Nutrition status and associated factors among children in public primary schools in Dagoretti, Nairobi, Kenya. *African Health Sciences* 13(1):39-46.
- Maghfirotin, M. B. 2018. Pengaruh konsumsi probiotik *Lactobacillus plantarum* Dad 13 terhadap populasi (*Lactobacillus*, *Bifidobacterium*, Coliform dan konsentrasi short-chain fatty acid pada feses pelajar di SMPN 1 Ngeplak Yogyakarta. Thesis. Universitas Gadjah Mada: Yagyakarta
- Mayasari, N.2011. Minuman fermentasi susu menggunakan isolat lokal *Lactobacillus plantarum* Dad 13, Tesis. Program Pascasarjana Universitas Gadjah Mada
- Maria, G., V. Pinto., C. M. A. P. Franz., U. Schillinger, W.H. Holzapfel. 2006. *Lactobacillus* spp. With in vitro probiotic properties from human faeces and traditional fermented product. *International Journal of Food Microbiology* 109: 205-214
- Mayasari S, Raja R, Ravikumar R, dan Carvalho IS. 2011. *Mechanism of Action Probiotics*. *Braz Arch Biol Technol* 56, 113-119.
- Marya, D. T., Nurliyani, Widodo, dan Sunarti. (2017). Characteristization and antioxidant activity of fermented milk produced with a starter combination. *Pakistan Journal of Nutrition* 16 : 451 - 456.
- Matsumoto, K., T. Takada, K. Shimizu, Y. Kado, K. Kawakami, I. Makino, Y. Yamaoka, K. Hirano, A. Nishimura, O. Kajimoto, dan K. Nomoto. (2006). The effect of a probiotic milk product containing *Lactobacillus casei* Strain *Shirota* on the defecation frequency and intestinal microflora of sub-optimal health state volunteers: a randomized placebo-controlled cross-over study. *Bioscience Microflora* 25 (2) : 39-48.
- Matsuki, T., K. Watanabe, J. Fujimoto, T. Takada, dan Ryuichiro Tanaka. (2004). Use of 16S rRNA gene-targeted group-specific primer for real-time PCR analysis of predominant bacteria in human feces. *Applied and Environmental Microbiology*: 7220-7228.

- Yunita, S. M. P. 2018. Pengaruh konsumsi probiotik *Lactobacillus plantarum* Dad 13 terhadap populasi (*Lactobacillus*, *Staphylococcus aureus*, *Bacteriodes fragilis* *Prevotella* serta konsentrasi senyawa putrefaktif pada feses pelajar di SMPN 1 Ngeplak Yogyakarta. Thesis. Universitas Gadjah Mada: Yogyakarta
- Mitsuoka, T. (2000). Significance of dietary modulation of intestinal flora and intestinal environment. *Bioscience Microflora* 19 (1): 15 – 25.
- Mitsuoka, T. (2014). Establish of intestinal bacteriology. *Bioscience of Microbiota, Food and Health* 33 (3). 99 – 116.
- Montarjemi, Y., and Martin, A. 2006. Emerging Foodborne Pathogens. Woodhead Publishing Ltd. London
- Nakayama, J., K. Wanabe, J. Jiang, K. Matsuda, S.H. Chao, P. Haryono, O. Laongkham, M. A. Sarwoko, I. N. Sujaya, L. Zhao, K. T. Chen, H. H. Chiu, T. Hidaka, N. X. Huang, C. Kiyohara, T. Kurakawa, N. Sakamoto, K. Sonomoto, K. Tashiro, H. Tsuji, M. J. Chen, V. Leelavatcharamas, C. C. Liao, S. Nitisinprasert, E. S. Rahayu, F.Z. Ren, Y. C. Tsai, dan Y. K. Lee. (2014). Diversity in gut bacterial community of school-age children in Asia. *Nature Scientific Report* 5 : 8397.
- Nakayama, J., A. Yamamoto, L. A. Palermo-Conde, K. Higashi, K. Sonomoto, J. Tan, dan Y. K. Lee. (2017). Impact of westernized diet on gut microbiota in children on Leyte Island. *Frontier in Microbiology* 8 (197): 1 – 18.
- Nam, Y.D., M. J. Jung, S. W. Roh, M. S. Kim, dan J. W. Bae. (2011). Comparative analysis of Korean human gut microbiota by barcoded pyrosequencing. *Plos One* 6 (7): e22109
- Nowak A, dan Zdzislawa I. (2007). Ability of intestinal lactic bacteria to bind or/and metabolise phenol and p-cresol. *Annals of Microbiology* 57 (3) 329-335
- Nurliyani, M. Julia, E. Harmayani, dan E. Baliarti. (2015). Potency of *Lactobacillus plantarum* Dad-13 and sweet potato (*Ipomoea batatas*) fiber as immunomodulator in rats infected with *Salmonella typhimurium*. *J. Food Research* 4 (3) : 1 – 13.
- Onubi OJ, Poobalan AS, Dineen B, Marais D, McNeill G. 2015. Effects of probiotics on child growth: a systematic review. *J Health Popul Nutr*;34:15.

- Ouwehand, A.C. 2005. The probiotic potential of propionic bacteria Di dalam: Salminen S., dan A Wright, Editor. Lactic acid bacteria: Microbial and functional Aspect 3 esition. Marcel Dekker Inc., New York. Page 159-174
- Owino V, Ahmed T, Freemark M, & Kelly P. 2016. Environmental enteric dysfunction and growth failure / stunting in global child health. *Pediatrics* 138(6). <http://doi.org/10.1542/peds.2016-0641>.
- Panda, S., I. E. Khader, F. Casellas, J. L. Vivancos, M. G. Cors, A. Santiago, S. Cuenca, F. Guarner, dan C. Manichanh. (2012). Short-Term Effect of Antibiotics on Human Gut Microbiota. *Plos One* 9 (4) : 95476.
- Picauly I, & Toy SM. (2013). Analisis determinan dan pengaruh stunting terhadap prestasi belajar anak sekolah di Kupang dan Sumba Timur, NTT. *J Gizi Pangan* 8(1):55-62.
- Rahayu, E. S. 2003. Lactic acid bacteria in fermented food of Indonesia origin. *Agritech*. 23: 75-84
- Rahayu *at all* ,2016 "Effects of consumption of fermented mifk containing indigenous Probiotic *lactobacillus plantarum* Dad-13 on the fecal Microbiota of healthy indonesian volunteers" *International Journal of Probiotics and Prebiotics* Vol. 11, No. 2, pp. 91-98, 2016
- Rahayu, E. S., A. Yogeswara, Mariyatun, L. Windiarti, T. Utami, dan K. Watanabe. (2015). Molecular characteristics of indigenous probiotic strains from Indonesia. *International Journal of Probiotics* 10 (4).
- Rios-Covia, D., P. Ruas-Madiedo, A. Margolles., M. Gueimonde, C. G. de los Reyes-Gavilan, dan N. Salazar. (2016). Intestinal shoct chain fatty acids and their link with diet and human health. *Frontiers in Microbiology* 7 : 185.
- Riskesdas.LaporanKesehatanIndonesia.2013.Tersediadi:www.depkes.go.id/resources/download/geral/Hasil%20Riskesdas%202013.pdf. Diakses 17 Apr. 2015.
- Rodriguez, J. M., K. Murphy, C. Stanton, R. P. Ross, O. I. Kober, N. Juge, E. Avershina, K. Rudi, A. Narbad, M. C. Jenmalm, J. R. Marchesi, dan M. C. Collado. (2015). The composition of the gut microbiota throughout life, with an emphasis on early life. *Microbial Ecology in Health and Disease. Microb. Ecol. Health Dis* 26 : 26050.
- Russel, J.B.1992, Another Explanation for the toxic of fermentation acid at low pH: Anion acumulation Versus uncoupling, *J. Appl. Bacterial* 73:363-370

- Saran, Sarath Gopalan, MD, and T. Prasanna Krishna, 2002. Use of Fermented Foods to Combat Stunting and Failure to Thrive Shailee *From the Centre for Research on Nutrition Support Systems, New Delhi, India, and the National Institute of Nutrition (Statistics), Hyderabad, India* 5 (18):393-396
- Shadnoush, M., R. S. Hosseini, A. Khalilnezhad, L. Navai, H. Goudarzi, dan M. Vaezjali. (2015). Effect of probiotics on gut microbiota in patients with inflammatory bowel disease: a double-blind, placebo-controlled clinical trial. *Korean J. Gastroenterol* 65 (4) 215 – 221.
- Shiori T, K Yahagi, S Nakayama, T Asahara, N Yuki, K Kawakami, Y Yamaoka, Y Sakai, K Nomoto, dan M Totani. (2006). The Effects of a Synbiotic Fermented Milk Beverage Containing *Lactobacillus casei* strain *Shirota* and Transgalactosylated Oligosaccharides on Defecation Frequency, Intestinal Microflora, Organic Acid Concentrations, and Putrefaktif Metabolites of Sub-Optimal Health state Volunteers: A-Randomized Placebo-Controlled Cross-Over Study. *J-stage: Bioscience Microflora* 25:137-146.
- Smith EA, dan Macfarlane GT. (1996). Enumeration of human colonic bacteria producing phenolic and indolic compounds: effects of pH, carbohydrate availability and retention time on dissimilatory aromatic amino acid metabolism. *J Appl Bacteriol* 81:288–302.
- Simakawa, Y, S. Matsubara, N. Yuki, M. Ikeda, and F. Ishikawa, 2003. Evaluation of *Bifidobacterium* brece strain Yakult-Fermented soymilk as probiotics food. *International Journal of Food Microbiology* 81: 131-136
- Songisepp, E. P. Hutt., M. Ratsep., E. Shkut., S. Koljalg, K. Truusalu., J Stsepetova., I. Smidt., H. Kolk., M. Zagura., and M. Mikelsaart. 2012. Safety of a probiotic cheese containing *Lactobacillus plantarum* Tensia according to a variety of health indices in different age groups. *Journal Dairy Science* 95: 5495-5509
- Spanhaak, S., R. Havenaar, and G. Schaafsma, 1998. The effect of consumption of milk fermented by *Lactobacillus casei* strain *Shirota* on the intestinal microflora and immune parameters in humans. *European Journal Of Clinical Nutrition* 52: 899-907
- Suseno, AA. 2000. *Isolation and Identification of Lactic Acid Bacteria Isolated From Traditional drinking Yoghurt in Khartoum State. Sudan*. *Curr Res Bacteriol* 4:16-22.

- Schooster. A., B. Kokotovic, A. Permin. P. D. Pedersen , F. Dal Bello, L. Guardabassi. 2013. In vitro inhibition of *Clostridium difficile* and *Clostridium perfringens* by commercial probiotic strains. *Anaerobe*. 20 : 36 – 41.
- Shadnoush, M., R. S. Hosseini, A. Khalilnezhad, L. Navai, H. Goudarzi, dan M. Vaezjali. 2015. Effect of probiotics on gut microbiota in patients with inflammatory bowel disease: a double-blind, placebo-controlled clinical trial. *Korean J. Gastroenterol*. 65 (4) 215 – 221.
- Sumaryati, B. T., T. Utami, dan Suparmo. 2009. Pengaruh infeksi *Escherichia coli* dan pemberian *Lactobacillus plantarum* Dad 13 terhadap microbiota fecal tikus wistar. *Agritech*. 29 (4): 165 – 170.
- Surono, I. S. Dan Nurani, D. (2008). Probiotic properties of indigenous Dadih lactic acid bacteria. Paper presentation at Indonesian biotechnology conference, Yogyakarta.
- Tari, A. I. N., C. B. Handayani, dan Sudarmi. 2016. Potential probiotic *Lactobacillus plantarum* indigenous Dad 13 on yoghurt with purple sweet potato extract supplementation to reducing diarrhea and free radicals. *Agritech*. 26 (1) : 7 – 14.
- Toscano, M., R. De Grandi, V. L. Miniello, R. Mattina, dan L. Drago. 2017. Ability of *Lactobacillus kefir* LKF01 (DSM32079) to colonize the intestinal environment and modify the gut microbiota composition of healthy individuals. *Digestive and Liver Disease*. 49 : 261 – 267.
- Tyakht AV, Kostrykova ES, Popenko AS, Belenikin MS, Pavlenko AV, Larin AK. 2013. Human gut microbiota community structures in urban and rural population in Russia. *Nat Commun* 4:2469.
- Utami, T., Kasmianti, E. Harmayani, dan E. S. Rahayu. (2016). Survival of *Lactobacillus plantarum* Dad 13 during spray drying and application for yogurt fermentation. *International Research Journal of Biological Sciences* 5 (2) : 16 – 22.
- Utami T, Cahyanto M.N., Juffrie, M. and Rahayu E.S. 2015. Recovery of *Lactobacillus casei* Strain Shirota (LcS) from the Intestine of Healthy Indonesian Volunteers after Intake of Fermented Milk and Its Impact on the Enterobacteriaceae Faecal Microbiota. *International of Probiotics and Prebiotics*, 10(2/3):77–84.

- Uzal, F. A., J. C. Freedman, A. Shrestha, J. R. Theoret, J. Garcia, M. M. Awad, V. Adams, R. J. Moore, J. I. Rood, dan B. A. McClane. (2014). *Future Microbiol* 9 (3) : 361 – 377.
- Utami, T., Kasmianti, E. Harmayani, dan E. S. Rahayu. 2016. Survival of *Lactobacillus plantarum* Dad 13 during spray drying and application for yogurt fermentation. *International Research Journal of Biological Sciences*. 5 (2) : 16 – 22.
- Vesth, T., A. Ozen, S. C. Andersen, R. S. Kaas, O. Lukjancenko, J. Bohlin, I. Nookaew, T. M. Wassenaar, dan D. W. Ussery. 2013. *Veillonella*, *Firmicutes*: Microbes disguised as gram negatives. *Genomic Science*. 9 : 431 – 448.
- Wang, C., Nagata, S., Asahara, T., Yuki, N., Matsuda, K., Tsuji, H., Takahashi, T., Nomoto, K. and Yamashiro, Y. 2015. Intestinal Microbiota Profiles of Healthy Pre-School and School-Age Children and Effects of Probiotic Supplementation. *Annals of Nutrition and Metabolism* 67(4):257–66.
- Wang, L., Zhang, J., Gui, Z., Kwok, L., Ma, C., Zhang, W., Lv, Q., Weiqiang, H. and Zhang, H. 2014. Effect of Oral Consumption of Probiotic *Lactobacillus plantarum* P-8 on Fecal Microbiota, SIgA, SCFAs, and TBAs of Adults of Different Ages. *Nutrition* 30(7–8):776–83.
- WHO, 2009. Child Growth Standards and the Identification of Severe Acute Malnutrition in Infants and Children, a Joint Statement by the World Health Organization and the United Nations Children's Fund.
- Wresdiyati, T., Yeni, S., Sri, R.L., Irma, I.A., dan Made, A. 2013. Probiotik Lokal meningkatkan Kandungan IgA Usus Halus Tikus yang diinfeksi Enteropathogen *E. Coli* (EPEC) : Studi Imunohistokimia. *Jurnal Kedokteran Hewan*, Vol.7 No.2 September
- Wu, G.D., J. Chen, C. Hoffmann, K. Bittinger, Y. Chen, dan A. Sue. 2011. Linking long-term dietary patterns with gut microbial enterotypes. *Science*. 334 (6052) : 105-108.
- Yin, X., X. Gu, T. Yin, H. Wen, X. Gao, dan X. Zheng. (2016). Study of enteropathogenic bacteria in children with acute diarrhea aged from 7 to 10 years in Xuzhou, China. *Microbial Pathogenesis* 91: 41 – 45.
- Zhang, Z., H. Zhai, J. Geng, R. Yui, H. Ren, dan H. Fan. 2013. Large-scale survey of gut microbiota associated MHE via 16s rRNA-based pyrosequencing. *The American J. Gastroenterology*: 1601 – 1611.