

DAFTAR PUSTAKA

- Ackermann, G., S. Thomalla, F. Ackermann, R. Schaumann, A. C. Rodloff, dan B. R. Ruf. (2005). Prevalence and characteristics of bacteria and host factors in an outbreak situation of antibiotic-associated diarrhoea. *J. Med. Micro* 54: 149 – 153.
- Anonim^a. (2017). Instruction manual ZymoBIOMICS™ DNA Miniprep Kit. <https://www.funakoshi.co.jp/data/datasheet/ZYR/D4300> . [20 Desember 2017].
- Anonim^b. (2017). Konsumsi kalori dan protein penduduk Indonesia dan provinsi 2017. Jakarta.
- Anonim^c. (2018). Konsumsi kalori dan protein penduduk Indonesia dan provinsi 2018. Jakarta.
- Arena, M. P., A. Silvain, G. Normanno, F. Grieco, D. Drider, G. Spano, dan D. Fiocco. (2016). Use of *Lactobacillus plantarum* strains as a bio-control strategy against food-borne pathogenic microorganisms. *Front Microbiol*
- Arbolea, A., C. Watkins, C. Stanton, dan R. P. Ross. (2016). Gut *Bifidobacteria* populations in human health and aging. *Frontiers in Microbiology* 1204 (7) : 1 – 9.
- Ariani, M., dan Saliem, P. (1992). Pola konsumsi pangan pokok di beberapa propinsi di Indonesia. *Porum Penelitian Agro Ekonomi*. 9 (2): 86 – 95.
- Bergdoll, M.S., B. A. Crass, R. F. Reiser, R. N. Robbins, dan J. P. Davis. (1981). A new *staphylococcal* enterotoxin, enterotoxin f, associated with toxic-shock-syndrome *Staphylococcus aureus* isolates. *Lancet* 1: 1017–1021.
- Breban, M. 2016. Gut microbiota and inflammatory joint diseases. *Joint Bone Spine*.
- Brenner, D. J., N. R. Krieg, dan J. T. Stanley. (2005). *Gamaproteobacteria*. New York: *Springer* 1108.
- Boyce, J. M. dan N. L. Havill. (2005). Nosocomial antibiotic-associated diarrhea associated with enterotoxin-producing strain of methicillin-resistant *Staphylococcus aureus*. *Am. J. Gastroenterol* 100: 1828 – 1834.
- Brook, I., dan E.H. Frazier. (1993). Significant recovery of nonsporulating anaerobic rods from clinical specimens. *Clinical Infectious Diseases* 16 : 476- 480.
- Bubnov, R. V., L. P. Babenko, L. M. Lazarenko, V. V. Mokrozub, O. A. Demchenko, O. V. Nechypurenko, dan M. Y. Spivak. (2017). Comparative study of probiotik effects of *Lactobacillus* and *Bifidobacteria* on cholesterol levels, liver morphology and the gut microbiota in obese mice. *EPMA*. 8 (4): 357 – 376.
- Chapman, T. M., G. L. Ploskerm dan D. P. Figgitt. (2006). VSL#3 probiotic mixture: a review of its use in chronic inflammatory bowel diseases. 66 (10): 1371- 13787.
- Chen, T. R., C. S. Chiou, H. dan Y. Tsen. (2004). Use of novel pcr primers specific to the genes of staphylococcal enterotoxin g, h, i for the survey of

- Staphylococcus aureus* strains isolated from food-poisoning cases and food samples in taiwan. *Int. J. Food Microbiol* 92: 189–197.
- Chen, Y. M., L. Wei, Y. S. Chiu, Y. J. Hsu, T. Y. Tsai, M. f. Wang, dan C. C. Huang. (2016). *Lactobacillus plantarum* TWS10 supplementation improves exercise performance and increases muscle mass in mice. *Nutrients* 8 (4) : 205.
- Conlon, M. A., dan A. R. Bird. (2015). The impact of diet and lifestyle on gut microbiota and human health. *Nutrients* 7 : 17 – 44.
- Cortes-Zavaleta, O., A. Lopez-Malo, A. Hernandez-Mendoza, dan H. S. Gracia. (2014). Antifungal activity of *Lactobacilli* ant its relationship with 3-phenyllactix acid production. *International J. Food. Micobiol* 173 : 30 – 35.
- Cox, N. A., A. J. Mercuri, B. J. Juven, dan J. E. Thomson. (1975). *Enterobacteriaceae* at various stages of poultry chilling. *Journal of Food Science* 40: 43-46.
- De Filippo, C., D. Cavalieri, M. Di Paola, M. Ramazzotti, J. B. Poullet, S. Massart, S. Collini, G. Pieraccini, dan P. Lionetti. (2010). Impact of diet in shaping gut microbiota revealed by a comparative study in children from Europe and rural Africa. *PNAS* 107 (33) : 14691 – 14696.
- De Vrese, M., dan J. Schrezenmeir. (2008). Probiotics, prebiotics, and synbiotics. *Adv Biochem Eng Biotechnol* 111:1–66.
- De Vos, P., Z. Mujagic, B. J. de Haan, R. J. Siezen, P. A. Bron, M. Meijerink, J. M. Wells, A. A. M. Masclee, M. V. Boekschoten, M. M. Faas, dan F. J. Troots. (2017). *Lactobacillus plantarum* strain can enhance human mucosal and systemic immunity and prevent non-steroidal anti-inflammatory drug induced reduction in T regulatory cells. *Frontiers in Immunology* 8: 1000.
- Den Besten, G., K. van Eunen, A. K. Groen, K. Venema, D. J. Reijngoud, dan B. M. Bakker. (2013). The role of short-chain fatty acids in the interplat between diet, gut microbiota, and host energy metabolism. *Journal of Lipid Research* 54: 2325 – 2340.
- Dos Reis, S. A., L. L. dan Concecao, N. P. Siquera, D. D. Rosa, L. L. Da Silva, dan M. D. C. G. Peluzio. (2017). Review or the mechanisms of probiotik action in the prevention of colorectal cancer. *Nutrition Research* 97: 1 – 19.
- Drago, L., M. Toscano, V. Rodighiero, E. D. Vecchi, dan G. Mogna. (2012). Cultivable and pyrosequenced feses microflora in centenarians and young subjects. *J. Clin. Gastroenterol* 46 (1): 81 - 84.
- Finegold, S. M., H. R. Attebery, dan V. L. Sutter. (1974). Effect of diet on human feses flora: comparison of Japanese and America diets. *The America Journal of Clinical Nutrition* 27: 1456 – 1469.
- Fisher, D. J., K. Miyamoto, B. Harrison, S. Akimoto, M. R. Sarker, dan B. A. McClane. (2005). Association of beta2 toxin production with *Clostridium perfringens* type A human gastrointestinal disease isolates carrying a plasmid enterotoxin gene. *Mol. Microbiol* 56 (3) : 747 – 762.

- Fitrianingthias, R. D. R., Rahayu, E. S., T. Utami, dan J. Widada. (2018). The effect of consumption indigenous probiotic powder *Lactobacillus plantarum* Mut-7 on the population of *Lactobacillus*, *Bifidobacterium*, *Clostridium*, and Short Chain Fatty Acids on Feces of Junior High School Student at Nemplak, Yogyakarta, Indonesia. Universitas Gadjah Mada. Yogyakarta
- Flint H. J., S. H. Duncan, K. P. Scott, dan P. Louis. (2015). Link between diet, gut microbiota composition and gut metabolism. *Proceedings of the Nutrition Society* 74 : 13-22.
- Gao, X., Jia, R. Xie, L., L. Kuang, L. Feng, dan C. Wan. (2015). Obesity in school-aged children and its correlation with gut *E. coli* and *Bifidobacteria*: a case-control study. *BMC Pediatr.* 15:64. doi: 10.1186/s12887-015-0384-x
- Goossens, D., D. Jonkers, M. Russel, E. Stobberingh, A. V. D. Bogaardm dan R. Stockbrugger. (2003). The effect of *Lactobacillus plantarum* 299v on the bacterial composition and metabolic activity in vaeces of healthy volunteers: a plasebo-controlled study on the onset and duration of effects. *Aliment Pharmacol Ther* 18: 495 – 505.
- Guerin-Danan C, Chabanet C, Pedone C, Popot F, Vaissade P, Bouley C, Szylit O, dan Andrieux C. (1998). Milk fermented with yogurt cultures and *Lactobacillus casei* compared with yogurt and gelled milk: influence on the intestinal microflora in healthy infants. *American Journal of Clinical Nutrition* 67:111-117.
- Hascoet, J. M., C. Hubert, F. Rochat, H. Legagneur, S. Gaga, S. Emady-Azar, dan P. G. Steehout. (2011). Effect of formula composition on the development infant gut microbiota. *JPGN* 52: 756 – 762.
- Hemalatha, R., A. C. Ouwehand, M T. Saarinen, U. V. Prasad. K. Swetha, dan V. Bhaskar. Effect of probiotic supplementation on total *Lactobacilli*, *Bifidobacteria* and Short Chain Fatty Acid in 2-5-years-old children. (2017). *Micriobial Ecology in Health and Disease* 28: 1298340.
- Hentges D.J., B. R. Maier, G.C. Burton, M.A. Flynn, dan R. K. Tsutakawa. (1977). Effect of a high-beef diet on the fecal bacterial fora of humans. *Cancer Res* 37:568–71.
- Hidaka, H., T. Eida, T. Takizawa, T. Tokunaag, dan Y. Yashiro. (1986). Effect of fructooligosaccharides on intestinal flora and human health. *Bifidobacteria Microflora* 5 (1): 37 – 50.
- Hodges, K. dan R. Gill. (2010). Infectious diarrhea cellular and molecular mechanisms. *Gut Microbes* 1 (1) 4 – 21.
- Ikeda, T., N. Tamate, K. Yamaguchi, dan S. Makino. (2005). Mass outbreak of food poisoning disease caused by small amounts of staphylococcal enterotoxins a and h. *Appl. Environ. Microbiol* 71: 2793–2795.
- Irianto, A., dan B. Austin. (2002). Probiotic in aquaculture. *Journal of Fish Diseases* 25: 633 – 642.

- Kechagia, M., D. Basoulis, S. Konstantopoulou, D. Dimitriadi, K. Gyftopoulou, N. Skarmoutsou, dan E. M. Fakiri. (2013). Health benefit of probiotiks: A review. *ISRN Nutrition* 1 – 7.
- Koebnick, C., I. Wagner, P. Leitzmann, U. Sterm, dan F. Zunft. (2003). Probiotik beverage containing *Lactobacillus casei* Shirota improves gastrointestinal symptoms in patients with chronic constipation. *Can. J. Gastroenterol* 17: 1 – 5.
- Kushiro, R. Hoshi, O. Watanabe, T. Igarashi, K. Miyazaki, Y. Kuwano, dan K. Rokutan. (2016). Fermented milk containing *Lactobacillus casei* strain *Shirota* preserves the diversity of gut microbiota and relieves abdominal dysfunction in healthy medical students exposed to academic stress. *American Society Microbiology* 82. 12: 3649 - 3658.
- Lagier, J., M. Million, P. Hugon, F. Armougom, dan D. Raoult. (2012). Human gut microbiota: repertoire and variations. *Frontiers in Cellular and Infection Microbiology* 2: 136.
- Layden, B. T., A. R. Angueira, M. Brodsky, V. Durai, dan W. L. Lowe. (2013). Short Chain Fatty Acids and their receptors: new metabolic targets. *Translational Research*. 161 (3): 131 - 140.
- LeBlanc, J. G., F. Chain, R. Martin, L. G. Bermudez-Humaran, S. Courau, dan P. Langella. (2017). Beneficial effect on host energy metabolism of short-chain fatty acids and vitamins produced by commensal and probiotic bacteria. *Microb Cell Fact* 16: 79.
- Lee, Y., Z. Ba., R. F. Roberts, C. J. Rogers, J. A. Fleming, H. Meng, E. J. Furumoto, dan P. M. Kris-Erheron. (2014). Effect of *Bifidobacterium animalis* subsp. *Lactis* BB-12 on the lipid/lipoprotein profile and Short Chain Fatty Acids in healthy young adults: a randomized controlled trial. *Nutrition Journal* 16: 39.
- Lestari, L. A., E. Harmayani, dan Y. Marsono. (2003). Supplementation of indigenous probiotik bacteria into yoghurt. *Indo. Food and Nutr. Progress*. 1(1): 1 – 6.
- Levison, M. E. (1973). Effect of colon flora and short-chain fatty acids on growth in vitro of *Pseudomonas aeruginosa* and *Enterobacteriaceae*. *American Society for Microbiology* 30 -35.
- Liu, Y., G. R. Gibson, dan G. E. Walton. (2016). Impact of high fat diets, prebiotics and probiotics on gut microbiota and immune function, with relevance to elderly populations. *Nutrition and Aging* 3: 171 - 192.
- Louis, P., Young P, Holtrop G. (2010). Diversity of human colonic butyrate-producing bacteria revealed by analysis of the butyryl-CoA: acetate CoA-transferase gene. *Environ Microbiol* 12, 304–314.
- Macfarlane S, dan G. T. Macfarlane. (2003). Regulation of short-chain fatty acid production. *Proc Nutr Soc* 62:67–72.
- Mantis, N. J., N. Rol, dan B. Corthésy. (2011). Secretory IgA's complex roles in immunity and mucosal homeostasis in the gut. *Mucosal Immunology* 4: 603-611. [http://dx. doi.org/10.1038/mi.2011.41](http://dx.doi.org/10.1038/mi.2011.41)

- Mariat, D., O. Firmesse, Levenez, F., V.D. Guimarae, H. Sokol, G. Corthier, dan J.P. Furet. (2009). The Firmicutes or Bacteroidetes ratio of the human microbiota changes with age. *BMC Microbiology*. 9: 123.
- Marta, M., E. S. Rahayu, dan J. Widada. (2018). Pengaruh konsumsi probiotik powder *Lactobacillus plantarum* Dad-13 terhadap populasi *Lactobacillus*, *Bifidobacterium*, Coliform dan Konsentrasi Short Chain Fatty Acid pada Feses pelajar di SMPN 1 Ngemplak Yogyakarta. Universitas Gadjah Mada. Yogyakarta.
- Matsuda, K., H. Tsuji, T. Asahara, K. Matsumoto T. Takada dan K. Nomoto. (2009). Establishment of an analytical system for the human fecal microbiota, based on reverse transcription-quantitative PCR targeting on multicopy rRNA molecules. 2009. *Applied and Environmental Microbiology* 75 (7): 1961 – 1969.
- Matsumoto, K., T. Takada, K. Shimizu, Y. Kado, K. Kawakami, I. Makino, Y. Yamaoka, K. Hirano, A. Nishimura, O. Kajimoto, dan K. Nomoto. (2006). The effect of a probiotic milk product containing *Lactobacillus casei* Strain *Shirota* on the defecation frequency and intestinal microflora of sub-optimal health state volunteers: a randomized placebo-controlled cross-over study. *Bioscience Microflora* 25 (2): 39-48.
- Matsumoto, K., T. Takada, K. Shimizu, K. Moriyama, K. Kawakami, K. Hirano, O. Kajimoto, dan K. Nomoto. (2010). Effects of probiotic fermented milk beverage containing *Lactobacillus casei* strain *Shirota* on defecation frequency, intestinal microbiota, and the intestinal environment of healthy individuals with soft stools. *Journal of Bioscience and Bioengineering* 110 (5): 547 – 552.
- Matsuki, T., K. Watanabe, J. Fujimoto, T. Takada, dan Ryuichiro Tanaka. (2004). Use of 16S rRNA gene-targeted group-specific primer for real-time PCR analysis of predominant bacteria in human feces. *Applied and Environmental Microbiology* 7220-7228.
- Matsuzaki, T., M. Saito, K. Usuku, H. Nose, S. Izumo, dan K. Arimura. (2005). A prospective uncontrolled trial of fermented milk drink containing viable *Lactobacillus casei* strain *Shirota* in the treatment of HTLV-1 associated myelopathy/tropical spastic paraparesis. *Journal of the Neurological Sciences* 237:75-81.
- Mitsuoka, T. (1992.) Intestinal flora and aging. *Nutrition Reviews* 5 (12): 438 – 446.
- Mitsuoka, T. (2000). Significance of dietary modulation of intestinal flora and intestinal environment. *Bioscience Microflora* 19 (1): 15 – 25.
- Mitsuoka, T. (2014). Establish of intestinal bacteriology. *Bioscience of Microbiota Food and Health* 33 (3). 99 – 116.
- Morris, C. A., H. D. Conway, dan P. H. Everall. (1972). Food-poisoning due to *staphylococcal* enterotoxin e. *Lancet* 2: 1375–1376.
- Nagpal, R., S. Wang, S. Ahmadi, J. Hayes, J. Gagliano, S. Subachchandrabose, D. W. Kitzman, T. Becton, R. Read, dan H. Yadav. (2018). Human-origin probiotic cocktail increase short-chain fatty acid production via

- modulation of mice and human gut microbiome. *Scientific Reports* 8 (12649).
- Nakayama, J., K. Wanabe, J. Jiang, K. Matsuda, S.H. Chao, P. Haryono, O. Laongkham, M. A. Sarwoko, I. N. Sujaya, L. Zhao, K. T. Chen, H. H. Chiu, T. Hidaka, N. X. Huang, C. Kiyohara, T. Kurakawa, N. Sakamoto, K. Sonomoto, K. Tashiro, H. Tsuji, M. J. Chen, V. Leelavatcharamas, C. C. Liao, S. Nitisinprasert, E. S. Rahayu, F.Z. Ren, Y. C. Tsai, dan Y. K. Lee. (2015). Diversity in gut bacterial community of school-age children in Asia. *Nature Scientific Report*. 5: 8397.
- Nakayama, J., A. Yamamoto, L. A. Palermo-Conde, K. Higashi, K. Sonomoto, J. Tan, dan Y. K. Lee. (2017). Impact of westernized diet on gut microbiota in children on Leyte Island. *Frontier in Microbiology*. 8 (197): 1 – 18.
- Nam, Y.D., M. J. Jung, S. W. Roh, M. S. Kim, dan J. W. Bae. (2011). Comparative analysis of Korean human gut microbiota by barcoded pyrosequencing. *Plos One* 6 (7): e22109
- Nowak A, dan Zdzislawa I. (2007). Ability of intestinal lactic bacteria to bind or/and metabolise phenol and p-cresol. *Annals of Microbiology* 57 (3) 329-335
- Nurliyani, M. Julia, E. Harmayani, dan E. Baliarti. 2015. Potency of *Lactobacillus plantarum* Dad-13 and sweet potato (*Ipomoea batatas*) fiber as immunomodulator in rats infected with *Salmonella typhimurium*. *J. Food Research* 4 (3) : 1 – 13.
- O’Callaghan, A., dan D. van Sinderen. (2016). *Bifidobacteria* and their role as members of the human gut microbiota. *Frontiers in Microbiology* 925 (7): 1-23.
- Ohland, C. L., dan W. K. MacNaughton. (2010). Probiotic bacteria and intestinal epithelial barrier function. *Am J Physiol Gastrointest Liver Physiol* 298: G807 – G819.
- Panda, S., I. E. Khader, F. Casellas, J. L. Vivancos, M. G. Cors, A. Santiago, S. Cuenca, F. Guarner, dan C. Manichanh. (2012). Short-Term Effect of Antibiotics on Human Gut Microbiota. *Plos One* 9 (4): 95476.
- Pant, K., A. K. Yadav, P. Gupta, R. Islam, A. Saraya, dan S. K. Venugopal. (2017). Butyrate induced ROS-mediated apoptosis by modulating miR-22/SIRT-1 pathway in hepatic cancer cells. *Redox Biol* 7 (12): 340 – 349.
- Parent, M. A., L. B. Wilhelm, L. W. Kummer, F. M. Szaba, I. K. Mullarky, dan S. T. Smiley. (2006). Gamma interferon, Tumor necrosis factor alpha, and nitric oxide synthase 2, key elements of cellular immunity, perform critical protective functions during humoral defense against lethal pulmonary *Yersinia pestis* infection. *Infection and Immunity* 74(6): 3381-3386. [http://dx. doi.org/10.1128/IAI.00185-06](http://dx.doi.org/10.1128/IAI.00185-06)
- Pessione E. (2012). Lactic acid bacteria contribution to gut microbiota complexity: lights and shadows. *Front Cell Infect Microbiol* 2 :86
- Postollec, F., H. Falentin, S. Pavan, J. Combrisson, dan D. Sohier. (2011). Recent advances in quantitative PCR (qPCR) applications in food microbiology. *Food Microbiology* 28: 848 – 861.

- Potocnjak, M., P. Pusic, J. Frece, M. Abram, T. Jankovic, dan I. Gobin. (2017). Three new *Lactobacillus plantarum* strains in the probiotik toolnox against cut pathogen *Salmonella enterica* serotype Typhimurium. *Food Technol Biotechnol* 55 (1): 48 – 54.
- Rahayu, E. S., A. Yogeswara, Mariyatun, L. Windiarti, T. Utami, dan K. Watanabe. (2015). Molecular characteristics of indigenous probiotik strains from Indonesia. *International Journal of Probiotic*.10: 109- 116.
- Rahayu, E.S, Cahyanto, M.N, Mariyatun, Sarwoko, M.K. Haryono, P. Windiarti, L., Sutriyanto, J. Kandarina, I. Nurfiani, S; Zulaichah, E, dan Utami, T. (2016). Effects of Consumption of Fermented Milk Containing Indigeneous Probiotic *Lactobacillus plantarum* Dad-13 on The Fecal Microbiota of Healthy Indonesian volunteers. *International Journal of Probiotics and Prebiotics* 11 (2): 91 – 98.
- Picard, C., J. Fioramonti, A. Francois, T. Robinson, F. Neant, dan C. Matuchansky. (2005). Review article: *Bifidobacterial* as probiotik agents – physiological effects and clinical benefits. *Aliment Phamacol Ther* 22: 495 – 512.
- Rios-Covian, D., P. Ruas-Madiedo, A. Margolles., M. Gueimonde, C. G. de los Reyes-Gavilan, dan N. Salazar. (2016). Intestinal short chain fatty acids and their link with diet and human health. *Frontiers in Microbiology* 7: 185.
- Rodriguez, J. M., K. Murphy, C. Stanton, R. P. Ross, O. I. Kober, N. Juge, E. Avershina, K. Rudi, A. Narbad, M. C. Jenmalm, J. R. Marchesi, dan M. C. Collado. (2015). The composition of the gut microbiota throughout life, with an emphasis on early life. *Microbial Ecology in Health and Disease. Microb. Ecol. Health Dis* 26: 26050.
- Salazar, N., E. M. Dewulf, A. M. Neyrinck, L. B. Bindels, P. D. Cani, J. Mahillon, W. M. de Vos, J.P. Thissen, M. Gueimonde, C. G. D. L. Reyes-Gavilan, dan N. M. Delzenne. (2014). Inulin-type fructans modulate intestinal *Bifidobacterium* species populations and decrease fecal short-chain fatty acids in obese women. *Clinical Nutrition* 1 – 7.
- Schoster. A., B. Kokotovic, A. Permin. P. D. Pedersen, F. Dal Bello, dan L. Guardabassi. (2013). In vitro inhibition of *difficile* dan *Clostridium perfringens* by commercial probiotik strains. *Anaerobe* 20: 36 – 41.
- Sepp, E., I. Smidt, J. Stesepetova, T. Roop, P. Hutt, M. Ratsep, dan M. Mikelsaar. (2018). The effect of *Lactobacillus fermentum* ME-3 on the intestinal microbiota and urine polyamines content: A double-blind placebo-controlled pilot trial. *J. Functional Food* 48: 430 – 438.
- Shadnoush, M., R. S. Hosseini, A. Khalilnezhad, L. Navai, H. Goudarzi, dan M. Vaezjali. (2015). Effect of probiotiks on gut microbiota in patients with inflammatory bowel disease: a double-blind, placebo-controlled clinical trial. *Korean J. Gastrownterol* 65 (4) 215 – 221.
- Shimizu J., T. Kubota, E. Takada, K. Takai., N. Fujiwara, N. Arimitsu, Y. Ueda, S. Wakisaka, T. Suzuki, N. Suzuki. (2016). *Bifidobacteria* abundance-featured gut microbiota compositional change in patients with behcet's disease. *PLos One*. 11 (4): 1 – 13.

- Shioiri T, K Yahagi, S Nakayama, T Asahara, N Yuki, K Kawakami, Y Yamaoka, Y Sakai, K Nomoto, dan M Totani. (2006). The Effects of a Synbiotic Fermented Milk Beverage Containing *Lactobacillus casei* strain *Shirota* and Transgalactosylated Oligosaccharides on Defecation Frequency, Intestinal Microflora, Organic Acid Concentrations, and Putrefaktif Metabolites of Sub-Optimal Health state Volunteers: A-Randomized Placebo-Controlled Cross-Over Study. *J-stage: Bioscience Microflora* 25:137-146.
- Sikorska, H., dan W. Smoragiewicz. (2013). Role of probiotiks in the prevention and treatment of methicillin-resistan *Staphylococcus aureus* infections. *Int. J. Antimic. Ag* 4171: 1 – 7.
- Singh, R. K., H. W. Chang, Di Yan, K. M. Lee, D. Ucmak, K. Wong, M. Abrouk, B. Farahnik M. Nakamura, T. H. Zhu, T. Bhutani, dan W. Liao. (2017). Influence of diet on the gut microbiome and implications of human health. *J. Transl. Med.* 15 (73): 1 – 17.
- Smith EA, dan Macfarlane GT. (1996). Enumeration of human colonic bacteria producing phenolic and indolic compounds: effects of pH, carbohydrate availability and retention time on dissimilatory aromatic amino acid metabolism. *J Appl Bacteriol.* 81:288–302.
- Sumaryati, B. T., T. Utami, dan Suparmo. (2009). Pengaruh infeksi *Escherichia coli* dan pemberian *Lactobacillus plantarum* Dad-13 terhadap *microbiota* feses tikus wistar. *Agritech* 29 (4): 165 – 170.
- Tari, A. I. N., C. B. Handayani, dan Sudarmi. (2016). Potential probiotik *Lactobacillus plantarum* indigenous Dad-13 on yoghurt with purple sweet potato extract supplementation to reducing diarrhea and free radicals. *Agritech* 26 (1) : 7 – 14.
- Todorov, S. D., dan B. D. G. M. Franco. (2010). *Lactobacillus plantarum* : characterization of the species and application in food production. *Food Reviews International* 26 (3) : 205 – 209.
- Utami, T., M. N. Chayanto, M. Juffie, dan E. S. Rahayu. (2015). Recovery of *Lactobacillus casei* strain *Shirota* (LcS) from intestine of the healthy Indonesian volunteers after intake of fermented milk and impact on the *Enterobacteriaceae* faecal microbiota. *International Journal of Probiotics and Prebiotics.* 10 (2/3) : 77 – 84.
- Utami, T., Kasmianti, E. Harmayani, dan E. S. Rahayu. (2016). Survival of *Lactobacillus plantarum* Dad-13 during spray drying and application for yogurt fermentation. *International Research Journal of Biological Sciences* 5 (2): 16 – 22.
- Uzal, F. A., J. C. Freedman, A. Shrestha, J. R. Theoret, J. Garcia, M. M. Awad, V. Adams, R. J. Moore, J. I. Rood, dan B. A. McClane. (2014). Towards an understanding of the role of *Clostridium perfringens* toxins in human and animal disease. *Future Microbiol* 9 (3): 361 – 377.
- Taverniti, V., dan S. Guglielmetti. (2014). Methodological issues in the study of intestinal microbiota in irritable bowel syndrome. *World J. Gastroenterol* 20, 8821–8836. doi: 10.3748/wjg.v20.i27.8821

- Vesterlund, S., M. Karp, S. Salminen, dan A. C. Ouwehand. (2006). *Staphylococcus aureus* adheres to human intestinal mucus but can be displaced by certain lactic acid bacteria. *Mic. Sgm. J.* 152: 1819 – 1826.
- Vipperia, K. dan S. O'Keefe. (2012). The Microbiota and its Metabolites in Colonic Mucosal Health and Cancer Risk. *Nutrition in Clinical Practice* 27 (5) : 624 - 635.
- Wang, L., Zhang, J., Gui, Z., Kwok, L., Ma, C., Zhang, W., Lv, Q., Weiqiang, H. dan Zhang, H. (2014). Effect of Oral Consumption of Probiotic *Lactobacillus plantarum* P-8 on Fecal Microbiota, SIgA, SCFAs, and TBAs of Adults of Different Ages. *Nutrition.* 30 (7–8):776–83.
- Wang^a, R., S. Chen, J. Jin, F. Ren, Y. Lin, Z. Qiao, Y. Wang, dan L. Zhao. (2015). Survival of *Lactobacillus casei* strain Shirota in the intestinal of healthy Chinese adults. *Microbiol Immunol* 59: 268 – 276.
- Wang^b, C., S. Nagata, T. Asahara, N. Yuki, K. Matsuda, H. Tsuji, T. Takahashi, K. Nomoto, dan Y. Yamashiro. (2015). Intestinal microbiota profiles of healthy pre-school and school-age children and effects of probiotic supplementation. *Ann. Nutr. Metab* 5 (67): 257 – 266.
- Wong, M.L., J. F. Medrano. (2005). Real-time PCR for mRNA quantitation. *Biotechniques* 39, 75e85
- World Health Organization. (2018). Adolescent health. http://www.who.int/topics/adolescent_health/en/. [14 September 2018].
- Wu, S., K. C. Lim, J. Huang, R. F. Saidi, and C. L. Sears. (1998). *Bacteroides fragilis* enterotoxin cleaves the zonula adherens protein, E-cadherin. *Proc. Natl. Acad. Sci. USA* 95:14979–14984.
- Wu, G.D., J. Chen, C. Hoffmann, K. Bittinger, Y. Chen, dan A. Sue. (2011). Linking long-term dietary patterns with gut microbial enterotypes. *Science* 334 (6052): 105-108.
- Yadav, H., J. H. Lee, J. Lloyd, P. Walter, dan S. G. Rane. (2013). Beneficial metabolic effects of a probiotic via butyrate-induced GLP-1 hormone secretion. *The Journal of Biological Chemistry* 288 (35) : 25088 – 25097.
- Yin, X., X. Gu, T. Yin, H. Wen, X. Gao, dan X. Zheng. (2016). Study of enteropathogenic bacteria in children with acute diarrhea aged from 7 to 10 years in Xuzhou, China. *Microbial Pathogenesis* 91: 41 – 45.
- Zeng, H., D. L. Lazarova, dan M. Bordonaro. (2014). Mechanism linking dietary fiber, gut microbiota and colon cancer prevention. *World J. Gastrointest Oncol* 6 (2) : 41 - 51.