



DAFTAR PUSTAKA

- Anonim. (2001). Report of a joint FAO/WHO Expert Consultation. Health and nutritional properties of probiotics in food includion powder milk with live lactic acid bacteria. <http://www.who.int/foodsafety/publications/fs-management/en/probiotics.pdf>. Cordoba, Argentina
- Anonim. (2002). Report of a joint FAO/WHO Expert Consultation. Guidelines for the evaluation of probiotics in food. <http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpt0282-tab-03-ref-19-joint-faowhovol219.pdf>. London, Canada.
- Agustina *et al.* (2013). Probiotics *Lactobacillus reuteri* DSM 17938 and *Lactobacillus casei* CRL 431 Modestly Increase Growth, but Not Iron and Zinc Status, among Indonesian Children Aged 1–6 Years. *The Journal of Nutrition*, 143: 1184–1193. doi:10.3945/jn.112.166397.
- Atarashi *et al.* (2011). Induction of Colonic Regulatory T Cells by Indigenous *Clostridium* Species. *SCIENCE*, VOL 331: 337-341.
- Arumugam, M. (2011). Enterotypes of the human microbiome. *Nature*, 473: 174–180.
- Aureli, P., Lucio C., Anna M.C., Mario C., Marcello G., Lorenzo M., Andrea P., Fabrizio P., Filippo S., Gian V.Z. (2011). Probiotics and health: An evidence-based review. *Pharmacological Research*, 63: 366-376.
- Bharucha, A.E. (2008). Lower gastrointestinal functions. *Neurogastroenterol Motil*, 20: 103-113.
- Bomba, A., Nemcova, R., Gancarcikova, S., Herich, R., Guba, P. dan Mudronova, D. (2002). Improvement of the probiotic effect of microorganisms by their combination with maltodextrins, FOS and polyunsaturates fatty acids. *British Journal of Nutrition*, 88: S95-S99.
- Brown, K., DeCoffe, D., Molcan, E., dan Gibson, D.L. (2012). Diet-induced dysbiosis of the intestinal microbiota and the effects on immunity and diseases. *Nutrients*, 4:1095–119.
- Cani, P.D., Bibiloni, R., Knauf, C., Waget, A., Neyrinck, A.M., Delzenne, N.M., Burcelin, R. (2008). Changes in gut microbiota control metabolic endotoxemia-induced inflammation in hihg-fat diet induced obesity and diabetes in mice. *Diabetes*, 57: 1470-1481.
- Champagne, C.P. dan Gardner, N.J. (2005). Challenges in the addition of probiotics cultures to food. *Critical Reviews in Food Science and Nutrition*, 45: 61-80.
- Chung, H dan Kasper, D.L. (2010). Microbiota-stimulated immune mechanisms to maintain gut homeostasis. *Current Opinion in Immunology*, 22:455–460.
- Clark, D. (2005). Molecular biology: understanding the genetic revolution. *Elsevier Academic Press*, USA 655: 635-638.
- Conlon, M.A. dan Bird, A. R. (2015). The Impact of Diet and Lifestyle on Gut microbiota and Human Health. *Nutriens*, 7: 17-44.
- Dethlefsen, L., Eckburg, P.B., Bik, E.M. dan Relman, D.A. (2006). Assembly of the human intestinal microbiota. *Trends Ecol. Evol*, 21: 517-523.



- Dieffenbach, C.W., Lowe, T.M.J. dan Dveksler, G.S. (1993). General concept for PCR primer design. *Genome Research*: 30-37.
- Eckburg, P.B., Bik, E.M., Bernstein, C.N., Purdom, E., Dethlefsen, L. dan Sargent, M. (2005). Diversity of the human intestinal microbial flora. *Science*, 308: 1635–1638.
- Festi, D., Schiumerini, R., Birtolo, C., Marzi, L. dan Montrone, L. (2011). Gut microbiota and its pathophysiology in disease paradigms. *Dig Dis*, 29: 518–524.
- Graf, D., Cagno, R. D., Fak, F. et al. (2017). Contribution of Diet to the Composition of the Human Gut microbiota. *Microbial Ecology in Health and Disease*, 15:12.
- Haunshi, S., Basumatary, R., Girish, P.S., Doley, S. dan Kumar, A. (2009). Identification of chicken, duck, pigeon and pig meat by spesific markers of mitochondrial origin. *Meat Science*, 83: 454-459.
- Hidaka, H., Eida, T., Takiza, T., Tokunaag, T. dan Yashiro, Y. (1986). Effect of fructooligosaccharides on intestinal flora and human healt. 5(1): 37-50.
- Ignacio, A., et al. (2016). Correlation between body mass index and faecal microbiota from children. *Clin Microbiol Infect*, 22: 258.e1–258.e8.
- Jimenez, M.B. (2009). Treatment of irritable bowel syndrome with probiotics. An etiopathogenic approach at last. *Rev Esp Enferm Dig* (Madrid) Vol 101. No 8, pp. 553-564.
- KEMENKES RI. 2011. Standar Antropometri Penilaian Status Gizi Anak. KEMENKES RI Dirjen Bina Gizi dan Kesehatan Ibu dan Anak. Indonesia.
- Kimoto, H., Nomura, M., Kobayashi, M., Mizumachi, K. dan Okamoto, T. (2003). Survival of lactococci during passage through maouse digestive tract. *Canada Journal Microbiology*, 49: 707-711.
- Kurakawa, T., Ogata, K., Matsuda, K., Tsuji, H., Kubota, H., Takada, T., et al. (2015). Diversity of Intestinal Clostridium coccoides Group in the Japanese Population, as Demonstrated by Reverse Transcription-Quantitative PCR. *PLoS ONE* 10(5): e0126226. doi:10.1371/journal.pone.0126226.
- Losada, M.A. dan Olleros, T. (2001). Towards a healthier diet for the colon: The influence of fructooligosaccharides and Lactobacilli on intestinal health. *Elsevier Science Inc. Nutrition Research*, 22: 71-84.
- Lourens-Hattingh, A., Viljoen, B.C. (2001). Yogurt as probiotic carrier food. Review. *International Dairy Journal*, 11: 1-17.
- Lozupone, C.A., Stombaugh, J.I., Gordon, J.I., Jansson, J.K. dan Knight, R. (2012). Diversity, stability and resilience of the human gut microbiota. Review: *Nature*, 489: 220-230.
- Matsuda, K., Tsuji, H., Asahara, T., Kado, Y., Nomoto, K. (2007). Sensitive quantitative detection of commensal bacteria by rRNA-targeted reverse transcription-PCR. *Appl. Environ. Microbiol* 73:32–39.
- Matsuda, K., Tsuji, H., Asahara, T., Matsumoto, K., Takada, T., Nomoto, K. (2009). Establishment of as analytical system for the human fecal microbiota, based on reverse transcription-quantitative PCR targeting of multicopy rRNA molecules. *Appl Environ Microbiol*, 75:1961-1969.



- Matsuki, T., Watanabe, K., Fujimoto, J., Takada, T. Tanaka, R. (2004). Use of 16S rRNA gene-targeted group-specific primers for real-time PCR analysis of predominant bacteria in human feces. *Appl Environ Microbiol*, 70:7220-8.
- Meng, H., Zhang, Y., Zhao, L., Zhao, W., He, C., Honaker, C.F., et al. (2014). Body weight selection affects quantitative genetic correlated responses in gut microbiota. *PLOS One*, 9:e89862.
- Million, M., Diallo, A. dan Raoult, D. (2017). Gut microbiota and malnutrition. *Review, Microbial Pathogenesis*, 106 (2017) 127-138.
- Mitsuoka, T. (1982). Recent trends in research on intestinal flora. *Bifidobacteria Microflora*, 1(1): 3-42.
- Monira *et al.* (2011). Gut Microbiota of Healthy and Malnourished Children in Bangladesh. *Front Microbiol*, 2: 228.
- Nakayama, J., Watanabe, K., Jiang, J., Matsuda, K., Chao, S.H., Haryono, P., Langkham, O., Sarwoko, M.A., Sujaya, I.N., Zhao, L., Chen, K.T., Chen, Y.P., Chiu, H.H., Hidaka, T., Sonomoto, K., Tashiro, K., Tsuji, H., Chen, M.J., Leelavatcharamas, V., Liao, C.C., Nitisinprasert, S., Rahayu, E.S., Ren, F.Z., Tsai, Y.C., and Lee, Y.K. (2015). Diversity in gut bacterial community of school-age children in Asia. *Scientific Reports*, 5: 8397.
- Nguyen, N.P., Tandy, W., dan Bryan, W. (2016). A perspective on 16S rRNA operational taxonomic unit clustering using sequence similarity. *NPJ Biofilms and Microbiomes* 2.
- Neish, A. (2009). Microbes in gastrointestinal health and disease. *Gastroenterology*, 136: 65– 80.
- Ohland, C.L. dan Wallace, K.M. (2010). Probiotic bacteria and intestinal epithelial barrier function. *Am J Physiol Gastrointest Liver Physiol*, 298: G807– G819.
- Patterson, E., Ryan, Paul M, Cryan, F John. (2016). Gut microbiota, obesity and diabetes. *Postgrad Med J*, 0:1–15.
- Pereira, D.I.A. dan Gibson, G.R. (2002). Cholesterol assimilation by lactic acid bacteria and bifidobacteria isolated from the human gut. *Applied and Environmental Microbiology*, 69: 4689-4693.
- Praja, D.I. (2011). The miracle of probiotics. Yogyakarta: DIVA Press.
- Rahayu, E.S. (2003). Lactic Acid Bacteria in fermented foods of Indonesian origin. *Agritech*, 23(2): 75-84.
- Rahayu, E.S., Yogeswara, A., Mariyatun, Windiarti, L., Utami, T., and Watanabe, K. (2015). Molecular Characteristics of Indigenous Probiotics Strain from Indonesia. *International Journal of Probiotics and Prebiotics*, 10:109-116.
- Rahayu, E.S., Cahyanto, M.N., Mariyatun, Sarwoko, M.A., Haryono, P., Windiarti, L., Sutriyanto, J., Kandarina, I., Nurfiani, S., Zulaichah, E., dan Utami, T. (2016). Effects of Consumption of Fermented Milk containing Indigenous Probiotic *Lactobacillus plantarum* DAD-13 on The Fecal Microbiota of Healthy Indonesian Volunteers. *International Journal of Probiotics and Prebiotics*, 11(2): 91-98.
- Reece, R.J. (2004). Analysis of genes and genomes. *John Wiley & Sons*, Ltd England, 179: 153-155.



- Riset Kesehatan Dasar. (2013). RISKESDAS 2013. Jakarta: Badan Litbangkes, Depkes RI, 2013.
- Robles Alonso, V. dan Guarner, F. (2013). Linking the gut microbiota to human health. *Br J Nutr*, 109 Suppl 2: S21–26. doi: 10.1017/S0007114512005235
- Risdan, I.H. (2015). Penilaian keamanan kandidat probiotik: studi translokasi bakteri pada organ dan darah tikus *Sprague Dawley* yang mengkonsumsi *Lactobacillus plantarum* DAD-13 dosis tinggi. Tesis. Perpustakaan UGM, Yogyakarta. Tidak dipublikasikan.
- Saran *et al.* (2002). Use of fermented foods to combat stunting and failure to thrive. *Nutrition*, 0(6):577–8.
- Sekirov, I., Russel, S.L., Antunes, L.C.M., Finlay, B.B. (2010). Gut microbiota in health and disease. *Physiol Rev*, 90: 859-904.
- Sepp, E., Krista Löivukene, K., Julge, K., Voor T.M.D., dan Mikelsaar, M.D. (2013). The association of gut microbiota with body weight and body mass index in preschool children of Estonia. *Microb Ecol Health Dis*, 24: 19231–6.
- Shmaefsky, B.R. (2006). Biotechnology 101. *Greenwood Prees*, London, 129.
- Simon Carding *et al.*, (2015). Dysbiosis of the gut microbiota in disease. *Microbial Ecology in Healt and Disease*, 25: 26191.
- Singh, V.A. dan Bunger, R. (2014). Probiotics and gut health. *Journal of International Medical Science Academy*, 27: 41-45.
- Solis *et al.*, (2002). Probiotics as a help in children suffering from malnutrition and diarrhoea. *Review, European Journal of Clinical Nutrition*, 56: Suppl 3, S57–S59.
- Spanhaak, S.R., Havenga dan Schaafsma G. (1998). The effect of consumption of milk fermented by *Lactobacillus casei* strain Shirota on the intestinal microflora and immune parameters in humans. *European Journal of Clinical Nutrition*, 52: 899-907.
- Sumaryati, B. T., Utami, T.dan Suparmo. (2009). The effect of infection of *Escherichia coli* and addition of *Lactobacillus plantarum* DAD-13 on infected Wistar mice with *Escherichia coli* (In Indonesian). *Agritech*, 29:165-170.
- Surono IS, Koestomo FP, Novitasari N, Zakaria FR, Yulianasari K. (2011). Novel probiotic Enterococcus faecium IS-27526 supplementation increased total salivary sIgA level and bodyweight of pre-school children: A pilot study. *Anaerobe*, 17(6):496–500.
- Temmerman, R., Geert, H., dan Jean, S. (2004). Identification of LAB: culture-dependent and culture independent methods. *Trands in Food Science & technology*, 15: 348-359.
- Thursby, E. dan Juge, N. (2017). Introduction to the human gut microbiota. *Biochemical Journal*, 474: 1823–1836. DOI: 10.1042/BCJ20160510.
- Trachoo, N. dan Boudreaux, C. (2006). Therapeutic properties of probiotic bacteria. *Journal of Biological Science* 6 (1): 202-208.
- Tripathi, M.K., Giri, S.K. (2014). Probiotic functional foods: Survival of probiotics during processing and storage. *Journal of Functional Foods* (9): 225-241.



- UNICEF. (2013). Improving Child Nutrition the Achievable Imperative for Global Progress. Nutritional report.
- UNICEF, WHO, World Bank Group. (2018). Levels and trends in Child malnutrition. The Data and Analytics Section of the Division of Data, Research and Policy, UNICEF New York together with the Department of Nutrition for Health and Development, WHO Geneva and the Development Data Group of the World Bank, Washington DC. Mei 2018.
- Walker, J.M dan Raply, R. (2009). Moleculer biology and biotechnology, 5 ed, RSC publishing, UK, 123: 83-84.
- Walker, A.W., Jennifer, C.M., Paul, S., Julian P., dan Karen, P.S. (2015). 16S rRNA gene-based profiling of the human infant gut microbiota is strongly influenced by sample processing and PCR primer choice. DOI: 10.1186/s40168-015-0087-4.
- Wang, W., Chen, K. dan Changjie, X. (2006). DNA quantification using evagreen and a real time PCR instrument. *Analytical Biochemistry*, 356: 303-305.
- Wang, L., Zhang, J., Guo, Z., Kwok, L., Ma, C., Zhang, W., Lv, Q., Huang, W., and Zhang, H. (2014). Effect of oral consumption of probiotic *Lactobacillus plantarum* P-8 on fecal microbiota, SIgA, SCFAs, and TBAs of adults of different ages. *Journal Nutrition*, 30:776-783.
- WHO. (2009). Child Growth Standards and the Identification of Severe Acute Malnutrition in Infants and Children, a Joint Statement by the World Health Organization and the United Nations Children's Fund.
- Wu, G.D., Chen, J., Hoffmann, C., Bittinger, K., dan Chen, Y.Y. (2011) Linking long-term dietary patterns with gut microbial enterotypes. *Science*, 334: 105–108.
- Yusop, M.H.M., Mustafa, S. dan Mokhtar, N.F.K. (2011). Detection of raw pork targeting porcine-spesific mitochondrial by molecular beacon probe rea time PCR. *Food Analysis Methods*, DOI: 10.1007/s12161-011-9260-y.
- Zhao, L. (2013). The gut microbiota and obesity: from correlation to causality. *Nat. Rev. Microbial*, 11: 639-647.
- Ziemer, C.J. dan Gibson, G.R. (1998). An overview of probiotics, prebiotics and synbiotics in the functional food concept: perspectives and future strategies. *Elsevier Science Ltd. Int. Dairy Journal*, 8: 473-479.