

DAFTAR PUSTAKA

- Aberg, M.A., Aberg, N.D., Hedbäck, H., Oscarsson, J., Eriksson, P.S., 2000. Peripheral infusion of IGF-I selectively induces neurogenesis in the adult rat hippocampus. *J. Neurosci.* 20, 2896–2903.
- Åberg, N.D., Brywe, K.G., Isgaard, J., 2006. Aspects of Growth Hormone and Insulin-Like Growth Factor-I Related to Neuroprotection, Regeneration, and Functional Plasticity in the Adult Brain. *ScientificWorldJournal.* 6, 53–80.
- Afzalpour, M.E., Chadorneshin, H.T., Foadoddini, M., Eivari, H.A., 2015. Comparing interval and continuous exercise training regimens on neurotrophic factors in rat brain. *Physiol. Behav.* 147, 78–83.
- Agustiningsih, D., 2006. Pengaruh olahraga teratur dan terukur terhadap kadar hormon estrogen serum wanita pascamenopause. *MIFI.* 51, 123-134.
- Ainge, J.A., Langston, R.F., 2012. Ontogeny of neural circuits underlying spatial memory in the rat. *Front. Neural Circuits.* 6, 1–10.
- Akama, K.T., McEwen, B.S., 2003. Estrogen stimulates postsynaptic density-95 rapid protein synthesis via the Akt/protein kinase B pathway. *J. Neurosci.* 23, 2333–2339.
- Akaneya, Y., Tsumoto, T., Kinoshita, S., Hatanaka, H., 1997. Brain-derived neurotrophic factor enhances long-term potentiation in rat visual cortex. *J. Neurosci.* 17, 6707–6716.
- Alder, J., 2005. Early Presynaptic and Late Postsynaptic Components Contribute Independently to Brain-Derived Neurotrophic Factor-Induced Synaptic Plasticity. *J. Neurosci.* 25, 3080–3085.
- Aleman, A., Torres-Aleman, I., 2009. Circulating insulin-like growth factor I and cognitive function: Neuromodulation throughout the lifespan. *Prog. Neurobiol.* 89, 256–265.
- Alkahtani, S.A., King, N.A., Hills, A.P., Byrne, N.M., 2013. Effect of interval training intensity on fat oxidation, blood lactate and the rate of perceived exertion in obese men. *Springerplus.* 2, 1–11.
- Anderer, P., Saletu, B., Gruber, D., Linzmayer, L., Semlitsch, H. V., Saletu-zyhlarz, G., Brandst, N., Metka, M., Huber, J., 2005. Age-related cognitive decline in the menopause: effects of hormone replacement therapy on cognitive event-related potentials. *Maturitas.* 51, 254–269.
- Andersen, P., Morris, R., Amaral, D., Bliss, T., O’Keefe, J., 2007. *The Hippocampus Book.* Oxford University Press, inc., New York.
- Anderson, G.L., Judd, H.L., Kaunitz, A.M., Barad, D.H., Beresford, S.A.A., Pettinger, M., Liu, J., Mcneeley, S.G., Lopez, A.M., 2003. Effects of Estrogen Plus Progestin on Gynecologic Cancers and Associated Diagnostic Procedures. *JAMA.* 290, 1739–1748.
- Atkins, W.A., 2012. Interval training, in: L., E.J. (Ed.), *The Gale Encyclopedia of Fitness.* Gale, Detroit, 475–477.

- Aveleyra, E., Carranza-Lira, S., Ulloa-aguirre, A., Ostrosky-Solis, F., 2005. Cognitive effects of hormone therapy in early postmenopausal women. *Int. J. Psychol.* 40, 314–323.
- Azcoitia, I., DonCarlos, L.L., Garcia-Segura, L.M., 2002. Estrogen and brain vulnerability. *Neurotox Res.* 4, 235–245.
- Barrett, K., Brooks, H., Boitano, S., Barman, S., 2010. *Ganong's Review of Medical Physiology*, 23rd ed, Ganong's review of medical physiology. McGraw-Hill Companies, Inc., USA.
- Barron, A.M., Hojo, Y., Mukai, H., Higo, S., Ooishi, Y., Hatanaka, Y., Ogiue-Ikeda, M., Murakami, G., Kimoto, T., Kawato, S., 2011. Regulation of synaptic plasticity by hippocampus synthesized estradiol. *Horm. Mol. Biol. Clin. Investig.* 7, 361–375.
- Bartlett, J.D., Close, G.L., Maclaren, D.P.M., Gregson, W., Drust, B., Morton, J.P., 2011. High-intensity interval running is perceived to be more enjoyable than moderate-intensity continuous exercise: Implications for exercise adherence. *J. Sport. Sci.* 29, 547–553.
- Bartsch, T., Wulff, P., 2015. The hippocampus in aging and disease: from plasticity to vulnerability. *Neuroscience.* 309, 1–16.
- Bear, M.F., Connors, B.W., Paradiso, M.A., 2007. *Neuroscience Exploring the Brain*, 3rd ed. Lippincott Williams & Wilkins, Philadelphia.
- Béique, J., Andrade, R., 2003. PSD-95 regulates synaptic transmission and plasticity in rat cerebral cortex. *J. Physiol.* 546, 859–867.
- Belardinelli, R., Capestro, F., Misiani, A., Scipione, P., Georgiou, D., 2006. Moderate exercise training improves functional capacity, quality of life, and endothelium-dependent vasodilation in chronic heart failure patients with implantable cardioverter defibrillators and cardiac resynchronization therapy. *Eur. J. Cardiovasc. Prev. Rehabil.* 13, 818–825.
- Ben, J., Soares, F.M.S., Scherer, E.B.S., Cechetti, F., Netto, C.A., Wyse, A.T.S., 2010. Running exercise effects on spatial and avoidance tasks in ovariectomized rats. *Neurobiol. Learn. Mem.* 94, 312–317.
- Berchtold, N.C., Kesslak, J.P., Cotman, C.W., 2002. Hippocampal Brain-Derived Neurotrophic Factor Gene Regulation by Exercise and the Medial Septum. *J. Neurosci. Res.* 68, 511–521.
- Bexfield, N. a, Parcell, A.C., Nelson, W.B., Foote, K.M., Mack, G.W., 2009. Adaptations to high-intensity intermittent exercise in rodents. *J Appl Physiol.* 107, 749–754.
- Bian, C., Zhu, H., Zhao, Y., Cai, W., Zhang, J., 2014. Intriguing roles of hippocampus-synthesized 17 β -estradiol in the modulation of hippocampal synaptic plasticity. *J. Mol. Neurosci.* 54, 271–281.
- Biddle, S.J.H., Batterham, A.M., 2015. High-intensity interval exercise training for public health: a big HIT or shall we HIT it on the head? *Int J Behav Nutr Phys Act.* 12, 95–102.

- Binder, D.K., Scharfman, H.E., 2004. Brain-derived neurotrophic factor. *Growth Factors*. 22, 123–131.
- Birch, K., MacLaren, D., George, K., 2005. *Sport & Exercise Physiology*. BIOS Scientific Publishers, Liverpool.
- Bizon, J.L., Lasarge, C.L., Montgomery, K.S., Mcdermott, A.N., Setlow, B., Griffith, W.H., 2009. Spatial reference and working memory across the lifespan of male Fischer 344 rats. *Neurobiol. Aging*. 30, 646–655.
- Boccaro, C.N., Sargolini, F., Thoresen, V.H., Solstad, T., Witter, M.P., Moser, E.I., Moser, M.-B., 2010. Grid cells in pre- and parasubiculum. *Nat. Neurosci*. 13, 987–994.
- Bouet, V., Freret, T., Ankri, S., Bezault, M., Renolleau, S., Boulouard, M., Jacotot, E., Chauvier, D., Schumann-Bard, P., 2010. Predicting sensorimotor and memory deficits after neonatal ischemic stroke with reperfusion in the rat. *Behav Brain Res*. 212, 56–63.
- Boulware, M.I., Weick, J.P., Becklund, B.R., Kuo, S.P., Groth, R.D., Mermelstein, P.G., 2005. Estradiol Activates Group I and II Metabotropic Glutamate Receptor Signaling , Leading to Opposing Influences on cAMP Response Element-Binding Protein. *J. Neurosci*. 25, 5066–5078.
- Brooks, G.A., White, P.T., 1978. Determination of metabolic and heart rat responses of rats to treadmill exercise. *J. Appl. Physiol. Respir. Environ. Exerc. Physiol*. 45, 1009–1016.
- Brown, D.A., Johnson, M.S., Armstrong, C.J., Lynch, J.M., Caruso, N.M., Ehlers, L.B., Fleshner, M., Spencer, R.L., Moore, R.L., 2007. Short-term treadmill running in the rat: what kind of stressor is it? *J. Appl. Physiol*. 103, 1979–1985.
- Brown, D.W., Brown, D.R., Heath, G.W., Balluz, L., Giles, W.H., Ford, E.S., Mokdad, A., 2004. Associations between Physical Activity Dose and Health-Related Quality of Life. *Med. Sci Sport. Exerc*. 36, 890–896.
- Bulun, S.E., Lin, Z., Imir, G., Amin, S., Demura, M., Yilmaz, B., Martin, R., 2005. Regulation of Aromatase Expression in Estrogen- Responsive Breast and Uterine Disease : From Bench to Treatment. *Pharmacol Rev*. 57, 359–383.
- Burgdorf, J., Zhang, X., Colechio, E.M., Ghoreishi-haack, N., Gross, A., Kroes, R.A., Stanton, P.K., Moskal, J.R., 2015. Insulin-Like Growth Factor I Produces an Antidepressant-Like Effect and Elicits N-Methyl- D-Aspartate Receptor Independent Long-Term Potentiation of Synaptic Transmission in Medial Prefrontal Cortex and Hippocampus. *Int J Neuropsychopharmacol*. 19, 1–10.
- Burgess, N., O’Keefe, J., 2011. Models of place and grid cell firing and theta rhythmicity. *Curr. Opin. Neurobiol*. 21, 734–744.
- Bush, D., Barry, C., Manson, D., Burgess, N., 2015. Using Grid Cells for Navigation. *Neuron*. 87, 507–520.

- Bustos, G., Basoalto, E., Pinto-Hamuy, T., 2003. "Spatial Memory in Long Evans and Rattus Norvegicus rats." *Biol. Res.* 36, 193–199.
- Butowt, R., Von Bartheld, C.S., 2005. Anterograde axonal transport of BDNF and NT-3 by retinal ganglion cells: Roles of neurotrophin receptors. *Mol. Cell. Neurosci.* 29, 11–25.
- Caldeira, M. V., Melo, C. V., Pereira, D.B., Carvalho, R.F., Carvalho, A.L., Duarte, C.B., 2007. BDNF regulates the expression and traffic of NMDA receptors in cultured hippocampal neurons. *Mol. Cell. Neurosci.* 35, 208–219.
- Caleo, M., Medini, P., von Bartheld, C.S., Maffei, L., 2003. Provision of brain-derived neurotrophic factor via anterograde transport from the eye preserves the physiological responses of axotomized geniculate neurons. *J. Neurosci.* 23, 287–296.
- Caleo, M., Menna, E., Chierzi, S., Cenni, M.C., Maffei, L., 2000. Brain-derived neurotrophic factor is an anterograde survival factor in the rat visual system. *Curr. Biol.* 10, 1155–1161.
- Camacho-Hübner, C., Woods, K. a, Clark, A.J.L., Savage, M.O., 2002. Insulin-like growth factor (IGF)-I gene deletion. *Rev. Endocr. Metab. Disord.* 3, 357–361.
- Cardona-Gómez, G.P., Mendez, P., DonCarlos, L.L., Azcoitia, I., Garcia-Segura, L.M., 2002. Interactions of estrogen and insulin-like growth factor-I in the brain: Molecular mechanisms and functional implications. *J Steroid Biochem Mol Biol.* 83, 211–217.
- Carnevali, J.C., Eder, R., Lira, F.S., Lima, W.P., Gonçalves, D.C., Zanchi, N.E., Nicastro, H., Lavoie, J.M., Seelaender, M.C.L., 2012. Effects of high-intensity intermittent training on carnitine palmitoyl transferase activity in the gastrocnemius muscle of rats. *Braz J Med Biol Res.* 45, 777–783.
- Carro, E., Nun, A., Busiguina, S., Torres-aleman, I., 2000. Circulating Insulin-Like Growth Factor I Mediates Effects of Exercise on the Brain. *J Neurosci.* 20, 2926–2933.
- Carro, E., Trejo, J.L., Busiguina, S., Torres-Aleman, I., 2001. Circulating insulin-like growth factor I mediates the protective effects of physical exercise against brain insults of different etiology and anatomy. *J. Neurosci.* 21, 5678–5684.
- Carro, E., Trejo, J.L., Gomez-Isla, T., LeRoith, D., Torres-Aleman, I., 2002. Serum insulin-like growth factor I regulates brain amyloid-beta levels. *Nat. Med.* 8, 1390–1397.
- Carruth, L.L., Shahbazi, M., 2015. Estrogen Actions in the Brain, in: *Estrogen Effects on Traumatic Brain Injury: Mechanisms of Neuroprotection and Repair.* Elsevier Inc. 11–28.
- Carson, M.J., Behringer, R.R., Brinster, R.L., McMorris, F.A., 1993. Insulin-like growth factor I increases brain growth and central nervous system myelination in tTransgenic mice. *Neuron.* 10, 729–740.

- Carvalho, A.L., Caldeira, M. V, Santos, S.D., Duarte, C.B., 2008. Role of the brain-derived neurotrophic factor at glutamatergic synapses. *Br. J. Pharmacol.* 153 Suppl, S310–S324.
- Cassilhas, R.C., Lee, K.S., Fernandes, J., OLiveira, M.G.M., Tufik, S., Meeusen, R., De Mello, M.T., 2012. Spatial memory is improved by aerobic and resistance exercise through divergent molecular mechanisms. *Neuroscience.* 202, 309–317.
- Cassilhas, R.C., Lee, K.S., Fernandes, J., Oliveira, M.G.M., Tufik, S., Meeusen, R., Mello, M.T.D.E., 2012. Spatial Memory is improved by aerobic and resistance exercise through divergen molecular mechanisms. *Neuroscience.* 202, 309–317.
- Cetinkaya, C., Riza, A., Kiray, M., Mehmet, U., Gencoglu, C., Baykara, B., Aksu, I., Uysal, N., 2013. Positive effects of aerobic exercise on learning and memory functioning , which correlate with hippocampal IGF-1 increase in adolescent rats. *Neurosci Lett.* 549, 177–181.
- Chapman, S.B., Aslan, S., Spence, J.S., DeFina, L.F., Keebler, M.W., Didehbani, N., Lu, H., 2013. Shorter term aerobic exercise improves brain, cognition, and cardiovascular fitness in aging. *Front. Aging Neurosci.* 5, 1–9.
- Chen, M.-K., Guilarte, T.R., 2008. Translocator protein 18 kDa (TSPO): molecular sensor of brain injury and repair. *Pharmacol. Ther.* 118, 1–17.
- Cheng, C.M., Cohen, M., Wang, J., Bondy, C. a, 2001. Estrogen augments glucose transporter and IGF1 expression in primate cerebral cortex. *FASEB J.* 15, 907–915.
- Choi, J.M., Romeo, R.D., Brake, W.G., Bethea, C.L., Rosenwaks, Z.E. V, Ewen, B.S.M.C., Medicine, R., Medical, W., York, N., 2003. Estradiol Increases Pre- and Post-Synaptic Proteins in the CA1 Region of the Hippocampus in Female Rhesus Macaques (*Macaca mulatta*). *Endocrinology.* 144, 4734–4738.
- Copp, S.W., Davis, R.T., Poole, D.C., Musch, T.I., 2009. Reproducibility of endurance capacity and VO₂peak in male Sprague-Dawley rats. *J. Appl. Physiol.* 106, 1072–1078.
- Copp, S.W., Hirai, D.M., Musch, T.I., Poole, D.C., 2010. Critical speed in the rat : implications for hindlimb muscle blood flow distribution and fibre recruitment. *J. Physiol.* 588, 5077–5087.
- Coquart, J.B., C, L., AE, D., DP, L., C, D., M., G., 2008. Intermittent versus continuous exercise: Effects of perceptually lower exercise in obese women. *Med. Sci. Sport. Exerc.* 40, 1546–1553.
- Corvin, A.P., Molinos, I., Little, G., Donohoe, G., Gill, M., Morris, D.W., Tropea, D., 2012. Insulin-like growth factor 1 (IGF1) and its active peptide (1-3)IGF1 enhance the expression of synaptic markers in neuronal circuits through different cellular mechanisms. *Neurosci. Lett.* 520, 51–56.
- Costa, M.M., Reus, V.I., Wolkowitz, O.M., Manfredi, F., Lieberman, M., 1999. Estrogen Replacement Therapy and Cognitive Decline in Memory-Impaired Post-Menopausal Women. *Biol. Psychiatry.* 42, 182–188.

- Cotman, C.W., Berchtold, N.C., 2007. Physical activity and the maintenance of cognition: Learning from animal models. *Alzheimers Dement.* 3, 30–37.
- Cotman, C.W., Berchtold, N.C., 2002. Exercise: A behavioral intervention to enhance brain health and plasticity. *Trends Neurosci.* 25, 295–301.
- Cotman, C.W., Berchtold, N.C., Christie, L.A., 2007. Exercise builds brain health: key roles of growth factor cascades and inflammation. *Trends Neurosci.* 30, 464–472.
- Dash, P., Moore, A.N., 2007. Neurochemistry and Molecular Neurobiology of Memory, in: Blaustein, J.D. (Ed.), *Handbook of Neurochemistry and Molecular Neurobiology*. Plenum Press, New York, pp. 709–733.
- Davis, S., Laroche, S., 1998. A molecular biological approach to synaptic plasticity and learning. *C. R. Acad. Sci. III* 321, 97–107.
- de Almeida, A.A., Gomes, S., Fernandes, J., Peixinho-pena, L.F., Alexandre, F., Abrão, E., Mario, R., 2013. Differential effects of exercise intensities in hippocampal BDNF, inflammatory cytokines and cell proliferation in rats during the postnatal brain development. *Neurosci Lett.* 553, 1–6.
- Deak, F., Sonntag, W.E., 2012. Aging, synaptic dysfunction, and insulin-like growth factor (IGF)-1. *J. Gerontol. A. Biol. Sci. Med. Sci.* 67 A, 611–625.
- Denley, A., Cosgrove, L.J., Booker, G.W., Wallace, J.C., Forbes, B.E., 2005. Molecular interactions of the IGF system. *Cytokine Growth Factor Rev.* 16, 421–439.
- Ding, Q., Vaynman, S., Akhavan, M., Ying, Z., 2006. Insulin-like growth factor i interfaces with brain-derived neurotrophic factor-mediated synaptic plasticity to modulate aspects of exercise-induced cognitive function. *Neuroscience.* 140, 823–833.
- Ding, Q., Ying, Z., Gómez-pinilla, F., 2011. Exercise influences hippocampal plasticity by modulating BDNF processing Injection of tPA-STOP into the hippocampus. *Neuroscience.* 192, 773–780.
- Duka, T., Tasker, R., McGowan, J.F., 2000. The effects of 3-week estrogen hormone replacement on cognition in elderly healthy females. *Psychopharmacology.* 149, 129–139.
- Dumas, J.A., McDonald, B.C., Saykin, A.J., Mcallister, T.W., Hynes, M.L., West, J.D., Newhouse, P.A., 2010. Cholinergic modulation of hippocampal activity during episodic memory encoding in postmenopausal women: a pilot study. *Menopause.* 17, 852–859.
- Durbin, M.C., 2010. *The Effects of Exercise on Brain Inflammation*, Air Force Research Laboratory. Ohio.
- Dyer, A.H., Vahdaptour, C., Sanfeliu, A., Tropea, D., 2016. The role of Insulin-Like Growth Factor 1 (IGF-1) in brain development, maturation and neuroplasticity. *Neuroscience.* 325, 89–99.

- Egan, M.F., Kojima, M., Callicott, J.H., Goldberg, T.E., Kolachana, B.S., Bertolino, A., Zaitsev, E., Gold, B., Goldman, D., Dean, M., Lu, B., Weinberger, D.R., 2003. The BDNF val66met polymorphism affects activity-dependent secretion of BDNF and human memory and hippocampal function. *Cell*. 112, 257–269.
- Ekstrom, A.D., Kahana, M.J., Caplan, J.B., Fields, T.A., Isham, E.A., Newman, E.L., Fried, I., 2003. Cellular networks underlying human spatial navigation. *Nature*. 425, 184–188.
- El-Husseini, A.E.-D., Schnell, E., Chetkovich, D.M., Nicoll, R.A., Brecht, D.S., 2000. PSD-95 involvement in maturation of excitatory synapses. *Science*. 290, 1364–1368.
- Erickson, K.I., Voss, M.W., Shaurya, R., Basak, C., Szabo, A., 2011. Exercise training increases size of hippocampus and improves memory. *PNAS*. 108, 3017–3022.
- Espeland, M.A., Rapp, S.R., Shumaker, S.A., Brunner, R., Manson, J.E., Sherwin, B.B., Hsia, J., Margolis, K.L., Hogan, P.E., Wallace, R., Dailey, M., Freeman, R., 2004. and Global Cognitive Function in Postmenopausal Women Women ' s Health Initiative Memory Study. *JAMA*. 291, 2959–2968.
- Farrag, A.F., Khedr, E.M., Abdel-Aleem, H., Rageh, T.A., 2002. Effect of Surgical Menopause on Cognitive Functions. *Dement. Geriatr. Cogn. Disord*. 13, 193–198.
- Feng, W., Zhang, M., 2009. Organization and dynamics of PDZ-domain-related supramodules in the postsynaptic density. *Nat. Rev. Neurosci*. 10, 87–99.
- Fernandez, A.M., Torres-Alemán, I., 2012. The many faces of insulin-like peptide signalling in the brain. *Nat. Rev. Neurosci*. 13, 225–239.
- Ferreira, A., Rapoport, M., 2002. The synapsins: Beyond the regulation of neurotransmitter release. *Cell. Mol. Life Sci*. 59, 589–595.
- Figurov, A., Pozzo-Miller, L.D., Olafsson, P., Wang, T., Lu, B., 1996. Regulation of synaptic responses to high-frequency stimulation and LTP by neurotrophins in the hippocampus. *Nature*. 381, 706–709.
- File, S.E., Heard, J.E., Rymer, J., 2002. Trough oestradiol levels associated with cognitive impairment in post-menopausal women after 10 years of oestradiol implants. *Psychopharmacology (Berl)*. 161, 107–112.
- Foy, M.R., Baudry, M., Brinton, R.D., Thompson, R.F., 2008. Estrogen and Hippocampal Plasticity in Rodent Models. *J Alzheimers Dis*. 15, 1–25.
- Frick, K.M., 2015. Molecular mechanisms underlying the memory-enhancing effects of estradiol. *Horm. Behav*. 74, 4–18.
- Frick, K.M., Fernandez, S.M., Bennett, J.C., Prange-Kiel, J., MacLusky, N.J., Leranth, C., 2004. Behavioral training interferes with the ability of gonadal hormones to increase CA1 spine synapse density in ovariectomized female rats. *Eur. J. Neurosci*. 19, 3026–3032.

- Fuentes-Santamaría, V., Alvarado, J.C., Rodríguez-de la Rosa, L., Murillo-Cuesta, S., Contreras, J., Juiz, J.M., Varela-Nieto, I., 2016. IGF-1 deficiency causes atrophic changes associated with upregulation of VGluT1 and downregulation of MEF2 transcription factors in the mouse cochlear nuclei. *Brain Struct. Funct.* 221, 709–734.
- Garber, C.E., Blissmer, B., Deschenes, M.R., Franklin, B.A., Lamonte, M.J., Lee, I.M., Nieman, D.C., Swain, D.P., 2011. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: Guidance for prescribing exercise. *Med. Sci. Sport. Exerc.* 43, 1334–1359.
- Genazzani, A.R., Bernardi, F., Pluchino, N., Begliuomini, S., Lenzi, E., Casarosa, E., Luisi, M., 2005. Endocrinology of Menopausal Transition and Its Brain Implications. *CNS Spectr.* 10, 449–457.
- Genazzani, A.R., Spinetti, A., Gallo, R., Bernardi, F., 1999. Menopause and the central nervous system : intervention options. *Maturitas.* 31, 103–110.
- Ghisletti, S., Meda, C., Maggi, A., Vegeto, E., 2005. 17beta-Estradiol Inhibits Inflammatory Gene Expression by Controlling NF- κ B Intracellular Localization. *Mol Cell Biol.* 25, 2957–2968.
- Gibala, M.J., 2016. Physiological adaptations to interval exercise training : New insights. *Proc. Physiol. Soc.* 35, 2–3.
- Gibala, M.J., Little, J.P., Van Essen, M., Wilkin, G.P., Burgomaster, K.A., Safdar, A., Raha, S., Tarnopolsky, M.A., 2006. Short-term sprint interval versus traditional endurance training: similar initial adaptations in human skeletal muscle and exercise performance. *J. Physiol.* 575, 901–911.
- Gibala, M.J., McGee, S.L., 2008. Metabolic adaptations to short-term high-intensity interval training: a little pain for a lot of gain? *Exerc. Sport Sci. Rev.* 36, 58–63.
- Glasper, E.R., Llorens-Martin, M. V., Leuner, B., Gould, E., Trejo, J.L., 2010. Blockade of insulin-like growth factor-I has complex effects on structural plasticity in the hippocampus. *Hippocampus.* 20, 706–712.
- Gligoroska, J.P., Manchevska, S., 2012. The Effect of Physical Activity on Cognition – Physiological Mechanisms. *Mat. Soc. Med.* 24, 198–202.
- Good, M., 2002. Spatial Memory and Hippocampal Function : Where are we now ? *Psicologica.* 23, 109–138.
- Goto, S., Naito, H., Kaneko, T., Chung, H., Rada, Z., 2007. Hormetic effects of regular exercise in aging : correlation with oxidative stress. *Appl. Physiol. Nutr. Metab.* 32, 948–953.
- Goto, S., Radak, Z., 2010. Hormetic effects of reactive oxygen species by exercise: a view from animal studies for successful aging in human. *Dose-Response.* 8, 68–72.

- Greendale, G.A., Wight, R.G., Huang, M., Avis, N., Gold, E.B., Joffe, H., Seeman, T., Vuge, M., Karlamangla, A.S., 2010. Menopause-associated Symptoms and Cognitive Performance: Results From the Study of Women's Health Across the Nation. *Am. J. Epidemiol.* 171, 1214–1224.
- Grove-strawser, D., Boulware, M.I., Mermelstein, P.G., 2010. Membrane Estrogen Receptors Activate the Metabotropic Glutamate Receptors mGluR5 and mGluR3 to Bidirectionally Regulate CREB Phosphorylation in Female Rat Striatal Neurons. *Neuroscience.* 170, 1045–1055.
- Gruart, A., Sciarretta, C., Valenzuela-Harrington, M., Delgado-García, J.M., Minichiello, L., 2007. Mutation at the TrkB PLC γ -docking site affects hippocampal LTP and associative learning in conscious mice. *Learn. Mem.* 14, 54–62.
- Guimarães, G.V., Ciolac, E.G., Carvalho, V.O., D'Avila, V.M., Bortolotto, L.A., Bocchi, E.A., 2010. Effects of continuous vs. interval exercise training on blood pressure and arterial stiffness in treated hypertension. *Hypertens. Res.* 33, 627–632.
- Guyton, A.C., Hall, J.E., 2006. *Textbook of Medical Physiology*, 11th ed. Elsevier Inc., Philadelphia.
- Guzmán, C., Hernández-bello, R., Morales-montor, J., 2010. Regulation of Steroidogenesis in Reproductive, Adrenal and Neural Tissues by Cytokines. *Open Neuroendocr. J.* 3, 161–169.
- Habibi, P., Babri, S., Ahmadiasl, N., Yousefi, H., 2017. Effects of genistein and swimming exercise on spatial memory and expression of microRNA 132, BDNF, and IGF-1 genes in the hippocampus of ovariectomized rats. *Iran. J. Basic Med. Sci.* 20, 856–862.
- Hale, T., 2003. *Exercise Physiology, A Thematic Approach*. John Wiley & Sons Ltd., England.
- Hao, L., Wang, Y., Duan, Y., Bu, S., 2010. Effects of treadmill exercise training on liver fat accumulation and estrogen receptor alpha expression in intact and ovariectomized rats with or without estrogen replacement treatment. *Eur J Appl Physiol.* 109, 879–886.
- Hartley, T., Lever, C., Burgess, N., O'Keefe, J., 2014. Space in the brain: how the hippocampal formation supports spatial cognition. *Philos. Trans. R Soc. Lond. B. Biol. Sci.* 369, 1–17.
- Hawkes, C., Kar, S., 2004. The insulin-like growth factor-II/mannose-6-phosphate receptor: structure, distribution and function in the central nervous system. *Brain Res. Brain Res. Rev.* 44, 117–140.
- Hawley, J.A., 2008. Specificity of training adaptation: time for a rethink? *J. Physiol.* 586, 1–2.
- Hayase, K., Tanaka, M., Tujioka, K., Hirano, E., Habuchi, O., Yokogoshi, H., 2001. 17- β -Estradiol Affects Brain Protein Synthesis Rate in Ovariectomized Female Rats. *J Nutr.* 131, 123–126.

- Heldt, S., Stanek, L., Chhatwal, J., Ressler, K., 2007. Hippocampus-specific deletion of BDNF in adult mice impairs spatial memory and extinction of aversive memories. *Mol. Psychiatry*. 12, 656–670.
- Henderson, V.W., 2010. Action of estrogens in the aging brain: Dementia and cognitive aging. *Biochim Biophys Acta*. 1800, 1077–1083.
- Hernández-Torres, R., Ramos-Jiménez, A., Torres-Durán, P., Romero-Gonzalez, J., Mascher, D., Posadas-Romero, C., Juárez-Oropeza, M., 2009. Effects of single sessions of low-intensity continuous and moderate-intensity intermittent exercise on blood lipids in the same endurance runners. *J Sci Med Sport*. 12, 323–331.
- Hojo, Y., Hattori, T., Enami, T., Furukawa, A., Suzuki, K., Ishii, H., Mukai, H., Kawato, S., 2004. Adult male rat hippocampus synthesizes estradiol from pregnenolone by cytochromes P45017 α and P450 aromatase localized in neurons. *PNAS*. 101, 865–870.
- Hojo, Y., Higo, S., Ishii, H., Ooishi, Y., Mukai, H., Murakami, G., Kominami, T., Kimoto, T., Honma, S., Poirier, D., Kawato, S., 2009. Comparison between Hippocampus-Synthesized and Circulation-Derived Sex Steroids in the Hippocampus. *Endocrinology*. 150, 5106–5112.
- Hojo, Y., Murakami, G., Mukai, H., Higo, S., Hatanaka, Y., 2008. Estrogen synthesis in the brain — Role in synaptic plasticity and memory. *Mol. Cell. Endocrinol*. 290, 31–43.
- Hosseinzadeh, S., Roshan, V.D., Pourasghar, M., 2013. Effects of Intermittent Aerobic Training on Passive Avoidance Test (Shuttle Box) and Stress Markers in the Dorsal Hippocampus Of Wistar Rats Exposed to Administration of Homocysteine. *Iran J Psychiatry Behav Sci*. 7, 37–44.
- Hu, X., Ballo, L., Pietila, L., Viesselmann, C., Ballweg, J., Stevenson, M., Merriam, E., Dent, E.W., 2012. BDNF-induced Increase of PSD-95 in Dendritic Spines Requires Dynamic Microtubule Invasions. *J. Neurosci*. 31, 15597–15603.
- Igarashi, M., Ohko, K., 2009. Proteins Involved in the Presynaptic Functions, in: Lajtha, A., Mikoshiba, K. (Eds.), *Handbook of Neurochemistry and Molecular Neurobiology Neural Signaling Mechanisms*. Springer Science & Business Media, New York, 47–62.
- Inagaki, T., Frankfurt, M., Luine, V., 2012. Estrogen-induced memory enhancements are blocked by acute bisphenol A in adult female rats: role of dendritic spines. *Endocrinology*. 153, 3357–3367.
- Jovanovic, J.N., Czernik, a J., Fienberg, a a, Greengard, P., Sihra, T.S., 2000. Synapsins as mediators of BDNF-enhanced neurotransmitter release. *Nat. Neurosci*. 3, 323–329.
- Kaidah, S., Kadarsih, S.S., Partadiredja, G., 2016. Exercise improves hippocampal estrogen and spatial memory of ovariectomized rats. *Bratisl. Med. J*. 117, 94–99.
- Kandel, E.R., Schwartz, J.H., Jessell, T.M., 2000. *Principles of Neural Science*, 4th ed. McGraw-Hill, New York.

- Kang, H., Welcher, A.A., Shelton, D., Schuman, E.M., 1997. Neurotrophins and Time: Different Roles for TrkB Signaling in Hippocampal Long-Term Potentiation. *Neuron*. 19, 653–664.
- Kang, H.J., Schuman, E.M., 1995. Neurotrophin-Induced Modulation of Synaptic Transmission in the Adult Hippocampus. *J.Physiol*. 89, 11–22.
- Katoh-Semba, R., Takeuchi, I.K., Semba, R., Kato, K., 1997. Distribution of brain-derived neurotrophic factor in rats and its changes with development in the brain. *J.Neurochem*. 69, 34–42.
- Kelly, N.A., Ford, M.P., Standaert, D.G., Watts, R.L., Bickel, C.S., Moellering, D.R., Tuggle, S.C., Williams, J.Y., Lieb, L., Windham, S.T., Bamman, M.M., 2014. Novel, high-intensity exercise prescription improves muscle mass, mitochondrial function, and physical capacity in individuals with Parkinson's disease. *J Appl Physiol*. 116, 582–592.
- Kim, M.J., Futai, K., Jo, J., Hayashi, Y., Cho, K., Sheng, M., 2007. Synaptic Accumulation of PSD-95 and Synaptic Function Regulated by Phosphorylation of Serine-295 of PSD-95. *Neuron*. 56, 488–502.
- Kimoto, T., Tsurugizawa, T., Ohta, Y., 2002. Cytochrome P 450-dependent neurosteroid synthesis in the rat brain hippocampal neurons. *Int. Congr. Ser*. 1233, 127–137.
- Kimoto, T., Tsurugizawa, T., Ohta, Y., Makino, J., Tamura Ho, Hojo, Y., Takata, N., Kawato, S., 2001. Neurosteroid synthesis by cytochrome p450-containing systems localized in the rat brain hippocampal neurons: N-methyl-D-aspartate and calcium-dependent synthesis. *Endocrinology*. 142, 3578–3589.
- Kiss, Á., Delattre, A.M., Pereira, S.I.R., Carolino, R.G., Szawka, R.E., Anselmo-Franci, J.A., Zanata, S.M., Ferraz, A.C., 2012. 17β-Estradiol replacement in young, adult and middle-aged female ovariectomized rats promotes improvement of spatial reference memory and an antidepressant effect and alters monoamines and BDNF levels in memory- and depression-related brain areas. *Behav Brain Res*. 227, 100–108.
- Kohara, K., Kitamura, A., Morishima, M., Tsumoto, T., 2001. Activity-Dependent Transfer of Brain-Derived Neurotrophic Factor to Postsynaptic Neurons. *Science*. 291, 2419–2423.
- Komatsuzaki, Y., Murakami, G., Tsurugizawa, T., Mukai, H., Tanabe, N., Mitsuhashi, K., Kawata, M., Kimoto, T., Ooishi, Y., Kawato, S., 2005. Rapid spinogenesis of pyramidal neurons induced by activation of glucocorticoid receptors in adult male rat hippocampus. *Biochem. Biophys. Res. Commun*. 335, 1002–1007.
- Korte, M., Carroll, P., Wolf, E., Brem, G., Thoenen, H., Bonhoeffer, T., 1995. Hippocampal long-term potentiation is impaired in mice lacking brain-derived neurotrophic factor. *Proc. Nati. Acad. Sci.USA*. 92, 8856–8860.
- Kovalchuk, Y., Hanse, E., Kafitz, K.W., Konnerth, A., 2002. Postsynaptic Induction of BDNF-Mediated Long-Term Potentiation. *Science*. 295, 1729–1734.

- Kretz, O., Fester, L., Wehrenberg, U., Zhou, L., Brauckmann, S., Zhao, S., Prange-Kiel, J., Naumann, T., Jarry, H., Frotscher, M., Rune, G.M., 2004. Hippocampal synapses depend on hippocampal estrogen synthesis. *J. Neurosci.* 24, 5913–5921.
- Kummer, B.H. Van, Cohen, R.W., 2015. Exercise-Induced Neuroprotection in the Spastic Han Wistar Rat: The Possible Role of Brain-Derived Neurotrophic Factor. *Biomed Res. Int.* 2015, 1–11.
- Langfitt, J.T., Westerveld, M., Vickrey, B.G., Sperling, M.R., Avenue, E., 2007. Worsening of quality of life after epilepsy surgery Effect of seizures and memory decline. *Neurology.* 68, 1988–1994.
- Le Roith, D., 1997. Seminars in medicine of the beth israel deaconess medical center. Insulin-like growth factors. *N. Engl J Med.* 336, 633–640.
- Lee, H., Nagata, K., Nakajima, S., Ohno, M., Ohta, S., Mikami, T., 2018. Intermittent intense exercise protects against cognitive decline in a similar manner to moderate exercise in chronically stressed mice. *Behav Brain Res.* 1, 59–64.
- Leslie, E., Owen, N., Salmon, J., Bauman, A., Sallis, J.F., Lo, S.K., 1999. Insufficiently Active Australian College Students: Perceived Personal, Social, and Environmental Influences. *Prev. Med.* 28, 20–27.
- Lichtenwalner, R.J., Forbes, M.E., Bennett, S.A., Lynch, C.D., Sonntag, W.E., Riddle, D.R., 2001. Intracerebroventricular infusion of insulin-like growth factor-I ameliorates the age-related decline in hippocampal neurogenesis. *Neuroscience.* 107, 603–613.
- Lu, J., Xu, Y., Hu, W., Gao, Y., Ni, X., Sheng, H., Liu, Y., 2014. Neuroscience Letters Exercise ameliorates depression-like behavior and increases hippocampal BDNF level in ovariectomized rats. *Neurosci Lett.* 573, 13–18.
- Luchetti, S., Bossers, K., Van de Bilt, S., Agrapart, V., Morales, R.R., Frajese, G.V., Swaab, D.F., 2011. Neurosteroid biosynthetic pathways changes in prefrontal cortex in Alzheimer's disease. *Neurobiol. Aging.* 32, 1964–1976.
- MacLusky, N.J., Luine, V.N., Hajszan, T., Leranth, C., 2005. The 17alpha and 17beta isomers of estradiol both induce rapid spine synapse formation in the CA1 hippocampal subfield of ovariectomized female rats. *Endocrinology.* 146, 287–293.
- Maher, F.O., Clarke, R.M., Kelly, A., Nally, R.E., Lynch, M.A., 2006. Interaction between interferon ?? and insulin-like growth factor-1 in hippocampus impacts on the ability of rats to sustain long-term potentiation. *J. Neurochem.* 96, 1560–1571.
- Markou, A., Duka, T., Prelevic, G.M., 2005. Estrogens and brain function. *Hormones (Athens).* 4, 9–17.
- Marosi, K., Felszeghy, K., Mehra, R.D., Radák, Z., Nyakas, C., 2012. Are the neuroprotective effects of estradiol and physical exercise comparable during ageing in female rats? *Biogerontology.* 13, 413–427.

- Matsumoto, T., Numakawa, T., Adachi, N., Yokomaku, D., Yamagishi, S., Takei, N., Hatanaka, H., 2001. Brain-derived neurotrophic factor enhances depolarization-evoked glutamate release in cultured cortical neurons. *J. Neurochem.* 79, 522–530.
- Mattson, M.P., Maudsley, S., Martin, B., 2004. BDNF and 5-HT : a dynamic duo in age-related neuronal plasticity and neurodegenerative disorders. *Trends Neurosci.* 27, 589–594.
- Maviel, T., Durkin, T.P., Menzaghi, F., Bontempi, B., 2004. Sites of Neocortical Reorganization Critical for Remote Spatial Memory. *Science.* 305, 96–99.
- Mazzeo, R.S., Tanaka, H., 2001. Exercise Prescription for the Elderly. *Current Recommendations. Sport. Med.* 31, 809–818.
- McEwen, B.S., Alves, S.E., 1999. Estrogen Actions in the Central Nervous System *. *Endocr Rev.* 20, 279–307.
- Minichiello, L., 2009. TrkB signalling pathways in LTP and learning. *Nat. Rev. Neurosci.* 10, 850–861.
- Minichiello, L., Calella, A.M., Medina, D.L., Bonhoeffer, T., Klein, R., Korte, M., 2002. Mechanism of TrkB-mediated hippocampal long-term potentiation. *Neuron.* 36, 121–137.
- Moreira, A.C., Silva, A.M., Santos, M.S., Sardão, V.A., 2014. Phytoestrogens as alternative hormone replacement therapy in menopause : What is real , what is unknown. *J. Steroid. Biochem. Mol. Biol.* 143, 61–71.
- Morris, R.G., 2001. Episodic-like memory in animals: psychological criteria, neural mechanisms and the value of episodic-like tasks to investigate animal models of neurodegenerative disease. *Philos. Trans. R. Soc. Lond. B. Biol. Sci.* 356, 1453–1465.
- Moser, E.I., Moser, M.-B., 2013. Grid cells and neural coding in high-end cortices. *Neuron.* 80, 765–774.
- Moult, P.R., Harvey, J., 2008. Hormonal regulation of hippocampal dendritic morphology and synaptic plasticity. *Cell Adh. Migr.* 2–4, 269–275.
- Munetsuna, E., Hojo, Y., Hattori, M., Ishii, H., Kawato, S., Ishida, A., Kominami, S.A.J., Yamazaki, T., 2009. Retinoic acid stimulates 17beta-estradiol and testosterone synthesis in rat hippocampal slice cultures. *Endocrinology.* 150, 4260–4269.
- Murakami, G., Tsurugizawa, T., Hatanaka, Y., Komatsuzaki, Y., Tanabe, N., Mukai, H., Hojo, Y., Kominami, S., Yamazaki, T., Kimoto, T., Kawato, S., 2006. Comparison between basal and apical dendritic spines in estrogen-induced rapid spinogenesis of CA1 principal neurons in the adult hippocampus. *Biochem. Biophys. Res. Commun.* 351, 553–558.
- Murillo-Cuesta, S., Rodríguez-de la Rosa, L., Cediél, R., Lassaletta, L., Varela-Nieto, I., 2011. The Role of Insulin-Like Growth Factor-I in the Physiopathology of Hearing. *Front. Mol. Neurosci.* 4, 1–17.

- Muzzio, I.A., Kentros, C., Kandel, E., 2009. What is remembered? Role of attention on the encoding and retrieval of hippocampal representations. *J. Physiol.* 587, 2837–2854.
- Nybo, L., Nielsen, B., Pedersen, B.K., Møller, K., Secher, N.H., 2002. Interleukin-6 release from the human brain during prolonged exercise. *J. Physiol.* 542, 991–995.
- Ogonovszky, H., Berkes, I., Kumagai, S., Kaneko, T., Tahara, S., Goto, S., Radak, Z., 2005. The effects of moderate-, strenuous- and over-training on oxidative stress markers, DNA repair, and memory, in rat brain. *Neurochem Int.* 46, 635–640.
- Ohtani-kaneko, R., Iwafuchi, M., Iwakura, T., Muraoka, D., 2010. Effects of estrogen on synapsin I distribution in developing hypothalamic neurons. *Neurosci Res.* 66, 180–188.
- Packer, N., Pervaiz, N., Hoffman-Goetz, L., 2010. Does exercise protect from cognitive decline by altering brain cytokine and apoptotic protein levels? *Exerc. Immunol. Rev.* 16, 136–162.
- Päth, G., Scherbaum, W.A., Bornstein, S.R., 2000. The role of interleukin-6 in the human adrenal gland. *Eur J Clin Invest.* 30, 91–95.
- Patterson, S.L., Abel, T., Deuel, T.A.S., Martin, K.C., Rose, J.C., Kandel, E.R., 1996. Recombinant BDNF rescues deficits in basal synaptic transmission and hippocampal LTP in BDNF knockout mice. *Neuron.* 16, 1137–1145.
- Pereira, D.B., Rebola, N., Rodrigues, R.J., Cunha, R.A., Carvalho, A.P., Duarte, C.B., 2006. TrkB Receptors Modulation of Glutamate Release Is Limited to a Subset of Nerve Terminals in the Adult Rat Hippocampus. *J. Neurosci. Res.* 83, 832–844.
- Phillips, C., Baktir, M.A., Srivatsan, M., Salehi, A., 2014. Neuroprotective effects of physical activity on the brain: a closer look at trophic factor signaling. *Front Cell Neurosci.* 8, 1–16.
- Ploughman, M., 2008. Exercise is brain food: The effects of physical activity on cognitive function. *Dev. Neurorehabil.* 11, 236–240.
- Ploughman, M., Granter-Button, S., Chernenko, G., Attwood, Z., Tucker, B.A., Mearow, K.M., Corbett, D., 2007. Exercise intensity influences the temporal profile of growth factors involved in neuronal plasticity following focal ischemia. *Brain Res.* 1150, 207–216.
- Prentice, R.L., Manson, J.E., Langer, R.D., Anderson, G.L., Pettinger, M., Jackson, R.D., Johnson, K.C., Kuller, L.H., Lane, D.S., Wactawski-wende, J., Brzyski, R., Allison, M., Ockene, J., Sarto, G., Rossouw, J.E., 2009. Benefits and Risks of Postmenopausal Hormone Therapy When It Is Initiated Soon After Menopause. *Am. J. Epidemiol.* 170, 12–23.
- Puche, J.E., Castilla-Cortázar, I., 2012. Human conditions of insulin-like growth factor-I (IGF-I) deficiency. *J. Transl. Med.* 10, 1–29.

- Racil, G., Ounis, O. Ben, Hammouda, O., Kallel, A., Zouhal, H., Chamari, K., Amri, M., 2013. Effects of high vs . moderate exercise intensity during interval training on lipids and adiponectin levels in obese young females. *Eur J Appl. Physiol.* 113, 2531–2540.
- Radak, Z., Chung, H.Y., Koltai, E., Taylor, A.W., Goto, S., 2008. Exercise , oxidative stress and hormesis. *Ageing Res. Rev.* 7, 34–42.
- Radak, Z., Ishihara, K., Tekus, E., Varga, C., Posa, A., Balogh, L., Boldogh, I., Koltai, E., 2017. Exercise , oxidants , and antioxidants change the shape of the bell-shaped hormesis curve. *Redox Biol.* 12, 285–290.
- Radak, Z., Taylor, A., Ohno, H., 2001. Adaptation to exercise-induced oxidative stress: from muscle to brain. *Exerc. Immunol. Rev.* 7, 90–107.
- Rajmohan, V., Mohandas, E., 2007. The limbic system. *Indian J. Psychiatry.* 49, 132–139.
- Ramsey, M.M., 2005. Functional Characterization of Des-IGF-1 Action at Excitatory Synapses in the CA1 Region of Rat Hippocampus. *J. Neurophysiol.* 94, 247–254.
- Rao, Y., Li, J., Wang, W., 2015. Effects of Gengnianchun on learning and memory ability , neurotransmitter , cytokines , and leptin in ovariectomized rats. *Int. J. Clin. Exp. Med.* 8, 8648–8660.
- Rapp, S.R., Espeland, M.A., Shumaker, S.A., Henderson, V.W., Brunner, R.L., Manson, J.E., Gass, M.L.S., Stefanick, M.L., Lane, D.S., Hays, J., Johnson, K.C., Coker, L.H., Dailey, M., 2003. Effect of Estrogen Plus Progestin on Global Cognitive Function in Postmenopausal Women. *JAMA.* 289, 2663–2672.
- Rasmussen, P., Vedel, J., Olesen, J., Adser, H., Pedersen, M. V, Hart, E., 2011. In humans IL-6 is released from the brain during and after exercise and paralleled by enhanced IL-6 mRNA expression in the hippocampus of mice. *Acta Physiol.* 201, 475–482.
- Rauf, S., Soejono, S.K., Partadiredja, G., 2015. Effects of treadmill exercise training on cerebellar estrogen and estrogen receptors , serum estrogen , and motor coordination performance of ovariectomized rats. *Iran J. Basic Med. Sci.* 18, 587–592.
- Rebas, E., Lachowicz, L., Lachowicz, A., 2005. Estradiol modulates the synapsins phosphorylation by various protein kinases in the rat brain under in vitro and in vivo conditions. *J Physiol Pharmacol.* 56, 39–48.
- Rocca, W.A., Bower, J.H., Maraganore, Ahlskog, J.E., Grossardt, B.R., Andrade, M. de, III, L.J.M., 2007. Increased risk of cognitive impairment or dementia in women who underwent oophorectomy before menopause Increased risk of cognitive impairment or dementia in women who underwent oophorectomy before menopause. *Neurology.* 69, 1074– 1083.
- Rune, G.M., Frotscher, M., 2005. Neurosteroid synthesis in the hippocampus: Role in synaptic plasticity. *Neuroscience.* 136, 833–842.

- Rune, G.M., Lohse, C., Prange-Kiel, J., Fester, L., Frotscher, M., 2006. Synaptic Plasticity in the Hippocampus: Effects of Estrogen from the Gonads or Hippocampus? *Neurochem. Res.* 31, 145–155.
- Russo, V.C., Gluckman, P.D., Feldman, E.L., Werther, G.A., 2005. The insulin-like growth factor system and its pleiotropic functions in brain. *Endocr. Rev.* 26, 916–943.
- Sarkaki, A., Amani, R., Badavi, M., Safahani, M., Aligholi, H., 2008. Effect of Ovariectomy on Reference Memory Version of Morris Water Maze in Young Adult Rats. *Iran Biomed. J.* 12, 123–128.
- Sasi, M., Vignoli, B., Canossa, M., Blum, R., 2017. Neurobiology of local and intercellular BDNF signaling. *Eur. J. Physiol.* 469, 593–610.
- Satriani, W.H., Redjeki, S., Kartinah, N.T., 2017. Effect of complex aerobic physical exercise on PSD-95 in the hippocampus and on cognitive function in juvenile mice Effect of complex aerobic physical exercise on PSD-95 in the hippocampus and on cognitive function in juvenile mice. *J Phys. Conf. Ser.* 884, 1–8.
- Savelli, F., Yoganarasimha, D., Knierim, J.J., 2008. Influence of boundary removal on the spatial representations of the medial entorhinal cortex. *Hippocampus.* 18, 1270–1282.
- Schaafsma, M., Homewood, J., Taylor, A., 2010. Subjective cognitive complaints at menopause associated with declines in performance of verbal memory and attentional processes. *Climacteric.* 13, 84–98.
- Schaeffer, V., Meyer, L., Patte-Mensah, C., Eckert, A., Mensah-Nyagan, A.G., 2008. Dose-dependent and sequence-sensitive effects of amyloid-beta peptide on neurosteroidogenesis in human neuroblastoma cells. *Neurochem. Int.* 52, 948–955.
- Schaeffer, V., Patte-Mensah, C., Eckert, A., Mensah-Nyagan, A.G., 2006. Modulation of neurosteroid production in human neuroblastoma cells by Alzheimer's disease key proteins. *J. Neurobiol.* 66, 868–881.
- Schinder, A.F., Poo, M., 2000. The neurotrophin hypothesis for synaptic plasticity. *Trend Neurosci.* 23, 639–645.
- Schmajuk, N.A., 1984. Psychological theories of hippocampal function. *Physiol. Psychol.* 12, 166–183.
- Sheng, M., Kim, E., 2011. The Postsynaptic Organization of Synapses. *Cold Spring Harb Perspect Biol.* 3, 1–21.
- Shi, L., Linville, M.C., Tucker, E.W., Sonntag, W.E., Brunso-Bechtold, J.K., 2005. Differential effects of aging and insulin-like growth factor-1 on synapses in CA1 of rat hippocampus. *Cereb. Cortex.* 15, 571–577.
- Shumaker, S.A., Legault, C., Rapp, S.R., Thal, L., Lane, D.S., Fillit, H., Stefanick, M.L., Hendrix, S.L., Lewis, C.E., Coker, L.H., 2004. Conjugated Equine Estrogens and Incidence of Probable Dementia and Mild Cognitive Impairment in Postmenopausal Women Women ' s Health Initiative Memory Study. *JAMA.* 291, 2947–2958.

- Shumaker, S.A., Legault, C., Rapp, S.R., Thal, L., Wallace, R.B., Ockene, J.K., Hendrix, S.L., Iii, B.N.J., Jackson, R.D., Kotchen, J.M., 2003. Estrogen Plus Progestin and the Incidence of Dementia and Mild Cognitive Impairment in Postmenopausal Women. *JAMA*. 289, 2651–2662.
- Simpson, E., Rubin, G., Clyne, C., Robertson, K., Donnell, L.O., Davis, S., Jones, M., 1999. Local estrogen biosynthesis in males and females. *Endocrine-Related Cancer*. 6, 131–137.
- Simpson, E.R., Davis, S.R., 2001. Minireview : Aromatase and the Regulation of Estrogen Biosynthesis — Some New Perspectives. *Endocrinology*. 142, 4589–4594.
- Solstad, T., Boccarda, C.N., Kropff, E., Moser, M.-B., Moser, E.I., 2008. Representation of geometric borders in the entorhinal cortex. *Science*. 322, 1865–1868.
- Sonntag, W.E., Ramsey, M., Carter, C.S., 2005. Growth hormone and insulin-like growth factor-1 (IGF-1) and their influence on cognitive aging. *Ageing Res. Rev.* 4, 195–212.
- Squire, L.R., 2004. Memory systems of the brain: A brief history and current perspective. *Neurobiol. Learn. Mem.* 82, 171–177.
- Srivastava, D.P., Waters, E.M., Mermelstein, P.G., Krama, A., Shors, T.J., Liu, F., 2011. Rapid Estrogen Signaling in the Brain : Implications for the Fine-Tuning of Neuronal Circuitry. *J Neurosci*. 31, 16056–16063.
- Stern, S.A., Chen, D.Y., Alberini, C.M., 2014. The effect of insulin and insulin-like growth factors on hippocampus- and amygdala-dependent long-term memory formation. *Learn. Mem.* 21, 556–563.
- Stutts, W.C., 2002. Physical Activity Determinants In Adults Oerceived Benefits, Barriers, and Self Efficacy. *AAOHN J.* 50, 499–507.
- Takeuchi, S., Mukai, N., Tateishi, T., Miyakawa, S., 2007. Production of sex steroid hormones from DHEA in articular chondrocyte of rats. *Am. J. Physiol. Endocrinol. Metab.* 293, E410-415.
- Tan, M.N., Kartal, M., Guldal, D., 2014. The effect of physical activity and body mass index on menopausal symptoms in Turkish women : a cross-sectional study in primary care. *BMC Womens Health*. 14, 1–9.
- Taupin, P., 2007. *The Hippocampus: Neurotransmission and Plasticity in The nervous Systems*. Nova Science Publishers, Inc, New York.
- Thompson, W.R., Gordon, N.F., Pescatello, L.S. (Eds.), 2009. *ACSM’s Guidelines for Exercise Testing and Prescription*, 8th ed. Lippincott William & Winkins, Philadelphia.
- Tjonna, A., Lee, S., Rognmo, O., Stolen, T., Bye, A., 2008. Aerobic interval training versus continuous moderate exercise as a treatment for the metabolic syndrome: a pilot study. *Circulation*. 118, 346–354.
- Trejo, J.L., Carro, E., Torres-Aleman, I., 2001. Circulating insulin-like growth factor I mediates exercise-induced increases in the number of new neurons in the adult hippocampus. *J. Neurosci*. 21, 1628–1634.

- Trejo, J.L., Piriz, J., Llorens-Martin, M. V, Fernandez, M., Bolós, M., LeRoith, D., Nuñez, Torres-Aleman, I., 2007. Central actions of liver-derived insulin-like growth factor I underlying its pro-cognitive effects. *Mol. Psychiatry*. 12, 1118–1128.
- Tropea, D., Van Wart, A., Sur, M., 2009. Molecular mechanisms of experience-dependent plasticity in visual cortex. *Philos. Trans. R. Soc. Lond. B. Biol. Sci.* 364, 341–355.
- Tsurugizawa, T., Mukai, H., Tanabe, N., Murakami, G., Hojo, Y., Kominami, S., Mitsuhashi, K., Komatsuzaki, Y., Morrison, J.H., Janssen, W.G.M., Kimoto, T., Kawato, S., 2005. Estrogen induces rapid decrease in dendritic thorns of CA3 pyramidal neurons in adult male rat hippocampus. *Biochem. Biophys. Res. Commun.* 337, 1345–1352.
- Tulving, E., Schacter, D.L., 1990. Priming and human memory systems. *Science*. 247, 301–306.
- Vaynman, S., Ying, Z., Gomez-pinilla, F., 2003. Interplay between brain-derived neurotrophic factor and signal transduction modulators in the regulation of the effects of exercise on synaptic-plasticity. *Neuroscience*. 122, 647–657.
- Vaynman, S., Ying, Z., Gomez-Pinilla, F., 2004. Hippocampal BDNF mediates the efficacy of exercise on synaptic plasticity and cognition. *Eur. J. Neurosci.* 20, 2580–2590.
- Vilela, T.C., Muller, A.P., Damiani, A.P., Macan, T.P., Silva, S., Canteiro, P.B., Casagrande, A.D.S., Pedroso, S., Nesi, R.T., Andrade, V.M. De, Pinho, R.A. De, 2017. Strength and Aerobic Exercises Improve Spatial Memory in Aging Rats Through Stimulating Distinct Neuroplasticity Mechanisms. *Mol Neurobiol.* 54, 7928–7937.
- Whaley, M.H., Brubaker, P.H., Otto, R.M. (Eds.), 2006. *ACSM's Guidelines for Exercise Testing dan Prescription*, 7th ed. Lippincott William & Winkins, Philadelphia.
- Wisløff, U., Støylen, A., Loennechen, J.P., Bruvold, M., Rognum, Ø., Haram, P.M., Tjønnå, A.E., Helgerud, J., Slørdahl, S.A., Lee, S.J., Videm, V., Bye, A., Smith, G.L., Najjar, S.M., Skjærpe, T., 2007. Superior cardiovascular effect of aerobic interval training versus moderate continuous training in heart failure patients: A randomized study. *Circulation* 115, 3086–3094.
- Woods, G.F., Oh, W.C., Boudewyn, L.C., Mikula, S.K., Zito, K., 2011. Loss of PSD-95 Enrichment Is Not a Prerequisite for Spine Retraction. *J. Neurosci.* 31, 12129–12138.
- Woolley, C.S., McEwen, B.S., 1992. Estradiol mediates fluctuation in hippocampal synapse density during the estrous cycle in the adult rat. *J. Neurosci.* 12, 2549–2554.
- Wrann, C.D., White, J.P., Salogiannis, J., Laznik-bogoslavski, D., Wu, J., Ma, D., Lin, J.D., Greenberg, M.E., Spiegelman, B.M., 2013. Exercise Induces Hippocampal BDNF through a PGC-1 α / FNDC5 Pathway. *Cell Metab.* 18, 649–659.

- Xing, C., Yin, Y., Chang, R., Gong, X., He, X., Xie, Z., 2007. Effects of insulin-like growth factor 1 on synaptic excitability in cultured rat hippocampal neurons. *Exp. Neurol.* 205, 222–229.
- Xing, C., Yin, Y., He, X., Xie, Z., 2006. Effects of insulin-like growth factor 1 on voltage-gated ion channels in cultured rat hippocampal neurons. *Brain Res.* 1072, 30–35.
- Yan, H., Mitschelen, M., Bixler, G. V, Brucklacher, R.M., Farley, J.A., Han, S., Freeman, W.M., Sonntag, W.E., 2011. Circulating IGF1 regulates hippocampal IGF1 levels and brain gene expression during adolescence. *J Endocrinol.* 211, 27–37.
- Ye, P., Li, L., Richards, R.G., DiAugustine, R.P., D’Ercole, A.J., 2002. Myelination Is Altered in Insulin-Like Growth Factor-I Null Mutant Mice. *J. Neurosci.* 22, 6041–6051.
- Yoshii, A., Constantine-Paton, M., 2014. Postsynaptic localization of PSD-95 is regulated by all three pathways downstream of TrkB signaling. *Front. Synaptic Neurosci.* 6, 1–7.
- Zhang, D., Zhang, J., Bian, C., Deng, Q., 2010. Postnatal and Ovariectomic Regulation of Postsynaptic Density Protein-95 in the Hippocampus of Female Sprague-Dawley Rats. *Synapse.* 64, 875–878.
- Zhao, H., Tian, Z., Hao, J., Chen, B., 2005. Extragonadal aromatization increases with time after ovariectomy in rats. *Reprod Biol Endocrinol.* 3, 1–9.
- Zoladz, J.A., Majerczak, J., Zeligowska, E., Mencil, J., Jaskolski, A., Jaskolska, A., Marusiak, J., 2014. Moderate-intensity interval training increases serum brain-derived neurotrophic factor level and decreases inflammation in Parkinson’s disease patients. *J. Physiol. Pharmacol.* 65, 441–448.