

## DAFTAR PUSTAKA

- Agarwal, R., Nissenson, A.R., Battle, D., Coyne, D.W., Trout, J.R., Warnock, D.G. 2003. Prevalence, treatment, and control of hypertension in chronic hemodialysis Patients in the United States. *Am J Med.* 115: 291–297
- Akintunde, A. A., Akinwusi, P. O., Familoni, O. B., & Opadijo, O. G. (2010). Effect of systemic hypertension on right ventricular morphology and function: an echocardiographic study. *Cardiovasc J Afr.*, 21(5), 252–256. <https://doi.org/Cvj-21.007>
- Alkhouli, M., Sandhu, P., Boobes, K., Hatahet, K., Raza, F., & Boobes, Y. (2015). Cardiac complications of arteriovenous fistulas in patients with end-stage renal disease. *Nefrologia*, 35(3), 234–245. <https://doi.org/10.1016/j.nefro.2015.07.005>
- American Diabetes Association. (2010). Diagnosis and classification of diabetes mellitus. *Diabetes Care.* 33(1)
- Bart, H., & Sameen A. Malik. (2015). *International Report about Kidney Disease in 4 European Countries*. <https://doi.org/10.1192/bjp.205.1.76a>
- Bleeker, G. B., Steendijk, P., Holman, E. R., Yu, C. M., Breithardt, O. A., Kaandorp, T. A. M., Schalij, M. J., van der Wall, E. E., Nihoyannopoulos, P., Bax, J. J. (2006). Assessing right ventricular function: The role of echocardiography and complementary technologies. *Heart*, 92(SUPPL. 1), 19–26. <https://doi.org/10.1136/hrt.2005.082503>
- Buckberg, G., Hoffman, J. I. E. (2014). Right Ventricular Architecture Responsible for Mechanical Performance: Unifying Role of Ventricular Septum. *The Journal of Thoracic Cardiovascular Surgery*, 148(6), 3166-3171.
- Calcuttea, A. (2013). *New insights in the assessment of right ventricular function : an echocardiographic study. Department of Public Health and Clinical Medicine, Umeå University, Umeå, 2013.*
- Chahal, H., McClelland, R. L., & Tandri, H. (2012). Obesity and Right Ventricular Structure and Function. *CHEST*, 141(2), 388–395. <https://doi.org/10.1378/chest.11-0172>
- Cheung, A. K., Sarnak, M. J., Yan, G., Berkoben, M., Heyka, R., Kaufman, A., ... Levey, A. S. (2004). Cardiac diseases in maintenance hemodialysis patients: Results of the HEMO Study. *Kidney International*. <https://doi.org/10.1111/j.1523-1755.2004.00657.x>
- Chemla, E., Morsey, M., Anderson, L., Whitmore, A. Inflow reduction by Distalization of Anastomosis Treats Efficiently High-Inflow-High-Cardiac Output Vascular Access for Hemodialysis. (2007). *Seminars in Dialysis*, 20(1), 68-72
- Chia, E. M., Hsieh, C. H. C., Boyd, A., Pham, P., Vidaic, J., Leung, D., & Thomas,

- L. (2014). Effects of age and gender on right ventricular systolic and diastolic function using two-dimensional speckle-tracking strain. *Journal of the American Society of Echocardiography*, 27(10), 1079–1086. <https://doi.org/10.1016/j.echo.2014.06.007>
- Chia, E. M., Hsieh, C. H. C., Pham, P., Vidaic, J., Xuan, W., Leung, D., & Thomas, L. (2015). Changes in Right Ventricular Function with Exercise in Healthy Subjects: Optimal Parameters and Effects of Gender and Age. *Journal of the American Society of Echocardiography*, 28(12), 1441–1451. <https://doi.org/10.1016/j.echo.2015.08.006>
- Corpataux, J.-M. (2002). Low-pressure environment and remodelling of the forearm vein in Brescia-Cimino haemodialysis access. *Nephrology Dialysis Transplantation*, 17(6), 1057–1062. <https://doi.org/10.1093/ndt/17.6.1057>
- Cowley, P. M., Wang, G., Joshi, S., Swigart, P. M., Lovett, D. H., Simpson, P. C., Baker, A. J. (2017). A1A-Subtype Adrenergic Agonist Therapy for the Failing Right Ventricle. *American Physiological Society*, <https://doi.org/10.1152/ajpheart.00153.2017>
- Dandel, M., Lehmkuhl, H., Knosalla, C., Suramelashvili, N., & Hetzer, R. (2009). Strain and strain rate imaging by echocardiography - basic concepts and clinical applicability. *Curr Cardiol Rev*, 5(2), 133–148. <https://doi.org/10.2174/157340309788166642>
- Di Lullo, L., Floccari, F., Rivera, R., Barbera, V., Granata, A., Otranto, G., Mudoni, A., Malaguti, M., Santoboni, A., Ronco, C. (2013). Pulmonary hypertension and right heart failure in chronic kidney disease: New challenge for 21st-century cardioneurologists. *CardioRenal Medicine*. <https://doi.org/10.1159/000350952>
- Dutta, T., & Aronow, W. S. (2017). Echocardiographic evaluation of the right ventricle: Clinical implications. *Clinical Cardiology*. <https://doi.org/10.1002/clc.22694>
- El-deen, M. B. S., George, S. K., Sheashaa, H. M., & Shabana, A. M. (2015). Right Ventricular Functions in Hemodialysis Patients : Tissue Doppler Study, 83(2), 385–391.
- Fiechter, M., Fuchs, T. A., Gebhard, C., Stehli, J., Klaeser, B., Stähli, B. E., Manka, R., Manes, C., Tanner, F., Gaemperli, O., Kaufmann, P. A. (2013). Age-related normal structural and functional ventricular values in cardiac function assessed by magnetic resonance. *BMC Medical Imaging*, 13(1). <https://doi.org/10.1186/1471-2342-13-6>
- Franczyk-Skóra, B., Gluba, A., Olszewski, R., Banach, M., & Rysz, J. (2014). Heart function disturbances in chronic kidney disease - Echocardiographic indices. *Archives of Medical Science*, 10(6), 1109–1116. <https://doi.org/10.5114/aoms.2014.47822>

- Gollop, N. D., & Frenneaux, M. (2016). Assessment of pulmonary artery pressure by echocardiography — A Dear Author , Please , note that changes made to the HTML content will be added to the article before publication , but are not reflected in this PDF . Note also that this file should not be , (July). <https://doi.org/10.1016/j.ijcha.2016.05.011>
- Guendouz, S., Rappeneau, S., Nahum, J., Dubois-Randé, J.-L., Gueret, P., Monin, J.-L., Lim, P., Adnot, S., Hittinger, L., Damy, T. (2012). Prognostic Significance and Normal Values of 2D Strain to Assess Right Ventricular Systolic Function in Chronic Heart Failure. *Circulation Journal*, 76(1), 127–136. <https://doi.org/10.1253/circj.CJ-11-0778>
- Guglin, M., & Verma, S. (2012). Right side of heart failure. *Heart Failure Reviews*, 17(3), 511–527. <https://doi.org/10.1007/s10741-011-9272-0>
- Guglin, M., Win, C. M., Darbinyan, N., & Wu, Y. (2012). Predictors of right ventricular systolic dysfunction in compensated and decompensated heart failure. *Congestive Heart Failure (Greenwich, Conn.)*. <https://doi.org/10.1111/j.1751-7133.2012.00289.x>
- Haddad, F., Doyle, R., Murphy, D. J., & Hunt, S. A. (2008). Right ventricular function in cardiovascular disease, part II: Pathophysiology, clinical importance, and management of right ventricular failure. *Circulation*, 117(13), 1717–1731. <https://doi.org/10.1161/CIRCULATIONAHA.107.653584>
- Haddad, F., Hunt, S. A., Rosenthal, D. N., & Murphy, D. J. (2008). Right ventricular function in cardiovascular disease, part I: Anatomy, physiology, aging, and functional assessment of the right ventricle. *Circulation*, 117(11), 1436–1448. <https://doi.org/10.1161/CIRCULATIONAHA.107.653576>
- Hammes, M. (2015). Hemodynamic and Biologic Determinates of Arteriovenous Fistula Outcomes in Renal Failure Patients. *BioMed Research International*. <https://doi.org/10.1155/2015/171674>
- Hanboly, N. (2016). Right ventricle morphology and function in systemic hypertension. *Nigerian Journal of Cardiology*, 13(1), 11. <https://doi.org/10.4103/0189-7969.173854>
- Hayabuchi, Y., Sakata, M., & Kagami, S. (2015). Right ventricular myocardial deformation patterns in children with congenital heart disease associated with right ventricular pressure overload. *European Heart Journal Cardiovascular Imaging*, 16(8), 890–899. <https://doi.org/10.1093/ehjci/jev011>
- Hecking, M., Bieber, B. A., Ethier, J., Kautzky-Willer, A., Sunder-Plassmann, G., Säemann, M. D., Ramirez, S. P. B., Gillespie, B. W., Pisoni, R. L., Robinson, B. M., Port, F. K. (2014). Sex-Specific Differences in Hemodialysis Prevalence and Practices and the Male-to-Female Mortality Rate: The Dialysis Outcomes and Practice Patterns Study (DOPPS). *PLoS Medicine*, 11(10). <https://doi.org/10.1371/journal.pmed.1001750>

- Herzog, C. A., Asinger, R. W., Berger, A. K., Charytan, D. M., Díez, J., Hart, R. G., Eckardt, K-U., Kasiske, B. L., McCullough, P. A., Passman, R. S., DeLoach, S. S., Pun, P. H., Ritz, E. (2011). Cardiovascular disease in chronic kidney disease. A clinical update from Kidney Disease: Improving Global Outcomes (KDIGO). *Kidney International*, 80(6), 572–586. <https://doi.org/10.1038/ki.2011.223>
- Hickson, L. T. J., Negrotto, S. M., Onuigbo, M., Scott, C. G., Rule, A. D., Norby, S. M., Albright, R. C., Casey, E. T., Dillon, J. J., Pellikka, P. A., Pislaru, S. V., Best, P. J. M., Villarraga, H. R., Lin, G., Williams, A. W., Nkomo, V. T. (2016). Echocardiography Criteria for Structural Heart Disease in Patients with End-Stage Renal Disease Initiating Hemodialysis. *Journal of the American College of Cardiology*, 67(10), 1173–1182. <https://doi.org/10.1016/j.jacc.2015.12.052>
- Hill, N. R., Fatoba, S. T., Oke, J. L., Hirst, J. A., Callaghan, A. O., Lasserson, D. S., & Hobbs, F. D. R. (2016). Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis, 1–18. <https://doi.org/10.5061/dryad.3s7rd.Funding>
- Ibanez, B., James, S., Agewall, S., Antunes, M.J., Bucciarelli-Ducci, C., Bueno, H., Caforio, A.L.P., Crea, F., Goudevenos, J.A., Halvorsen, S., Hindricks, G., Kastrati, A., Lenen, M.J., Prescott, E., Roffi, M., Valgimigli, M., Varenhorst, C., Vranckx, P., Widimsky, P. (2017). 2017 ESC Guidelines for the Management of Acute Myocardial Infarction in Patients Presenting with ST-Segment Elevation. *European heart Journal*.(39), 119-177
- Imran, T. F., Hashim, H., Beidas, A. K., & Oriscello, R. (2015). A covert complication of arteriovenous fistulas. *Journal of Cardiology Cases*, 11(5), 132–135. <https://doi.org/10.1016/j.jccase.2015.01.004>
- Iwashima, Y., Horio, T., Takami, Y., Inenaga, T., Nishikimi, T., Takishita, S., & Kawano, Y. (2002). Effects of the creation of arteriovenous fistula for hemodialysis on cardiac function and natriuretic peptide levels in CRF. *American Journal of Kidney Diseases*, 40(5), 974–982. <https://doi.org/10.1053/ajkd.2002.36329>
- Jędrzejewska, I., Król, W., Światowiec, A., Wilczewska, A., Grzywanowska-Łaniewska, I., Dłużniewski, M., & Braksator, W. (2016). Left and right ventricular systolic function impairment in type 1 diabetic young adults assessed by 2D speckle tracking echocardiography. *European Heart Journal Cardiovascular Imaging*, 17(4), 438–446. <https://doi.org/10.1093/ehjci/jev164>
- Jurcut, R., Giusca, S., La Gerche, A., Vasile, S., Ginhina, C., & Voigt, J. U. (2010). The echocardiographic assessment of the right ventricle: What to do in 2010? *European Journal of Echocardiography*, 11(2), 81–96.

<https://doi.org/10.1093/ejehoccard/jep234>

- Kannan, A., Poongkunran, C., Jayaraj, M., & Janardhanan, R. (2014). Role of strain imaging in right heart disease: a comprehensive review. *Journal of Clinical Medicine Research*, 6(5), 309–313. <https://doi.org/10.14740/jocmr1842w>
- Kawar, B., Ellam, T., Jackson, C., & Kiely, D. (2013). Pulmonary Hypertension in Renal Disease : Epidemiology , Potential Mechanisms and. *American Journal of Nephrology*, 37, 281–290. <https://doi.org/10.1159/000348804>
- Kim, S. Y. (2016). The definition of obesity. *Korean Journal of Family Medicine*, 37(6), 309–309. <https://doi.org/10.4082/kjfm.2016.37.6.309>
- Kossaiyf, A. (2015). Echocardiographic assessment of the right ventricle, from the conventional approach to speckle tracking and three-dimensional imaging, and insights into the “Right Way” to explore the forgotten chamber. *Clinical Medicine Insights: Cardiology*, 9, 65–75. <https://doi.org/10.4137/CMC.S27462>
- Lang, R. M., Badano, L. P., Mor-Avi, V., Afilalo, J., Armstrong, A., Ernande, L., Flachskampf, F. A., Foster, E., Gostein, S. A., Kusnetsova, T., Lancellotti, P., Muraru, D., Picard, M. H., Rietzchel, E. R., Rudski, L., Spencer, K. T., Tsang, W., Voigt, J. U. (2015). Recommendations for cardiac chamber quantification by echocardiography in adults: An update from the American society of echocardiography and the European association of cardiovascular imaging. *European Heart Journal Cardiovascular Imaging*, 16(3), 233–271. <https://doi.org/10.1093/ehjci/jev014>
- Lawton, J. S., Cupps, B. P., Knutsen, A. K., Ma, N., Brady, B. D., Reynolds, L. M., & Pasque, M. K. (2011). Magnetic resonance imaging detects significant sex differences in human myocardial strain. *BioMedical Engineering Online*, 10, 1–11. <https://doi.org/10.1186/1475-925X-10-76>
- Levey, A. S., Eckardt, K. U., Tsukamoto, Y., Levin, A., Coresh, J., Rossert, J., Zeeuw, D. D., Hostetter, T. H., Lameire, N., illis, K. (2005). Definition and classification of chronic kidney disease: A position statement from Kidney Disease: Improving Global Outcomes (KDIGO)z. *Kidney International*, 67(6), 2089–2100. <https://doi.org/10.1111/j.1523-1755.2005.00365.x>
- Liu, Y., Wang, Y., Wang, Y., & Wen, Z. H. E. (2017). Evaluation of two-dimensional strain echocardiography for quantifying right ventricular function in patients with pulmonary arterial hypertension. *Experimental and Therapeutic Medicine*, 14, 1248–1252. <https://doi.org/10.3892/etm.2017.4581>
- López-Quijano, J. M., Gordillo-Moscoso, A., Viana-Rojas, J. A., Carrillo-Calvillo, J., Mandeville, P. B., & Chevaile-Ramos, A. (2016). Clinical and echocardiographic factors associated with right ventricular systolic dysfunction in hemodialysis patients. *CardioRenal Medicine*. <https://doi.org/10.1159/000444129>

- Lu, D. Y., Chen, E. Y., Wong, D. J., Yamamoto, K., Protack, C. D., Williams, W. T., Assi, R., Hall, M. R., Sadaghianloo, N., Dardik, A. (2014). Vein graft adaptation and fistula maturation in the arterial environment. *Journal of Surgical Research*, 188(1), 162–173. <https://doi.org/10.1016/j.jss.2014.01.042>
- Luo, L., Zhu, J., Chen, J., Gao, L., & Feng, S. (2016). Study of right ventricular function with preserved left ejection fraction by three-dimensional speckle tracking in uremic patients undergoing peritoneal dialysis. *Int J Clin Exp Med*, 9(6), 11113–11124. Retrieved from [www.ijcem.com](http://www.ijcem.com)
- Malik, J., Tuka, V., Mokrejsova, M., Holaj, R., & Tesar, V. (2010). *Mechanism of Chronic Heart Failure Development in End-Stage Renal Disease patients on Chronic Hemodialysis*. Charles University Prague, Czech Republic.
- Malík, J., Tuka, V., Mokrejšová, M., Holaj, R., & Tesař, V. (2009). Mechanisms of chronic heart failure development in end-stage renal disease patients on chronic hemodialysis. *Physiological Research*, 58(5), 613–621. <https://doi.org/1619> [pii]
- Mancia, G., Fagard, R., Narkiewicz, K., Redon, J., Zanchetti, A., Bohm, M., Christiaens, T., Cifkova, R., Backer, G.D., Dominiczak, A., Galderisi, M., Grobbee, D. E., Jaarsma, T., Kirchoof, P., Kjeldsen, S.E., Laurent, S., Manolis, A. J., Nilsson, P.M., Ruilopse, L. M., Schmieder, R. E., Sirnes, P. A., Sleight, P., Viigimaa, M., Waeber, B., Zannad, F. (2013). 2013 ESH/ESC Guidelines for the Management of Arterial Hypertension. *European Heart Journal*. 34. 2159-2219
- McCullough, P. A., Rios, A., & Smith, B. (2017). Dialysis fistulas and heart failure. *European Heart Journal*, 38(24), 1924–1925. <https://doi.org/10.1093/eurheartj/ehx114>
- Mclaughlin, K., & Jardine, A. G. (2001). Cardiovascular Complication of Renal Disease. *Heart*, 86, 459–466.
- Melenovsky, V., Kotrc, M., Borlaug, B. A., Marek, T., Kovar, J., Malek, I., & Kautzner, J. (2013). Relationships between right ventricular function, body composition, and prognosis in advanced heart failure. *Journal of the American College of Cardiology*, 62(18), 1660–1670. <https://doi.org/10.1016/j.jacc.2013.06.046>
- Momtaz, Fishawy, H. Al, Aljarhi, U. M., Al-Ansi, R. Z., Megid, M. A., & Khaled, M. (2013). Right ventricular dysfunction in patients with end-stage renal disease on regular hemodialysis. *The Egyptian Journal of Internal Medicine*, 25(3), 127. <https://doi.org/10.7123/01.EJIM.0000432302.99518.C5>
- Mozaffarian, D., Nye, R., & Levy, W. C. (2003). Anemia predicts mortality in severe heart failure: The prospective randomized amlodipine survival evaluation (PRAISE). *Journal of the American College of Cardiology*, 41(11), 1933–1939. [https://doi.org/10.1016/S0735-1097\(03\)00425-X](https://doi.org/10.1016/S0735-1097(03)00425-X)

- Muraru, D., Onciul, S., Peluso, D., Soriani, N., Cucchini, U., Aruta, P., Romeo, G., Cavalli, G., Iliceto, S., Badano, L. P. (2016). Sex- and method-specific reference values for right ventricular strain by 2-dimensional speckle-tracking echocardiography. *Circulation: Cardiovascular Imaging*, 9(2), 1–9. <https://doi.org/10.1161/CIRCIMAGING.115.003866>
- Narechania, S., & Tonelli, A. R. (2016). Hemodynamic consequences of a surgical arteriovenous fistula. In *Annals of the American Thoracic Society*. <https://doi.org/10.1513/AnnalsATS.201509-636CC>
- National Kidney Foundation. (2006). Clinical Practice Guidelines for Vascular Access. *American Journal of Kidney Diseases*, 48(SUPPL. 1), 487–488. <https://doi.org/10.1053/j.ajkd.2006.04.040>
- National Kidney foundation. (2013). Kidney Transplant. [www.kidney.org](http://www.kidney.org).
- National Kidney Foundation. (2012). KDIGO Clinical Practice Guideline for the Management of Blood Pressure in Chronic Kidney Disease. *Kidney International, Supp:2(5)*, 337–414. <https://doi.org/10.1038/kisup.2012.7>
- Neuen, B. L., Chadban, S. J., Demaio, A. R., Johnson, D. W., & Perkovic, V. (2017). Chronic kidney disease and the global NCDs agenda. *BMJ Global Health*. <https://doi.org/10.1136/bmjgh-2017-000380>
- Paneni, F., Gregori, M., Ciavarella, G. M., Sciarretta, S., De Biase, L., Marino, L., Tocci, G., Principe, F., Domenici, A., Luciani, R., Punzo, G., Mene, P., Volpe, M. (2010). Right ventricular dysfunction in patients with end-stage renal disease. *American Journal of Nephrology*. <https://doi.org/10.1159/000320755>
- Rahimlu, M., Shab-Bidar, S., & Djafarian, K. (2017). Body Mass Index and All-cause Mortality in Chronic Kidney Disease: A Dose–response Meta-analysis of Observational Studies. *Journal of Renal Nutrition*, 27(4), 225–232. <https://doi.org/10.1053/j.jrn.2017.01.016>
- Reddy, Y. N. V., Obokata, M., Dean, P. G., Melenovsky, V., Nath, K. A., & Borlaug, B. A. (2017). Long-term cardiovascular changes following creation of arteriovenous fistula in patients with end stage renal disease. *European Heart Journal Cardiovascular Imaging*, (38), 1913–1923. <https://doi.org/10.1093/eurheartj/ehx045>
- Ryan, H., Trosclair, A. Gfroerer, J. (2012). Adult Current Smoking: Differences in Definitions and Prevalence Estimates-NHIS and NSDUH, 2008. *Journal of Environmental and Public Health*, (2012)
- Sadeghpour, A., & Alizadehasl, A. (2015). The Right Ventricle: A Comprehensive Review From Anatomy, Physiology, and Mechanics to Hemodynamic, Functional, and Imaging Evaluation. *Archives of Cardiovascular Imaging*. <https://doi.org/10.5812/acvi.35717>
- Sarnak, M. J., Levey, A. S., Schoolwerth, A. C., Coresh, J., Culleton, B., Hamm, L. L., McCullough, P. A., Kasiske, B. L., kelepouris E., Klag, M. J., Parfrey, P.,

- Pfeffer, M., Raij, L., Spinosa, D. J., Wilson, P. W. (2003). Kidney Disease as a Risk Factor for Development of Cardiovascular Disease: A Statement From the American Heart Association Councils on Kidney in Cardiovascular Disease, High Blood Pressure Research, Clinical Cardiology, and Epidemiology and Prevention. *Circulation*. <https://doi.org/10.1161/01.CIR.0000095676.90936.80>
- Savage, M. T., Ferro, C. J., Sassano, A., & Tomson, C. R. V. (2002). The impact of arteriovenous fistula formation on central hemodynamic pressures in chronic renal failure patients: A prospective study. *American Journal of Kidney Diseases*. <https://doi.org/10.1053/ajkd.2002.35686>
- Schlangen, J., Petko, C., Hansen, J. H., Michel, M., Hart, C., Uebing, A., ... Kramer, H. H. (2014). Two-dimensional global longitudinal strain rate is a preload independent index of systemic right ventricular contractility in hypoplastic left heart syndrome patients after fontan operation. *Circulation: Cardiovascular Imaging*, 7(6), 880–886. <https://doi.org/10.1161/CIRCIMAGING.114.002110>
- Seyedian, S. M., Majididi, S., Asgharinejad, L., Esmaeili, M., Ahmadi, F., & Salehzadeh, M. (2015). Acute and Chronic Effect of Cigarette on Right and Left Ventricular Diastolic Function. *Jentashapir Journal of Health Research*, 6(5). <https://doi.org/10.17795/jjhr-25889>
- Shiba, N., & Shimokawa, H. (2011). Chronic kidney disease and heart failure- Bidirectional close link and common therapeutic goal. *Journal of Cardiology*, 57(1), 8–17. <https://doi.org/10.1016/j.jjcc.2010.09.004>
- Siddiky, A., Sarwar, K., Ahmad, N., & Gilbert, J. (2014). Management of arteriovenous fistulas. *BMJ (Online)*, 349(November), 24–28. <https://doi.org/10.1136/bmj.g6262>
- Stoylen, A. (n.d.). Strain rate.
- Strange, G., Playford, D., Stewart, S., Deague, J. A., Nelson, H., Kent, A., & Gabbay, E. (2012). Pulmonary hypertension : prevalence and mortality in the Armadale echocardiography cohort, (December 2009), 1805–1811. <https://doi.org/10.1136/heartjnl-2012-301992>
- Teske, A. J., De Boeck, B. W. L., Olimulder, M., Prakken, N. H., Doevendans, P. A. F., & Cramer, M. J. (2008). Echocardiographic Assessment of Regional Right Ventricular Function: A Head-to-head Comparison Between 2-Dimensional and Tissue Doppler-derived Strain Analysis. *Journal of the American Society of Echocardiography*, 21(3), 275–283. <https://doi.org/10.1016/j.echo.2007.08.027>
- Tomey, M. I., & Winston, J. A. (2014). Cardiovascular pathophysiology in chronic kidney disease: Opportunities to transition from disease to health. *Annals of Global Health*, 80(1), 69–76. <https://doi.org/10.1016/j.aogh.2013.12.007>

- Ventetuolo, C. E., Ouyang, P., Bluemke, D. A., Tandri, H., Barr, R. G., Bagiella, E., Cappola, A. R., Bristow, M. R., Johnson, C., Kronmal, R. A., Kizer, J. R., Lima, J. A. C., Kawut, S. M. (2011). Sex hormones are associated with right ventricular structure and function: The MESA-right ventricle study. *American Journal of Respiratory and Critical Care Medicine*, 183(5), 659–667. <https://doi.org/10.1164/rccm.201007-1027OC>
- Vitarelli, A., Mangieri, E., Terzano, C., Gaudio, C., Salsano, F., Rosato, E., Caposto, L., Simona, D., Azzano, A., Truscetti, G., Cocco, N., Ashurov, R. (2015). Three-dimensional echocardiography and 2D-3D speckle-tracking imaging in chronic pulmonary hypertension: Diagnostic accuracy in detecting hemodynamic signs of right ventricular (RV) failure. *Journal of the American Heart Association*, 4(3), 1–14. <https://doi.org/10.1161/JAHA.114.001584>
- Vroegop, J. 2002. Modelling the Effects of an Arteriovenous Fistula on Cardiac Function.
- Wong, C.Y., O'Moore-Sullivan, T., Rodell, L., Hukins, C., Jenksin C., Marwick, T.H. Association of Subclinical Right Ventricular Dysfunction With Obesity. *Journal of the American College of Cardiology*.47(3), 611-616
- Woorthy, S., Chandrasekar, S., Ramakrishnan, S., Jayabalaji. (2016). Right Ventricular Dysfunction in Chronic Kidney Disease Stages 3 and 4. *Journal of Evidence Based Medicine and Healthcare*, 3(90), 4959-4963. <https://doi.org/10.18410/jebmh/2016/1044>
- Worthley, M., Dundon, B., Torpey, D., Nelson, A., Wong, D., Duncan, R., Meredith, I., Faull, R., Torpey, D., Worthley, S. (2014). The deleterious effects of arteriovenous fistula-creation on the cardiovascular system: a longitudinal magnetic resonance imaging study. *International Journal of Nephrology and Renovascular Disease*, 7, 337. <https://doi.org/10.2147/IJNRD.S66390>
- Wright, J., & Hutchison, A. (2009). Vascular Health and Risk Management Cardiovascular disease in patients with chronic kidney disease. *Vascular Health and Risk Management*, 5, 713–722.
- Yigla, M., Banderski, R., Azzam, Z. S., Reisner, S. A., & Nakhoul, F. (2008). Arterio-venous access in end-stage renal disease patients and pulmonary hypertension. *Therapeutic Advances in Respiratory Disease Original Research Therapeutic Advances in Respiratory Disease*, 2(2), 49–53. <https://doi.org/10.1177/>
- Yuniadi, Y., Tondas, A. E., Hanafy, D. A., Hermanto, D. Y., Maharani, E., Munawar, M., Raharjo, S. B. (2014). Pedoman Tata Laksana Fibrilasi Atrium. Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.
- Zamboli, P., Fiorini, F., D'Amelio, A., Fatuzzo, P., & Granata, A. (2014). Color Doppler ultrasound and arteriovenous fistulas for hemodialysis. *Journal of Ultrasound*, 17(4), 253–263. <https://doi.org/10.1007/s40477-014-0113-6>

- Zamboli, P., Lucà, S., Borrelli, S., Garofalo, C., Liberti, M. E., Pacilio, M., ... Punzi, M. (2018). High-flow arteriovenous fistula and heart failure: could the indexation of blood flow rate and echocardiography have a role in the identification of patients at higher risk? *Journal of Nephrology*, *0*(0), 1–9. <https://doi.org/10.1007/s40620-018-0472-8>
- Zhang, Q., Wang, L., Zeng, H., Lv, Y., & Huang, Y. (2018). Epidemiology and risk factors in CKD patients with pulmonary hypertension: A retrospective study. *BMC Nephrology*, *19*(1), 1–8. <https://doi.org/10.1186/s12882-018-0866-9>