

DAFTAR PUSTAKA

- Agrawal, G.K., R. Rakwal, S. Tamogami, M. Yonekura, A. Kubo, and H. Saji. 2002. Chitosan activates defense/stress response(s) in the leaves of *Oryza sativa* seedling. *Plant Physiol. Biochem.* 40 :1061–106.
- Agrios, GN. 2004. *Plant Pathology*. 5th Edition, Academic Press, San Diego.
- Ahn, S.W., R.C. dela Pena, B.L. Candole, and T.W. Mew. 1986. A new scale for rice sheath blight (ShB disease assesment. *IRRN* 11:17.
- Ajayi, A.A., E.A. Onibokun, F.O.A. George and O.M. Atolagbe, 2016. Isolation and Characterization of Chitinolytic Bacteria for Chitinase Production from the African Catfish, *Clarias gariepinus* (Burchell, 1822). *Research Journal of Microbiology*, 11: 119-125.
- Alexopoulos, C. J., and Mims, S.W. 1979. *Introductory Mycology*. Fourth edition: 1-613.
- Aliferis, K. A., and S. Jabaji. 2010. Metabolite composition and bioactivity of *Rhizoctonia solani* sclerotial exudates. *Journal agriculture food* 58 (13): 7604-15.
- Anonim. 2006. *Direktori padi Indonesia*. Balai Besar Penelitian Tanaman Padi. Badan Penelitian dan Pengembangan Pertanian. 360p.
- Anonim. 2015. Pengertian umum varietas, galur, inbrida dan hibrida. <<http://bbpadi.litbang.pertanian.go.id/index.php/berita/info-teknologi/content/188-pengertian-umum-varietas-galur-inbrida-dan-hibrida>>. Diakses pada tanggal 16 Januari 2018.
- Anonim. 2016. Produksi padi tahun 2015 naik 6,42 persen. <<https://www.bps.go.id/pressrelease/2016/07/01/1272/produksi-padi-tahun-2015-naik-6-42-persen.html>>. Diakses pada tanggal 5 Januari 2018.
- Anonim. 2017. Data Kementan Selaras dengan Data BPS. <http://www.pertanian.go.id/ap_posts/detil/1181/2017/09/28/09/30/05/Dat a%20Kementan%20Selaras%20Dengan%20Data%20BPS>. Diakses pada tanggal 11 Januari 2018.
- Armentrout, V. N., and Downer, A. J. 1987. Infection cushion development by *Rhizoctonia solani* on cotton. *Phytopathology* 77:619-623.
- Badawy, M.I, and E.I. Rabea. 2011. A Biopolymer Chitosan and Its Derivatives as Promising Antimicrobial Agents against Plant Pathogens and Their Applications in Crop Protection. *International Journal of Carbohydrate Chemistry*. doi:10.1155/2011/460381

- Bruce, R. J. & West, C. A. 1989, Elicitation of lignin biosynthesis and isoperoxidase activity by pectic fragments in suspension cultures of castor bean. *Plant Physiol.* 91, 889–897.
- Bueter, C.L., Specht, C.A., and Levitz, S.M. 2013. Innate sensing of chitin and kitosan. *PLoS Pathogens*, 0.9, e100308
- Chandra, Swarnendu, Nilanjan Chakraborty, Adhiraj Dasgupta, Joy Sarkar, Koustubh Panda & Krishnendu Acharya. 2015. Abiotic elicitor-mediated improvement of innate immunity in *Camellia sinensis*. *J. Plant Growth Regul.* 33, 849–859.
- Chen, H.P.; Xu, L.L. Isolation and characterization of a novel chitosan-binding protein from nonheading chinese cabbage leaves. *J. Integr. Plant Biol.* 2005, 47, 452–456.
- Chisholm ST, Coaker G, Day B, Staskawicz BJ. 2006. Host-microbe interactions: Shaping the evolution of the plant immune response. *Cell.* 124(4):803–814.
- Corsi B, Forni C, Riccioni L, Linthorst JMH. 2017. Erratum to: Enhancement of PR1 and PR5 gene expressions by chitosan treatment in kiwifruit plants inoculated with *Pseudomonas syringae* pv. *actinidiae* (Eur J Plant Pathol, 10.1007/s10658-016-1080-x). *Eur J Plant Pathol.* 147(2):471.
- Datta K, Tu J, Oliva N, Ona I. 2001. Enhanced resistance to sheath blight by constitutive expression of infection-related rice chitinase in transgenic elite indica rice cultivars. 160:405–414.
- Dodman, R. L., Barker, K. R., and Walker, J. C. 1968. Modes of penetration by different isolates of *Rhizoctonia solani*. *Phytopathology* 58:31-33.
- Dodman. R. L and N. T. Flentje. 1998. The mechanism and Physiology of Plant by *Rhizoctonia Solani*. Department of Plant Pathology, Waite Agricultural Research Institute.
- Eken, C. and E. Demirei. 2004. Anastomosis groups and pathogenicity of *Rhizoctonia solani* and binucleate *Rhizoctonia isolate* from bean *Plant Pathology* 86(1):49-52.
- El Hadrami A, Adam LR, El Hadrami I, Daayf F. 2010. Chitosan in plant protection. *Mar Drugs.* 8(4):968–987. doi:10.3390/md8040968.
- Fardiaz, D. 1989. Hidrokoloid. Laboratorium Kimia dan Biokimia Pangan. Pusat Antar Universitas Pangan dan Gizi-IPB.
- Freeman W.M., Walker S.J., and Vrana K.E. 1999. Quantitative RT-PCR: Pitfalls and potential. *BioTechnique* 26: 112-125.

- Frost CJ, Mescher MC, Carlson JE, De Moraes CM. 2008. Plant Defense Priming against Herbivores: Getting Ready for a Different Battle. *Plant Physiol.* 146(3):818–824. doi:10.1104/pp.107.113027.
- García VG, Onco MAP, Susan VR. 2006. Review . Biology and Systematics of the form genus *Rhizoctonia*. 4:55–79.
- Hadwiger LA. 2015. Anatomy of a nonhost disease resistance response of pea to *Fusarium solani*: PR gene elicitation via DNase, chitosan and chromatin alterations. *Front Plant Sci.* 6(June):1–11. doi:10.3389/fpls.2015.00373.
- Hamzah P. 2017. Variabilitas morfologi dan genetik *Rhizoctonia solani* penyebab penyakit hawar pelepah padi di provinsi Jawa Tengah, Yogyakarta dan Sulawesi Selatan.
- Handani WR, Sediawan WB, Tawfiequrrahman A, Wiratni, Kusumastuti Y. 2017. The effect of temperature and chitosan concentration during storage on the growth of chitosan nanoparticle produced by ionic gelation method. *AIP Conf Proc.* 1840.
- Hiddink, G.A, Aad J. Termorshuizen, Jos M. Raaijmakers, and Ariena H. C. van Bruggen. 2005. Effect of Mixed and Single Crops on Disease Suppressiveness of Soils. *The American Phytopathological Society* 95(11):1325-1332.
- Higuchi R., Fockler C., Dollinger G., and Watson R. 1993. Kinetic PCR analysis: Real-time monitoring of DNA amplification reaction. *Bio/Technology* 11: 1026-1030.
- Howard RJ, Valent B. Breaking and entering: host penetration by the fungal rice blast pathogen *Magnaporthe grisea*. *Annu. Rev. Microbiol.* 1996; 50:491–512.
- Irawati, Ana Feronika Cindra. 2004. Karakterisasi dan uji virulensi *Rhizoctonia* sp. yang diisolasi dari perakaran tanaman vanili. Tesis program pascasarjana UGM.
- Jia Y, Correa-Victoria F, McClung A, Zhu L, Liu G. 2007. Rapid determination of rice cultivar responses to the sheath blight pathogen *Rhizoctonia solani* using a micro-chamber screening method. *Plant Dis* 91: 485–489.
- JuanAbgona R. V., Katsuno N, Kageyama K, Hyakumachi M. 1996. Isolation and identification of hypovirulent *Rhizoctonia* spp from soil. *Plant Pathol.* 45(5):896–904.
- Kagale S., Marimuthu T., Kagale J., Thayumanavan B., Samiyappan R. 2011. Induction of systemic resistance in rice by leaf extracts of *Zizyphus jujuba* and *Ipomoea carnea* against *Rhizoctonia solani*. *Plant Signal Behav.* 6 (7): 919–923.

- Kartasapoetra*. 1988. Teknologi Penyuluhan Pertanian. PT Bina Aksara. Jakarta.
- Kästner B, Tenhaken R, Kauss H. 1998. Chitinase in cucumber hypocotyls is induced by germinating fungal spores and by fungal elicitor in synergism with inducers of acquired resistance. *Plant J.* 13(4):447–454
- Kavanagh, Kevin. 2011. *Fungi*. A John Wiley & Sons, Ltd., Publication. Ireland.
- [Kawahara Y](#), [de la Bastide M](#), [Hamilton JP](#), [Kanamori H](#), [McCombie WR](#), [Ouyang S](#), [Schwartz DC](#), [Tanaka T](#), [Wu J](#), [Zhou S](#), [Childs KL](#), [Davidson RM](#), [Lin H](#), [Quesada-Ocampo L](#), [Vaillancourt B](#), [Sakai H](#), [Lee SS](#), [Kim J](#), [Numa H](#), [Itoh T](#), [Buell CR](#), [Matsumoto T](#). 2013. Improvement of the *Oryza sativa* Nipponbare reference genome using next generation sequence and optical map data. *Rice (N Y)*, 2013 Feb 6;6(1):4.
- Keijer J. 1996. The initial steps of the infection process in *Rhizoctonia solani*. In: *Rhizoctonia species: taxonomy, molecular biology, ecology, pathology and disease control* (Sneh B., Jabaji-Hare S., Neate S., Dijst, G., eds.). Kluwer Academic Publishers. Dordrecht. pp. 149-162.
- Kong, M., X. G. Chen, K. Xing, and H. J. Park. 2010. Antimicrobial properties of chitosan and mode of action: a state of the art review. *International Journal of Food Microbiology*, vol. 144, no. 1, pp. 51–63.
- Kunihiro, Y. [Qian Q](#), [Sato H](#), [Teng S](#), [Zeng DL](#), [Fujimoto K](#), [Zhu LH](#). 2002. QTL analysis of sheath blight resistance in rice (*Oryza Sativa* L.). 29, 50–55.
- Lamb, C. and Dixon, R. A. 1997. The oxidative burst in plant disease resistance. *Annu. Mol.Biol.* 48, 251–275.
- Legrand M, Kauffmann S, Geoffroy P, Fritig B. 1987. Biological function of pathogenesis-related proteins: Four tobacco pathogenesis-related proteins are chitinases. *Proc Natl Acad Sci USA* 84:6750–6754
- Lin, W., C.S. Anuratha, Karabi Datta, Ingo Potrykus, S. Muthukrishnan and Swapan K. Datta. 1995. Genetic engineering of rice for resistance to sheath blight. *biotechnology* vol 13, 686-691.
- Linskens, H.F. and P. Haage. 1993. CutinaseNachweis in phytopathogenen. Pilzen. *Phytopathol Z* 48: 306-311.
- Linthorst, H.J.M. 1991. Pathogenesis-related proteins of plants, *Crit. Rev. Plant Sci.* 10 ;123–150.
- Liu H, Tian W, Li B, Wu G, Ibrahim M, Tao Z, Wang Y, Xie G, Li H, Sun G. 2012. Antifungal effect and mechanism of chitosan against the rice sheath blight pathogen, *Rhizoctonia solani*. *Biotechnol Lett.* 34(12):2291–2298.

- Liu, H., Y. Du, X. Wang, and L. Sun. 2004. Chitosan kills bacteria through cell membrane damage. *International Journal of Food Microbiology*, vol. 95, no. 2, pp. 147–155.
- Livak K.J., Schmittgen T.D. 2001. Analysis of relative gene expression data using realtime quantitative PCR and the $2\Delta\Delta C$ (T) method. *Methods* 25 (4): 402–408.
- Loon LC Van, Pierpoint WS, Boller T, Conejero V. 1994. Recommendations for Naming Plant Pathogenesis-Related Proteins Definition of Pathogenesis-Related Proteins. 12(3):245–264.
- Malerba, Massimo and C. Raffaella. 2016. Chitosan Effects on Plant Systems. *International Journal of Molecular Sciences*. 17, 996.
- Meng, X.H.; Yang, L.Y.; Kennedy, J.F.; Tian, S.P. Effects of kitosan and oligokitosan on growth of two fungal pathogens and physiological properties in pear fruit. *Carbohydr. Polym.* 2010, 81, 70–75.
- Mentlak, T. A., Kombrink, A., Shinya, T., Ryder, L. S., Otomo, I., Saitoh, H., Terauchi, R., Nishizawa, Y., Shibuya, N., Thomma, B. P. H and Talbot, N. J. 2012. Effector-Mediated Suppression of Chitin-Triggered Immunity by *Magnaporthe oryzae* Is Necessary for Rice Blast Disease. *The Plant Cell*, 24: 322-335.
- Mishra M., Jalil S.U., Mishra R.K., Kumari S., Pandey B.K. In vitro screening of guava plantlets transformed with endochitinase gene against *Fusarium oxysporum* f.sp. *psidii*. *Czech J Genet Plant Breed.* 2016;52(1):6–13.
- Nielsen KK. 1992. <Plant Chitinases- Regulation.Pdf>. 3(1):31–40.
- Nuryanto, B., Priyatmojo, A., Hadisutrisno, B., Sunarminto, B.H. 2011. Perkembangan penyakit hawar upih padi (*Rhizoctonia solani* Kuhn) di sentrasentra penghasil padi Jawa Tengah dan Daerah Istimewa Yogyakarta. *Jurnal Budidaya Pertanian* 7: 1-7.
- No, H.K., Meyers, S.P. 1989. Crawfish Chitosan as a Coagulant in Recovery of Organic Compounds from Seafood Processing Streams. *J. Agric. Food Chem.* 37(3): 580-583.
- Ogoshi, Akira. 1975. Studies on the Anastomosis Groups of *Rhizoctonia solani* Kuhn. *JARQ.* 9(4): 198-213.
- Ou, S.H. 1985. *Rice Diseases*, Commonwealth Mycological Institute, Kew, England.
- Peniston, Q.P and Johnson, E. 1980. Process for the Manufacture of Chitosan. US Patent No. 4,195,175, 5pp.

- Rampino. A, M. Borgogna, P. Blasi, B. Bellich, and A. Cesàro. 2013. Chitosan nanoparticles: Preparation, size evolution and stability. [International Journal of Pharmaceutics](#) 455 : 219-228.
- Rioux, R, Manmathan H, *et al.*, 2011. Comparative analysis of putative pathogenesis-related gene expression in two *Rhizoctonia solani* pathosystems. *Curr Genet* 57:391–40.
- Rodríguez. A.T.,M.A. Ramirez, R.M. Cardenas, A.N. Hernandez M.G., Velazquez, S. Bautista. 2007. Induction of defense response of *Oryza sativa* L. Against *Pyricularia grisea* (Cooke) Sacc. by treating seeds with chitosan and hydrolyzed chitosan. *Pesticide Biochemistry and Physiology* 89:206–215.
- Roller. S., and N. Covill. 1999. The antifungal properties of chitosan in laboratory media and apple juice. *International Journal of Food Microbiology*, vol. 47, no. 1-2, pp. 67–77.
- Sambrook, Joseph and D. W. Russell. 2001. *Molecular cloning: a laboratory manual*. Third edition. Cold Spring Harbor, New York.
- Sami L, Pusztahelyi T, Emri T, Varcza Z, Fekete A, Grallert A, Karanyi Z, Kiss L, Pócsi I. 2001. Autolysis and aging of *Penicillium chrysogenum* cultures under carbon starvation: Chitinase production and antifungal effect of allosamidin. *The Journal of General and Applied Microbiology*. 47 (4): 201–211
- Saharan, V. 2013. Synthesis of chitosan based nanoparticles and their *in vitro* evaluation Against phytopathogenic fungi. *Int. J. Biol. Macromol.* 62, 677–683.
- Saharan, V. 2015. Synthesis and *in vitro* antifungal efficacy of Cu–chitosan nanoparticles against pathogenic fungi of tomato. *Int. J. Biol. Macromol.* 75, 346–353.
- Sareena S., K. Poovannan, K. K. Kumar. 2006. Biochemical responses in transgenic rice plants expressing a defence gene deployed against the sheath blight pathogen, *Rhizoctonia solani*. *Current Science*, vol. 91, no. 11, pp. 1529–1532, 2006.
- Sayler, R. J., and Yang, Y. 2007. Detection and quantification of *Rhizoctonia solani* AG-1 IA, the rice sheath blight pathogen, in rice using real-time PCR. *Plant Dis.* 91:1663-1668.
- Sela-Buurlage M.B., Ponstein A.S., Bres-Vloemans S.A., Melchers L.S., Van den Elzen P.J.M., Cornelissen B.J.C. 1993. Only specific tobacco (*Nicotiana tabacum*) kitinases and β -1,3-

- glucanases exhibit antifungal activity. *Plant Physiol.* 101 (2): 857.
- Semangun, Haryono. 2008. Penyakit-penyakit Tanaman Pangan Di Indonesia. Edisi Kedua. Gadjah Mada University Press, Yogyakarta.
- Serrano M, Coluccia F, Torres M, L'Haridon F, Mettraux JP. The cuticle and plant defense to pathogens. *Front. Plant Sci.* 2014; 5:274.
- Siswoputranto.* 1976. Komoditi ekspor Indonesia. Jakarta : PT . Gramedia. 310 hlm.
- Sneh B, Burpee L, Ogoshi A. 1991. Identification of *Rhizoctonia* Species, St. Paul, MN: APS Press. p 133
- Soertiningsih, M.Akil dan N.N. Andayani. 2015. Cendawan Tular Tanah (*Rhizoctonia solani*) Penyebab Penyakit Busuk Pelepah pada Tanaman Jagung dan Sorgum dengan Komponen Pengendaliannya. Balai penelitian tanaman serealia. *Iptek Tanaman Pangan* 10(2):85-92.
- Suryantini R, Priyatmojo A, Widyastuti SM, Kasiamdari RS. 2011. Karakteristik *Rhizoctonia* spp. dari Tanah di Bawah Tegakan Tusam (Pinus merkusii Jungh. et de Vries). *J Budidaya Pertanian* 1(1): 8-10.
- Taheri, P., and Tarighi, S. 2010. Riboflavin induces resistance in rice against *Rhizoctonia solani* via jasmonate-mediated priming of phenylpropanoid pathway. *J Plant Physiol.* 167(3):201–208.
- Tiyaboonchai, W., 2003, *Chitosan Nanoparticles: A Promising System For Drug Delivery*, Naresuan University J., 11 (3). 51 – 66.
- Wallwork, H. 1996. Cereal root and crown diseases. Kondinin Group, Perth, Australia.
- Wiarachai, O., N. Thongchul, S. Kiatkamjornwong, and V. P. Hoven. 2012. Surface-quaternized chitosan particles as an alternative and effective organic antibacterial material. *Colloids and Surfaces B.* vol. 92, pp. 121–129.
- Wittwer C.T., Herrmann M.G., Moss A.A., and Rasmussen R.P. 1997a. continuous fluorescence monitoring of rapid cycle DNA amplification. *BioTechniques* 22: 130-138.
- Vallapa, N., O. Wiarachai, N. ThongchuL. 2011. Enhancing antibacterial activity of chitosan surface by heterogeneous quaternization. *Carbohydrate Polymers.* vol.83, no. 2, pp. 868–875.
- Van Loon LC. 1997. Induced resistance in plants and the role of pathogenesis-related proteins. *Eur J Plant Pathol.* 103(9):753–765.

- Vincent J.M., 1947, Distortion of fungal hyphae in the presence of certain inhibitors, *Nature*, 159(4051), 850.
- Xie XW, Xu MR, Zang JP, Sun Y, Zhu LH. 2008. [Genetic background and environmental effects on QTLs for sheath blight resistance revealed by reciprocal introgression lines in rice. *Acta Agronomica Sinica* 34:1885-1893.](#)
- [Younes, Islem and Marguerite Rinaudo.](#) 2015. Chitin and Chitosan Preparation from Marine Sources. Structure, Properties and Applications. *Journal Marine Drugs* 13 (3): 1133–1174
- Yoshida, S. 1981. *Fundamentals of rice crop science*. Philippines: International Rice Research Institute.
- Zeilinger S, Gupta VK, Dahms TES, Silva RN, Singh HB, Upadhyay RS, Gomes EV, Tsui CKM, Chandra Nayak S. 2016. Friends or foes? Emerging insights from fungal interactions with plants. *FEMS Microbiol Rev.* 40(2):182–207. doi:10.1093/femsre/fuv045.
- Zheng A, Lin R, Zhang D, Qin P, Xu L, Ai P, Ding L, Wang Y, Chen Y, Liu Y, et al. 2013. The evolution and pathogenic mechanisms of the rice sheath blight pathogen. *Nat Commun.* 4(May 2012):1410