

REFERENCES

- Agorku, E.S., Kuvarega, A.T., Mamba, B.B., Pandey, A.C., and Mishra, A.K., 2015, Enhanced visible-light photocatalytic activity of multi-elements-doped ZrO₂ for degradation of indigo carmine, *J. Rare Earths*, 33, 498–506.
- Akpan, U.G. and Hameed, B.H., 2009, Parameters affecting the photocatalytic degradation of dyes using TiO₂-based photocatalysts: A review, *J. Hazard. Mater.*, 170, 520–529.
- Ananta, S., Tipakontitukul, R., and Tunkasiri, T., 2003, Synthesis, formation and characterization of zirconium titanate (ZT) powders, *Mater. Lett.*, 57, 2637–2642.
- Basahel, S.N., Ali, T.T., Mokhtar, M., and Narasimharao, K., 2015, Influence of crystal structure of nanosized ZrO₂ on photocatalytic degradation of methyl orange, *Nanoscale Res. Lett.*, 10, 73.
- Benedix, R., Dehn, F., Quaas, J., and Orgass, M., 2000, Application of titanium dioxide photocatalysis to create self-cleaning building materials, *Lacer*, 3, 157–168.
- Bhattacharya, A.K., Mallick, K.K., Hartridge, A., and Woodhead, J.L., 1996, Sol-gel preparation, structure and thermal stability of crystalline zirconium titanate microspheres, *J. Mater. Sci.*, 31, 267–271.
- Botta, S., Navío, J., and Hidalgo, M., 1999, Photocatalytic properties of ZrO₂ and Fe/ZrO₂ semiconductors prepared by a sol-gel technique, *J. Photochem. Photobiol. A Chem.*, 129, 89–99.
- Chang, D.-A., Lin, P., and Tseng, T.-Y., 1995, Optical properties of ZrTiO₄ films grown by radio-frequency magnetron sputtering, *J. Appl. Phys.*, 77, 4445.
- Chen, J., Qiu, F., Xu, W., Cao, S., and Zhu, H., 2015, Recent progress in enhancing photocatalytic efficiency of TiO₂-based materials, *Appl. Catal. A Gen.*, 495, 131–140.
- Dondi, M., Matteucci, F., and Cruciani, G., 2006, Zirconium titanate ceramic pigments: Crystal structure, optical spectroscopy and technological properties, *J. Solid State Chem.*, 179, 233–246.
- García-López, E., Marci, G., Pomilla, F.R., Paganini, M.C., Gionco, C., Giamello, E., and Palmisano, L., 2018, ZrO₂ Based materials as photocatalysts for 2-propanol oxidation by using UV and solar light irradiation and tests for CO₂ reduction, *Catal. Today*, 0–1.
- Gareso, P.L., Sampe, N., Palentek, V., and Taba, P., 2017, Influence of annealing on Fe-doped TiO₂ powders using co-precipitation technique, *AIP Conf. Proc.*, 1801, .
- Gennari, F. and Pasquevich, D., 1998, Kinetics of the anatase rutile transformation

in TiO₂ in the presence of Fe₂O₃, *J. Mater. Sci.*, 33, 1571–1578.

George, A., Solomon, S., Thomas, J.K., and John, A., 2012, Characterizations and electrical properties of ZrTiO₄ ceramic, *Mater. Res. Bull.*, 47, 3141–3147.

Guerrero-Araque, D., Ramírez-Ortega, D., Acevedo-Peña, P., Tzompantzi, F., Calderón, H.A., and Gómez, R., 2017, Interfacial charge-transfer process across ZrO₂-TiO₂ heterojunction and its impact on photocatalytic activity, *J. Photochem. Photobiol. A Chem.*, 335, 276–286.

Gurushantha, K., Anantharaju, K.S., Nagabhushana, H., Sharma, S.C., Vidya, Y.S., Shivakumara, C., Prashantha, S. C., and Anilkumar, M. R., 2015, Facile green fabrication of iron-doped cubic ZrO₂ nanoparticles by *Phyllanthus acidus*: Structural, photocatalytic and photoluminescent properties, *J. Mol. Catal. A Chem.*, 397, 36–47.

Hanaor, D.A.H. and Sorrell, C.C., 2011, Review of the anatase to rutile phase transformation, *J. Mater. Sci.*, 46, 855–874.

Hannink, R.H.J., Kelly, P.M., and Muddle, B.C., 2004, Transformation Toughening in Zirconia-Containing Ceramics, *J. Am. Ceram. Soc.*, 83, 461–487.

Hernández-Ramírez, A. and Medina-Ramírez, I., 2015, *Photocatalytic semiconductors: Synthesis, characterization, and environmental applications*, Springer International Publishing, Heidelberg.

Hidalgo, M.C., Colón, G., Navio, J.A., Macias, M., Kriventsov, V. V., Kochubey, D.I., and Tsodikov, M. V., 2007, EXAFS study and photocatalytic properties of un-doped and iron-doped ZrO₂-TiO₂ (photo-)catalysts, *Catal. Today*, 128, 245–250.

Ertl, G., Knzinger, H., and Weitkamp, J., 1997, *Handbook of Heterogeneous Catalysis*, Wiley-VCH Verlag GmbH, Weinheim, Germany.

Jha, P., Gupta, P., Kumar, D., and Parkash, O., 2013, Synthesis and characterization of Fe-ZrO₂ metal matrix composites, *J. Compos. Mater.*, 48, 2107–2115.

Kambur, A., Pozan, G.S., and Boz, I., 2012, Preparation, characterization and photocatalytic activity of TiO₂-ZrO₂ binary oxide nanoparticles, *Appl. Catal. B Environ.*, 115–116, 149–158.

Karunakaran, C. and Senthilvelan, S., 2005, Photocatalysis with ZrO₂: Oxidation of aniline, *J. Mol. Catal. A Chem.*, 233, 1–8.

Khairulla, F. and Phule, P.P., 1992, Chemical synthesis and structural evolution of zirconium titanate, *Mater. Sci. Eng. B*, 12, 327–336.

Khaki, M.R.D., Shafeeyan, M.S., Raman, A.A.A., and Daud, W.M.A.W., 2017, Application of doped photocatalysts for organic pollutant degradation - A review, *J. Environ. Manage.*, 198, 78–94.

Kisi, E.H. and Howard, C.J., 1998, Crystal Structures of Zirconia Phases and their

Inter-Relation, *Key Eng. Mater.*, 153–154, 1–36.

- Kumar, S. and Ojha, A.K., 2015, Oxygen vacancy induced photoluminescence properties and enhanced photocatalytic activity of ferromagnetic ZrO₂ nanostructures on methylene blue dye under ultra-violet radiation, *J. Alloys Compd.*, 644, 654–662.
- Lang, J., Matějová, L., Troppová, I., Čapek, L., Endres, J., and Daniš, S., 2017, Novel synthesis of Zr_xTi_{1-x}O_n mixed oxides using titanyl sulphate and pressurized hot and supercritical fluids, and their photocatalytic comparison with sol-gel prepared equivalents, *Mater. Res. Bull.*, 95, 95–103.
- Leibovitch, M., Kronik, L., Fefer, E., Korobov, V., and Shapira, Y., 1995, Constructing band diagrams of semiconductor heterojunctions, *Appl. Phys. Lett.*, 66, 457–459.
- Litter, M.I. and Navío, J.A., 1996, Photocatalytic properties of iron-doped titania semiconductors, *J. Photochem. Photobiol. A Chem.*, 98, 171–181.
- López-López, E., Sanjuán, M.L., Moreno, R., and Baudín, C., 2010, Phase evolution in reaction sintered zirconium titanate based materials, *J. Eur. Ceram. Soc.*, 30, 981–991.
- De Lucena, P.R., Pessoa-Neto, O.D., Dos Santos, I.M.G., Souza, A.G., Longo, E., and Varela, J.A., 2005, Synthesis by the polymeric precursor method and characterization of undoped and Sn, Cr and V-doped ZrTiO₄, *J. Alloys Compd.*, 397, 255–259.
- Luttrell, T., Halpegamage, S., Tao, J., Kramer, A., Sutter, E., and Batzill, M., 2015, Why is anatase a better photocatalyst than rutile? - Model studies on epitaxial TiO₂ films, *Sci. Rep.*, 4, 1–8.
- Luu, C.L., Nguyen, Q.T., and Ho, S.T., 2010, Synthesis and characterization of Fe-doped TiO₂ photocatalyst by the sol-gel method, *Adv. Nat. Sci. Nanosci. Nanotechnol.*, 1, .
- Macan, J., Gajović, A., and Ivanković, H., 2009, Porous zirconium titanate ceramics synthesized by sol-gel process, *J. Eur. Ceram. Soc.*, 29, 691–696.
- Mogal, S.I., Mishra, M., Gandhi, V.G., and Tayade, R.J., 2012, Metal Doped Titanium Dioxide: Synthesis and Effect of Metal Ions on Physico-Chemical and Photocatalytic Properties, *Mater. Sci. Forum*, 734, 364–378.
- Navío, Hidalgo, Colón, G., Botta, S.G., and Litter, M.I., 2001, Preparation and Physicochemical Properties of ZrO₂ and Fe/ZrO₂ Prepared by a Sol-Gel Technique, *Langmuir*, 17, 202–210.
- Navio, J.A., Colón, G., and Herrmann, J.M., 1997, Photoconductive and photocatalytic properties of ZrTiO₄. Comparison with the parent oxides TiO₂ and ZrO₂, *J. Photochem. Photobiol. A Chem.*, 108, 179–185.
- Navio, J.A., Macias, M., Gonzalez-Catalan, M., and Justo, A., 1992, Bulk and

- surface characterization of powder iron-doped titania photocatalysts, *J. Mater. Sci.*, 27, 3036–3042.
- Oanh, L.M., Do, D.B., Hung, N.M., Thang, D.V., Phuong, D.T., Ha, D.T., and Van Minh, N., 2016, Formation of Crystal Structure of Zirconium Titanate $ZrTiO_4$ Powders Prepared by Sol–Gel Method, *J. Electron. Mater.*, 45, 2553–2558.
- Pelaez, M., Nolan, N.T., Pillai, S.C., Seery, M.K., Falaras, P., Kontos, A.G., Dunlop, P.S.M., Hamilton, J.W.J., Byrne, J.A., O'Shea, K., Entezari, M.H., and Dionysiou, D.D., 2012, A review on the visible light active titanium dioxide photocatalysts for environmental applications, *Appl. Catal. B Environ.*, 125, 331–349.
- Pirzada, B.M., Mir, N.A., Qutub, N., Mehraj, O., Sabir, S., and Muneer, M., 2015, Synthesis, characterization and optimization of photocatalytic activity of TiO_2/ZrO_2 nanocomposite heterostructures, *Mater. Sci. Eng. B Solid-State Mater. Adv. Technol.*, 193, 137–145.
- Rahimi, N., Pax, R.A., and Gray, E.M.A., 2016, Review of functional titanium oxides. I: TiO_2 and its modifications, *Prog. Solid State Chem.*, 44, 86–105.
- Rauf, M.A., Meetani, M.A., and Hisaindee, S., 2011, An overview on the photocatalytic degradation of azo dyes in the presence of TiO_2 doped with selective transition metals, *Desalination*, 276, 13–27.
- Reddy, C.V., Babu, B., Reddy, I.N., and Shim, J., 2018, Synthesis and characterization of pure tetragonal ZrO_2 nanoparticles with enhanced photocatalytic activity, *Ceram. Int.*, 44, 6940–6948.
- Salahinejad, E., Hadianfard, M.J., MacDonald, D.D., Karimi, I., Vashae, D., and Tayebi, L., 2012, Aqueous sol-gel synthesis of zirconium titanate ($ZrTiO_4$) nanoparticles using chloride precursors, *Ceram. Int.*, 38, 6145–6149.
- Santos, V. Dos and Bergmann, C.P., 2012, Synthesis and Characterization of Crystalline Zirconium Titanate Obtained by Sol-Gel. In, Mastai, Y. (ed), *Advances in Crystallization Processes*. InTech, Rijeka, pp. 301–314.
- Santos, V. Dos, Zeni, M., Hohemberger, J.M., and Bergmann, C.P., 2010, Preparation of crystalline $ZrTiO_4$ at low thermal treatment temperatures, *Rev. Adv. Mater. Sci.*, 24, 44–47.
- Serpone, N. and Emeline, A. V., 2012, Semiconductor photocatalysis - Past, present, and future outlook, *J. Phys. Chem. Lett.*, 3, 673–677.
- Shannon, R.D., 1976, Revised effective ionic radii in halides and chalcogenides, *Acta Cryst.*, 751.
- Shao, G.N., Imran, S.M., Jeon, S.J., Engole, M., Abbas, N., Salman Haider, M., Kang, S.J., and Kim, H.T., 2014, Sol-gel synthesis of photoactive zirconia-titania from metal salts and investigation of their photocatalytic properties in the photodegradation of methylene blue, *Powder Technol.*, 258, 99–109.

- Syoufian, A., Manako, Y., and Nakashima, K., 2015, Sol-gel preparation of photoactive srilankite-type zirconium titanate hollow spheres by templating sulfonated polystyrene latex particles, *Powder Technol.*, 280, 207–210.
- Sze, S.M. and Ng, K.K., 2006, *Physics of Semiconductor Devices*, John Wiley & Sons, Inc., Hoboken, NJ, USA.
- Thangavelu, K., Annamalai, R., and Arulnandhi, D., 2013, Preparation and Characterization of Nanosized TiO₂ Powder by Sol-Gel Precipitation Route, *Int. J. Emerg. Technol. Adv. Eng.*, 3, 636–639.
- Ussui, V., Lazar, D.R.R., de Lima, N.B., Bressiani, A.H.A., and Pascoal, J.O.A., 2006, Zirconium Titanate: Synthesis and Processing of Fine Powders Prepared by Chemical Route, *Mater. Sci. Forum*, 530–531, 683–688.
- Venkatachalam, N., Palanichamy, M., Arabindoo, B., and Murugesan, V., 2007, Enhanced photocatalytic degradation of 4-chlorophenol by Zr⁴⁺ doped nano TiO₂, *J. Mol. Catal. A Chem.*, 266, 158–165.
- Wang, C.C. and Ying, J.Y., 1999, Sol-gel synthesis and hydrothermal processing of anatase and rutile titania nanocrystals, *Chem. Mater.*, 11, 3113–3120.
- Yang, Y., Yu, Y., Wang, J., Zheng, W., and Cao, Y., 2017, Doping and transformation mechanisms of Fe³⁺ ions in Fe-doped TiO₂, *Cryst. Eng. Comm.*, 19, 1100–1105.