

DAFTAR PUSTAKA

- Adachi, M., Murata, Y., Takao, J., Jiu, J., Sakamoto, M., and Wang, F., 2004, Solar Cells with Titania Thin Film Electrode Composed of a Network Structure of Single-Crystal-like TiO₂ Nanowires Made by the “Oriented Attachment” Mechanism, *J. Am. Chem. Soc.*, 126(45), 14943-14949.
- Ambrus, Z., Mogyórosi, K., Szalai, Á., Alapi, T., Demeter, K., and Dombi, A., 2008, Low Temperature Synthesis, Characterization, and Substrate-Dependent Photocatalytic Activity of Nanocrystalline TiO₂ with Tailor-made Rutile to Anatase Ratio, *App. Catal.*, 340, 153-161.
- Apriyana, W., 2013, Sintesis Lapis Tipis ZnO Nanorod Berorientasi Vertikal pada Substrat Kaca, *Tesis*. Jurusan Kimia FMIPA UGM, Yogyakarta.
- Bourikas, K., Kordulis, C. and Lycourghiotis, A., 2014, Titanium Dioxide (Anatase and Rutile): Surface Chemistry, Liquid-Solid Interface Chemistry, and Scientific Synthesis of Supported Catalysts, *Chem. Rev.*, 114, 9754-9823.
- Brindley, G.W., 1945, The Effect of Grain or Particle Size on X-ray Reflections from Mixed Powders or Alloys, *Phil. Mag.*, 36, 347-369.
- Bu, S., Cui, C., Wang, Q. and Bai, L., 2008, Growth of ZnO Nanowires in Aqueous Solution by a Dissolution-Growth Mechanism, *J. Nanomater.* 61-0541.
- Bu, W.B., Zhang, L.X., Hua, Z.L., Chen, H.R. and Shi, J.L., 2007, Synthesis and Characterization of Uniform Spindle-Shaped Microarchitectures Self-Assembled from Aligned Single-Crystalline Nanowires of Lanthanum Phosphates, *Cryst. Growth Des.*, 7(11), 2305-2309.
- Burnside, S., Moser, J.-E., Books, K. and Grätzel, M., 1999, Nanocrystalline Mesoporous Strontium Titanate as Photoelectrode Material for Photosensitized Solar Devices: Increasing Photovoltage through Flatband Potential Engineering, *J. Phys. Chem. B*, 103(43), 9328-9332.
- Caglar, Y., Zor, M., Caglar, M. and Ilican, S., 2006, Influence of the Indium Incorporation on the Structural and Electrical Properties of Zinc Oxide Films, *J. Optoelectron. Adv. Matter.*, 8(5), 1867-1873.
- Cai, W., Rao, T., Wang, A. W., Hu, J., Wang, J., Zhong, J., and Xiang, W., 2015, A Simple and Controllable Hydrothermal Route for the Synthesis of Monodispersed Cube-like Barium Titanate Nanocrystals, *Ceram. Int.*, 41, 4514-4522.
- Cheng, A.J., 2008, One Dimensional Zinc Oxide Nanostructures for Optoelectronic Applications: Solar Cells and Photoanodes, *Dissertation*, Graduate Faculty of Auburn University, Auburn.
- Choubey, P.C., Oudhia, A., and Dewangan, R., 2012., A Review of Solar Cell Current Scenario and Future Trends, *Recent Research in Science and Technology*, 4, 99-101.

- Cui, Z., Yuan, W. and Li, C.M., 2013, Template-Mediated Growth of Microsphere, Microbelt and Nanorod α -MoO₃ Structures and Their High PseudoCapacitances, *J. Mater. Chem. A*, 1, 12926-12931.
- Danish, R., Ahmed, F., Arshi, N., Anwar, M.S. and Koo, B.H., 2014, Facile Synthesis of Single-Crystalline Rutile TiO₂ Nano-Rods by Solutio Method, *Trans. Nonferrous Met. Soc. China*, 24, 152-156.
- Demirörs, A. F., and Imhof, A., 2009, BaTiO₃, SrTiO₃, CaTiO₃, and BaxSr1-xTiO₃ Particles: A General Approach for Monodisperse Colloidal Perovskites, *Chem. Mater.*, 21, 3002-3007.
- Diebold, U., 2003, The Surface Science of Titanium Dioxide, *Surf. Sci. Rep.*, 48, 53-229.
- Dloczik, L., Ileperuma, O., Laueramann, I., Peter, L. M., Ponomarev, E.A., Redmod, G., Shaw, N. J. and Uhlendorf, I. 1997, Dynamic Response of Dye-Sensitized Nanocrystalline Solar Cells: Characterization by IntensityModulated Photocurrent pectrocopy, *J. Phys. Chem. B.*, 101, 10281-10289.
- Fujisawa, J., and Hanaya, M., 2017, Comparative study of Conduction-band and Valence-band edges of TiO₂, SrTiO₃, and BaTiO₃ by Ionization Potential, *Chem. Phys. Lett.*, 685, 23-26.
- Ge, M., Cao, C., Huang, J., Li, S., Chen, Z., Zhang, K.Q., Al-Deyab, S.S. and Lai, Y., 2016, A Review of One-Dimensional TiO₂ Nanostructured Materials for Environmental and Energy Applications, *J. Mater. Chem. A*, 4(18), 6772-6801.
- Graff, A., Senz, S., Völtzke, D., Abicht, H.P. and Hesse, D., 2005, Microstructure Evolution During BaTiO₃ Formation by Solid-State Reactions on Rutile Single Crystal Surfaces, *J. Eur. Ceram. Soc.*, 25, 2201-2206.
- Green, M.A., Emery, K., Yoshikawa, Y., Warta, W. and Dunlop, E.D., 2016, Solar Cell Efficiency Tables (Version 48), *Prog. Photovolt: Res. Appl.*, 24, 905-913.
- Guzmán-Velderrain, V., López, Y. O., Gutiérrez, J. S., Ortiz, A. L., and Collins-Martínez, V. H., 2014, TiO₂ Films Synthesis over Polypropylene by Sol-Gel Assisted with Hydrothermal Treatment for the Photocatalytic Propane Degradation, *Chem. Sus. Chem.*, 4, 120-132.
- Hagfeldt, A., Boschloo, G., Sun, L., Kloo, L. and Pettersson, H., 2010, Dye Sensitized Solar Cells, *Chem. Rev.*, 110, 6595-6663.
- Han, M., Rong, Y., Li, Q., Xing, X. and Kang, L., 2015, Thermal Expansion of Nano-Sized BaTiO₃, *Cryst. Eng. Comm.*, 17, 1944-1951.
- Hashmi, G., Miettunen, K., Peltola, T., Halme, J., Asghar, I., Aitola, K., Toivola, M. and Lund, P., 2011, Review of Materials and Manufacturing Options for Large Area Flexible Dye Solar Cells, *Renew. Sust. Energ. Rev.*, 15, 3717-3732.

- Hobbs, L. W., 2005, Radius Ratios and Symmetry in Ionic Crystals, *Laboratory Modul*, Massachusetts Institute of Technology, America.
- Lamberti, A., Bejtka, K., Garino, N., and Bianco, S., 2014, Synthesis of Ferroelectric BaTiO₃ Tube-like Arrays by Hydrothermal Conversion of a Vertically aligned TiO₂ Nanotube Carpet, *New. J. Chem.*, 38, 2024-2030.
- Lee, W.W., Chung, W.H., Huang, W.S., Lin, W.C., Lin, W.Y., Jiang, Y.R. and Chen, C.C., 2013, Photocatalytic Activity and Mechanism of Nano-Cubic Barium Titanate Prepared by A Hydrothermal Method, *J. Chem. Eng. Taiwan*, 44, 660-669.
- Li, B., Wang, L., Kang, B., Wang, P., and Qiu, Y., 2006, Review of Recent Progress in Solid-State Dye-Sensitized Solar Cells, *J. Solmat*, 90, 549-573.
- Liu, B. and Aydil, E.S., 2009, Growth of Oriented Single-Crystalline Rutil TiO₂ Nanorods on Transparent Conducting Substrates for Dye-Sensitized Solar Cells, *J. Am. Chem. Soc.*, 131, 3985-3990.
- Lim S., Huang N. M., Lim H. N., and Mazhar, M., 2013, Surface Modification of Aerosol-Assisted CVD Produced TiO₂ Thin Film for Dye Sensitised Solar Cell, *Int. J. Photoenergy*, 23, 19-24.
- Luo Y., Nagarajan, V., Wendorff, J. H., Ramesh, R., and Alexe, M., 2003. Nanoshell Tubes of Ferroelectric Lead Zirconate Titanate and Barium Titanate, *Appl. Phys. Lett.*, 83, 440.
- Kim, H. S., Lee, J. W., Yantara, N., Boix, P. P., Kulkarni, S. A., Mhaisalkar, S., Gratzel, M., and Park, N. G., 2013, High Efficiency Solid-State Sensitized Solar Cell-Based on Submicrometer Rutile TiO₂ Nanorod and CH₃NH₃PbI₃ Perovskite Sensitizer, *NanoLett*, 13, 2412-2417.
- Kojima, A., Teshima, K., Shirai, Y., and Miyasaka, T., 2009, Organometal Halide Perovskites as Visible-Light Sensitizers for Photovoltaic Cells, *J. Am. Chem. Soc*, 131, 6050-6051.
- Kumar, A., Madaria, A.R. and Zhou, C., 2010, Growth of Aligned Single Crystalline Rutile TiO₂ Nanowires on Arbitrary Substrates and Their Application in Dye-Sensitized Solar Cells, *J. Phys. Chem. C*, 114, 7787-7792.
- Moghaddam, H.A., Mohammadi, M.R. and Reyhani, S.M.S., 2016, Improved Photon to Current Conversion in Nanostructured TiO₂ Dye-Sensitized Solar Cells by Incorporating Cubic BaTiO₃ Particles Delimiting Incident, *J. Solar Energy*, 132, 1-4.
- Muñoz-Tabares, J.A., Bejtka, K., Lamberti, A., Garino, N., Bianco, S., Quaglio, M., Pirri, C.F. and Chiodoni, A., 2016, Nanostructural Evolution of One Dimensional BaTiO₃ Structures by Hydrothermal Conversion of Vertically Aligned TiO₂ Nanotubes, *Nanos₃scale*, 8, 6866-6876.

- Nakayama, M., Hotta, S., Nakamura, T. and Kasuga, T., 2013, Morphology and Surface Structure of Cubic BaTiO₃ Using First-Principles Density Functional Theory, *J. Ceram. Soc. Japan*, 121 (8), 611-613.
- Nazeeruddin, M.K., Baranoff, E. and Grätzel, M., 2011, Dye-Sensitized Solar Cells: A Brief Overview, *Sol. Energy*, 85, 1172-1178.
- O'Brien, S., Brus, L., and Murray, C. B., 2001, Synthesis of Monodisperse Nanoparticles of Barium Titanate: Toward a Generalized Strategy of Oxide Nanoparticle Synthesis, *J. Am. Chem. Soc.*, 123, 12085-12086.
- O'Regan, B. and Grätzel, M., 1991, A Low-cost, High-efficiency Solar Cell Based on Dye-Sensitized Colloidal TiO₂ Films, *Nature*, 353.
- Okamoto, Y. and Suzuki, Y., 2015, Double-Layer Dye-Sensitized Solar Cells Using SrTiO₃ and BaTiO₃ Second Layer with Enhanced Photovoltaic Performance, *J. Ceram. Soc. Japan*, 123 (40), 967-971.
- Okamoto, Y. and Suzuki, Y., 2014, Perovskite-type SrTiO₃, CaTiO₃ and BaTiO₃ Porous Film Electrodes for Dye-Sensitized Solar Cells, *J. Ceram. Soc. Japan*, 8, 728-731.
- Oliver, P.M., Watson, G.W., Kelsey, T.K. and Parker, S.C., 1997, Atomistic Simulation of the Surface of the Titanium Dioxide Polymorphs Rutile and Anatase, *J. Mater. Chem.* 7(3), 563-568.
- Özen, M., 2015, Synthesis of Barium Titanate for the Fabrication of Textured Barium Titanate by Colloidal Processes in a Strong Magnetic Field, *Dissertation*, Department of Chemistry, Faculty of Science, Universiteit Antwerpen, Belgium.
- Pambudi, W., 2013. Efektifitas Sintesis Hidroksikalkon Menggunakan Katalis Naoh dan NaOH-ZrO₂ Montmorilonit melalui Metode Konvensional, *Microwave Assisted Organic Synthesis (MAOS)*, dan Sonokimia, *Tesis*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Parra, M.R. and Haque, F.Z., 2015, Poly (Ethylene Glycol) (PEG)-Assisted Shape Controlled Synthesis of One-Dimensional ZnO Nanorods, *Optik*, 126, 1562–1566.
- Phan, N. T.D., Pham, H.D., Cuong, T.V., Kim, E. J., Kim, S.W., and Shin, E.W, 2009, A Simple Hydrothermal Preparation of TiO₂ Nanomaterials using Concentrated Hydrochloric Acid, *J. Cryst. Growth.*, 312, 79-85.
- Quea, Y.P., Wenga, J., Hua, L.H., Wub, J.H., and Dai, S.Y., 2016, High Open Voltage and Superior Light-Harvesting Dye-Sensitized Solar Cells Fabricated by Flower-Like Hierarchical TiO₂ Composed with Highly Crystalline Nanosheets, *J. Power Sources*, 307, 138-145.
- Richerson, D.W., 1992, *Modern Ceramic Engineering: Properties, Processing, and Use in Design*, Second Edition, Marcel Dekker Inc., New York.

- Saputra, F. R., 2017, Pengaruh Konsentrasi Polietilen Glikol (PEG) dalam Preparasi Film BaTiO₃ Pada Kaca Konduktif, *Skripsi*, Departemen Kimia, FMIPA Universitas Gadjah Mada, Yogyakarta.
- Sharma, S., Jain, K. K., and Sharma, A., 2015, Solar Cells: In Research and Applications-A Review. *Materials Sciences and Applications*, 6, 1145-1155.
- Shi, W., Song, S. and Zhang, H., 2013, Hydrothermal Synthetic Strategic of Inorganic Semiconducting Nanostructures, *Chem. Soc. Rev.*, 42, 5714-5743.
- Sitanggang, L., 2016, Sintesis TiO₂ Rutil Nanorod Berorientasi Vertikal Pada Kaca Konduktif, *Skripsi*, Departemen Kimia, FMIPA Universitas Gadjah Mada, Yogyakarta.
- Sivakumar, R., Ramkumar, J., Shaji, S. and Paulraj, M., 2016, Efficient TiO₂ Blocking Layer for TiO₂ Nanorod Arrays-Based Dye-Sensitized Solar Cells, *Thin Solid Film*, 615, 171-176.
- Shin S.S., Yeom E.J., Yang W.S., Hur, S., Kim, M. G., Im, J., Seo, J., Noh, J. H., and Seok, S. I., 2017, Colloidally Prepared La-doped BaSnO₃ Electrodes for Efficient, Photostable Perovskite Solar Cells, *Science*, 356 (6334), 167-171.
- Slade, A. and Garboushian, V., 2005, 27.6% Efficient Silicon Concentrator Cell for Mass Production, *Technical Digest 15th International Photovoltaic Science and Engineering Conference*, Shanghai, 701.
- Solis-Pomar, F.S., Martinez, E., Melendrez, M.F. and Tijerina, E.P., 2011, Growth of Vertically Aligned ZnO Nanorod using Textured ZnO Films, *Nanoscale Res. Lett.*, 6, 524 – 534.
- Sun, Z., Kim, J. H., Liao, T., Zhao, Y., Bijarbooneh, F., Malgras, V., and Dou, S. X., 2012, Continually Adjustable Oriented 1D TiO₂ Nanostructure Arrays with Controlled Growth of Morphology and Their Application in Dye-Sensitized Solar Cells, *Cryst. Eng. Comm.*, 14, 5472-5478.
- Suslick, K. and Price, G., 1999, Application of Ultrasound to Materials Chemistry, *Annu. Rev. Mater. Sci.*, 29, 295-326.
- Suzuki, K. and Kijima, K., 2005, Optical Bandgap of Barium Titanate Nanoparticles Prepared by R-F Plasma Vapour Deposition. *J. Appl. Phys.* 44, 2081–2082.
- Stojanovic, B. D., Simoes, A. Z., Paiva-Santos, C. O., Jovalekic, C., Mitic, V. V., and Varela, J. A., 2005, Mechanochemical Synthesis of Barium Titanate. *J. Eur. Ceram. Soc.*, 25, 1985–1989.
- Tejwani, R.W., Joshi, H. N., Varia, S. A., and Serajuddin, A. T., 2000, Study of Phase Behavior of Poly(Ethylene Glycol)-Polysorbate 80 and Poly(Ethylene Glycol)-Polysorbate 80-Water Mixtures, *J. Pharm. Sci.*, 89(7), 946-50.

- Tabares, J. A. M., Bejtka, K., Lamberti, A., Garino, N., Bianco, S., Quaglio, M., Pirri, C. F., and Chiodoni, A., 2016, Nanostructural Evolution of One-Dimensional BaTiO₃ structures by Hydrothermal Conversion of Vertically aligned TiO₂ Nanotubes, *Nanoscale*, 8, 6866-6876.
- Tanaka Y., Lim, S. L., Goh, W. P., Jiang, C., Tee, S. Y., Ye, T., Xianqiang, L., Nguyen K. H., Lee, C. J. J., Ding, N., Liu, Z., Wu, J., Zhang, J., and Han M., 2018, Fabrication of Mesoporous Titania Nanoparticles with Controlled Porosity and Connectivity For Studying the Photovoltaic Properties in Perovskite Solar Cells, *ChemNanoMat*, 10, 1002.
- Urban, J. J., Yun, W. S., Gu, Q., and Park, H., 2002, Synthesis of Single-Crystalline Perovskite Nanorods Composed of Barium Titanate and Strontium Titanate, *J. Am. Chem. Soc.*, 124 (7), 1186-1187.
- Wongpisutpaisan, N., Kahattha, C., Vittayakorni, V., ruangphanit, A., and Pecharapa, W., 2013, Titanium Dioxide Nanostructures Synthesized by Sonochemical-hydrothermal Process, *Journal of Metals, Materials and Minerals*, Vol.23 No.1 pp.19-24, 2013.
- Xie, Y., Wei, L., Wei, G., Li, Q., Wang, D., Chen, Y., Yan, S., Liu, G., Mei, L., and Jiao, J., 2013, A Self-Powered UV Photodetector based on TiO₂ Nanorod Arrays, *Nanoscale Res. Lett.*, 8, 188.
- Yang, J., Zhang, J., Liang, C., Wang, M., Zhao, P., Liu, M., Liu, J. and Che, R., 2013, Ultrathin BaTiO₃ Nanowires with High Aspect Ratio: A Simple OneStep Hydrothermal Synthesis and Their Strong Microwave Absorption, *Appl. Mater. Interfaces*, 5, 7146-7151.
- Yang, W., Yu, Y., Starr, M. B., Yin, X., Li, Z., Kvit, A., Wang, S., Zhao, P., and Wang, X., 2015, Ferroelectric Polarization-Enhanced Photoelectrochemical Water Splitting in TiO₂-BaTiO₃ Core-Shell Nanowire Photoanodes, *NanoLett.*, 15, 7574-7580.
- Yao, L., Pan, Z., Zhai, J., and Chen, H. H. D., 2017, Novel Design of Highly [110]-Oriented Barium Titanate Nanorod Array and Its Application in Nanocomposite Capacitors, *Nanoscale*, 9(12), 4255-4264.
- Zhan, H., Yang, X., Wang, C., Chen, J., Wen, Y., Liang, C., Greer, H.F., Wu, M. and Zhou, W., 2012, Multiple Nucleation and Crystal Growth of Barium Titanate, *Cryst. Growth Des.*, 12, 1247-1253.
- Zhang, L., Shi, Y., Peng, S., Liang, J., Tao, Z. and Chen, J., 2008, Dye-Sensitized Solar Cells Made From BaTiO₃-coated TiO₂ Nanoporous Electrodes, *J. Photochem.*, 197, 260-265.
- Zenkevich, A., Matveyev, Y., Maksimova, K., Gaynutdinov, R., Tolstikhina, A. and Fridkin, V., 2014, Giant bulk photovoltaic effect in thin ferroelectric BaTiO₃ Films, *J. Phys. Rev. B*, 90, 161409.

- Zhong, M., Shi, J., Zhang, W., Han, H., and Li, C., 2011, Charge Recombination Reduction in Dye-Sensitized Solar Cells by Depositing Ultrapure TiO₂ Nanoparticles on “Inert” BaTiO₃ Films, *Mater. Sci. Eng. B*, 176, 1115-1122.
- Zhou, Z., Bowland, C. C., Malakooti, M. H., Tang, H., and Sodano, H. A., 2016, [Lead-Free 0.5Ba\(Zr0.2Ti0.8\)O₃-0.5\(Ba0.7Ca0.3\)TiO₂ Nanowires for Energy Harvesting](#), *Nanoscale*, 8(9), 5098-5105.
- Zhou, Z., Tang, H. and Sodano, H.A., 2013, Vertically Aligned Arrays of BaTiO₃ Nanowires, *Appl. Mater. Interfaces*, 5, 11894-11899.