

DAFTAR PUSTAKA

- ADA, 2017. Standarts of Medical Care in Diabetes 2017. *Diabetes Care*, **40**: 11, 50, 52, 55.
- Ahmad, N.S., Islahudin, F., dan Paraidathathu, T., 2014. Factors associated with good glyceemic control among patients with type 2 diabetes mellitus. *Journal of Diabetes Investigation*, **5**: 563–569.
- Ain, Q., Latif, A., Jaffar, S.R., dan Ijaz, A., 2017. Evaluation of random plasma glucose for assessment of glycaemic control in type 2 diabetes mellitus. *Age (years)*, **53**: 13–6.
- Aketchi, I. E., 2014. Quality of Prescribing in Type 2 Diabetes Ambulatory Care at Webuye District Hospital Western Kenya. *Tesis, M.Sc., Departemen of Pharmacology and Pharmacognosy School of Pharmacy University of Nairobi*, .
- Akoria, O.A. dan Isah, A.O., 2008. Prescription Writing in Public and Private Hospitals in Benin City, Nigeria: The Effects of an Educational Intervention **15**: 11.
- Andersen, M. (Editor), 2006. Is it Possible to Measure Prescribing Quality using only Prescription Data? *Basic & Clinical Pharmacology & Toxicology*, **98**: 314–319.
- Ang, C.D., MJM, A., AL, D., GGP, B.-V., MVC, V.-S., JJ, T., dkk., 2008. Vitamin B for treating peripheral neuropathy 41.
- Asghar, M., Mumtaz, N., Niaz, S., Zaheer, K., dan Raza, L., 2017. Prescribing Behaviour of Practitioners in Public and Private Hospitals in Pakistan

Evaluated Using the World Health Organization (WHO) Indicators: A Comparative Approach.

Bademci, V., 2014. Cronbach's Alpha Is Not A Measure of Unidimensionality or Homogeneity.

Barber, N., 1995. What constitutes good prescribing? *Bmj*, **310**: 923–925.

Bashir, T., Zafar, M.Z., Ahsan, M., Asim, M., dan Huzaifa, M.A., 2018. Study of Rational and Irrational Prescribing in Different Government and Private Health Care Centres of Punjab. *Journal of Pharmacovigilance*, **06**: .

Beers, M.H., 1997. Explicit Criteria for Determining Potentially Inappropriate Medication Use by the Elderly: An Update. *Archives of Internal Medicine*, **157**: 1531.

Bonomi, A.E., Patrick, D.L., Bushnell, D.M., dan Martin, M., 2000. Validation of the United States' version of the World Health Organization Quality of Life (WHOQOL) instrument. *Journal of Clinical Epidemiology*, **53**: 1–12.

Bray, G.A., 2004. Medical Consequences of Obesity. *The Journal of Clinical Endocrinology & Metabolism*, **89**: 2583–2589.

Bril, V., England, J., Franklin, G.M., Backonja, M., Cohen, J., Del Toro, D., dkk., 2011. Evidence-based Guideline: Treatment of Painful Diabetic Neuropathy. *PM&R*, **3**: 1762.

Buusman, A., Andersen, M., Merrild, C., dan Elverdam, B., 2007. Factors influencing GPs' choice between drugs in a therapeutic drug group. A qualitative study. *Scandinavian Journal of Primary Health Care*, **25**: 208–213.

Carr, M.C. dan Brunzell, J.D., 2004. Abdominal Obesity and Dyslipidemia in the Metabolic Syndrome: Importance of Type 2 Diabetes and Familial Combined Hyperlipidemia in Coronary Artery Disease Risk. *The Journal of Clinical Endocrinology & Metabolism*, **89**: 2601–2607.

Centers for Disease Control and Prevention, 2011. National diabetes fact sheet: national estimates and general information on diabetes and prediabetes in the United States, 2011. *Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention*, 12.

Chalker, J. (Editor), 2012. Managing For Rational Medicine Use, dalam: *Managing Access to Medicines and Health Technologies*. Management Sciences for Health, Arlington.

Chang, A.M. dan Halter, J.B., 2003. Aging and insulin secretion. *American Journal of Physiology. Endocrinology and Metabolism*, **284**: E7-12.

Chisholm-Burns, M.A., Schwinghammer, T.L., Wells, B.G., Malone, P.M., Kolesar, J.M., dan Dipiro, J.T., 2016. *Pharmacotherapy Principles and Practice*, 4th ed. McGraw-Hill Education.

De Vries, T.P.G., Henning, R.H., Hogerzeil, H.V., Fresle, D.A., Policy, M., dan Organization, W.H., 1994. *Guide to good prescribing: a practical manual*.

DeCoster, J., 1998. Overview of Factor Analysis 10.

DeVon, H.A., Block, M.E., Moyle-Wright, P., Ernst, D.M., Hayden, S.J., Lazzara, D.J., dkk., 2007. A psychometric toolbox for testing validity and reliability. *Journal of Nursing Scholarship: An Official Publication of Sigma Theta Tau International Honor Society of Nursing*, **39**: 155–164.

- Dipiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G., dan Posey, L.M., 2012. *Pharmacotherapy A Pathophysiologic Approach*, 8th ed. McGraw Hill Professional.
- Duerden, M., Avery, A., Millson, D., dan Smart, S., 2011. The Quality of GP Prescribing. *The King's Fund*, 13–15.
- Elliott, R.A., Woodward, M.C., dan Osborne, C.A., 2002. Antithrombotic prescribing in atrial fibrillation: application of a prescribing indicator and multidisciplinary feedback to improve prescribing. *Age and Ageing*, **31**: 391–396.
- Fatimah, N, 2016. Hubungan Rasionalitas Pengobatan dan Outcome Klinis Pasien Diabetes Melitus Tipe 2 Disertai Hipertensi di Poliklinik Penyakit Dalam RSUD Panembahan Senopati Bantul Yogyakarta. *Tesis, M.Sc., Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta*, 5, 31, 58.
- Fick, D.M., Cooper, J.W., Wade, W.E., Waller, J.L., Maclean, J.R., dan Beers, M.H., 2003. Updating the Beers criteria for potentially inappropriate medication use in older adults: results of a US consensus panel of experts. *Archives of Internal Medicine*, **163**: 2716–2724.
- Formiga, F., Vidal, X., Agustí, A., Chivite, D., Rosón, B., Barbé, J., dkk., 2016. Inappropriate prescribing in elderly people with diabetes admitted to hospital. *Diabetic Medicine*, **33**: 655–662.
- Gallagher, P., Ryan, C., Byrne, S., Kennedy, J., dan O'Mahony, D., 2008. STOPP (Screening Tool of Older Person's Prescriptions) and START (Screening Tool to Alert doctors to Right Treatment). Consensus validation.

International Journal of Clinical Pharmacology and Therapeutics, **46**: 72–83.

Giugliano, D., Maiorino, M.I., Bellastella, G., Chiodini, P., Ceriello, A., dan Esposito, K., 2011. Efficacy of Insulin Analogs in Achieving the Hemoglobin A1c Target of <7% in Type 2 Diabetes: Meta-analysis of randomized controlled trials. *Diabetes Care*, **34**: 510–517.

Gonzalez-Zacarias, A.A., Mavarez-Martinez, A., Arias-Morales, C.E., Stoicea, N., dan Rogers, B., 2016. Impact of Demographic, Socioeconomic, and Psychological Factors on Glycemic Self-Management in Adults with Type 2 Diabetes Mellitus. *Frontiers in Public Health*, **4**: .

Gyssens, I.C., 2005. Audits for Monitoring the Quality of Antimicrobial Prescriptions, dalam: *Antibiotic Policies*. Springer, Boston, MA, hal. 197–226.

Hanlon, J.T., Schmader, K.E., Samsa, G.P., Weinberger, M., Uttech, K.M., Lewis, I.K., dkk., 1992. A method for assessing drug therapy appropriateness. *Journal of Clinical Epidemiology*, **45**: 1045–1051.

Hassan, N.B., Ismail, H.C., Naing, L., Conroy, R.M., dan Abdul Rahman, A.R., 2010. Development and validation of a new Prescription Quality Index: Prescription quality. *British Journal of Clinical Pharmacology*, **70**: 500–513.

Healton, E.B., Savage, D.G., Brust, J.C., Garrett, T.J., dan Lindenbaum, J., 1991. Neurologic aspects of cobalamin deficiency. *Medicine*, **70**: 229–245.

- Hepler, C.D. dan Segal, R., 2003. Prescribing and Prescribing Influence, dalam: *Preventing Medication Errors and Improving Drug Therapy Outcomes_a Management Systems Approach*. CRC Press LLC, hal. 155–195.
- IDF, 2017. *IDF Clinical Practice Recommendations for Managing Type 2 Diabetes in Primary Care*. International Diabetes Federation, Brussels.
- Jas, A., 2009. *Perihal Resep dan Dosis Serta Latihan Menulis Resep*, ke-2. ed. Universitas Sumatra Utara Press, Medan.
- Johnson, A., Jensen, B., Kieser, M., dan Health, B., 2014. Optimizing medication adherence communication with prescribers 9.
- Kalra, S., Bahendeka, S., Sahay, R., Ghosh, S., Shaikh, K., Abhayaratna, S., dkk., 2018. Consensus Recommendations on Sulfonylurea and Sulfonylurea Combinations in the Management of Type 2 Diabetes Mellitus – International Task Force. *Indian Journal of Endocrinology and Metabolism*, **22**: 26.
- Kautzky-Willer, A., Harreiter, J., dan Pacini, G., 2016. Sex and Gender Differences in Risk, Pathophysiology and Complications of Type 2 Diabetes Mellitus. *Endocrine Reviews*, **37**: 278–316.
- Kazmi, N.H.S., Gillani, S., Afzal, S., dan Hussain, S., 2013. Correlation Between Glycated Haemoglobin Levels and Random Blood Glucose. *Journal of Ayub Medical College Abbottabad*, **25**: 86.
- Kementrian Kesehatan RI, 2013. Riset Kesehatan Dasar (Riskesdas) 2013.

Kementrian Kesehatan RI, 2016. Peraturan Menteri Kesehatan Republik Indonesia

Nomor 73 Tahun 2016 Tentang Standar Pelayanan Kefarmasian Di Apotek.

Kementrian Kesehatan RI, 2017. Keputusan Menteri Kesehatan RI nomor

HK.01.07/Menkes/659/2017 tentang Formularium Nasional.

Kipnes, M.S., Krosnick, A., Rendell, M.S., Egan, J.W., Mathisen, A.L., dan

Schneider, R.L., 2001. Pioglitazone hydrochloride in combination with

sulfonylurea therapy improves glycemic control in patients with type 2

diabetes mellitus: a randomized, placebo-controlled study. *The American*

Journal of Medicine, **111**: 10–17.

Kuk, J.L., Lee, S., Heymsfield, S.B., dan Ross, R., 2005. Waist circumference and

abdominal adipose tissue distribution: influence of age and sex. *The*

American Journal of Clinical Nutrition, **81**: 1330–1334.

Lagerl v, P., Hjortdahl, P., Saxegaard, L., Andrew, M., dan Matheson, I., 2001.

Structuring prescribing data into traffic-light categories; a tool for

evaluating treatment quality in primary care. *Family Practice*, **18**: 528–533.

Lawrence, M. dan Olesen, F., 1997. Indicators of Quality in Health Care. *European*

Journal of General Practice, **3**: 103–108.

Martirosyan, L., Haaijer-Ruskamp, F.M., Braspenning, J., dan Denig, P., 2012.

Development of a minimal set of prescribing quality indicators for diabetes

management on a general practice level: Quality Indicators for Diabetes

Management. *Pharmacoepidemiology and Drug Safety*, **21**: 1053–1059.

- Masic, I., Miokovic, M., dan Muhamedagic, B., 2008. Evidence Based Medicine - New Approaches and Challenges. *Acta Informatica Medica*, **16**: 219.
- Masnoon, N., Shakib, S., Kalisch-Ellett, L., dan Caughey, G.E., 2017. What is polypharmacy? A systematic review of definitions. *BMC Geriatrics*, **17**: .
- McLeod, P.J., Huang, A.R., Tamblyn, R.M., dan Gayton, D.C., 1997. Defining inappropriate practices in prescribing for elderly people: a national consensus panel. *Canadian Medical Association Journal*, **156**: 385–391.
- Meichenbaum, D. dan Turk, DC., 1987, *Facilitating Treatment Adherence: A Practitioner's Guidebook*, Plenum Publishing Corp cit. Jimmy, B. dan Jose, J., 2011. Patient Medication Adherence: Measures in Daily Practice. *Oman Medical Journal*, **26**: 155–159.
- Milne, A., Johnson, J.A., Tennant, M., Rudnisky, C., dan Dryden, D.M., 2012. Technology Assessment 147.
- Ni, K.M., Siang, C.S., dan bin Ramli, M.N., 2002. Noncompliance with prescription writing requirements and prescribing errors in an outpatient department. *Age*, **130**: 32–7.
- Notoatmodjo, S., 2012. *Metodologi Penelitian Kesehatan*. Rineka Cipta.
- Patel, S. dan Gajjar, B., 2012. Evaluation and Comparison of Prescribing Pattern of General Practitioners from Public and Private Sectors. *National Journal of Physiology, Pharmacy & Pharmacology*, **2**: 33–38.

- Pop-Busui, R., Boulton, A.J.M., Feldman, E.L., Bril, V., Freeman, R., Malik, R.A., dkk., 2017. Diabetic Neuropathy: A Position Statement by the American Diabetes Association. *Diabetes Care*, **40**: 136–154.
- Power, M.L. dan Schulkin, J., 2008. Sex differences in fat storage, fat metabolism, and the health risks from obesity: possible evolutionary origins. *British Journal of Nutrition*, **99**: .
- Ramos-Nino, M.E. dan Blumen, S.R., 2009. Benefits of ACE Inhibitors in Diabetes. *Clinical Medicine. Therapeutics*, **1**: 1041–1051.
- Reddy, N.R.P., Polisetty, R., Zakiuddin, A., Ravoori, K., dan Raj, S.M., 2015. Assesment of Prescription Quality In Patient With Chronic Diseases Using The Prescription Quality Index Tool. *Indo American Journal of Pharmaceutical Research*, **5**: 3688–3699.
- Riddle, M.C., Rosenstock, J., dan Gerich, J., 2003. The Treat-to-Target Trial: Randomized addition of glargine or human NPH insulin to oral therapy of type 2 diabetic patients. *Diabetes Care*, **26**: 3080–3086.
- Ross-Degnan, D., Laing, R., Quick, J., Ali, H.M., Ofori-Adjei, D., Salako, L., dkk., 1992. A strategy for promoting improved pharmaceutical use: the International Network for Rational Use of Drugs. *Social Science & Medicine (1982)*, **35**: 1329–1341.
- Ruspandi, S, 2015. Hubungan Drug Related Problems dengan Outcome Terapi pada Diabetes Melitus Tipe 2 dengan Hipertensi Rawat Inap di Rumah Sakit PKU Muhammadiyah Yogyakarta. *Skripsi, S.Farm, Fakultas Farmasi, Universitas Gadjah Mada, .*

- Sabaté, E., 2003. *Adherence to Long-Term Therapies: Evidence for Action*. World Health Organization.
- Skyggedal, R.H.M., Søndergaard, J., Sokolowski, I., Kampmann, J.P., dan Andersen, M., 2006. Factor analysis improves the selection of prescribing indicators. *European Journal of Clinical Pharmacology*, **62**: 953–958.
- Soelistijo, Novida, H., Rudijanto, A., Soewondo, P., Suastika, K., Manaf, A., dkk., 2015. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015. *Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB PERKENI)*, 1–2, 6–9, 48.
- Spurling, G.K., Mansfield, P.R., Montgomery, B.D., Lexchin, J., Doust, J., Othman, N., dkk., 2010. Information from Pharmaceutical Companies and the Quality, Quantity, and Cost of Physicians' Prescribing: A Systematic Review. *PLoS Medicine*, **7**: e1000352.
- Streiner, D.L. dan Norman, G.R., 2008. *Health Measurement Scales: A Practical Guide to Their Development and Use*. Oxford University Press.
- Suthar, J. dan Patel, V., 2014. Assessment of quality of prescribing in patients of hypertension at primary and secondary health care facilities using the Prescription Quality Index (PQI) tool. *Indian Journal of Pharmacology*, **46**: 480.
- Suthar, J., Vaishnav, B., dan Patel, V., 2015. Quality of prescribing for hypertension and bronchial asthma at a tertiary health care facility, India using Prescription Quality Index tool. *Journal of Basic and Clinical Pharmacy*, **6**: 1.

Suthar, J.V., 2015. Evaluation of Quality of Prescription Using Prescription Quality Index Tool - A Comparison of Primary, Secondary and Tertiary Health Care Facilities. *Faculty of Pharmacy Charotar Univesity of Science and Technology*, .

Svarstad, B., 1976, Physician-patient communication and patient conformity with medical advice, *The Growth of Bureaucratic Medicine* cit. Automatic citation updates are disabled. To see the bibliography, click Refresh in the Zotero tab.Szoke, E., Shrayyef, M.Z., Messing, S., Woerle, H.J., van Haeften, T.W., Meyer, C., dkk., 2008. Effect of aging on glucose homeostasis: accelerated deterioration of beta-cell function in individuals with impaired glucose tolerance. *Diabetes Care*, **31**: 539–543.

The American Geriatrics, 2012. American Geriatrics Society Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. *Journal of the American Geriatrics Society*, **60**: 616–631.

Wenger, N.S. dan Shelkelle, P.G., 2001. Assessing care of vulnerable elders: ACOVE project overview. *Annals of Internal Medicine*., 642–646.

WHO, 1993. 'How to Investigate Drug Use in Health Facilities: Selected Drug Use Indicators - EDM Research Series No. 007: Chapter 2: Core drug use indicators', . URL: <http://apps.who.int/medicinedocs/en/d/Js2289e/3.html> (diakses tanggal 12/2/2018).

WHO (Editor), 2016. *Global Report on Diabetes*. World Health Organization, Geneva, Switzerland.

WHO, 2018. 'WHO | Life expectancy', *WHO*. URL:

http://www.who.int/gho/mortality_burden_disease/life_tables/situation_trends/en/ (diakses tanggal 13/8/2018).

Yaqub, B.A., Siddique, A., dan Sulimani, R., 1992. Effects of methylcobalamin on diabetic neuropathy. *Clinical Neurology and Neurosurgery*, **94**: 105–111.

Yki-Jarvinen, H. dan Kotronen, A., 2013. Is There Evidence to Support Use of Premixed or Prandial Insulin Regimens in Insulin-Naive or Previously Insulin-Treated Type 2 Diabetic Patients? *Diabetes Care*, **36**: S205–S211.