

DAFTAR PUSTAKA

- Algra, A., Tijssen, J.G., Roelandt, J.R., Pool, J., Lubsen, J. 1991. QTc prolongation measured by standard 12-lead electrocardiography is an independent risk factor for sudden death due to cardiac arrest. *Circulation*; 83(6):1888-94.
- Armoundas, A.A., Tomaselli, G.F., Esperer, H.D. 2002. Pathophysiological Basis and Clinical Application of T-Wave Alternans. *Journal of the American College of Cardiology*, 40(2): 207-17.
- Armoundas, A.A., Cohen, R.J. 1997. Clinical Utility of T-Wave Alternans. *Cardiac Electrophysiology Review*; 3:390-394.
- Bakker E.N., Matlung H.L., Bonta P., De Vries C.J., Van Rooijen N., Vanbavel E. 2008. Blood flow-dependent arterial remodeling is facilitated by inflammation but directed by vascular tone. *Cardiovascular Research*; 78: 341-348.
- Beghetti, M., Galie, N. 2009. Eisenmenger Syndrome: A clinical perspective in a new therapeutic era of pulmonary arterial hypertension. *Journal of the American College of Cardiology*; 53(9):733-740.
- Benoist, D., Stones, R., Drinkhill, M.J., Benson, A.P., Yang, Z., Cassan, C., Gilbert, S.H., Saint, D.A., Cazorla, O., Steele, D.S., Bernus, O., White, E. 2012. Cardiac arrhythmia mechanisms in rats with heart failure induced by pulmonary hypertension. *Am J Physiol Heart Circ Physiol*; 302: H2381-95.
- Bloomfield, D.M., Bigger, J.T., Steinman, R.C., Namerow, P.B., Parides, M.K., Curtis, A.B., Kaufman, P.B., Davidenko, J.M., Shinn, T.S., Fontaine, J.M. 2006. Microvolt T-wave alternans and the risk of death or sustained ventricular arrhythmias in patients with left ventricular dysfunction. *J Am Coll Cardiol*; 47: 456-63
- Bloomfield, D.M., Hohnloser, S.H., Cohen, R.J. 2002. Interpretation and classification of microvolt T wave alternans test. *Journal of cardiovascular electrophysiology*; 13(5): 502-512.
- Bonapace, S., Targher, G., Molon, G., Rossi, A., Costa, A., Zenari, L., Bertolini, L., Cian, D., Lanzoni, L., Barbieri, E. 2011. Relationship Between Early Diastolic Dysfunction and Abnormal Microvolt T-Wave Alternans in Patients With Type 2 Diabetes. *Circ Cardiovasc Imaging*; 4:408-414.
- Calo, L., De Santo, T., Nuccio, F., Sciarra, L., De Luca, L., Stefano, L.M. 2011. Predictive value of microvolt T-wave alternans for cardiac death or ventricular tachyarrhythmic events in ischemic and non-ischemic cardiomyopathy patients: A meta-analysis. *Ann Noninvasive Electrocardiol*; 16: 388-402.
- Chan, P.S., Gold, M.R., Nallamothu, B.K. 2009. Do Beta-Blockers Impact Microvolt T-Wave Alternans Testing in Patients at Risk for Ventricular Arrhythmias? A Meta-Analysis. *J Cardiovasc Electrophysiol*; 21:1009-1014.

- Chow, T., Kereiakes, D.J., Bartone, C., Booth, T., Schloss, E.J., Waller, T., Chung, E.S., Menon, S.M., Nallamothu, B.K., Chan, P.S. 2006. Prognostic utility of microvolt T- wave alternans in risk stratification of patients with ischemic cardiomyopathy. *J Am Coll Cardiol*; 47: 1820-7.
- Cutler, M.J., Rosenbaum, D.S. 2009. Explaining the clinical manifestations of T wave alternans in patients at risk for sudden cardiac death. *Heart Rhythm Society*; S22-S28.
- D'alto, M., Mahadevan, V.S. 2012. Pulmonary arterial hypertension associated with congenital heart disease. *Eur Respir Rev*; 21:328-337.
- Delcroix, M., Naeije, R. 2010. Optimising the management of pulmonary arterial hypertension patients: emergency treatments. *Eur Respir Rev*; 19(117): 204-211.
- Demerouti, E.A., Manginas, A.N., Athanassopoulos, G.D., Karatasakis, G.T. 2013. Complications leading to sudden cardiac death in pulmonary arterial hypertension. *Respiratory care*; 58(&): 1246-1254.
- Diller, G.P., Gatzoulis, M.A. 2007. Pulmonary vascular disease in adults with congenital heart disease. *Circulation*; 115:1039-1050.
- Dinarti, L.K. 2017. Hubungan antara kadar prostasiklin, nitrogen monoksida, endotelin-1 dengan hipertensi arteri pulmonal pada pasien defek septum atrium dewasa yang belum dikoreksi. Disertasi. Program Doktor Ilmu Kedokteran dan Kesehatan FK UGM.
- Engelfriet P. M., Duffels M. G., Moller T., Boersma E., Tijssen J.G., Thaulow E., Gatzoulis M.A., Mulder B.J. 2007. Pulmonary arterial hypertension in adults born with a heart septal defect: the Euro Heart Survey on adult congenital heart disease. *Heart*; 93:682-687.
- Farber, H.W., Loscalzo, J. 2004. Mechanisms of disease : Pulmonary Arterial Hypertension. *N Engl J Med*; 351:1655-65.
- Folino, A.F., Bobbo, F., Schiraldi, C., Tona, F., Romano, S., Buja, G., Bellotto, F. 2003. Ventricular Arrhythmias and Autonomic Profile in Patients with Primary Pulmonary Hypertension. *Lung*; 181:321-328.
- Gabriels, C., De Meester, P., Pasquet, A., De Backer, J., Paelinck, B.P., Morissens, M., Van De Bruaene, A., Delcroix, M., Budts, W. 2014. A different view on predictors of pulmonary hypertension in secundum atrial septal defect. *International Journal of Cardiology*; 176:833-840.
- Galie N., Humbert M., Vachiery K.L., Gibbs S., Lang I., Torbicki A., Simonneau G., Peacock A., Noordegraaf A.V., Beghetti M., Ghofrani A., Sanchez M.A., Hansmann G., Klepetko W., Lancellotti P., Matucci M., McDonagh T., Pierard L.A., Trindade P.T., Zompatori M., Hoeper M. 2015. 2015 ESC/ERS Guidelines for the diagnosis and treatment of pulmonary hypertension. *European Heart Journal*. 37:67-119.
- Geva T., Martins J.D., Wald R.M. 2014. Atrial septal defects. *The Lancet*. 383:1921-1932.

- Gottdiener J.S., Bednarz J., Devereux R., Gardin J., Klein A., Manning W.J., Morehead A., Kitzman D., Oh J., Quinones M., Schiller N.B., Stein J.H., Weissman N.J. 2004. American society of echocardiography recommendations for use of echocardiography in clinical trials. *J Am Soc Echocardiogr*. 7:1086-1119.
- Groh, W.J., Shinn, T.S., Engelstein, E.E., Zipes, D.P. 2007. Amiodarone reduces the prevalence of T Wave Alternans in Population with Ventricular Tachyarrhythmias. *Journal of Cardiovascular Electrophysiology*; 10:1335-1339.
- Hassoun, P.M., Mouthon, L., Barbera, J.A., Eddahibi, S., Flores, S.C., Grimminger, F. 2009. Inflammation, growth factors, and pulmonary vascular remodeling. *J Am Coll Cardiol*; 54: S10-9.
- Hennersdorf, M.G., Niebch, V., Perings, C., Strauer, B.E. 2001. T-wave alternans and ventricular arrhythmias in arterial hypertension. *Hypertension*; 37(2):199-203.
- Himawan W. 2017. 'Hubungan Antara Kadar Adiponektin Plasma dengan Rerata Tekanan Arteri Paru pada Penderita Defek Septum Atrium Dewasa yang Belum Dikoreksi', Tesis, Spesialis, Universitas Gadjah Mada, Yogyakarta.
- Hoepfer, M.M., Galie, N., Murali, S., Olschewski, H., Rubenfire, M., Robbins, I.M., Farber, H.W., McLaughlin, V., Shapiro, S., Pepke-Zaba, J., Winkler, J., Ewert, R., Opitz, C., Westerkamp, V., Vachiery, J.L., Torbicki, A., Behr, J., Barst, R.J. 2002. Outcome after cardiopulmonary resuscitation in patients with pulmonary arterial hypertension. *Am J Respir Crit Care Med*; 165(3):341-4.
- Hohnloser, S.H., Ikeda, T., Bloomfield, D.M., Dabbous, O.H., Cohen, R.J. 2003. T-wave alternans negative coronary patients with low ejection and benefit from defibrillator implantation. *Lancet*; 362: 125-6.
- Hohnloser, S.H., Klingenhoben, T., Bloomfield, D., Dabbous, O., Cohen, R.J. 2003. Usefulness of microvolt T- wave alternans for prediction of ventricular tachyarrhythmic events in patients with dilated cardiomyopathy: Results from a prospective observational study. *J Am Coll Cardiol*; 41: 2220-4.
- Hong-liang, Z., Qin, L., Zhi-hong, L., Zhi-hui, Z., Chang-ming, X., Xin-hai, N., Jian-guo, H., Ying-jie, W., Shu, Z. 2009. Heart rate-corrected QT interval and QT dispersion in patients with pulmonary hypertension. *Wien Klin Wochenschr*; 121:330-333.
- Karpuz, D., Hallioglu, O., Buyukakilli, B., Gurgul, S., Tasdelen, B. 2017. Effect of bosentan, sildenafil and their combination on T-wave amplitude and QT interval in a rat model of pulmonary hypertension. *J Turgut Ozal Med Cent*; 24(1):37-43.
- Kavesh, N.G., Shorofsky, S.R., Sarang, S.E., Gold, M.R. 1999. The effect of procainamide on T wave alternans. *J Cardiovasc Electrophysiol*; 10(5):649-54.
- Kuijpers, J.M., Mulder, B.J.M., Bouma, B.J. 2015. Secundum Atrial Septal Defect in Adults: A Practical Review and Recent Developments. *Neth Heart Journal*; 23:205-211.

- Lacobazzi, D., Suleiman, M.S., Ghorbel, M., George, S.J., Caputo, M., Tulloh, R.M. 2015. Cellular and molecular basis of RV hypertrophy in congenital heart disease. *Heart*;0:1-6.
- Leino, J., Verrier, R.L., Minkinen, M., Lehtimäki, T., Viik, J., Lehtinen, R., Nikus, K., Kööbi, T., Turjanmaa, V., Kähönen, M., Nieminen, T. 2011. Importance of regional specificity of T-wave alternans in assessing risk for cardiovascular mortality and sudden cardiac death during routine exercise testing. *Heart Rhythm*; 8:385–390.
- Lewicka, E., Szymanowicz, L.D., Kugacka, A.D., Zieba, B., Zagodzdzon, P., Raczak, G. 2014. Microvolt T-wave alternans in patients with pulmonary arterial hypertension. *International Journal of Cardiology*; 176:1294-1296.
- Lilly, L.S. 2016. Pathophysiology of heart disease 6th edition. Philadelphia : wolters kluwer.
- Lindsay J., Hillis L. 2007. Clinical update: atrial septal defect in adults. *Lancet*. 369:1244-1246.
- Mancia, G., Fagard, R., Narkiewicz, K., Redon, J., Zanchetti, A., Bohm, M., Christiaens, T., Cifkova, R., De Backer, G., Dominiczak, A., Galderisi, M., Grobbee, D.E., Jaarsma, T., Kirchhof, P., Kjeldsen, S.E., Laurent, S., Manolis, A.J., Nilsson, P.M., Ruilope, L.M., Schmieder, R.E., Sirnes, P.A., Sleight, P., Viigimaa, M., Waeber, B., Zannad, F. 2013. ESH/ESC Guidelines for the management of arterial hypertension The Task Force for the management of arterial hypertension of the European Society of Hypertension (ESH) and of the European Society. *Eur. Heart J.*; 34:2159-2219.
- Martinez, J.P., Olmos, S., Wagner, G., Laguna, P. 2006. Characterization of repolarization alternans during ischemia: time-course and spatial analysis. *IEEE Trans Biomed Eng*;53:701–11.
- Mehani, S.H.M. 2013. Correlation between changes in diastolic dysfunction and health-related quality of life after cardiac rehabilitation program in dilated cardiomyopathy. *Journal of Advanced Research*; 4(2): 189-200.
- Minkinen, M., Kähönen, M., Viik, J., Nikus, K., Lehtimäki, T., Lehtinen, R., Kööbi, T., Turjanmaa, V., Kaiser, W., Verrier, R.L., Nieminen, T. 2009. Enhanced predictive power of quantitative TWA during routine exercise testing in the Finnish Cardiovascular Study. *J Cardiovasc Electrophysiol*; 20:408-415.
- Morell, N.W., Adnot, S., Archer, S.L., Dupuis, J., Jones, P.L., MacLean, M.R. 2009. Cellular and molecular basis of pulmonary arterial hypertension. *J Am Coll Cardiol*; 54: S20-S31.
- Narayan, S.M. 2006. T-Wave Alternans and the Susceptibility to Ventricular Arrhythmias. *Journal of the American College of Cardiology*; 47(2): 270-281.
- Narayan, S.M., Drinan, D.D., Lackey, R.P., Edman, C.F. 2007. Acute volume overload elevates T-wave alternans magnitude. *J Appl Physiol*; 102: 1462-8
- Nearing, B.D., Oesterle, S.N., Verrier, R.L. 1994. Quantification of ischaemia induced vulnerability by precordial T wave alternans analysis in dog and human. *Cardiovasc Res*;28:1440 –9.

- Pedretti, R., Etro, M.D., Laporta, A., Braga, S.S., Caru, B. 1993. Prediction of late arrhythmic events after acute myocardial infarction from combined use of noninvasive prognostic variables and inducibility of sustained monomorphic ventricular tachycardia. *Am J Cardiol*; 71:1131-1141.
- Radoi, N., Pescariu, S., Lighezan, D., Ionescu, D.D., Dragulescu, S.T.I. 2005. Calcium channel blockers influence on T wave alternans. *Europace Supplements*; 7:82.
- Rajdev, A., Garan, H., Biviano, A. 2012. Arrhythmias in Pulmonary Arterial Hypertension. *Prog Cardiovasc Dis*. 55(2):1-10.
- Reddy, S., Bernstein, D., Alto, P. 2016. Molecular Mechanisms of Right Ventricular Failure. 132(18):1734–1742.
- Rhee, J.W., Sabatine, M.S., Lilly, L. S. 2011. 'Ischemic Heart Disease', in Lilly, L.S. Pathophysiology of Heart Disease, 5th ed. Lippincott Williams & Wilkins, Philadelphia, pp 135-160.
- Richter, S., Duray, G., Hohnloser, S.H. 2005. How to analyze T-wave alternans. *Heary Rhythm Society*; 2(11): 1268-1271.
- Rosenbaum, D.S., Jackson, L.E., Smith, J.M., Garan, H., Ruskin, J.N., Cohen, R.J. 1994. Electrical alternans and vulnerability to ventricular arrhythmias. *New England Journal of Medicine*; 330:235-241.
- Salerno-Uriarte, J.A., De Ferrari, G.M., Klersy, C., Pedretti, R.F., Tritto, M., Sallusti, L., libero, L., Pettinati, G., Molon, G., Curnis, A., Occhetta, E., Morandi, F., Ferrero, P., Accardi, F. 2007. Prognostic value of T-wave alternans in patients with heart failure due to nonischemic cardiomyopathy, results of the ALPHA Study. *J Am Coll Cardiol*; 50: 1896-904.
- Slawnych, M.P., Nieminen, T., Kahonen, M., Kavanagh, K.M., Lehtimaki, T., Ramadan, D., Viik, J., Aggarwal, S.G., Lehtinen, R., Ellis, L., Nikus, K., Exner, D.V. 2009. Post-exercise assessment of cardiac repolarization alternans in patients with coronary artery disease using the modified moving average method. *J Am Coll Cardiol*; 53:1130-7.
- Sommer R.J., Hijazi Z.M., Rhodes J.F. 2008. Pathophysiology of Congenital Heart Disease in the Adult. *Circulation*. 117:1090-1099.
- Somerville, J. 1998. The Denolin Lecture: The Woman with Congenital Heart Disease. *European Heart Journal*; 19:1766-1775.
- Stein, P.K., Sanghavi, D., Domitrovich, P.P., Mackey, R.A., Deedwania, P. 2008. Ambulatory ECG-based T-wave alternans predicts sudden cardiac death in high-risk post-MI patients with left ventricular dysfunction in the EPHEsus study. *J Cardiovasc Electrophysiol*; 19(10):1037-42.
- Szymanowicz, L.D., Lewicka, E., Kugacka, A.D., Makurat, A.N., Kwiatkowska, J., Potocka, Z.L., Rozwadowska, K.R., Stepnowska, E., Raczak, G. 2016. Microvolt T-wave alternans profiles in patients with pulmonary arterial hypertension compared to patients with left ventricular systolic dysfunction and a group of healthy volunteers. *Anatol J Cardiol*; 16:825-30.
- Trojnarska, O., Cieplucha, A., Bartczak, A., Kramer, L., Grajek, S. 2014. Microvolt T-wave alternans in adults with complex congenital heart disease. *Cardiology journal*; 21(2): 144-151.

- Verrier, R.L., Klingenhoben, T., Malik, M., El-Sherif, N., Exner, D.V., Hohnloser, S.H., Ikeda, T., Martinez, J.P., Narayan, S.M., Nieminen, T., Rosenbaum, D.S. 2011. Microvolt T-wave alternans: physiological basis, methods, and clinical utility. *Journal of American college of cardiology*; 58(13):1309-1324.
- Webb G., Gatzoulis M.A. 2006. Atrial septal defects in the adult: recent progress and overview. *Circulation*. 114:1645-1653.
- Wellens, H.J.J., Schwartz, P.J., Lindemans, F.W., Buxton, A.E., Goldberger, J.J., Hohnloser, S.H., Huikuri, H.V., Kaab, S., Rovere, M.T.L., Malik, M., Myerburg, R.J., Simoons M.L., Swdberg, K., Tijssen, J., Voors, A.A., Wilde, A.A. 2014. Risk stratification for sudden cardiac death: current status and challenges for the future. *European Heart Journal*; 35(25):1642-1651.
- Wilson, L.D., Jeyaraj, D., Wan, X., Hoeker, G.S., Said, T.H., Gittinger, M., Laurita, K.R., Rosenbaum, D.S. 2009. Heart failure enhances susceptibility to arrhythmogenic cardiac alternans. *Heart Rhythm*;6:251–9.
- Yong, G., Khairy, P., Guise, P.P., Dore, A., Marcotte, F., Mercier, L.A., Noble, S., Ibrahim, R. 2009. Pulmonary Arterial Hypertension in Patients with Transcatheter Closure of Secundum Atrial Septal Defects: A Longitudinal Study. *Circ Cardiovasc Intervent*; 2:455-462.
- Zhang, P., Xianyang, Z., Qiguang, W., Duanzhen, Z., Xiumin, H., Xiaotang, S., Chunsheng, C., Shuang, W. 2017. Risk Factors of Pulmonary Arterial Hypertension in The Elderly Patients with Secundum Atrial Septal Defect. *Journal of The American College of Cardiology*; 70(16):151.