



DAFTAR PUSTAKA

- Agbaje, I.M., Rogers, D.A., McVicar, C.M., McClure, N., Atkinson, A.B., Mallidis, C., et al. 2007. Insulin dependant diabetes mellitus: implications for male reproductive function. *Hum. Reprod.* 22(7): 1871-1877.
- Abeeleh, M.A., Ismail, Z.B., Alzaben, K.R., Abu-Halaweh, A.A., Al-Essa, M.K., Abuabeeleh, J., Alsmady, M.M., 2009. Induction of diabetes mellitus in rats using intraperitoneal streptozotocin: a comparison between 2 strains of rats. *J. Sci. Res.* 32(3): 398-402.
- Agarwal, A., Virk, G., Ong, C., Plessis, S.S., 2014. Effect of oxidative stress on male reproduction. *World J. Mens Health.* 32(1): 1-17.
- Ahmed, R.G., 2005. The physiological and biochemical effects of diabetes on the balance between oxidative stress and antioxidant defense system. *Med. J. Islamic World Acad. Sci.* 15(1): 31-42.
- Aitken, R.J., Koppers, A.J., 2011. Apoptosis and DNA damage in human spermatozoa. *Asian J. Androl.* 13(1): 36-42.
- Aitken, R.J., Roman, S.D., 2008. Antioxidant systems and oxidative stress in the testes. *Oxid. Med. Cell. Longev.* 1(1): 15-24.
- Allais-Bonnet, A., Pailhoux, E., 2014. Role of the prion protein family in the gonads. *Front. Cell. Dev. Biol.* 56(2): 1-9.
- Altay, B., Cetinkalp, S., Doganavşargil, B., Hekimgil, M., Semerci, B., 2003. Streptozotocin-induced diabetic effects on spermatogenesis with proliferative cell nuclear antigen immunostaining of adult rat testis. *Fertil. Steril.* 80 Suppl 2: 828-831.
- Amann, R.P., 2008. The cycle of the seminiferous review epithelium in humans: a need to revisit. *J. Androl.* 29(5): 469-487.
- Amaral, S., Oliveira, P.J., Ramalho-Santos, J., 2008. Diabetes and the impairment of reproductive function: possible role of mitochondria and reactive oxygen species. *Curr. Diabetes Rev.* 4(1): 46-54.
- Anitua, E., Aquirre, J.J., Alqorta, J., Ayerdi, E., Cabezas, A., Orive, G., et al., 2008. Effectiveness of autologous preparation rich in growth factors for the treatment of chronic cutaneous ulcers. *J. Biomed. Mater. Res. Appl. Biomater.* 84(2): 415-421.
- American Diabetes Association, 2014. Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care.* 37: S81-S90.
- American Diabetes Association, 2015. Classification and diagnosis of diabetes. *Diabetes Care.* 38: S8-S16.



- Aprioku, J.S., 2013. Pharmacology of free radicals and the impact of reactive oxygen species on the testis. *J. Reprod. Infertil.* 14(4): 158-172.
- Asadi, N., Bahmani, M., Kheradmand, A., Rafieian-Kopaei, M., 2017. The Impact of oxidative stress on testicular function and the role of antioxidants in improving it: a review. *J. Clin. Diagn. Res.* 11(5): IE01-IE05.
- Azzouni, F., Godoy, A., Li, Y., Mohler, J., 2012. The 5 alpha-reductase isozyme family: A review of basic biology and their role in human diseases. *Adv. Urol.* 2012: 1-18.
- Ba, X., Garg, N.J., 2011. Signaling mechanism of poly (ADP-ribose) polymerase-1 (PARP-1) in inflammatory diseases. *Am. J. Pathol.* 178(3): 946-955.
- Bakacak, M., Bostancı, M.S., Inanc, F., Yайлali, A., Serin, S., Attar, R., et al., 2016. Protective effect of platelet rich plasma on experimental ischemia/reperfusion injury in rat ovary. *Gynecol. Obstet. Invest.* 81(3):225-231.
- Ballester, J., Dominguez, J., Munoz, M.C., Sensat, M., Rigau, T., Guinovart J.J., et al., 2005. Tungstate Treatment Improves Leydig Cell Function in Streptozotocin-Diabetic Rats. *J. Androl.* 26: 706–715.
- Bartak, V., Josifko, M., Horackova, M., 1975. Juvenile diabetes and human sperm quality. *Int. J. Fertil.* 20(1): 30-32.
- Basciani, S., Mariani, S., Spera, G., Gnessi, L., 2010. Role of platelet-derived growth factors in the testis. *Endocr. Rev.* 31(6): 916-939.
- Bashir, J., Panero, A.J., Sherman, A.L., 2015. The emerging use of platelet-rich plasma in musculoskeletal medicine. *J. Am. Osteopath. Assoc.* 115(1): 24-31.
- Baumber, J., Ball, B.A., Gravance, C.G., Medina, V., Davies-Morel, M.C.G., 2000. The effect of reactive oxygen species on equine sperm motility, viability, acrosomal integrity, mitochondrial, membrane potential, and membrane lipid peroxidation . *J. Androl.* 21(6): 895-902.
- Blair, P., Flaumenhaft, R., 2009. Platelet alpha-granules: basic biology and clinical correlates. *Blood Rev.* 23(4): 177-189.
- Boswell, S.G., Cole, B.J., Sundman, E.A., Karas, V., Fortier, L.A., 2012. Platelet-rich plasma: a milieu of bioactive factors. *Arthroscopy.* 28(3): 429-439.
- Bott, R.C., McFee, R.M., Clopton, D.T., Toombs, C., Cupp, A.S., 2006. Vascular endothelial growth factor and kinase domain region receptor are involved in both seminiferous cord formation and vascular development during testis morphogenesis in the rat. *Biol. Reprod.* 75(1): 56-67.
- Boura-Halfon, S., Zick, Y., 2009. Phosphorylation of IRS proteins, insulin action, and insulin resistance. *Am. J. Physiol. Endocrinol. Metab.* 296(4): 581-591.



- Brawer, M.K., 2004. Testosterone replacement in men with andropause: an overview. *Rev. Urol.* 6 Suppl 6: S9-S15.
- Brownlee, M., 2005. The pathobiology of diabetic complications: a unifying mechanism. *Diabetes*. 54(6): 1615-1625.
- Bruning, J.C., Gautam, D., Burks, D.J., Gillette, J., Schubert, M., Orban, P.C., et al. 2000. Role of brain insulin receptor in control of body weight and reproduction. *Science*. 289(5487): 2122-2125.
- Cai, L., Chen, S., Evans, T., Xi D. D., Mukherjee, K., Chakrabarti, S., 2000. Apoptotic germ cell death and testicular damage in experimental diabetes: prevention by endothelin antagonism. *Urol. Res.* 28: 342-347.
- Cain, K., 2003. ChemicalInduced apoptosis: formation of the Apaf-1 apoptosome. *Drug Metab. Rev.* 35(4): 337-363.
- Caires, K.C., De Avila, J.M., Cupp, A.S., McLean, D.J., 2012. VEGFA family isoforms regulate spermatogonial stem cell homeostasis in vivo. *Endocrinology*. 153(2):887-900.
- Cavallo, C., Roffi, A., Grigolo, B., Mariani, E., Pratelli, L., Merli, G., et al., 2016. Platelet-rich plasma: the choice of activation method affects the release of bioactive molecules. *Biomed. Res. Int.* : 1-7.
- Celec, P., Ostatnikova, D., Hodosy, J., 2015. On the effects of testosterone on brain behavioral functions. *Front Neurosci.* 9: 1-17.
- Chatterjee, K., Ali, K.M., De, D., Bera, T.K., Jana, K., Maiti, S., et al., 2013. Hyperglycemia-induced alteration in reproductive profile and its amelioration by the polyherbal formulation MTEC (modified) in streptozotocin-induced diabetic albino rats. *Biomarker Genomic Medic.* 5(1): 54-66.
- Cheng, J., Watkins, S.C., Walker, W.H., 2007. Testosterone activates mitogen-activated protein kinase via Src kinase and the epidermal growth factor receptor in sertoli cells. *Endocrinology*. 148(5): 2066-2074.
- Chikezie, P.C., Ojijako, O.A., Ogbuji, A.C., 2015. Oxidative stress in diabetes mellitus. *Integr. Obes. Diabetes*. 1(3): 71-79.
- Claessens, F., Denayer, S., Tilborgh, N.V., Kerkhofs, S., Helsen, C., Haelens, A., 2008. Diverse roles of androgen receptor (AR) domains in AR-mediated signalling. *Nucl. Recept. Signal.* 6: 1-37.
- Cole, B.J., MD, Seroyer, S.T., Filardo, G., Bajaj, S., BE, Fortier, L.A., 2010. Platelet-rich plasma: where are we now and where are we going. *Sports Health*. 2(3): 203-210.
- Cornwall, G.A., 2009. New insights into epididymal biology and function. *Hum. Reprod.* 15(2): 213-227.



- Costa, C.F.P., Gobbo, M.G., Taboga, S.R., Fochi, M.E.P., Goes, R.M., 2016. Melatonin intake since weaning ameliorates steroidogenic function and sperm motility of streptozotocin-induced diabetic rats. *J. Androl.* 4(3): 526–541.
- Cudmore, M.J., Hewett, P.W., Ahmad, S., Wang, K.Q., Cai, M., Al-Ani, B., et al., 2016. The role of heterodimerization between VEGFR-1 and VEGFR-2 in the regulation of endothelial cell homeostasis. *Nat. Commun.* 3: 1-12.
- Darbandi, M., Darbandi, S., Agarwal, A., Sengupta, P., Durairajanayagam, D., Henkel, R., et al., 2018. Reactive oxygen species and male reproductive hormones. *Reprod. Biol. Endocrinol.* 16: 1-14.
- Davila, M.P., Munoz, P.M., Tapia, J.A., Ferrusola, C.O., da Silva, C.B., Pena, F.J., 2015. Inhibition of mitochondrial complex I leads to decreased motility and membrane integrity related to increased hydrogen peroxide and reduced ATP production, while the inhibition of glycolysis has less impact on sperm motility. *Plos One.* 10(9):1-21.
- Deavall, D.G., Martin, E.A., Horner, J.M., Roberts, R., 2012. Drug-induced oxidative stress and toxicity. *J. Toxicol.* 2012: 1-13.
- Dehghani, F., Sotoude, N., Bordbar, H., Panjeshahin, M.R., Karbalay-Doust, S., 2018. The use of platelet-rich plasma (PRP) to improve structural impairment of rat testis induced by busulfan. *Platelets.* : 1-8.
- Ding, G.L., Liu, Y., Liu, M.E., Pan, J.X., Guo, M.X., Sheng, J.Z., Huang, F., 2015. The effects of diabetes on male fertility and epigenetic regulation during spermatogenesis. *J. Androl.* 17(6): 948-953.
- Elmore, S., 2007. Apoptosis: a review of programmed cell death. *Toxicol. Pathol.* 35(4): 495-516.
- Enomoto, H., Inoki, I., Komiya, K., Shiomi, T., Ikeda, E., Obata, K., et al., 2003. Vascular endothelial growth factor isoforms and their receptors are expressed in human osteoarthritic cartilage. *Am. J. Pathol.* 162(1): 171-181.
- Eppley, B.L., Woodell, J.E., Higgins, J.B.S., 2004. Platelet quantification and growth factor analysis from platelet-rich plasma: implications for wound healing. *Plast. Reconstr. Surg.* 114(6): 1502-1508.
- Ergun, S., Kilic, N., Fiedler, W., Mukhopadhyay, A.K., 1997. Vascular endothelial growth factor and its receptors in normal human testicular tissue. *Mol. Cell. Endocrinol.* 131(1): 9-20.
- Fernandez, C.D., Porto, E.M., Arena, A.C., Kempinas, W.G., 2008. Effects of altered epididymal sperm transit time on sperm quality. *Int. J. Androl.* 31(4): 427-437.
- Ferrara, N., Gerber, H.-P., LeCouter, J., 2003. The biology of VEGF and its receptors. *Nat. Med.* 9(6): 669-676.



- Francisco, B.S., Bretsnyder, E.C., Kranz, R.G., 2013. Human mitochondrial holocytochrome c synthase's heme binding, maturation determinants, and complex formation with cytochrome c. *Proc. Natl. Acad. Sci.* 110(9): E788-E797.
- Gao, W., Bohl, C.E., Dalton, J.T., 2005. Chemistry and structural biology of androgen receptor. *Chem. Rev.* 105(9): 3352-3370.
- Ghanbari, E., Nejati, V., Khazaei, M., 2016. Antioxidant and protective effects of royal jelly on histopathological changes in testis of diabetic rats. *Int. J. Reprod. BioMed.* 14(8): 519-526.
- Giacco, F., Brownlee, M., 2010. Oxidative stress and diabetic complications. *Circ. Res.* 107(9): 1058-1070.
- Gobbo, M.G., Costa, C.F.P., Silva, D.G.H., Almeida, E.A., Goes, R.M., 2015. Effect of melatonin intake on oxidative stress biomarkers in male reproductive organs of rats under experimental diabetes. *Oxid. Med. Cell. Longev.* :1-11.
- Goldenberg, R., Punthakee, Z., 2013. Definition, classification and diagnosis of diabetes, prediabetes and metabolic syndrome. *Can. J. Diabetes.* 37 Suppl 1: S8-S11.
- Graham, M.L., Janecek, J.L., Kittredge, J.A., Hering, B.J., Schuurman, H.J., 2011. The streptozotocin-induced diabetic nude mouse model: differences between animals from different sources. *Comp. Med.* 61(4): 356-360.
- Griffeth, R.J., Bianda, V., Nef, S., 2014. The emerging role of insulin-like growth factors in testis development and function. *Basic Clin. Androl.* 24: 1-12.
- Grossmann, M., 2011. Low testosterone in men with type 2 diabetes: significance and treatment. *J. Clin. Endocrinol. Metab.* 96(8): 2341-2353.
- Guneli, E., Tugyan, K., Ozturk, H., Gumustekin, M., Cilaker, S., Uysal N., 2008. Effect of melatonin on testicular damage in streptozotocin-induced diabetes rats. *Eur. Surg. Res.* 40(4): 354-360.
- Hammond, G.L., 2011. Diverse roles for sex hormone-binding globulin in reproduction. *Biol. Reprod.* 85(3): 431-441.
- Hoeben, A., Landuyt, B., Highley, M.S., Wildiers, H., Van Oosterom, A.T., De Bruijin, E.A., 2004. Vascular endothelial growth factor and angiogenesis. *Pharmacol. Rev.* 56(4): 549-580.
- Hu, G., Lin, H., Chen, G., Chen, B., Lian, Q., Hardy, D.O., et al., 2010. Deletion of the Igf1 gene: suppressive effects on adult Leydig cell development. *Andrology.* 31(4): 379-387.



- Hu, J., Zhang, Z., Shen, W., Azhar, S., 2010. Cellular cholesterol delivery, intracellular processing and utilization for biosynthesis of steroid hormones. *Nutr. Metab. (Lond)*. 7(47): 1-25.
- International Diabetes Federation, 2015. *IDF Diabetes Atlas, 7th edition*. International Diabetes Federation, Brussels, Belgium.
- Jiang, X., Skibba, M., Zhang, C., Tan, Y., Xin, Y., Qu, Y., 2013. The roles of fibroblast growth factors in the testicular development and tumor. *J. Diabetes Res.* :1-8.
- Kabel, A.M., 2014. Free radicals and antioxidants: role of enzymes and nutrition. *World J. Nutr. Health.* 2(3): 35-38.
- Kang, H., 2013. Beyond the male sex hormone: deciphering the metabolic and vascular actions of testosterone. *J. Endocrinol.* 217(3): C1-C3.
- Kanter, M., Aktas, C., Erboga, M., 2012. Protective effects of quercetin against apoptosis and oxidative stress in streptozotocin-induced diabetic rat testis. *Food Chem. Toxicol.* 50(3-4): 719-725.
- Kelsey, T.W., Li, L.Q., Mitchell, R.T., Whelan, A., Anderson, R.A., Wallace, W.H.B., 2014. A validated age-related normative model for male total testosterone shows increasing variance but no decline after age 40 years. *PLoS One*. 9(10): 1-11.
- Kemenkes, 2013. *Riset Kesehatan Dasar, Situasi dan Analisis Diabetes*. Badan Penelitian dan Pengembangan Kesehatan RI, Jakarta.
- Khaneshi, F., Nasrolahi, O., Azizi, S., Nejati, V., 2013. Sesame effects on testicular damage in streptozotocin-induced diabetes rats. *Avicenna J. Phytomed.* 3(4): 347-355.
- Kianifard, D., Sadrkhanlou, R.A., Hasanzadeh, S., 2012. The ultrastructural changes of the sertoli and leydig cells following streptozotocin induced diabetes. *Iran J. Basic Med. Sci.* 15(1): 623-635.
- Kim, S.T., Moley, K.H., 2008. Paternal effect on embryo quality in diabetic mice is related to poor sperm quality and associated with decreased glucose transporter expression. *Reproduction*. 136(3): 313-322.
- Knezevic, N.N., Candido, K.D., Desai, R., Kaye, A.D., 2016. Is platelet-rich plasma a future therapy in pain management. *Med. Clin. North. Am.* 100(1): 199-217.
- Koch, S., Claesson-Welsh, L., 2012. Signal transduction by vascular endothelial growth factor receptors. *Cold Spring Harb. Perspect. Med.* 2(7): 1-21.
- Kowluru, R.A., Chan, P.S., 2007. Oxidative stress and diabetic retinopathy. *Exp. Diabetes Res.* : 1-12.



- Lacci, K.M., Dardik, A., 2010. Platelet-rich plasma: support for its use in wound healing. *J. Biol. Med.* 83(1): 1-9.
- Latendresse, J.R., Warbritton, A.R., Jonassen, H., Creasy, D.M., 2002. Fixation of testes and eyes using a modified davidson's fluid: comparison with bouin's fluid and conventional davidson's fluid. *Toxicol. Pathol.* 30(4): 524-533.
- La Vignera, S., Condorelli, R.A., Di Mauro, M., Lo Presti, D., Mongioi, L.M., Russo, G., Calogero, A.E., 2015. Reproductive function in male patients with type 1 diabetes mellitus. *Andrology*. 3(6): 1082-1087.
- Leon, J., Acuna-Castroviejo, D., Escames, G., Tan, D.X., Reiter, R.J., 2005. Melatonin mitigates mitochondrial malfunction. *J. Pineal Res.* 38(1): 1-9.
- Li, J., Huang, M., Shen, X., 2014. The association of oxidative stress and pro-inflammatory cytokines in diabetic patients with hyperglycemic crisis. *J. Diabetes Complications*. 28(5): 662-666.
- Lian, Z., Yin, X., Li, H., Jia, L., He, X., Yan, Y., et al. 2014. Synergistic effect of bone marrow-derived mesenchymal stem cells and platelet-rich plasma in streptozotocin-induced diabetic rats. *Ann. Dermatol.* 26(1): 1-10.
- Lobascio, A.M., De Felici, M., Anibaldi, M., Greco, P., Minasi, M.G., Greco, E., 2015. Involvement of seminal leukocytes, reactive oxygen species, and sperm mitochondrial membrane potential in the DNA damage of the human spermatozoa. *Andrology*. 3(2): 265-270.
- Long, C.A., Boloumi, V., Albadawi, H., Tsai, S., Yoo, H.J., Oklu, R., Goldman, M.H., Watkins, M.T., 2013. Poly ADP-ribose polymerase inhibition ameliorates hind limb ischemia reperfusion injury in a murine model of type 2 diabetes. *Ann. Surg.* 258(6): 1-22.
- Lysiak, J., 2004. The role of tumor necrosis factor-alpha and interleukin-1 in the mammalian testis and their involvement in testicular torsion and autoimmune orchitis. *Reprod. Biol. Endocrinol.* 2: 1-9.
- Machlus, K.R., Italiano, J.E., 2013. The incredible journey: from megakaryocyte development to platelet formation. *J. Cell. Biol.* 201(6): 785-796.
- Madsen-Bouterse, S., Mohammad, G., Kowluru, R.A., 2010. Glyceraldehyde-3-phosphate dehydrogenase in retinal microvasculature: implications for the development and progression of diabetic retinopathy. *Invest. Ophthalmol. Vis. Sci.* 51(3): 1765-1772.
- Makarevich, A.V., Kubovicova, E., Sirotnik, A.V., Pivko, J., 2010. Demonstration of the effect of epidermal growth factor on ram sperm parameters using two fluorescent assays. *Vet. Med.* 55 (12): 581-589.



- Maneesh, M., Jayaleksmi, H., 2006. Role of reactive oxygen species and antioxidants on pathophysiology of male reproduction. *J. Clin. Biochem.* 21(2): 80-89.
- Marchetti, P.M., Barth, J.H., 2013. Clinical biochemistry of dihydrotestosterone. *Ann. Clin. Biochem.* 50(Pt 2): 95-107.
- Martins, R.P., Hartmann, D.D., Moraes, J.P., Soares, F.A.A., Puntel, G.O., 2016. Platelet-rich plasma reduces the oxidative damage determined by a skeletal muscle contusion in rats. *Platelets.* 27(8): 784-790.
- Martin-Sole, O., Rodo, J., Garcia-Aparicio, L., Blanch, J., Cusi, V., Albert, A., 2016. Effects of platelet-rich plasma (PRP) on a model of renal ischemia-reperfusion in rats. *PLoS One.* 11(8): 1-16.
- Marx, R.E., 2001. Platelet-rich plasma (PRP): what is PRP and what is not PRP. *Implant Dent.* 10(4): 225-228.
- Marx, R.E., 2004. Platelet-rich plasma: evidence to support its use. *J. Oral Maxillofac. Surg.* 62(4): 489-496.
- Masoudi, E., Ribas, J., Kaushik, G., Leijten, J., Khademhosseini, A., 2016. Platelet-rich blood derivatives for stem cell-based tissue engineering and regeneration. *Curr. Stem. Cell. Rep.* 2(1): 33-42.
- Mathur, P.P., D'cruz, S.C., 2011. The effect of environmental contaminants on testicular function. *J. Androl.* 13(4): 585-591.
- Matsumoto, T., Mugishima, H., 2006. Signal transduction via vascular endothelial growth factor (VEGF) receptors and their roles in atherogenesis. *J. Atheroscler. Thromb.* 13(3): 130-135.
- Miller, W.L., Auchus, R.J., 2011. The molecular biology, biochemistry, and physiology of human steroidogenesis and its disorders. *Endocr. Rev.* 32(1): 81-151.
- Miller, M.L., 2013. Steroid hormone synthesis in mitochondria. *Mol. Cell. Endocrinol.* 379(1-2): 62-73.
- Mohasseb, M., Ebied, S., Yehia, M.A.H., Hussein, N. 2011. Testicular oxidative damage and role of combined antioxidant supplementation in experimental diabetic rats. *J. Physiol. Biochem.* 67(2): 185-194.
- Nakajima, Y.I., Kuranaga, E., 2017. Caspase-dependent non-apoptotic processes in development. *Cell Death Differ.* 24(8): 1422-1430.
- Navarro-Casado, L., Juncos-Tobarra, M.A., Chafer-Rudilla, M., DeOnzono, L.I., Blazquez-Cabrera, J.A., Miralles-Garcia, J.M., 2010. Effect of experimental diabetes and STZ on male fertility capacity study in rats. *J. Androl.* 31(6): 584-592.



- Nebert, D.W., Wikvall, K., Miller, W.L., 2013. Human cytochromes P450 in health and disease. *Philos. Trans. R. Soc. Lond. Biol. Sci.* 368: 1-57.
- Nilsson, M., Heymach, J.V., 2006. Vascular endothelial growth factor (VEGF) pathway. *J. Thorac Oncol.* 1(8): 768-770.
- O'Connor, A.E., De Kretser, D.M., 2004. Inhibins in normal male physiology. *Semin. Reprod. Med.* 22(3): 177-185.
- O'Hara, L., Smith, L.B., 2015. Androgen receptor roles in spermatogenesis and infertility. *Best Pract. Res. Clin. Endocrinol Metab.* 29(4): 595-605.
- Okamura, M., Watanabe, T., Kashida, Y., Machida, N., Mitsumori, K., 2004. Possible mechanisms underlying the testicular toxicity of oxfendazole in rats. *Toxicol. Pathol.* 32: 1-8.
- Ozdemir, O., Akalin, P.P., Baspinar, N., Hatipoglu, F., 2009. Pathological changes in the acute phase of streptozotocin-induced diabetic rats. *Bull. Vet. Inst. Pulawy.* 53: 783-790.
- Ozougwu, J.C., Obimba, K.C., Belonwu, C.D., Unakalamba, C.B., 2013. The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus. *J. Physiol. Pathophysiol.* 4(4): 46-57.
- Papadopoulos, N., Martin, J., Ruan, Q., Rafique A., Rosconi, M.P., Shi, E., et al., 2012. Binding and neutralization of vascular endothelial growth factor (VEGF) and related ligands by VEGF Trap, ranibizumab and bevacizumab. *Angiogenesis.* 15(2): 171-185.
- Parikh, U.R., Goswami, H.M., Deliwala, K.J., Shah, A.M., Barot, H.P., 2012. Testicular biopsy in male infertility: study of 80 cases. *J. Pathol.* 25(2): 75-77
- Pavlovic, V., Ceric, M., Jovanovic, V., Stojanovic, P., 2016. Platelet rich plasma: a short overview of certain bioactive components. *Open Med.* 11(1): 242-224.
- Pham-Huy, L.A., He, H., Pham-Huy, C., 2008. Free radicals, antioxidants in disease and health. *Int. J. Biomed. Sci.* 4(2): 89-96.
- Phaniendra, A., Jestadi, D.B., 2015. Free radicals: properties, sources, targets, and their implication in various diseases. *J. Clin. Biochem.* 30(1): 11-26.
- Plant, T.M., Marshall, G.R., 2001. The functional significance of FSH in spermatogenesis and the control of its secretion in male primates. *Endocr. Rev.* 22(6): 764-786.
- Porte, D., Baskin, D.G., Schwartz, M.W., 2005. Insulin signaling in the central nervous system: a critical role in metabolic homeostasis and disease from *C. elegans* to humans. *Diabetes.* 54(5): 1264-1276.
- Quijano, C., Trujillo, M., Castro, L., Trostchansky, A., 2016. Interplay between oxidant species and energy metabolism. *Redox Biol.* 8: 28-42.



- Quinn, M., 2005. *Platelet function: assessment, diagnosis and treatment*, in: Quinn M, Fitzgerald D (Ed.), *Platelet physiology*. New Jersey: Humana Press: 2342-2349.
- Rachdaoui, N., Sarkar, D.K., 2013. Effects of alcohol on the endocrine system. *Endocrinol. Metab. Clin. North Am.* 42(3): 593-615.
- Rahman, K., 2007. Studies on free radicals, antioxidants, and co-factors. *Clin. Interv. Aging.* 2(2): 219-236.
- Rains, J.L., Jain, S.K., 2011. Oxidative stress, insulin signalling and diabetes. *Free Radic. Biol. Med.* 50(5): 567-575.
- Ramachandran, A., 2014. Know the signs and symptoms of diabetes. *Indian J. Med. Res.* 140 (5): 579-581.
- Ramakrishnan, S., Anand, V., Roy, S., 2014. Vascular Endothelial growth factor signaling in hypoxia and inflammation. *J. Neuroimmune Pharmacol.* 8(2): 142-160.
- Ramaswamy, S., Weinbauer, G.F., 2014. Endocrine control of spermatogenesis: role of FSH and LH/ testosterone. *Spermatogenesis.* 4(2): 1-15.
- Ramussen, M.K., Ekstrand, B., Zamaratskaia, G., 2013. Regulation of 3 - hydroxysteroid dehydrogenase/ 5- 4 isomerase: a review. *Int. J. Mol. Sci.* 14(9): 17926-17942.
- Rashid, K., Sil, P.C., 2015. Curcumin ameliorates testicular damage in diabetic rats by suppressing cellular stress mediated mitochondria and endoplasmic reticulum dependent apoptotic death. *Biochim. Biophys. Acta.* 1852(1): 70-82.
- Rezvani, M.R., Saadatjou, S.A., Sorouri, S., Hassanpour, F.M., 2012. Comparison of serum free testosterone, luteinizing hormone and follicle stimulating hormone levels in diabetics and non-diabetics men-a case-control study. *J. Res. Health Sci.* 12(2): 98-100.
- Ricci, G., Catizone, A., Esposito, R., Pisanti, F.A., Vietri, M.T., Galdieri, M., 2009. Diabetic rat testes: morphological and functional alterations. *Andrologia.* 41(6): 361-368.
- Rudolfsson, S.H., Wikstrom, P., Jonsson, A., Collin, O., Bergh, A., 2004. Hormonal regulation and functional role of vascular endothelial growth factor a in the rat testis. *Biol. Reprod.* 70(2): 340-347.
- Sabeti, P., Pourmasumi, S., Rahiminia, T., Akyash, F., Talebi, A.R., 2016. Etiologies of sperm oxidative stress. *Int. J. Reprod. Biomed.* 14(4): 231-240.
- Salem, N., Helmi, N., Assaf, N., 2018. Renoprotective effect of platelet-rich plasma on cisplatin-induced nephrotoxicity in rats. *Oxid. Med. Cell. Longev.* : 1-10.
- Salimnejad, R., Sazegar, G., Borujeni, M.J.S., Mousavi, M.S., Salehi, F., Ghorbani, F., 2017. Protective effect of hydroalcoholic extract of Teucrium polium on



diabetes-induced testicular damage and serum testosterone concentration. *Int. J. Reprod. BioMed.* 15(4): 195-201.

- Samson, M., Peale, F.V., Frantz, G., Rioux-Leclercq, N., Meyts, E.R., Ferrara, N., 2004. Human endocrine gland-derived vascular endothelial growth factor: expression early in development and in Leydig cell tumors suggests roles in normal and pathological testis angiogenesis. *J. Clin. Endocrinol. Metab.* 89(9): 4078-4088.
- Sanguinetti, R.E., Ogawa, K., Kurohmaru, M., Hayashi, Y., 1995. Ultrastructural changes in mouse Leydig cells after streptozotocin administration. *Exp. Anim.* 44(1): 71-73.
- Shapiro, A.D., 2000. Platelet function disorders. *Haemophilia*. 6 Suppl 1: 120-127.
- Schoeller, E.L., Schon, S., Moley, K.H., 2012. The effect of type 1 diabetes on the hypothalamic pituitary and testes axis. *Cell. Tissue Res.* 349(3): 839-847.
- Schieber, M., Chandel, N.S., 2014. ROS function in redox signaling and oxidative stress. *Curr. Biol.* 24(10): 453-462.
- Seino, Y., Nanjo, K., Tajima, N., Kadowaki, T., Kashiwagi, A., Araki, E., et al., 2010. Report of the committee on the classification and diagnostic criteria of diabetes mellitus. *J. Diabet. Invest.* 1(5): 212-228.
- Sekerci, C.A., Tanidir, Y., Sener, T.E., Sener, G., Cevik, O., Yarat, A., et al., 2017. Effects of platelet-rich plasma against experimental ischemia/reperfusion injury in rat testis. *J. Pediatr. Urol.* 13(3): 317.e1-317.e9.
- Shaha, C., Tripathi, R., Mishra, D.P., 2010. Male germ cell apoptosis: regulation and biology. *Philos. Trans. R. Soc. Lond. Biol. Sci.* 365(1546): 1501-1515.
- Shaik-Dasthagirisaheb, Y.B., Varvara, G., Murmura, G., Saggini, A., Potalivo, G., Caraffa, A., et al., 2013. Vascular endothelial growth factor (VEGF), mast cells and inflammation. *Int. J. Immunopathol. Pharmacol.* 26(2): 327-335.
- Shaikh, H., Shrivastava, V.K., Amir M., 2017. Diabetes mellitus and impairment of male reproductive function: role of hypothalamus pituitary testicular axis and reactive oxygen species. *J. Diabetes Obes.* 8(1): 41-50.
- Sharifi, N., 2013. Minireview: androgen metabolism in castration-resistant prostate cancer. *Mol. Endocrinol.* 27(5): 708-714.
- Shrilatha, B., Muralidhara, 2007. Early oxidative stress in testis and epididymal sperm in streptozotocin-induced diabetic mice: its progression and genotoxic consequences. *Reprod. Toxicol.* 23(4): 578–587.
- Simons, M., Gordon, E., Claesson-Welsh, L., 2016. Mechanisms and regulation of endothelial VEGF receptor signalling. *Nat. Rev. Mol. Cell. Biol.* 17(10): 611-625.



- Singh, K., Devi, S., Pankaj, P.P., 2016. Diabetes associated male reproductive dysfunctions: prevalence, diagnosis and risk factors. *Int. J. Drug Dev & Res.* 8(2): 007-010.
- Sisman, A.R., Kiray, M., Camsari, U.M., Evren, M., Ates, M., Baykara, B., et al., 2014. Potential novel biomarkers for diabetic testicular damage in streptozotocin-induced diabetic rats: nerve growth factor beta and vascular endothelial growth factor. *Disease Markers.* : 1-7.
- Sliwowska, J.H., Fergani, C., Gawatek, M., Skowronska, B., Fichna, P., Lehman, M.N., 2014. Insulin: its role in the central control of reproduction. *Physiol. Behav.* : 197-206.
- Smith, L.B., Walker, W.H., 2014. The regulation of spermatogenesis by androgens. *Semin. Cell. Dev. Biol.* : 2-13.
- Sone, H., Deo, B.K., Kumagai, A.K., 2000. Enhancement of glucose transport by vascular endothelial growth factor in retinal endothelial cells. *Invest. Ophthalmol. Vis. Sci.* 41(7): 1876-1884.
- Sonmez, M.F., Kilic, E., Karabulut, D., Cilenk, K.T., Deligonul, E., Dundar, M., 2016. Nitric oxide synthase in diabetic rat testicular tissue and the effects of pentoxifylline therapy. *Syst. Biol. Reprod. Med.* 62(1): 22-30.
- Suthar, M., Gupta, S., Bukhari, S., Ponemone, V., 2017. Treatment of chronic non-healing ulcers using autologous platelet rich plasma: a case series. *J. Biomed. Sci.* 24(16): 1-10.
- Szkudelski, T., 2001. The mechanism of alloxan and streptozotocin action in cells of the rat pancreas. *Physiol. Res.* 50(6): 537-546.
- Takahashi, H., Shibuya, M., 2005. The vascular endothelial growth factor (VEGF)/VEGF receptor system and its role under physiological and pathological conditions. *Clin. Sci.* 109(3): 227-241.
- Tohidnezhad, M., Wruck, C.J., Slowik, A., Kweider, N., Beckmann, R., Bayer, A., et al. 2014. Role of platelet-released growth factors in detoxification of reactive oxygen species in osteoblasts. *Bone.* 65: 9-17.
- Trindade, A.A., Simoes, A.C., Silva, R.J., Macedo, C.S., Spadella, C.T., 2013. Long term evaluation of morphometric and ultrastructural changes of testes of alloxan-induced diabetic rats. *Acta Cir. Bras.* 28(4): 256-265.
- Tunckiran, A., Çayan, S., Bozlu, M., Yilmaz, N., Acar, D., Akbay, E., 2005. Protective effect of vascular endothelial growth factor on histologic changes in testicular ischemia-reperfusion injury. *Fertil Steril.* 84(2): 468-473.



- Turcu, A., Smith, J.M., Auchus, R., Rainey, W.E., 2014. Adrenal androgens and androgen precursors: definition, synthesis, regulation and physiologic actions. *Compr. Physiol.* 4(4): 1369-1381.
- Valeriy, Z., Olena, K., Olena, K., 2014. Platelet rich plasma induces morphofunctional restoration of mice testes following doxorubomycine hydrochloride exposure. *J. Exp. Clin. Med.* 31:183-187.
- Van Belle, T.M., Coppieters, K.T., Von Herrath, M., 2011. Type 1 diabetes: etiology, immunology, and therapeutic strategies. *Physiol. Rev.* 91(1): 79-118.
- Venkatesh, S., Deecaraman, M., Kumar, R., Shamsi, M.B., Dada, R., 2009. Role of reactive oxygen species in the pathogenesis of mitochondrial DNA (mtDNA) mutations in male infertility. *Indian J. Med. Res.* 129(2): 127-137.
- Vodo, S., Bechi, N., Petroni, A., Muscoli, C., Aloisi, A.M., 2013. Testosterone-induced effects on lipids and inflammation. *Mediators Inflammation.* 2013: 1-8.
- Wadosky, K.M., Koochekpour, S., 2016. Therapeutic rationales, progresses, failures, and future directions for advanced prostate cancer. *Int. J. Biol. Sci.* 12(4): 409-426.
- Wang, R.S., Yeh, S., Tzeng, C.R., Chang, C., 2009. Androgen receptor roles in spermatogenesis and fertility: lessons from testicular cell-specific androgen receptor knockout mice. *Endocr. Rev.* 30(2): 119-132.
- Wild, S., Roglic, G., Green, A., Sicree, R., King, H., 2004. Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetes Care.* 27(5): 1047-1053.
- World Health Organization, 2016. *Global report on diabetes, Prevalence of diabetes and associated risk factors.* World Health Organization, Geneva.
- Xu, S., Hu, S., Yu, X., Zhang, M., Yang, Y., 2017. 17'-hydroxylase/17,20-lyase deficiency in congenital adrenal hyperplasia: a case report. *Mol. Med. Rep.* 15(1): 339-344.
- Xu, Y., Lei, H., Guan, R., Gao, Z., Li, H., Wang, L., Song, W., Gao, B., Xin, Z., 2014. Studies on the mechanism of testicular dysfunction in the early stage of a streptozotocin induced diabetic rat model. *Biochem. Biophys. Res. Commun.* 450(1): 87-92.
- Yaghoubi, A., Shahedi, A., Akbari, H., Nematollahi-Mahani, S.N., 2017. Do insulin replacement and omega3 protect the male reproductive function of the streptozotocin induced diabetic mice. *Nutr. Metab.* : 1-6.
- Yu, T., Robotham, J.L., Yoon, Y., 2006. Increased production of reactive oxygen species in hyperglycemic conditions requires dynamic change of mitochondrial morphology. *Proc. Natl. Acad. Sci.* 103(8): 2653-2658.



UNIVERSITAS
GADJAH MADA

EFEK PLATELET RICH PLASMA (PRP) PADA TESTIS TIKUS WISTAR JANTAN DIABETES (*Rattus norvegicus*) YANG

DIINDUKSI STREPTOZOTOCIN

RISTA DWI H, dr. Dicky Moch. Rizal, M.Kes., Sp. And., AIFM.; Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, SpKK(K)

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Zapata, J.C., Cox, D., Salvato, M.S., 2014. The role of platelets in the pathogenesis of viral hemorrhagic fevers. *PLoS Negl. Trop. Dis.* 8(6): 1-32.
- Zhang, F., Xie, R., Munoz, F.M., Lau, S.S., Monks, T.J., 2014. PARP-1 Hyperactivation and reciprocal elevations in intracellular Ca^{2+} during ROS-induced nonapoptotic cell death. *Toxicol. Sci.* 140(1): 118-134.
- Zhang, H., Yin, Y., Wang, G., Liu, Z., Liu, L., Sun, F., 2014. Interleukin-6 disrupts blood-testis barrier through inhibiting protein degradation or activating phosphorylated ERK in Sertoli cells. *Sci. Rep.* 4: 4260.
- Zhao, J., Zhai, L., Liu, Z., Wu, S., Xu, L., 2014. Leptin level and oxidative stress contribute to obesity-induced low testosterone in murine testicular tissue. *Oxid. Med. Cell. Longev.* : 1-14.