

DAFTAR PUSTAKA

- Agrawal, Y., Carey, J. P., Della Santina, C. C. *et al.*, (2009). Disorders of balance and vestibular function in US adults: data from the National Health and Nutrition Examination Survey, 2001-2004. *Archives of Internal Medicine*, 169, 938–944. doi: 10.1001/archinternmed.2009.66.
- Ariens, G., Bongers, P., Douwes, M. *et al.*, (2001). Are neck flexion, neck rotation and sitting at work risk factors for neck pain? Results of a prospective cohort study. *Occupational and Environmental Medicine*, 58:200–207. doi: 10.1136/oem.58.3.200.
- Badan Pusat Statistik Kabupaten Kulon Progo. 2017. *Kabupaten Kulon Progo dalam Angka 2017*. Yogyakarta: Pohon Cahaya Yogyakarta.
- Cagnie, B., Danneels, L., Tiggelen, D. V. *et al.*, (2007) ‘Individual and work related risk factors for neck pain among office workers: A cross sectional study’, *European Spine Journal*, 16(5), pp. 679–686. doi: 10.1007/s00586-006-0269-7.
- Grgić V. (2006). Cervicogenic proprioceptive vertigo: etiopathogenesis, clinical manifestations, diagnosis and therapy with special emphasis on manual therapy. *Europe PubMed Central*. [online] pp.128(9-10):288-295. Tersedia pada: <https://europepmc.org/abstract/med/17128668> [Diakses 15 Nov. 2018].
- Chen, J., & Nathans, J. (2007). Estrogen-related receptor beta/NR3B2 controls epithelial cell fate and endolymph production by the stria vascularis. *Developmental Cell*. 13, 325–337. doi: 10.1016/j.devcel.2007.07.011.
- Cohen, H. S., Kimball, T. & Stewart, M. G. (2004) ‘Benign Paroxysmal Positional Vertigo and Comorbid Conditions’, 77030, pp. 11–15. doi: 10.1159/000077227.
- Coksuer, H., Koplay, M., Oghan, F. *et al.* (2011). Effects of estradiol–drospirenone hormone treatment on carotid artery intima-media thickness and vertigo/dizziness in postmenopausal women. *Archives of Gynecology and Obstetrics*, 283, 1045–1051. doi: 10.1007/s00404-010-1487-0.
- Darivemula, S., Goswami, K., Gupta, S. *et al.*, (2016). Work-related neck pain among desk job workers of tertiary care hospital in New Delhi, India: Burden and determinants. *Indian Journal of Community Medicine*, 41(1), p.50.
- Dppka.jogjapro.go.id. (2015). PETA DIY. [online] Tersedia pada: <http://dppka.jogjapro.go.id/peta-diy.html> [Diakses 9 Nov. 2018].
- Edward, Y. & Roza, Y. (2014) ‘Diagnosis dan tata laksana Benign Paroxysmal Positional Vertigo (BPPV) Horizontal berdasarkan head roll test’, *Jurnal Kesehatan Andalas*, 3(1), pp. 77–82.
- Ekblad, S., Bergendahl, A., Enler, P., *et al.*, (2000). Disturbances in postural balance are common in postmenopausal women with vasomotor symptoms. *Climacteric* 3, 192–198. doi: 10.1080/13697130008500097.

- Filippopoulos, F. M., Albers, L., Straube, A. *et al.*, (2017). Vertigo and dizziness in adolescents: Risk factors and their population attributable risk. *PLoS ONE*, 12(11), e0187819. <http://doi.org/10.1371/journal.pone.0187819>.
- Fitria, J.J. & Rais, Z., (2013), Eksplorasi Teknik Batik Kontemporer dengan Sablon Puff Pada Produk Fashion. *Jurnal Tingkat Sarjana Senirupa dan Desain*, 2(1), pp. 1-10.
- Furman, J. & Lempert, T. (2016). *Neuro-Otology, Volume 137*. [e-book]. 1st ed. Elsevier.
- Hallman, D. M., Gupta, N., Heiden, M. *et al.*, (2016) 'Is prolonged sitting at work associated with the time course of neck-shoulder pain? A prospective study in Danish blue-collar workers', *BMJ Open*, 6(11), pp. 1–9. doi: 10.1136/bmjopen-2016-012689.
- Hanci, D. & Altun, H. (2015). *Prevalence of Benign Paroxysmal Positional Vertigo Among Motocross Racers: a Case-control Study*. [online] tr-ent. Tersedia pada: <http://www.tr-ent.org/jvi.aspx?/pdir=tr-ent&plng=eng&x=p&un=KBBI-90922&look4=> [Diakses 26 Aug. 2018].
- Hansson, E. E., Persson, L., Malmström, EM. (2013). Influence of vestibular rehabilitation on neck pain and cervical range of motion among patients with whiplash-associated disorder: a randomized controlled trial. *Journal of Rehabilitation Medicine*, 45 (9): 906-910.
- Hellstrom, F., Roatta, S., Thunberg, J. *et al.*, (2005). Responses of muscle spindles in feline dorsal neck muscles to electrical stimulation of the cervical sympathetic nerve. *Exp Brain Res*, 165: 328-342.
- Hong, S. K., Park, J. H., Kwon, S. Y. *et al.*, (2015). Clinical efficacy of the romberg test using a foam pad to identify balance problems: a comparative study with the sensory organization test. *Eur Arch Otorhinolaryngol*, 272: 2741–7. doi: 10.1007/s00405-014-3273-2.
- Indrati, A., Sugiarti, R. & Nilawati, Y. (2011) 'Pengembangan dokumentasi elektronik Batik Jawa, Bali dan Madura berbasis web', (April).
- Iwasaki, S., & Yamasoba, T. (2015). Dizziness and imbalance in the elderly: age-related decline in the vestibular system. *Aging and Disease*, 6, 38–47. doi: 10.14336/AD.2014.0128.
- Johansson, H., Sojka, P. (1991). Pathophysiological mechanisms involved in genesis and spread of muscular tension in occupational muscle pain and in chronic musculoskeletal pain syndromes: a hypothesis. *Med Hypotheses*, 35: 196-2013.
- Kammerlind, A. S. C., Ernsth Bravell, M., Fransson, E. I. (2016) 'Prevalence of and factors related to mild and substantial dizziness in community-dwelling older adults: A cross-sectional study', *BMC Geriatrics*. *BMC Geriatrics*, 16(1), pp. 1–9. doi: 10.1186/s12877-016-0335-x.
- Karlberg, M., Johansson, R., Magnusson, M. *et al.*, (1996a). Dizziness of suspected cervical origin distinguished by posturographic assessment of human postural dynamics. *Journal of Vestibular Research*, (1): 37-47.

- Karlberg, M., Persson, L., Magnusson, M. *et al.*, (1995). Impaired postural control in patients with cervico-brachial pain. *Acta Otolaryngol Suppl* 520 (Pt 2): 440-442.
- Kondo, M. *et al.*, (2015) 'Analysis of vestibular-balance symptoms according to symptom duration: Dimensionality of the Vertigo Symptom Scale-short form', *Health and Quality of Life Outcomes*, 13(1), pp. 1–10. doi: 10.1186/s12955-015-0207-7.
- Kurre, A., Straumann, D., van Gool, C. JAW. *et al.*, (2012) 'Gender differences in patients with dizziness and unsteadiness regarding self-perceived disability, anxiety, depression, and its associations', *BMC Ear, Nose and Throat Disorders*. BioMed Central Ltd, 12(1), p. 2. doi: 10.1186/1472-6815-12-2.
- Lee, J. H., & Marcus, D. C. (2001). Estrogen acutely inhibits ion transport by isolated stria vascularis. *Hearing Research*, 158, 123–130. doi: 10.1016/S0378-5955(01)00316-1.
- Lee, S. B., Lee, C. H., Kim, Y. J., & Kim, H.-M. (2017). Biochemical markers of bone turnover in benign paroxysmal positional vertigo. *PLoS ONE*, 12(5), e0176011. <http://doi.org/10.1371/journal.pone.0176011>.
- Liu, D. H., Kuo, C. H., Wang, C. T. *et al.*, (2017) 'Age-related increases in benign paroxysmal positional vertigo are reversed in women taking estrogen replacement therapy: A population-based study in Taiwan', *Frontiers in Aging Neuroscience*, 9(DEC). doi: 10.3389/fnagi.2017.00404.
- Li, J. (2018). *Benign Paroxysmal Positional Vertigo: Practice Essentials, Pathophysiology, Epidemiology*. [online] Emedicine.medscape.com. Tersedia pada: <https://emedicine.medscape.com/article/884261-overview#a1> [Diakses 30 Aug. 2018].
- Li, Y. & Peng, B. (2015) 'Pathogenesis, Diagnosis, and Treatment of Cervical Vertigo', *Pain physician*, 18, pp. 583–596.
- Lindawati & Mulyono. (2018) 'Evaluasi Postur Kerja Pengrajin Batik Tulis Aleyya Batik di Yogyakarta', *Journal of Public Health Research and Community Health Development Vol. 1 No. 2 (2018)*, 1(2), pp. 43–51.
- Loury, G. C. (2000) 'Twenty-five years of black America: two steps forward and one step back?', *Journal of Sociology and Social Welfare*, 27(1), pp. 19–52. Tersedia pada: <http://flagship.luc.edu/login?url=http://search.ebscohost.com/login.aspx?direct=true&db=swh&AN=69040&site=ehost-live>.
- Luthfianto, S. & S. (2011) 'Beban Kerja dan Keluhan Sistem Muskuloskeletal pada Pembatik Tulis di Kelurahan Kalinyamat Wetan Kota Tegal', *Prosiding Seminar Nasional Sains dan Teknologi*, pp. 70–75. Tersedia pada: http://publikasiilmiah.unwahas.ac.id/index.php/PROSIDING_SNST_FT/article/view/320/310.pdf.
- Lynn, S., Pool, A., Rose, D. *et al.*, (1995). Randomized trial of the canalith repositioning procedure. *Otolaryngology-Head and Neck Surgery*, 113, 712–720. doi: 10.1016/S0194-5998(95)70010-2.

- Matre, D., Arendt-nielsen, L., Knardahl, S. (2002). Effects of localization and intensity of 457 experimental muscle pain on ankle joint proprioception. *European Journal of Pain* 6, 245–260.
- McHugh, M. L. (2012) ‘Interrater reliability: the kappa statistic’, *Biochemia Medica*, pp. 276–282. doi: 10.11613/BM.2012.031.
- Misbach J., Hamid A.B., Mayza A. *et al.*, (2006). *Buku pedoman standar pelayanan medis dan standar prosedur operasional*. PERDOSSI, Jakarta.
- Muncie, H. L., Sirmans, S. M. & James, E. (2017) ‘Dizziness: Approach to evaluation and management’, *American Family Physician*, 95(3), pp. 154–162.
- Naessen, T., Lindmark, B., Larsen, H. C. (1997). Better postural balance in elderly women receiving estrogens. *American Journal of Obstetrics and Gynecology*, 177, 412–416. doi: 10.1016/S0002-9378(97)70207-2.
- Naessen, T., Lindmark, B., Lagerstrom, C. *et al.*, (2007). Early postmenopausal hormone therapy improves postural balance. *Menopause*, 14, 14–19. doi: 10.1097/01.gme.0000248707.53075.7f.
- Nauta, J. J. P. (2014) ‘Meta-analysis of clinical studies with betahistine in Ménière’s disease and vestibular vertigo’, *European Archives of Oto-Rhino-Laryngology*, 271(5), pp. 887–897. doi: 10.1007/s00405-013-2596-8.
- Netter, F. H., Hansen, J. T., & Lambert, D. R. (2005). *Netter's clinical anatomy*. Carlstadt, N.J., Icon Learning Systems.
- Neuhauser, H. K. (2007) ‘Epidemiology of vertigo’, *Current Opinion in Neurology*, 20(1), pp. 40–46. doi: 10.1097/WCO.0b013e328013f432.
- Neuhauser, H. K. (2009). *Epidemiologie von Schwindelerkrankungen*. Der Nervenarzt, 80(8), 887–894. doi:10.1007/s00115-009-2738-9.
- Neuhauser, H. K. (2016). The epidemiology of dizziness and vertigo. *Neuro-Otology*, 67–82. doi:10.1016/b978-0-444-63437-5.00005-4.
- Nursalam. (2008). *Konsep Dan Penerapan Metodologi Penelitian Ilmu Keperawatan : Pedoman Skripsi & Tesis dan Instrumen Penelitian Keperawatan*. Salemba Medika.
- Ogun, O. A., Buki, B., Cohn, E. E. *et al.*, (2014) ‘Menopause and benign paroxysmal positional vertigo’, *Menopause*, 21(8), pp. 886–889. doi: 10.1097/GME.0000000000000190.
- Ortiz-Hernandez, L., Gonzalez, S., Martinez-Alcantara, S. *et al.*, (2003). Computer use increases the risk of musculoskeletal disorders among newspaper office worker. *Archives of Medical Research*, 34:331–342. doi: 10.1016/S0188-4409(03)00053-5.
- Palmeri R, Dulebohn SC. Vertigo, Benign Paroxysmal Positional (BPPV) [Updated 2018 May 25]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2018 Jan-. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK470308/>
- Perhimpunan Dokter Spesialis Saraf Indonesia. (2016) ‘Myasthenia Gravis dan Krisis Myasthenia’, *Panduan Praktik Klinis Neurologi*, pp. 211–212.

- Perhimpunan Dokter Spesialis Saraf Indonesia. (2016) 'Vertigo', *Panduan Praktik Klinis Neurologi*, pp. 133–134.
- Persson, L., Karlberg, M., Magnusson, M. (1996). Effects of different treatments on postural performance in patients with cervical root compression: a randomized prospective study assessing the importance of the neck in postural control. *Journal of Vestibular Research*, 6: 439-453.
- Pulat, B. (2000). *Fundamental of Industrial Ergonomics*. USA: *Waveland Press Inc*
- Ramadhiani, K. F., Widjasena, B. & Jayanti, S. (2017) 'Hubungan Durasi Kerja, Frekuensi Repetisi Dan Sudut Bahu Dengan Keluhan Nyeri Bahu Pada Pekerja Batik Bagian Canting Di Kampoeng Batik Laweyan Surakarta', 5, pp. 215–226.
- Roatta, S., & Passatore, M. (2006). Muscle sensory receptors. In M. Akay (Ed.), *Wiley Encyclopedia of Biomedical Engineering*. Hoboken, NJ: Wiley.
- Roque, R. L., Lameiras, R., Cavilhas, P. *et al.*, (2016). *[Epidemiology of Vertigo on Hospital Emergency]*. - PubMed - NCBI. [online] Ncbi.nlm.nih.gov. Tersedia pada: <https://www.ncbi.nlm.nih.gov/pubmed/27649017> [Diakses 26 Aug. 2018].
- Sa'du, A. A. (2013). *Mengenal & Membuat Batik*. Yogyakarta: Pustaka Santri.
- Siregar, A. L., Widyastuti, K., Widyadharma, P. E. (2017) 'Uji reliabilitas vertigo symptom scale short form (VSS-SF) pada penderita dizziness di RSUP Sanglah Denpasar', (October). doi: 10.15562/medi.v48i3.149.
- Skov, T., Borg, V., Orhede, E. (1996). Psychosocial and physical risk factors for musculoskeletal disorders of the neck, shoulders, and lower back in salespeople. *Occupational and Environmental Medicine*, 53(5):351–356. doi: 10.1136/oem.53.5.351.
- Sunami, K., Tochino, R., Tokuhara, Y. *et al.*, (2006) 'Effects of cigarettes and alcohol consumption in benign paroxysmal positioning vertigo', *Acta Oto-Laryngologica*, 126(8), pp. 834–838. doi: 10.1080/00016480500527474.
- Sumardiyono., Wijayanti, R., Probandari, A. *et al.*, (2012) 'Faktor Risiko Kesehatan Kerja pada Pekerja Pembatik Tulis', *Prosiding Seminar Nasional Sains dan Teknologi ke-3 Tahun 2012 Fakultas Teknik Universitas Wahid Hasyim Semarang*, pp. 45–50.
- Sumarliyah, E. & Saputro, S. (2008). 'Effect of Gymnastics Vertigo (Canalit Reposition Treatment) to Balance of Body in Patients Vertigo'. Tersedia pada: <http://journal.um-surabaya.ac.id/index.php/Health/article/view/117/69>.
- Sura, D. & Newell, S. (2010) 'Vertigo-diagnosis and management in the primary care', *Br J Med Pract*, 3(4), p. a351. Tersedia pada: <http://www.bjmp.org/content/vertigo-diagnosis-and-management-primary-care>.
- Stevens, K. N., Lang, I. A., Guralnik, J. M. *et al.*, (2008). Epidemiology of balance and dizziness in a national population: findings from the English Longitudinal Study of ageing. *Age and Ageing*, 37:300–305.

- Thunberg, J., Hellström, F., Sjölander, P. *et al.*, (2001). Influences on the fusimotor-muscle spindle system from chemosensitive nerve endings in cervical facet joints in the cat: possible implications for whiplash induced disorders. PubMed. [online] Tersedia pada: <https://insights.ovid.com/pubmed/?pmid=11240074> [Diakses 3 Oct. 2018].
- Tilikete, C. & Vighetto, A. (2011) ‘Oscillopsia: Causes and management’, *Current Opinion in Neurology*, 24(1), pp. 38–43. doi: 10.1097/WCO.0b013e328341e3b5.
- Umami, A. R., Hartanti, R. I., Sujoso, A. D. P. (2014) ‘Hubungan antara Karakteristik Responden dan Sikap Kerja Duduk dengan Keluhan Nyeri Punggung Bawah (Low Back Pain) Pada Pekerja Batik Tulis (The Relationship Among Respondent Characteristic and Awkward Posture with Low Back Pain in Batik Workers)’, *Pustaka Kesehatan*, 2(1), pp. 72–78. Tersedia pada: <http://jurnal.unej.ac.id/index.php/JPK/article/view/599>.
- Velde, G. (1999) ‘Benign paroxysmal positional vertigo Part I: Background and clinical presentation’, *Natural History*, 43(C), pp. 31–40.
- von Brevern, M., Radtke, A., Lezius, F. *et al.*, (2007). Epidemiology of benign paroxysmal positional vertigo. A population-based study. *Journal of Neurology, Neurosurgery, and Psychiatry*, 78, 710-5.
- von Brevern, M., Bertholon, P., Brandt, T. *et al.* (2015) ‘Benign paroxysmal positional vertigo: Diagnostic criteria’, *Journal of Vestibular Research*, 25(3,4), pp. 105–117. doi: 10.3233/VES-150553.
- Wada, M., Takeshima, T., Nakamura, Y. *et al.*, (2017) ‘Association between smoking and the peripheral vestibular disorder: A retrospective cohort study’, *Scientific Reports*. Springer US, 7(1), pp. 1–8. doi: 10.1038/s41598-017-17294-1.
- Wahyudi, K. T. (2012) ‘Vertigo’, *Cdk-198*, 39(10), pp. 738–741.
- Wilhelmsen, K., Strand, L. I., Nordahl, S. H. G. *et al.*, (2008). *Psychometric Properties of the Vertigo Symptom Scale-Short Form*. *BMC Ear, Nose, and Throat Disorders* 8:2.
- Wulan, A. J. & Prakasa, A. B. (2017) ‘Laki-laki 56 Tahun , dengan Vertigo Sentral et causa Iskemik Cerebellum Male 56 years , with Central Vertigo et causa Cerebellum Ischemic’, 4, pp. 92–96.t.
- Winner, S. J., Morgan, C. A., Evans, J. G. (1989). Perimenopausal risk of falling and incidence of distal forearm fracture. *British Medical Journal*, 298, 1486–1488. doi: 10.1136/bmj.298.6686.1486.
- Zhuravleva, N. G., Eliseev, A. A., Lukashin, A. V. *et al.*, (2005) ‘Layered double hydroxides as a matrix for luminescent rare earth complexes’, *Organic and Nanocomposite Optical Materials*, 846, pp. 237–242.