

DAFTAR PUSTAKA

- Alhasanah, F., Putiamaini, S., Mulyono, S. & Eugenie, A., (2016). Application of Sentinel-1A Radar Images For Paddy Growth Stages Identification in Indramayu Distric of West Java. Yogyakarta, *The 2nd International Conference of Indonesian Society for Remote Sensing*.
- Andari, M. T. (2014). Pemanfaatan Citra Radarsa-2 Dalam Pemantauan Fase Pertumbuhan Tanaman Padi (Studi Kasus: PT. Sang Hyang Sri, Subang Jawa Barat). *Skripsi*. Bogor: Departemen Ilmu Tanah dan Sumberdaya Lahan, Fakultas Pertanian IPB.
- Arsyad, S. (2006). *Konservasi Tanah dan Air*. Bogor: IPB Press.
- Atwood, D. K., David, S., & Gens, R. (2012). Improving PolSAR Land Cover Classification With Radiometric Correction of The Coherency Matrix. *IEEE Journal of Selected in Applied Earth Observation and Remote Sensing*, 5(3), 848 - 857.
- Badan Ketahanan Pangan dan Penyuluhan Pertanian Aceh. (2017). *Budidaya Tanaman Padi*.
- Badan Perencanaan Pembangunan Daerah. (2017). *Profil Daerah Kabupaten Bantul 2017*. Bantul: Badan Perencanaan Pembangunan Daerah, Kab. Bantul.
- Badan Pusat Statistik. (2017). *Bantul Dalam Angka 2017*. Bantul: Badan Pusat Statistik Kab. Bantul.
- Badan Pusat Statistik. (2017). *Daerah Istimewa Yogyakarta Dalam Angka 2017*. D.I. Yogyakarta: Badan Pusat Statistik.
- Bauni, Valeria, Facundo Schivo, Virginia Capmourteres, and Marina Homberg. (2015). Ecosystem loss assessment following hydroelectric dam flooding: The case of Yacyretá, Argentina. *Remote Sensing Applications: Society and Environment* 50-60.
- Cahyaningsih, Setia Wahyu. (2012). Pemantauan Fase Pertumbuhan Padi Menggunakan Sensor AVNIR dan PALSAR Polarisasi Penuh (Studi Kasus PT Sang Hyang Seri, Subang). *Skripsi*. Bogor: Departemen Ilmu Tanah dan Sumberdaya Lahan, Fakultas Pertanian IPB.
- CCRS. (2014). *Fundamental of Remote Sensing*. Canada: Canada Centre for Remote Sensing.
- Chen, C., & McNairn, H. (2006). A Neural Network Integrated Approach For Rice Crop Monitoring. *International Journal of Remote Sensing*, 27(7), 1367 - 1393.
- Choudhury, I., & Chakraborty, M. (2006). SAR Signature Investigation of Rice Crop Using RADARSAT Data. *International Journal of Remote Sensing*, 519 - 534.

- Choudhury, I., Chakraborty, M., Santra, S. C., & Parihar, J. S. (2012). Methodology to Classify Rice Cultural Types Based on Water Regimes Using Multi-temporal RADARSAT-1 Data. *International Journal of Remote Sensing*, 33(13), 4135-4160.
- Congalton, R. G., & Green, K. (2009). *Assesing the Accuracy of Remotely Sensed Data : Principle and Practice* (2nd Edition ed.). Boca Raton: CRC Press Taylor & Francis.
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Penerbit Andi.
- Davidse, J., (2015). *The Relation Between The NDVI and Backscatter of Sentinel-1 For Surgance Monitoring (Case Study in South Africa)*, Wageningen, The Netherlands: Wageningen University.
- Dao, N. L., Young, F., Apan, A., Le-Van, T., Le-Toan, T., & Bouvet, A. (2016). Rice Monitoring Using Envisat ASAR Data: Preliminary Result of a Case Study in the Mekong River Delta, Vietnam. *Asian Remote Sensing*.
- Erten, E., Sanchez-Lopez, J. M., Yuzugullu, O., & Hajnsek, I. (2016). Retrieval of Agricultural Crop Height From Space: A Comparison of SAR Technique. *Remote Sensing of Environment*, 187, 130 -144.
- European Space Agency. (2016). *Sentinel-1 Product Definition*. European Space Agency.
- Inoue, Y., Sakaiya, E., & Wang, C. (2014). Capability of C-band backscattering coefficients from high-resolution satellite SAR sensor to assess biophysical variables in paddy rice. *Remote Sensing of Environment*, 257 - 266.
- Hoang, H. K., Bernier, M., Duschesne, S., & Tran, Y. M. (2016). Rice Mapping Using RADARSAT-2 Dual- and Quad-Pol Data in a Complex Land-Use Watershed: Cau River Basin (Vietnam). *IEEE JOURNAL of Selected Topics in Applied Earth Observation and Remote Sensing*, 9, 3082 - 3096.
- Hussin, Y. A., (1995). Effect of Polarization and Incidence Angle on Radar Return From Urban Features Using L-Band Aircraft Radar Data. *IEEE*, 178 - 180.
- Jensen, J. R. (2007). *Remote Sensing Environment : An Earth Resource Perspective* (Second ed.). United States of America: Pearson Education, Inc.
- Karila, K., Nevalainen, O., Krooks, A., Karjalainen, M., & Kaasalainen, S. (2014). Monitoring Changes in Rice Cultivated Area from SAR and Optical Satellite Images in Ben Tre and Tra Vinh Provinces in Mekong Delta, Vietnam. *Remote Sensing*, 6, 4090 - 4108.
- Kementerian Pertanian. (2015). *Outlook Komoditas Pertanian Subsektor Tanaman Pangan Padi*. Jakarta: Pusat Data dan Sistem Informasi Pertanian, Kementerian Pertanian.

- Kementerian Pertanian. (2017). *Statistik Lahan Pertanian Tahun 2012 - 2016*. Jakarta: Pusat Data dan Sistem Informasi Pertanian, Sekretariat Jenderal, Kementerian Pertanian.
- Kim, Y.-h., Hong, S.-y., & Lee, H. (2008). Radar Backscattering Measurements of Paddy Rice Field using Multifrequency (L, C and X) and full Polarization. *IGRASS*. IEEE.
- Kuenzer, C., & Knauer, K. (2013). Review Article : Remote Sensing of Rice Crope Area. *International Journal of Remote Sensing*, 34(6), 2101-2139.
- Kussul, N., Lemoine, G., Gallego, F. J., Skakun, S. V., Lavreniuk, M., & Shelestov, A. Y. (2016). Parcel-Based Crop Clasification in Ukraine Using Landsat-8 Data and Sentinel-1A Data. *IEEE Journal of Selected Topic in Applied Earth Observation dan Remote Sensing*, 2500 - 2509.
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote Sensing and Image Intepretation* (Seventh Edition ed.). United States of America: John Wiley & Sons, Inc.
- Makarim, A. K., & Suhartatik, E. (2009). *Morfologi dan Fisiologi Tanaman Padi*. Balai Besar Penelitian Tanaman Padi.
- Mattia, F., Balenzano, A., Rinaldi, M., Steduto, P., & Moreno, J. (2015). Sentinel-1 For Wheat Mapping and Soil Moisture Retrieval. (hal. 2832 -2835). *IGARSS*.
- Miranda, N., & Meadows, P. J. (2015). *Radiometric Calibration of S-1 Level-1 Products Generated by the S-1 IPF*. European Space Agency.
- Miyoka, K., Maki, M., Susaki, J., Homma, K., Noda, K., & Oki, K. (2013). Rice-Planted Area Mapping Using Small Sets of Multi-Temporal SAR Data. *IEEE Geoscience and Remote Sensing Letter*, 10(6), 1507-1512.
- Mosleh, M. K., Hassan, Q. K., & Chowdhury, E. H. (2015). Application of Remote Sensor in Mapping Rice Area and Forecasting Its Production: A Review. *Sensors*, 15, 769-791.
- National Institute of Standards and Technology. (2018). Time and Frequency Services. Diakses dari NIST: www.nist.gov/time-and-frequency-services tanggal 7 Desember 2018.
- Nguyen, D. B., Clauss, K., Cao, S., Neimi, V., Kuenzer, C., & Wagner, W. (2015). Mapping Rice Seasonality in the Mekong Delta with Multi-Year Envisat ASAR WSM Data. *Remote Sensing*, 7, 15868-15893.
- Nguyen, D. B., Gruber, A. & Wagner, W., (2016). Mapping Rice Extent and Cropping Scheme In The Mekong Delta Using Sentinel-1A Data. *Remote Sensing Letter*, 7(12), 1209 - 1218.

- Noi, P. T. & Kappas, M., (2018). Comparison of Random Forest, k-Nearest Neighbor, and Support Vector Machine Classifier for Land Cover Using Sentinel-2 Imagery. *Sensor*, 18(18), pp. 1-20.
- Onojeghuo, A., Blackburn, G., Wang, Q., Atkinson, P., Kindred, D., & Miao, Y. (2018). Mapping paddy rice fields by applying machine learning algorithms to multi-temporal Sentinel-1A and Landsat data. *International Journal Of Remote Sensing*, 1042 -1067.
- Potin, P., Rosich, B., Miranda, N., & Grimont, P. (2016). Sentinel-1 Mission Status. *Conference on ENTERprise Information Systems*. 100, hal. 1297 - 1304. *Procedia Computer Science*.
- Quicho, E., Setiyono, T., Ramuga, G. C., Maunahan, A., Garcia, C., Ravis, J., Rala, A., Holecz, F., Collivignarelli, F., Gatti, L. (2016). *Monitoring Rice Crop Yield Using Sentinel 1-A SAR Data*. Asian Association on Remote Sensing.
- SARMAP. (2009). *Synthetic Aperture Radar and Sarscape*. SARMAP.
- Shang, J., McNairn, H., Champagne, C., & Jiao, X. (2009). Application of Multi-Frequency Synthetic Aperture Radar (SAR) in Crop Classification. Dalam G. Jelovec (Penyunt.), *Advances in Geoscience and Remote Sensing* (hal. 557 - 568). InTech. Diambil kembali dari [http://www.intechopen.com /book/advance-in-geoscience-and-remote-sensing/application-of-multi-frequency-synthetic-aperture-radar-sar-in-crop-classification](http://www.intechopen.com/book/advance-in-geoscience-and-remote-sensing/application-of-multi-frequency-synthetic-aperture-radar-sar-in-crop-classification).
- Shao, Y., Liao, J., & Wang, C. (2002). Analysis of temporal radar backscatter of rice: A comparison of SAR observations with modeling results. *Canadian Journal of Remote Sensing*, 128 - 138.
- Shimada, M. (2010). Ortho-Rectification and Slope Correction of SAR Data Using DEM and Its Accuracy Evaluation. *IEEE Journal of Selected Topics in Applied Earth Observation and Remote Sensing*, 3(4), 657 - 672.
- Skakun, S., Kussul, N., Shelestov, A. Y., Lavreniuk, M., & Kussul, O. (2016). Efficiency Assesment of Multitemporal C-Band Intensity and Landsat-8 Surface Reflectance for Crop Classification in Ukraine. *IEEE Journal of Selected Topics in Applied Earth Observation and Remote Sensing*, 9(8), 3712 - 3719.
- Small, D. (2011). Flattening Gamma: Radiometric Terrain Correction for SAR Imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 49(8), 3081 - 3093.
- Smith, R. B., (2012). *Introduction to Intepretating Digital RADAR Images*, USA: MicroImage Inc.
- Soemartono, Samad, B., & Hardjono, R. (1974). *Bercocok Tanam Padi* (2 ed.). Jakarta: C.V Yasaguna.

- Sudrajat, (2015). *Mengenal Lahan Sawah dan Memahami Multifungsinya Bagi Manusia dan Lingkungan*. Pertama penyunt. Yogyakarta: Gadjah Mada University Press.
- Suparyono dan A. Setyono. (1993). *Padi*. Jakarta : Penebar Swadaya.
- Sutanto. (1987). *Penginderaan Jauh*. Yogyakarta: UGM Press.
- Sutanto. (2010). Remote Sensing Research: A User's Perspective. *Indonesian Journal of Geography*, 42(2), 129 - 142.
- Sutiarso, L., Suyantohadi, A., Kastono, D., & Nugroho, A. P. (2011). Aplikasi Sistem Monitoring Pertumbuhan Tanaman Berbasis Web Menggunakan Machine Vision. *Aritech*, 31(4), 359-369.
- Toan, T. L., Ribbes, F., Wang, L.-F., Floury, N., Ding, K.-H., Kong, J. A., . . . Korosu, T. (1997). Rice Crop Mapping and Monitoring Using ERS-1 Data Based on Experiment and Modeling Result. *IEEE Transactions on Geoscience and Remote Sensing*, 35(1), 41 - 57.
- Tobler, W. (1987). Measuring Spatial Resolution. *Proposed to the 1987 Beijing Conference on Land Use and Remote Sensing*.
- Torbick, N., Chowdhury, D., Salas, W., & Qi, J. (2017). Monitoring Rice Agriculture across Myanmar Using Time Series Sentinel-1A Assisted by Landsat-8 and PALSAR-2. *Remote Sensing*, 9(119), 2-22.
- Tores, R., Snoeij, P., Geudtner, D., Bibby, D., Dvidson, M., Attema, E., . . . Floury, N. (2012). GMES Sentinel-1 mission. *Remote Sensing of Environment*, 9 - 24.
- Trisasonko, B. H., Panuju, D R., Tjahjono, B., Barus, B., Wijayanto, H., Raimadoya, M A., Irzaman. (2010). Simulasi Pemanfaatan Data LOSAT Untuk Pemetaan Padi. *Makara Teknologi*, 14(2), 116 - 120.
- Ustimenko, G. V., & Bakumovsky. (1982). *Plant Growing In The Tropics And SubTropics*. Moscow: English Translation, Mir Publisher.
- Veloso, A., Memoz, S., Bouvet, A., Loan, T. L., Planekss, M., Dejoux, J. F., & Ceshia, E. (2017). Understanding the Temporal Behavior of Crops Using Sentinel-1 and Sentinel-2-like Data for Agriculture Applications. *Remote Sensing of Environment*, 199, 415-426.
- Wahyunto. (2009). Lahan Sawah di Indonesia Sebagai Pendukung Ketahanan Pangan Nasional. *Informatika Pertanian*, 133 - 153.
- Xie, L., Zhang, H., Wu, F., Wang, C., & Zhang, B. (2015). Capability of Rice Mapping Using Hybrid Polarimetrics SAR Data. *IEEE Journal of Selected Topics in Applied Earth Observation dan Remote Sensing*, 3812 - 3823.

- Xin, Z.-G. (1996). Application of Multi-Frequency, Multi-Polarization, and Multi-Incident Angle SAR System in Urban Land Use and Land Cover Mapping. *IEEE*, 2310 - 2314.
- Yang, H., Pan, B., Wu, W., & Tai, J. (2018). Field-based rice classification in Wuhua county through integration of multitemporal Sentinel-1A and Landsat-8 OLI data. *Int J Appl Earth Obs Geoinformation*, 226 - 236.
- Yoshida, S. (1981). *Fundamental of Rice Crop Science*. Manila: The International Rice Research Institute.