



DAFTAR PUSTAKA

- Acquaah, G. 2007. Principles of Plant Genetics and Breeding. Blackwell Publishing. USA.
- Allard, R. W. 1960. Principle of Plant Breeding. John Wiley & Sons, Inc. New York. 485p.
- Alvarez, B., E. G. Biosca, and M. Lopez. 2010. Current Research and Education topics in Applied Microbiology and Microbial Biotechnology. A mendez-Vilaz (Ed).
- Ambarwati, E., Soemartono dan Nasrullah. 1997. Pendugaan komponen varians dan kovarians genetik beberapa komponen hasil padi pada generasi F4 dan F5. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Anonim. 2014. Pemanfaatan tomat sebagai produk olahan. <http://bp3ed.disperindag.ntbprov.go.id/index.php/berita/19-fungsional/88-olahan-tomat>. Diakses tanggal 5 Mei 2016.
- Arlat M et al. 1993. Studies on the *hrp* pathogenicity genes from *Pseudomonas solanacearum* GMI1000. Di dalam: Hartman GL, Hayward AC, editors. Bacterial wilt. Proceedings No.45 of an International Symposium on the ACIAR, Kaohsiung, Taiwan, ROC, 28-30 October 1992. Canberra: ACIAR. Hlm 232-237.
- Arwyianto, T., S. Sakata, M. Goto, S. Tyusumu, T. Takikawa. 1994. Induction of tomatine in tomato by strain avirulen: Strain *Pseudomonas solanacearum*. Ann. Phytopath Society. Japan.
- Arwyianto, T. 2014. *Ralstonia solanacearum*. Biologi, Penyakit yang ditimbulkan, dan Pengelolaannya. Gadjah Mada University Press. Yogyakarta.
- Arwyianto, T., Nurcahyanti S. D., Indradewa D., and Widada J. 2015. Grafting Local Commercial Tomato Cultivars with H-7996 and EG-203 to Suppress Bacterial Wilt (*Ralstonia solanacearum*) in Indonesia. *Acta Horticulturae* 1069 : 173-178.
- Arwyianto, T. 2014. *Ralstonia solanacearum*. Biologi, Penyakit yang ditimbulkan, dan Pengelolaannya. Gadjah Mada University Press. Yogyakarta.
- Ateka, E. M., A.W. Mwang'ombe, & J. W. Kimenju. 2001. Studies on the interaction between *Ralstonia solanacearum* (Smith) and *Meloidogyn* spp. in potato. *African Crop Sci. J* 9 (3): 527-535.



Badan Pusat Statistik dan Direktorat Jenderal Hortikultura. 2015. Produktivitas Tomat Menurut Provinsi, 2010-2014. <<http://www.bps.go.id/pdf>>. Diakses tamggal 15 Desember 2015.

Bosch, S. E., Louw A. J., and Aucamp, E. 1985. "Rodade", bacterial wilt resistant tomato. *Hort. Sci* 20 : 458-459.

Crowder, L. V. 1986. Genetika Tumbuhan. UGM Press. Yogyakarta.

Dalmadiyo, G. 2004. Kajian Interaksi Nematoda Puru Akar (*Meloidogyn incognita*) dengan Bakteri *Ralstonia solanacearum* pada Tembakau Temanggung. Tesis. Universitas Gadjah Mada. Yogyakarta.

Daunay, M. C., H. Laterrot, J. W. Scott, P. Hanson, and. J. F. Wang. 2010. Tomato resistance to bacterial wilt caused by *Ralstonia solanacearum* E.F. Smith: ancestry and peculiarities. Article. TGC REPORT 60: 6-40.

De Moura, R. M., E. Echandi, & N. T. Powell. 1975. Interaction of *Corynebacterium michiganense* and *Meloidogyn incognita* on tomato. *Phytopathology* 65 : 1332-1335.

Djatmiko, H. A., T. Arwiyanto., B. Hadisutrisno., dan B. H. Sunarminto. 2007. Potensi Tiga Genus Bakteri dari Tiga Rizosfer Tanaman sebagai Agensia Pengendali Hayati Penyakit Lincat. Jurnal Ilmu-ilmu Pertanian Indonesia 9(1) :40-47.

Diez, M. J. and F. Nuez. 2008. Tomato *in Vegetables II* : Fabaceae, Liliaceae, Solanaceae and Umbelliferae. Springer.

Direktorat Perlindungan Tanaman Hortikultura. 2004. Luas tambah serangan OPT utama tanaman sayuran. www.deptan.go.id/ditlinhorti /data-lts-2003.

Dropkin, V.H. 1969. Cellular Responses Of Plants To Nematode Infections. Annu Rev Phytopath 7:101-122.

Fahy, P.C. and Hayward. 1983. Media and Methods for isolation and Diagnosis test. In P.C. Fahy and G. J. Persley (Eds). Plant Bacterial Diseases A Diagnosis Guide. Academic Press. Sydney. 337-338p.

Faridah, H. 2009. Mengambil Manfaat Buah Tomat. <http://www.hennyfaridah.name/2009/12/mengambil-manfaat-buah-tomat.html>. Diakses tanggal 5 Mei 2016.



- Grimault, V., Prior, P. And Anais G. 1995. A monogenic dominant resistance of tomato to bacterial wilt in Hawaii 7996 is associated with plant colonization by *Pseudomonas solanacearum*. *Journal of Phytopathology* 143: 349-352.
- Hai, T.T.H., E. Esch, and J. F. Wang. 2008. Resistance to taiwanese race 1 strain of *Ralstonia solanacearum* in wild tomato germplasm. *Eur. J. Plant. Pathol.* 122:471-479.
- Harjadi, S. S. dan H. Halim. 1980. Pengujian heterosis tanaman tomat silangan resiprokal av-gondol dan av-apel belgi untuk sifat hortikultura dan resistensinya terhadap penyakit layu bakteri. *Bul. Agri.* XIII (2) :21-40.
- Hartman GL, Wong WF, Hanudin, Hayward AC. 1993. Potential of biological and chemical control of bacterial wilt. Di dalam: Hartman GL, Hayward AC, editors. *Bacterial wilt. Proceedings No.45 of an International Symposium on the ACIAR*, Kaohsiung, Taiwan, ROC, 28-30 October 1992. Canberra: ACIAR. Hlm 322-326.
- Hayward AC. 1991. Biology and epidemiology of bacterial wilt caused by *Pseudomonas solanacearum*. *Annu. Rev. Phytopathol.* 29:65-87.
- Hutton, D. G., R. E. Wilkinson, & W. F. Mai. 1973. Effect of two plant parasitic nematode on *Fusarium* dray root rot of beans. *Phytopathology* 63: 749-751.
- Ho, L. C. and J. D. Hewitt. 1986. Fruit Development. *in* : The Tomato Crops. Aterton, J. G. And Rudich (eds.). Chapman and Hall. New York.
- Janaki, V. and T. B. Putturaju. 2012. Studies on the percent incidence and reaction of tomato cultivar on bacterial wilt. *International Journal of Plant Protection* 5: 175-176.
- Jaworski, C. A., Phatak, S. C., Ghate, S. R., Gitaitis, R. D., & Widrlechner, M. P. (1987). Ga 1565-2-4 Bwt, Ga 219-1-2 Bwt, Ga 1095-1-4 Bwt, And Ga 1405-1-2 Bwt bacterial wilt-tolerant tomato. *Hortscience*, 22, 324–325.
- Jepson, S. B. 1987. Identification of Root-knot Nematodes (Meloidogyne species). Wallingford, UK, CAB International, 265 p.
- Jyothi, H. K., and H.M. Santhosha. 2012. Recent advances in breeding for bacterial wilt (*Ralstonia solanacearum*) resistance in tomato review. *Current Biotica* 6: 370-398.
- Kaloshian, I., J. Yaghoobi, T. Liharska, J. Hontelez, D. Hanson, P. Hogan, T. Jesse, J. Wijbrandi, G. Simon, P. Vosa, and V. M. Willianson. 1998.



Genetic and physical localization of the root-knot nematode resistance locus Mi in tomato. Mol Gen Genet 257: 376-385.

Kim, S. G., O. S. Hur, N. Y. Ro, H. C. K, J. H. Rhee, J. S. Sung, K. Y. Ryu, S. Y. Lee, and H. J. Baek. 2016. Evaluation of resistance to *Ralstonia solanacearum* in tomato genetic resources at seedling stage. Plant Pathol. J. 32 (1) : 58-64.

Laeshita, P dan T. Arwiyanto. 2017. Resistance Test of Several Tomato Varieties to Bacterial Wilt Diseases Caused by *Ralstonia solanacearum*. Julnal Perlindungan Tanaman 21 (1) : 51-53.

Lebeau A., M. C. Daunay, A. Palloix, J. F. Wang, J. Dintinger, F. Chiroleu, E, Wicker, and P. Prior. 2011. Bacterial wilt resistance in tomato, pepper, and eggplant : genetic resources respond to diverse strain in the *Ralstonia solanacearum* species complex. Phytopathology 101: 154-165.

Lelliot, R. A. & D. E. Stead. 1987. Methods for The Diagnoses of Bacterial Diseases of Plants. Methods in Plant Pathology. Blackweel Scientific publication.

Lin, C. Y., J. H. Yen, S. H. Hseu, D.Y. Chen, & T. T. Tsay. 1999. Effect of complex inoculation of *Meloidogyn incognita* and *Ralstonia solanacearum* on the diseases indexes in tomato and the pathogen population changes in the soil. J. Agric. Assoc. Of China 185: 139-153.

Lozano, J. C. And L. Sequeira. 1970. Differentiation of races of *Pseudomonas solanacearum* by a leaf infiltration technique. Phytopathology 60: 833-838.

Maheswari, T. U., S. B. Sharma, D. D. R. Reddy & M. P. Haware. 1997. Interaction of *Fusarium oxysporum* f. Sp. *Ciceri* and *Meloidogyn javanica* on *Cicer arietinum*. J. Nematol. 29 (1): 117-126.

Mangoendijojo, W. 2004. Pemuliaan Tanaman, Kompleksitas dan Permasalahan yang Dihadapi. Universitas Gadjah Mada Press, Yogyakarta.

Mather, S.K., and J.L.Jinks. 1982. Biometrical Genetics The Study of Continous Variation 3th Ed. Springer. US.

Moorman, G. W., J. S. Huang, & N. T. Powell. 1980. Localized influence of *Meloidogyn incognita* on *Fusarium* wilt resistance of flue-cured tobacco. Phytopathology 70: 969-970.



- Murti. R. H., dan S. Trisnowati. 2001. Keragaman dan kandungan nutrisi buah 3 jenis tomat introduksi. Agrivet 5(2) : 105-115.
- Murti. R. H., Muamiroh, F., Pujiati., T. R. W., and Indarti, S. 2012. Early Steps of Tomato Breeding Resist to Root-Knot Nematode. Agrivita 34 (3) :270-277.
- Naika, S., Van Lidt de Jeude, J., de Goffau, M., Hilmi, M. and Van Dam, B. 2005. Cultivation of tomato. Production, processing and marketing. In: B. Van Dam (ed.), Digrafi, Wageningen, The Netherlands.
- Nasir, M. 2001. Pengantar Pemuliaan Tanaman. Direktorat jenderal Pendidikan Tinggi Departemen Pendidikan Nasional. Jakarta.
- Napiere, C. M. & A. J. Quimio. 1980. Influence of root knot nematode on bacterial wilt severity in tomato. *Annals of Tropical Res.* 2: 29-39.
- Nawangsih, A. A. 2005. Biological control of Tomato Bacterial Wilt, *Ralstonia solanacearum*, by *Bacillus*. Journal ISSAAS 11(2): 91-102.
- Nicola, S., G. Tibaldi, and E. Fontana. 2009. Tomato Production Systems and Their Application to the Tropics. Acta Hort. 821 : 27-33.
- Nurcahyanti, S. D, T. Arwiyanto, D. Indradewa,dan J. Widada. 2013. Isolasi dan seleksi *Pseudomonad fluorescens* pada risosfer penyambungan tomat. *Berkala Ilmiah Pertanian* 1(1): 15-18.
- Peralta, I. E., D. M. Spooner., and S. Knapp. 2008. Systematic Botany Monographs. The American Society of Plant Taxonomists. London.
- Pitojo, S. 2005. Benih Tomat. Seri Penangkaran. Kanisius. Yogyakarta.
- Purwati. 1997. Pemuliaan Tanaman Tomat *Dalam* : Duriat, A. S., W. W. Hadisoeganda, A. H. Permadi, R. M. Sinaga, Y. Hilman, dan R. S. Basuki (eds). Teknologi Produksi Tomat. Balai Penelitian Sayur Pusat Penelitian dan Pengembangan Hortikultura, Lembang.
- Purwanto dan B. Tjahjono. 2002. Pengamatan Penyakit Layu Bakteri Pada Tanaman Tomat di Greenhouse dan Pengujian Antagonis. 245-251. Dalam Prosiding Kongr. XVI dan Seminar Ilmiah Nasional PFI. Agustus 2011. Bogor.
- Picken, A. J. F., K. Stewart, and D. Klapwijk. 1986. Germination and Vegetative Development. in : The Tomato Crops. Aterton, J. G. And Rudich (eds.). Chapman and Hall. New York.



Rahmawati, M. 2014. Agroindustri Pengolahan Produk Tomat. <https://melinarahmaw15.wordpress.com/bahan-kuliah/pengantar-agribisnis/agroindustri-pengolahan-produk-tomat/>. Diakses tanggal 5 Mei 2016.

Rao, M. V.B., Sohi, H.S. and Tikoo, S.K. 1975. Reaction of wild resistant tomato varieties and lines to *Pseudomonas solanacearum* in India. Plant Disease Reporter, 59, 734--736.

Riedel, R.M. 1988. Interaction of plant-parasitic nematodes with soil born pathogens. P. 281-292. In Edwards, C. A. (Ed.) Biological interactions in soil. Elsevier Science Pub. Amsterdam.

Robert, D. P., Denny, T. P., and Schell, M. A. 1988. Cloning of the *egl* Gene of *Pseudomonas solanacearum* and Analysis of Its Role in Phytopathogenicity. *J. of Bacteriology* 1445-1451.

Rubatzky, V. E. Dan M. Yamaguchi. 1997. World vegetables : Principles, Production, and nutritive Values (Sayuran Dunia 3, alih bahasa oleh C. Herison). Edisi Kedua. Institut Teknologi Bandung, Bandung.

Ruchjaningsih, R. S., Murdaningsih H. K., dan Wieny M. J. Efek Mulsa pada variabilitas genetik dan heritabilitas ketahanan terhadap *Ralstoniasolanacearum* pada 13 genotipe Kentang di Dataran Medium Jatinangor. Zuriat XII (2): 73-80.

Saddler, G. S. 2005. Management of Bacterial Wilt Diseases. Page: 121-132. In Allen, C., P. Prior., and A. C. Hayward (eds). Bacterial Wilt Diseases and The *Ralstonia solanacearum* Species Complex. APS Press. The American Phytopathological Society. St. Paul. Minnesota U.S.A.

Scott, J. W., Wang, J. F., & Hanson, P. (2005). Breeding tomatoes for resistance to bacterial wilt, a global view. *Acta Horticulture*, 695, 161–168

Semangun, H. 2004. Penyakit-Penyakit Tanaman Hortikultura. Gadjah Mada University press. Yogyakarta.

Sigh, R. K. And B. D. Chaudhary. 1979 Biometrical Methods in Quantitative Genetic Analysis (Revised Edition). Karyani Publisher. New Delhi.

Soemartono, Nasrullah dan Hari Hartiko. 1992. Genetika Kuantitatif dan Bioteknologi Tanaman. PAU Bioteknologi. UGM. Yogyakarta.

Solanke, A. U. And P. A. Kumar. 2013. Phenotyping of Tomatoes in Phenotyping for Plant Breeding : Applications of Phenotyping Methods for Crop Improvement. Springer.



- Thakur, A. K., U.K. Kohli, and M. Kumar. 2004. Inheritance of resistance to bacterial wilt in tomato. *Indian J. Genetics and Plant Breeding* 64(1):79-80.
- Tigcelaar, E. C. 1930. Botany and Culture *in* : Jones, J. B., J. P. Jones, R. E. Stall, and T. A. Zitter. Compendium of Tomato Diseases. APS Press, Amerika.
- Thompson, H. C. and W. C. Kelly. 1957. Vegetable Crops 5th. Mc. Graw-Hill Book Company Inc., London.
- Tugiono, H., 2001. Bertanam Tomat. Penebar Swadaya, Jakarta.
- Wang, J. F., Oliver, J., Thoquet, P., Mangin, B., Sauviac, L. And Grimsley, M.H. 2000. Resistance of tomato line Hawaii 7996 to *Ralstonia solanacearum* Pss4 in Taiwan is controlled mainly by a major strain-specific locus. *Molecular Plant-Microbe Interactions* 13 : 6-13.
- Wang, J. F., F. I. Ho, H. T. H. Truong, S. M. Huang, C. H. Baletero, V. D., and N. Hidayati. 2013. Identification of major QTLs associated with stable resistance of tomato cultivar 'Hawaii 7996' to *Ralstonia solanacearum*. *Euphytica* 190:241–252.
- Warner, J. N. 1952. A Method for Estimating heritability. *Agron. J.* 44 : 427-430.
- Welsh, James R. 1981. Fundamentals of Plant Genetics and Breeding. Colorado University.John Wiley & Sons. United States of America.
- Wirasti, C. A. 2013. Pola pewarisan karakter generatif dan tipe tumbuh pada cabai hias. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Yuliar, Y. A. Nion, and K. Toyota. 2015. Recent trends in control methods for bacterial wilt diseases caused by *Ralstonia solanacearum*. *Microbes Environ.* 30 (1) : 1-11.
- Zhang LY, Zhang YY, Chen RG, Zhang JH, Wang TT, Li HX, Ye ZB. 2010. Ectopic expression of the tomato Mi-1 gene confers resistance to root knot nematodes in lettuce (*Lactuca sativa*). *Plant Mol Biol Rep* 28:204–211.