

DAFTAR PUSTAKA

- Achmadi, S.S. 1990. *Kimia kayu*. Pusat Antar Universitas. IPB. Bogor.
- Albert, L., Hofmann, T., Németh, Z.I., Rétfalvi, T., Koloszár, J., Varga, S., & Csepregi, I. 2003. *Radial variation of total phenol content in beech (Fagus sylvatica L.) wood with and without heartwood*. Holz Roh Werkst 61(3): 227–230.
- Anggraini, E., Primiani, C.N., & Widyanto, J. 2017. *Kajian observasi tanaman famili Lamiaceae*. Hlm. 469-477 dalam Widyanto, J., Yuhanna, W.L., Hidayati, N.R., Dewi, N.K., Pujiati, Ardhi, M.W., Utami, S., editor. Prosiding Seminar Nasional SIMBIOSIS II. Madiun.
- Anish, M.C., Anoop, E.V., Visnu, R., Sreejith, B., & Jijeesh, C.M. 2015. *Effect of growth rate on wood quality of teak (Tectona grandis L.f.): A comparative study of teak grown under differing site quality conditions*. Journal Indian Academy of Wood Science 12(1): 81-88.
- Basri, E., & Wahyudi, I. 2013. *Sifat dasar kayu jati plus perhutani dari berbagai umur dan kaitannya dengan sifat dan kualitas pengeringan*. Jurnal Penelitian Hasil Hutan 31(2): 93-102.
- Bhat, K.M. 1999. *Is fast grown teak inferior in wood quality—an appraisal of wood figure (colour, grain, texture) from plantations of high input management*. Wood News 9(4): 48–49.
- Bhat, K.M., Thulasidas, P.K., Florence, E.J.M., & Jayaraman, K. 2005. *Wood durability of home-garden teak againsts brown-root and white-root fungi*. Trees 19: 654-660.
- Bowyer, J.L., Shmulsky, R., & Haygreen, J.G. 2007. *Forest product and wood science an introduction fifth edition*. Blackwell Publishing Professional. Iowa.
- Brown, H.P., Panshin, A.J., & Forsith. 1952. *Text book of wood technology*. McGraw-Hill Book Company, Inc. New York.



- Burtin, P., Jay-Allemand, C., Charpentier, J.P., & Janin, G. 2000. *Modifications of hybrid walnut (*Juglans nigra* x *Juglans regia*) wood color and phenolic composition under various steaming conditions*. *Holzforschung* 54: 33-38.
- Butterfield, B.G. 1993. *The structure of wood: an overview*. Chapter dalam J.C.F. Walker (Ed.) *Primary Wood Processing, Principles and Practice*. Chapman and Hall. Melbourne.
- Chen, Y., Tshabalala, M.A., Gao, J., Stark, N.M., & Fan, Y. 2014. *Color and surface chemistry changes of Pine wood flour after extraction and delignification*. *BioResources* 9(2): 2937-2948.
- Chirinos, R., Betalleluz-Pallardel, I., Huaman, A., Arbizu, C., Pedreschi, R., & Campos, D. 2009. *HPLC-DAD characterisation of phenolic compounds from Andan oca (*Oxalis tuberosa* Mol.)*. *Food Chemical* 113: 1243-1251.
- Commission Internationale de l'Eclairage. (CIE). 1976. *Colorimetry. Publication No. 15.2*.
- Corryati & Sugito. 2015. *Lebih dekat tentang sumber benih pinus : kebun benih semai (Seedling Seed Orchard)*. Puslitbang Perum Perhutani Cepu. Blora.
- Corryati & Triswahyudi. 2014. *Mengenal sumber benih jati: kebun benih klonal (Clonal Seed Orchard)*. Puslitbang Perum Perhutani Cepu. Blora.
- Darmaprawira, S. 2002. *Warna, teori dan kreativitas penggunaannya*. Ed 2. ITB. Bandung.
- Darwis, A., Hartono, R., & Hidayat, S.S. 2005. *The Percentage of heartwood and sapwood and determination of juvenile and mature wood on five age-class of teak (*Tectona grandis* L.f.)*. *Journal of Tropical Wood Science and Technology* 3 (1): 6-8. (In Indonesia).
- Dellus, V., Scalbert, A., & Janin, G. 1997. *Polyphenols and color of Douglas-fir heartwood*. *Holzforschung* 51(4): 291-295.
- Fan, Y., Gao, J., & Chen, Y. 2009. *Colour responses of black locust (*Robinia pseudoacacia* L.) to solvent extraction and heat treatment*. *Wood Science and Technology* 44(4): 667-678.
- Fengel, D., & Wegener, G. 1995. *Kayu : Kimia, ultrastruktur, reaksi-reaksi*. UGM Press (terjemahan). Yogyakarta.



- Fernandes, F.H.A., & Salgado, H. 2016. *Gallic acid: Review of the methods of determination and quantification*. *Analytical Chemistry* 46(3): 257-265.
- Gao, H., Shupe, T., Hse, C.Y., & Eberhardt, T.L. 2006. *Antioxidant Activity of Extracts from the Bark of Chamaecyparis lawsoniana (A, Murray) Parl.* *Holzforschung* 60(4): 459-462.
- Gierlinger, N., Jacques, D., Grabner, M., Wimmer, R., Schwaninger, M., Rozenberg, P., & Paques, L.E. 2004. *Colour of larch heartwood and relationship to extractives and brown-rot decay resistance*. *Trees* 18: 102-108.
- Haupt, M., Leithoff, H., Meier, D., Puls, J., Richter, H.G., Faix, O. 2003. *Heartwood extractives and natural durability of plantation-grown teak wood (Tectona grandis L.f) - a case study*. *Holz als Roh- und Werkstoff* 61: 473-474.
- Haygreen, J.G., & Bowyer, J.L. 1989. *Hasil Hutan dan Ilmu Kayu*. UGM Press. Yogyakarta.
- Hon, D.N.S., & Minemura, N. 2001. *Colour and Discoloration*. In: *Wood and Cellulosic Chemistry*. Hon, D.N.S., & Shiraishi, N. (editor). Marcel Dekker, New York.
- Huang, D., Ou, B., & Prior, R.L. 2005. *The chemistry behind antioxidant capacity assays*. *Journal of Agricultural and Food Chemistry* 53: 1841-1856.
- Humar, M., Fabcic, B., Zupancic, M., Pohleven, F., & Oven, P. 2008. *Influence of xylem growth ring width and wood density on durability of oak heartwood*. *International Biodeterioration & Biodegradation* 62(4): 368-371.
- Irwanto. 2006. *Usaha pengembangan jati (Tectona grandis L.f)*. Tesis. Sekolah Pascasarjana UGM. Yogyakarta. (tidak diterbitkan)
- Kasmudjiastuti. 2014. *Karakterisasi kulit kayu tinggi (Ceriops tagal) sebagai bahan penyamak nabati*. Balai Besar Kulit, Karet, dan Plastik. Yogyakarta.
- Khoddami, A., Wilkes, M.A., & Roberts, T.H. 2013. *Techniques for analysis of plant phenolic compounds*. *Molecules* 18(2): 2328-2375.



- Kijidani, Y., Sakai, N., Kimura, K., Fujisawa, Y., & Hiraoka, Y. 2012. *Termite resistance and color of heartwood of Hinoki (*Chamaecyparis obtusa*) trees in 5 half-sib families in a progeny test stand in Kyushu, Japan*. Journal of Wood Science 58(6): 471–478.
- Klumpers, J., Janin, G., Becker, M., & Levy, G., 1993. *The influences of age, extractive content and soil water on wood color in oak: the possible genetic determination of wood color*. Annals of Forest Science 50: 403-409.
- Kokutse, A.D., Stokes, A., Bailleres, H., Kokou, K., & Baudasse, C. 2006. *Decay resistance of togolese teak (*Tectona grandis* L.f.) heartwood and relationship with colour*. Trees 20: 219-223.
- Kokutse, A.D., Amusant, N., Boutahar, N., & Chaix, G. 2010. *Influence of soil properties on the natural durability, extractive content and colour of teak (*Tectona grandis* L.f) wood in Togo*. Annales de l'Universite de Parakou Serie Sciences Naturelles et Agronomie 1(1): 28–29.
- Kondo, R., & Imamura, H. 1985. *The chemistry of the color of wood. I. The phenolic components of Hazenoki (*Rhus succedanea* L.) and their dying properties*. Mokuzai Gakkaishi 31: 927-934.
- Krisdianto. 2005. *Color differences of Pine and Eucalypt woods measured by microflash-200. Tenggara (Kalimantan Barat)*. Journal Forest Research 4(2): 83-91.
- Liu, S., Loup, C., Grill, J., Damoncaud, O., Thibaut, A., & Thibaut, B. 2005. *Studies on European Beech (*Fagus sylvatica* L.). Part 1: Variation of Wood Color Parameters*. Annals of Forest Science 62(7): 625-632.
- Lukmandaru, G., & Ogiyama, K., 2005a. *Bioactive compounds from ethylacetate extract of teakwood (*Tectona grandis* L.f.)*. Proceedings of the 6th International Wood Science Symposium LIPI-JSPS Core, Bali, Indonesia, August 29–31, 2005, pp. 346–350.



- _____. 2005b. *Bioactive extract from teakwood (Tectona grandis L.f.)*. Proceedings of International Symposium on Wood Science and Technology, Volume II: poster presentations. Yokohama, Japan, November 27–30, 2005, pp. 413–414.
- Lukmandaru, G., & Takahashi, K. 2008. *Variation in the Natural Termite Resistance of Teak (Tectona grandis L. f.) Wood as a Function of Tree Age*. Annals of Forest Science 65(7): 708p1–8.
- _____. 2009. *Radial distribution of quinones in plantation teak (Tectona grandis L. f.)*. Annals of Forest Science 66(6): 605-613.
- Lukmandaru, G. 2009a. *Sifat kimia dan warna kayu teras jati pada tiga umur berbeda*. Jurnal Ilmu Teknologi Kayu Tropis 7(1): 1-7.
- _____. 2009b. *Pengukuran kadar ekstraktif dan sifat warna pada kayu teras jati doreng (Tectona grandis)*. Jurnal Ilmu Kehutanan 3(2): 67-73.
- _____. 2009c. *Perubahan warna pada kayu teras jati (Tectona grandis) doeng melalui ekstraksi berturutan*. Jurnal Ilmu dan Teknologi Hasil Hutan 2(1): 15-20
- _____. 2010. *Sifat kimia kayu jati (Tectona grandis) pada laju pertumbuhan berbeda*. Jurnal Ilmu dan Teknologi Kayu Tropis 8(2): 188-196.
- _____. 2011. *Variability in the natural termite resistance of plantation teak wood and its relations with wood extractive content and color properties*. Journal Forest Research 8(1): 17-31.
- _____. 2016. *Hubungan antara kadar ekstraktif dengan sifat warna pada kayu teras jati*. Jurnal Penelitian Hasil Hutan 34(3): 207-216.
- Lukmandaru, G., Sayudha, I.G.N.D., Gustomo, L.S., & Prasetyo, V.E. 2011. *Pengukuran kadar ekstraktif dan sifat warna kayu Acacia mangium dari lima provenans*. Prosiding Semnas MAPEKI XII di Bali, Hlm. 372-380.



- Lukmandaru, G. & Sayudha, I.G.N.D. 2012. *Komposisi ekstraktif pada kayu jati juvenil*. Hlm. 361-366 dalam Sulistyio, J., Widyorini, R., Lukmandaru, G., Rofii, M.N., & Prasetyo, V.E., editor. Prosiding Seminar Nasional XIV MAPEKI. Yogyakarta.
- Lukmandaru, G., Mohammad, A.R., Wargono, P., & Prasetyo, V.E. 2016. *Studi mutu kayu jati di hutan rakyat Gunungkidul. V. Sifat kimia kayu*. Jurnal Ilmu Kehutanan 10(2): 108-118.
-
2018. *Studi mutu kayu jati di hutan rakyat Gunungkidul. VII. Ketahanan terhadap rayap tanah*. Jurnal Ilmu Kehutanan 12: 22-39.
- Martawijaya, A., Kartasujana, I., Kadir, K., & Prawira, S.A. 2005. *Atlas Kayu Indonesia Jilid I*. Badan Penelitian dan Pengembangan Kehutanan. CV. Miranti. Bogor.
- Mihara, R., Barry, K.M., Mohammed, C.L., & Mitsunaga, T. 2005. *Comparison of antifungal and antioxidant of Acacia mangium and A. auriculiformis*. Journal of Chemical Ecology 31(4): 789-804.
- Miranda I., Sousa, V., & Pereira, H. 2011. *Wood properties of teak (Tectona grandis) from a mature unmanaged stand in East Timor*. Journal of Wood Science 57(3):171–178.
- Moya, R., & Berrocal, A. 2010. *Wood colour variation in sapwood and heartwood of young trees of Tectona grandis and its relationship with plantation characteristics, site, and decay resistance*. Annals of Forest Science 67(1): 109p1-9.
- Moya, R., Muñoz, F., & Berrocal, A. 2010. *Teak: Tectona grandis L.f. Technical sheet 7. In: Tecnologia de madera de plantaciones forestales: Fichas tecnicas*. Rev For Mesoamericana 7(18-19): 117-131.
- Moya, R., & Marin, B. 2011. *Grouping of Tectona grandis (L.f.) clones using wood color and stiffness*. New Forest 42(3): 329-334.
- Moya, R., & Calvo-Alvarado, J. 2012. *Variation of wood color parameters of Tectona grandis and its relationship with physical environmental factors*. Annals of Forest Science 69: 947–959.



- Moya, R., Fallas, R.S., Bonilla, P.J., & Tenorio, C. 2012. *Relationship between wood color parameters measured by the CIELab system and extractive and phenol content in Acacia mangium and Vochysia guatemalensis from Fast-Growth Plantation*. *Molecules* 17(4): 3639-3652
- Moya, R., Marin, J.D., Murillo, O., Leandro, L. 2013. *Wood physical properties, color, decay resistance and stiffness in Tectona grandis clones with evidence of genetic control*. *Silvae Genetica* 62(3):142–152
- Moya, R., Bond, B., & Quesada, H. 2014. *A review of heartwood properties of Tectona grandis trees from fast-growth plantations*. *Wood Science and Technology* 48: 411-433.
- Muharyani, N., Rodiana, D., & Corryanti. 2014. *Pemanfaatan Jati JPP sebagai Bahan Baku Industri*. Prosiding Seminar Nasional MAPEKI XVII. Bogor.
- Munsell Color Company. 1976. *Munsell book of color*. Baltimore. Munsell Color.
- Na'iem, M., 2000. *Variasi genetik pada spesies pohon hutan*. Training Course on Basic Forest Genetic. Kerjasama Indonesia Forest Seed Project dan Fakultas Kehutanan Universitas Gadjah Mada, Yogyakarta.
- Narayanamurthi, D., George, J., Pant, H.C., & Singh, J. 1962. *Extractives in Teak*. *Silvae Genetica* 11(3): 57-63.
- Niamke, F.B., Amusant, N., Charpentier, J.P., Chaix, G., Baissac, Y., Boutahar, N., Adima, A.A, Kati-Coulibaly, S., & Jay-Allemand, C. 2011. *Relationships between biochemical attributes (non-structural carbohydrates and phenolics) and natural durability against fungi in dry teak wood (Tectona grandis L. f.)*. *Annals of Forest Science* 68:201–21.
- Nicholas, D.D. 1987. *Kemunduran (deteriorasi) kayu dan pencegahannya dengan perlakuan-perlakuan pengawetan Jilid 1*. Airlangga University Press. Surabaya.
- Noda, E., Aoki, T., & Minato, K. 2002. *Physical and chemical characteristics of the blackened portion in Japanese persimmon (Diospyros kaki)*. *Journal of Wood Science* 48(3): 245-249.



- Pandey, K.K. 2005. *A note on the influence of extractives on the photodiscolouration and photo-degradation of wood*. *Polymer Degradation and Stability* 87: 375-379.
- Pandit, I., & Ramdan, H. 2002. *Anatomi kayu: pengantar sifat kayu sebagai bahan baku*. Yayasan Penerbit Fakultas Kehutanan IPB. Bogor.
- Pereira, H., Graca, J., & Rodrigues, J.C. 2003. *Wood chemistry in relation to quality*. Dalam : *Wood quality and its biological basis*. Barnet, R.J., & Jeronimides, G. (editor). Blackwell Publishing Ltd. USA.
- Polato, R., Laming, P.B., & Alvarez, R.S. 2005. *Assessment of some wood characteristic of Teak of Brazilian origin. quality timber product of Teak from sustainable forest management: 257-265*.
- Pontis, J.A., Alves da Costa, L.A.M., Reis da Silva, S.J., & Flach, A. 2014. *Color, phenolic and flavonoid content of honey from Roraima, Brazil*. *Food Science and Technology* 34(1): 69-73.
- Pramudya, O. 2012. *Sifat warna dan kadar ekstraktif kayu Mahoni (Swietenia spp.) dari hutan rakyat di Yogyakarta*. Skripsi. Fakultas Kehutanan UGM. Yogyakarta. (Tidak diterbitkan)
- Prawirohatmodjo, S. 2004. *Kimia Kayu*. Universitas Gadjah Mada. Yogyakarta. (Tidak diterbitkan)
- Purwanta, S., Sumantoro, P., Setyaningrum, H.D., & Saparinto, C. 2015. *Budidaya dan bisnis kayu Jati*. Penebar Swadaya. Jakarta.
- Retnaningrum, N.I. 2012. *Studi keawetan alami terhadap rayap dihubungkan dengan komposisi ekstraktif kayu jati dari hutan rakyat Kulon Progo*. Skripsi. Fakultas Kehutanan UGM. Yogyakarta. (Tidak diterbitkan)
- Rizanti, D.E., Darmawan, D., George, B., Merlin, A., Dumancay, S., Chapuls, H., Gelhaye, E., Raharilvelomanana, P., Sari, R.K., Syafii, W., Mohamed, R., & Geradin, P. 2018. *Comparison of teak wood properties according to forest management: Short and long rotation*. *Annals of Forest Science* 75(2): 1-12



- Rudman, P., & Da Costa, E. 1959. *Variation in extractive content and decay resistance in the heartwood of Tectona grandis*. Journal of the Institute of Wood Science 3: 33-42.
- Sudjana. 2002. *Metode statistika*. Tashiro. Bandung.
- Sjostrom, E. 1993. *Kimia kayu: Dasardasar dan Penggunaan*. Edisi 2. Sastrohamidjojo H, penerjemah. Yogyakarta: UGM Press. Terjemahan dari: *Wood Chemistry: Fundamentals and Applications*.
- Sumarni, G. & Muslich, M. 2008. Kelas awet jati cepat tumbuh dan jati konvensional pada berbagai umur pohon. *Jurnal Penelitian Hasil Hutan* 26(4): 342-351. Pusat Litbang Hasil Hutan. Bogor.
- Taylor, M.T., Gartner, B.L., & Morrell, J.J. 2003. *Co-incident variations in growth rate and heartwood extractive concentration in Douglas-Fir*. *Forest Ecology and Management* 186: 257-260.
- Thulasidas, P.K., Bhat, K.M., & Okuyama, T. 2006. *Heartwood colour variation in home garden Teak (Tectona grandis) from wet and dry localities of Kerala, India*. *Journal of Tropical Forest Science* 18: 51-54.
- Tsoumis, G. 1991. *Science and technology of wood: Structure, properties, utilization*. Van Nostrand Reinhold. New York.
- Uprichard, J.M. 1993. *Wood extractives*. In : Walker, J.C.F., Butterfield, B.G., Harris, J.M., Langrish, T.A.G., & Uprichard, J.M. *Primary wood processing: Principles and Practice*. Chapman and Hall. London.
- Vetter, R.E., Coradin, V.R., Martino, E.C., & Camargos, J. 1990. *Wood colour – a comparison between determination methods*. *IAWA BULLET* 11: 429-439.
- Wangaard, F.F. 1966. *Resistance of wood to chemical degradation*. *Forest Product Journal* 16(2): 53-64.
- Wardani, B.E., Na'iem, M., & Indrioko, S. 2008. *Evaluasi uji klon jati (Tectona grandis L.f.) umur 9 tahun di KPH Ciamis dan KPH Cepu Perum Perhutani*. Thesis. Fakultas Kehutanan. UGM. Yogyakarta (Tidak diterbitkan).



- Wilkes, J. 1984. *The influence of rate of growth on the density and heartwood extractives content of eucalypt species*. Wood Science and Technology 18: 113–120.
- Windeisen, E., Klassen, A., & Wegener, G. 2003. *On the chemical characterisation of plantation Teakwood from Panama*. Holz als Roh- und Werkstoff 61(6): 416-418.
- Wissam, Z., Ghada, B., Wassim, A., & Warid, K. 2012. *Effective Extraction of Polyphenols and Proanthocyanidins from Pomegranate's Peel*. International Journal of Pharmacy and Pharmaceutical Science 4(2): 673-682.
- Yanchuk, A.D., Spilda, I., & Micko, M.M. 1988. *Genetic variation of extractives in the wood of Trembling aspen*. Wood Science and Technology 22(1): 67-71.
- Yang, G., & Jaakkola, P. 2011. Wood chemistry and isolation of extractives from wood. Saimaa University of Applied Sciences. Finland.
- Yazaki, Y., Collins, P.J., & McCombe, B. 1994. *Variations in hot water extractives content and density of commercial wood veneers from blackbutt (Eucalyptus pilularis)*. Holzforschung 48(s1): 107-111.
- Yin S., Xiao, Z., Zhao, G., Zaho, X., Sun, Z., Zhang, Y., Wang, L.F., Zhao, X., & Qu, G.Z. 2017. *Variation analyses of growth and wood properties of Larix olgensis clones in China*. Journal of Forest Research 28(4):