

DAFTAR PUSTAKA

- Agustinus, E.T.S., Mursito, A.T., dan Sembiring, H., 2013, Peningkatan Daya Serap Karbon Aktif Terhadap Ion Logam *Hexavalent Chromium* Melalui Modifikasi Dengan *Cationic Surfactan*, *Ris. Geo. Tam*, 23(1), 13-24.
- Babel, S. dan Kurniawan, T. A., 2003, Cr(VI) Removal from Synthetic Wastewater Using Coconut Shell Charcoal and Commercial Activated Carbon Modified with Oxidizing Agents and/or Chitosan, *Chemosphere*, 54, 951–967.
- Bui, T.Q., Ton, S.N.C., Duong, A.T., dan Tran, H.T., 2017, Size-Dependent Magnetic Responsiveness of Magnetite Nanoparticles Synthesised by Co-Precipitation and Solvothermal Methods, *Adv. Mater. Devices*, 30, 1-6.
- Chang, Y.C. dan Chen, D. H., 2005, Preparation and Adsorption Properties of Monodisperse Chitosan-Bound Fe₃O₄ Magnetic Nanoparticles for Removal of Cu(II) Ions, *J. Colloid Interface Sci.*, 283(2), 446-451.
- Connel, D.W., dan Miller, G.J., 1995, *Kimia dan Ekotosikologi Pencemaran*, UI Press, Jakarta.
- Dada, A.O., Olalekan, A.P., Olatunya, A.M., dan Dada, O., 2012, Langmuir, Freundlich, Temkin, and Dubinin-Radushkevich Isotherm Studies of Equilibrium Sorption of Zn²⁺ Onto Phosphoric Acid Modified Rice Husk, *J. Appl. Chem.*, 3(1), 38-45.
- Danalioğlu, S.T., Bayazit, S.S., Kuyumcu, O.K., dan Salam, M.A., 2017, Efficient Removal of Antibiotics by A Novel Magnetic Adsorbent: Magnetic Activated Carbon/Chitosan (MACC) Nanocomposite, *J. Mol. Liq.*, 240, 589-596.
- Darjito., 2001, Karakterisasi Adsorpsi Co (II) dan Cu (II) pada Adsorben Kitosan Sulfat, *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Elwakeel, K.Z., Aly, M.H., Elhowety, M.A., Elfadaly, E., dan Alsaid, A., 2018, Synthesis of Chitosan@activated Carbon Beads with Abundant Amino Groups for Capture of Cu(II) and Cd(II) from Aqueous Solutions, *J. Polym. Environ.*, 10, 3590-3602.
- Erosa, M.S.D., Medina, T.I.S., Mendoza, R.N., Rodriguez, M.A., dan Guibal, E., 2001, Cadmium Sorption on Chitosan Sorbents: Kinetic and Equilibrium Studies, *Hydrometallurgy*, 61, 157-167.

- Esweed, E.B., Alshaaer, M., Yousef, R.I., Hamadneh, I., dan Khalili, F., 2012, Adsorption of Cu(II), Ni(II), Zn(II), Cd(II) and Pb(II) onto Kaolin/Zeolite Based- Geopolymers, *Adv. Mater. Phys. Chem.*, 2, 119-125.
- Fellinger, T.P., 2016, Sol–Gel Carbons from Ionothermal Syntheses, *J. Sol-Gel Sci Technol*, 81(1), 52–58.
- Friák, M., Schindkmayr, A., dan Scheffler, M., 2007, Ab initio study of the half-metal to metal transition in strained magnetite Martin, *NewJ. Phys.*, 9(5), 2-14.
- Guibal E., 2004, Interaction of Metal Ions with Chitosan-based Sorbents: A Review, *Sep. Purif. Technol.*, 38, 43-74.
- Haris, A., Riyani, A.D., dan Gunawan, 2005, Pengendapan Logam Tembaga dengan Metoda Elektrolisis Internal, *Jurnal Kimia Sains dan Aplikasi*, 8(2), 33-38.
- Ho, Y.S., 2006, Review of Second-Order Model for Adsorption System, *J. Hazard. Mater.*, 136, 681-689.
- Ho, Y.S., dan McKay, G., 1998, A Comparison of Chemisorption Kinetic Models Applied to Pollutant Removal on Various Sorbents, *Trans. Inst. Chem. Eng.*, 76(4), 332-340.
- Homagai, P.L., Ghimire, K.N., dan Inoue K., 2011, Preparation and Characterization of Charred Xanthated Sugarcane Bagasse for the Separation of Heavy Metals From Aqueous Solutions, *Sep. Sci. Technol.*, 46(2), 330-339.
- Hydari, S., Sharififard, H., Nabavinia, M., and Parvizi, M.R., 2012, A Comparative Investigation on Removal Performances of Commercial Activated Carbon, Chitosan Biosorbent and Chitosan/Activated Carbon Composite for Cadmium, *Chem. Eng. J.*, 136(3), 681-689.
- Iida, H., Takayanagi, K., Nakanishi, T. dan Osaka, T., 2007, Synthesis of Fe₃O₄ Nanoparticles with Various Sizes and Magnetic Properties by Controlled Hydrolysis, *Colloid Interface Sci.*, 314, 274-280.
- Jafari, K., Heidari, M., dan Rahmanian, O., 2018, Wastewater Treatment for Amoxicillin Removal Using Magnetic Adsorbent Synthesized by Ultrasound Process, *Ultrason. Sonochem.*, 45, 248-256.
- Juang, R.S., Yei, Y.C., Liao, C.S., Lin, K.S., Lu, H.C., Wang, S.F., and Sun, A.C., 2018, Synthesis of Magnetic Fe₃O₄/Activated Carbon Nanocomposites with High

Surface Area as Recoverable Adsorbents, *J. Taiwan Inst. Chem. Eng.*, 90, 51-60.

Keyvani, F., Rahpeima, S., dan Javanbakht, V., 2018, Synthesis of EDTA-Modified Magnetic Activated Carbon Nanocomposite for Removal of Permanganate from Aqueous Solutions, *Solid State Sci.*, 83, 31-42.

Koyuncu, F., Guzel, F., Saygilt, H., 2018, Role of Optimization Parameters in the Production of Nanoporous Carbon from Mandarin Shells By Microwave-Assisted Chemical Activation and Utilization as Dye Adsorbent, *Adv. Powder Technol.*, 9, 2108-2118.

Kumar, C.S.S.R., 2009, *Nanomaterials for the Life Science: Magnetic Material*, WILEY-VCH Verlag GmbH & Co. KGaA, Los Angeles.

Lahuddin, M., 2007, *Aspek Unsur Mikro Dalam Kesuburan tanah*, USU Press, Medan.

Lasheen, M.R., El-Sherifa, I.Y., Sabryb D.Y., El-Waakela, S.T., dan El-Shahatb, M.F., 2015, Removal and recovery of Cr (VI) by magnetite nanoparticles, *Desalin. Water Treat.*, 52, 6464-6473.

Latip, R.A., Baharin, B.S., Man, Y.B.C., dan Rahman, R.A., 2001, Effect of Adsorption and Solvent Extraction Process on the Percentage of Carotene Extracted from Crude Palm Oil, *J. Am. Oil Chem. Soc.*, 78(1), 83-87.

Laus, R., Costa, T.G., Szpoganicz, B., dan Favere, V.T., 2010, Adsorption and Desorption of Cu(II), Cd(II) and Pb(II) Ions Using Chitosan Crosslinked with Epichlorohydrin-Triphosphate as The Adsorbent, *J. Hazard. Mater.*, 183, 233-241.

Li, Y., Yue, Q., dan Gao, B., 2010, Adsorption kinetics and desorption of Cu(II) and Zn(II) from aqueous solution onto humic acid, *J. Hazard. Mater.*, 178, 455-461.

Lim, Y.S., Lai, W., Hamid, S.B.A., Julkapli, N.M., Yehya W.A., Karim, M.Z., Tai, M.F., dan Lau, K.S., 2014, A Study on Growth Formation of Nano-Sized Magnetite Fe₃O₄ Via Co-Precipitation Method, *Mat. Res. Innovation*, 18, 457-461.

Liu, W., Yin, P., Liu, X., Dong, X., Zhang, J., dan Xu, Q., 2013, Thermodynamics, Kinetics, and Isotherm Studies for Au(III) Adsorption Using Silica Functionalized by Diethylenetriaminemethylenephosphonic Acid, *Chem. Eng. Res. Des.*, 91, 2748-2758.

- Mascolo, M.C., Pei, Y., dan Ring, T.A., 2013, Room Temperature Co-Precipitation Synthesis of Magnetite Nanoparticles in A Large pH Window with Different Bases, *J. Mater.*, 6(12), 5549-5567.
- Mehta, D., Mazumdar, dan Singh, S.K., 2015, Magnetic adsorbents for the treatment of water/wastewater—A review, *J. Water Process Eng.*, 224(7), 244-265.
- Misran, E., 2005, Industri Tebu Menuju *Zero Waste Industry*, *Jurnal Teknologi Proses*, 4(2), 6-10.
- Moura, C.M., Moura, J.M., dan Soares, N.M., 2011, Evaluation of Molar Weight and Deacetylation Reaction : Used to Produce Biofilm, *Chem. Eng. Process*, 50, 351-355.
- Noor, A.M., Othman, R., Mubarak, N.M., dan Abdullah, E.C., 2017, Agricultural Biomass-Derived Magnetic Adsorbents: Preparation and Application for Heavy Metals Removal, *J. Taiwan Inst. Chem. Eng.*, 78, 168-177.
- Novais, R.M., Caetano, A.P.F., Seabra, M.P., Labrincha, J.A., dan Pullar, R.C., 2018, Extremely Fast and Efficient Methylene Blue Adsorption using Eco-Friendly Cork and Paper Waste-Based Activated Carbon Adsorbents, *J. Cleaner Prod.*, 197, 1137-1147.
- Nurdila, F.A, Asri, N.S, dan Suharyadi, E., 2015, Adsorpsi Logam Tembaga (Cu), Besi (Fe), dan Nikel (Ni) dalam Limbah Cair Buatan Menggunakan Nanopartikel Cobalt Ferrite (CoFe_2O_4), *Jurnal Fisika Indonesia*, 55(19), 23-27.
- Nurhikmawati, F., Manurung, M., dan Laksmiwati, A.A.I.A.M., 2014, Penggunaan Kitosan Dari Limbah Kulit Udang Sebagai Inhibitor Keasaman Tuak, *Jurnal Kimia*, 8(2), 191-197.
- Oliveira, L.C.A., Petkowicz, D.I., Smaniotto, A., and Pergher, S.B.C., 2004, Magnetic Zeolites: A New Adsorbent for Removal of Metallic Contaminants from Water, *Water Res.*, 38(17), 3699-3704.
- Palar, H., 2008, *Pencemaran dan Toksikologi Logam Berat*, Rineka Cipta, Jakarta.
- Powell, J.K., Brown, L.P., Byrne, H.R., Gajda, T., Hefter, G., Sjoberg, S., dan Wanner, H., 2007, Chemical Speciation of Environmentally Significant Metals with Inorganic Ligands, *J. Pure Appl. Chem.*, 79, 895-950.
- Rahmi, Lelifajri, dan Nurfatimah, R., 2018, Preparation of Polyethylene Glycol Diglycidyl Ether (PEDGE) Crosslinked Chitosan/Activated Carbon Composite Film for Cd^{2+} Removal, *Carbohydr. Polym.*, 199, 499-505.

- Ramalingam, B., Parandhaman, T., Choudhary, P., dan Das, S.K., 2018, Biomaterial Functionalized Graphene-Magnetite Nanocomposite: A Novel Approach for Simultaneous Removal of Anionic Dyes and Heavy Metal Ions, *ACS Sustainable Chem. Eng.*, 6, 6328-6341.
- Sahubawa, L., dan Ustadi., 2014, *Teknologi Pengawetan dan Pengolahan Hasil Perikanan*, Gadjah Mada University Press, Yogyakarta.
- Santosa, S.J., Jumina, dan Sri, S., 2003, *Sintesis Membran Bio Urai Selulosa Asetat dan Adsorben Super Karboksimetil selulosa dari Selulosa Ampas Tebu Limbah Pabrik Gula*, Lembaga Penelitian UGM, Yogyakarta.
- Saptati, A.S.D., dan Himma, N.F., 2018, *Perlakuan Fisiko-Kimia Limbah Cair Industri*, UB Press, Malang.
- Sembiring, M.T., Sinaga, T.S., 2003, Karbon aktif (Pengenalan dan Proses Pembuatannya), *Artikel*, Fakultas Teknik Universitas Sumatera Utara, Sumatera Utara.
- Sharififard, H., Nabavinia, M., dan Soleimani, M., 2016, Evaluation of Adsorption Efficiency of Activated Carbon/Chitosan Composite For Removal of Cr (IV) and Cd (II) from single and bi-solute dilute solution, *Adv. Environ. Technol.*, 4, 215-227.
- Shen, Y., Ma, D., dan Ge, X., 2017, CO₂-Looping in Biomass Pyrolysis or Gasification, *Sustainable Energy Fuels*, 1(8), 1700–1729.
- Singh, V. K. dan Kumar, E. A., 2016, Measurement and Analysis of Adsorption Isotherm of CO₂ on Activated Carbon, *Appl. Therm. Eng.*, 97, 77-86.
- Stjerndahl, M., Anderson, M., Hall, H.E., Pajerowski, D.M., Meisel, M.W., dan Duran, R.S., 2008, Superparamagnetic Fe₃O₄/SiO₂ Nanocomposites: Enabling The Tuning of Both The Iron Oxide Load and The Size of The Nanoparticles, *Langmuir*, 24, 3532-3536.
- Sureshkumar, V., Kiruba, D.S.C.G., Ruckmani, K., dan Sivakumar, M., 2016, Fabrication of Chitosan–magnetite Nanocomposite Strip for Chromium Removal, *Appl. Nanosci.*, 6(2), 277-285.
- Taib, S., dan Suharyadi, E., 2015, Sintesis Nanopartikel Magnetite dengan Template Silika dan Karakterisasi Sifat Kemagnetannya, *Indones. J. Appl. Phys.*, 5(1), 23-30.
- Teja, A.S. dan Koh, P., 2009, Synthesis, properties, and application of magnetic iron oxide nanoparticles, *Prog. Cryst. Growth Charact. Mater.*, 55, 22-45.

- Tran, H.V., Tran, L.D., dan Nguyen, T.N., 2010, Preparation of Chitosan/Magnetite Composite Beads and Their Application for Removal of Pb(II) and Ni(II) from Aqueous Solution, *Mater. Sci. Eng. C*, 30, 304-310.
- Venault, A., Vachoud, L., Pochat, C., Bouyer, D., dan Faur, C., 2008, Elaboration of Chitosan/Activated Carbon Composites for The Removal of Organic Micropollutants from Waters, *Enviro. Technol.*, 29(12), 1285-1296.
- Verbych, S., Bryk, M., Chornokur, G., dan Fuhr, B., 2015, Removal of Copper(II) from Aqueous Solutions by Chitosan Adsorption, *Sep. Sci. Technol.*, 40(8), 1749-1759.
- Villacanas, F., 2005, Adsorption of Simple Aromatic Compounds on Activated Carbon, *J. Colloid Interface Sci.*, 293, 128-136.
- Wan, M.W., Wang, C.C., dan Chen, C.M., 2013, The Adsorption Study of Copper Removal by Chitosan-Coated Sludge Derived from Water Treatment Plant, *Int. J. Environ. Sci. Dev.*, 4(5), 545-551.
- Wu, F. C., Tseng, R. L., dan Juang, R. S., 2002, Adsorption of Dyes and Humic Acid from Water Using Chitosan-Encapsulated Activated Carbon. *J. Chem. Technol. Biotechnol.*, 77, 1269–1279.
- Xu, X., Gao, B., Yue, Q., dan Zhong, Q., 2011, Sorption of Phosphate onto Giant Reed Based Adsorbent: FTIR, Raman spectrum analysis and dynamic sorption/desorption properties in filter bed, *Bioresour. Technol.*, 102, 5278-5282.
- Younes, I., dan Rinaudo, M., 2015, Chitin and Chitosan Preparation from Marine Sources: Structure, Properties and Applications, *J. Mar. Drugs*, 13(3), 1133-1174.
- Zainol, M.M., Amin, N.A.S., dan Asmadi, M., 2017, Preparation and Characterization of Impregnated Magnetic Particles on Oil Palm Frond Activated Carbon for Metal Ions Removal, *Sains Malaysiana*, 46(5), 773-782