



DAFTAR PUSTAKA

- Alpert, K. B., S. Grandillo, and S. D. Tanksley. 1995. fw 2.2:a major QTL controlling fruit weight is common to both red and green fruited tomato species. *Theor Appl Genet* 91:994-1000.
- Atherton, J. G. and J. Rudich. 1986. *The Tomato Crop, A scientific basis for improvement*. Chapman and Hall, New York.
- Azzi, L., C. Deluche., F. Gévaudant., N. Frangne., F. Delmas., M. Hernould. and C. Chevalier. 2015. Fruit growth-related genes in tomato. *Journal of Experimental Botany* 66 (4):1075-1086.
- Barrero, L. S., B. Cong. and S. D. Tanksley. 2006. Developmental characterization of the fasciated locul and mapping of *Arabidopsis candidate* genes involved in the control of floral meristem size and carpel number in tomato. *Genome* 49:991-1006.
- Barrero, L. S. and S. D. Tanksley. 2004. Evaluating the genetic basic of multiple-locule fruit in broad cross section of tomato cultivar. *Theor Appl Genet* 109 : 669-679.
- Blazques, M. A., C. Frrandiz., F. Madueno. and F. Parcy. 2006. How floral meristem are built. *Plant Molecular Biology* 60:855-870.
- BPS. 2015. Produksi Tanaman Sayur Provinsi dan Nasional. <<https://www.bps.go.id/site/pilihdata/produksi/provinsi>>. Diakses pada Tanggal 10 Desember 2016.
- Bohner, J. and F. Bangerth. 1988. Cell number, cell size and hormone levels in semi-isogenic mutants of *lycopersicon pimpinellifolium* differing in fruit size. *Physiol Plant* 72:316-320.
- Cahyono. 2012. *Tomat, Budidaya dan Analisis Usaha Tani*. Penerbit Kanisius, Yogyakarta.
- Carsono, N. 2008. Peran Pemuliaan Tanaman dalam meningkatkan Produksi Pertanian di Indonesia. Disampaikan dalam *seminar on Agricultural Science*, Tokyo.
- Cong, B., J. Liu. and S. D. Tanksley. 2002. Natural alleles at a tomato fruit size quantitative trait locus differ by heterochronic regulatory mutations. *Journal PNAS* 99 (21):13606-13611.
- Costa, J. M., A.A. Csizinzky., M. A. Dorais., J. B. Jones., E. Heuvelink., P. Lindhout., M. M. Peet., M. E. Saltveit., D. J. Schuster., J. C. Van Lenteren. and G. W. H. Welles. 2005. *Tomatoes*. CABI Publishing, London.
- Crowder, L. V. 1986. *Genetika Tumbuhan*. Gadjah Mada University Press, Yogyakarta.



De Veylder, L., J. C. Larkin. and A. Schnittger. 2011. Molecular control and function od endoreplication in development and physiology. Trends in Plant Science 16 (11):1360-1385.

Duriat, A. S., W. W. Hadisoeganda., R. M. Sinaga., Y. Hilman. dan R. S. Basuki. 1997. Teknologi Produksi Tomat. Balai Penelitian Tanaman Sayuran. Pusat Penelitian dan Pengembangan Hortikultura. Lembang.

Falconer, D. S. 1989. Introduction to Quantitative Genetics. John WiUey & Sons, New York.

Fardhani, A., E. Ambarwati., S. Trisnowati. dan R. H. Murti. 2013. Potensial hasil, mutu dan daya simpan buah enam galur mutan harapan tomat (*Solanum lycopersicum L.*). Vegetalika 2 (4) : 88-100.

Fehr, W.R. 1987. Heretability. Principles of Cultivar Development, Theory and Technique. Macmillan Publishing Company, New York.

Fei, Z., X. Tang, R. M. Alba., J. A. White., Ronning CM, Martin GB, Tanksley S.D. and J. J. Giovannoni. 2004. Comprehensive EST analysis of tomato and comparative genomics of fruit ripening. Journal Plant 40(1):47-59.

Fernandez-Lozano, A., F. J. Y. Lisbona., F. P. Martin., B. Pineda., V. Moreno., R. Lozano. and T. Angosto. 2015. Mutation at the tomato excessive number of floral organs (ENO) locus impairs floral meristem developmen, thus promoting an increased number of floral organs and fruit size. Plant Science 232:41-48.

Grandillo, S., H. M. Ku. and S. D. Tanksley. 1999. Identifying the loci responsible for natural variation in fruit size and shape in tomato. Theor Appl Genet 99:978-987.

Gillaspy, G., H. B. David. and W. Gruisse. 1993. Fruit: a developmental perspective. The Plant Cell 5:1439-1451.

Giovannoni, J. J. 2004. Genetic regulation of fruit development and ripening. The Plant Cell 16:170-180.

Hasanah, U., S. H. Sutjahjo. dan S. Marwiyah. 2015. Karakterisasi tomat M1 hasil iradiasi sinar gamma 495 Gy. Bul. Agrohorti 3(1): 1-16.

Hayes, H.K., F. R. Immer. and D. C. Smith. 1955. Methods of Plant Breeding. McGraw-Hill Book Company, Inc., New York.

Houghtaling, H. B. 1935. A developmental analysis of size and shape in tomato fruits. Bulletin of the Torrey Botanical Clup 62 (5)177-242.

Hurd, R. G. and A. J. Cooper. 1967. Increasing flower number in single-truss tomatoes. Journal of Horticultural Science 42:181-188.



IPGRI. 1996. Descriptors for Tomato (*Lycopersicon* spp.). International Plant Genetic Resources Institute, Rome.

Jack, T. 2004. Molecular and genetic mechanisms of floral control. *The Plant Cell* 16:1-17.

Jain, J.P. 1982. Statistical Techniques in Quantitative Genetics. Tata McGraw-Hill Publishing Company Limited, New Delhi.

Li, Y., T. Li. and D. Wang. 2007. Studies on inheritance of locule formation in tomatoes (*Lycopersicon esculentum* Mill). *Journal of Genetics and Genomics* 34 (11):1028-1036.

Lippman, Z. and S. D. Tanksley. 2001 Dissecting the genetic pathway to extreme fruit size in tomato using a cross between the small-fruited wild species *Lycopersicon pimpinellifolium* and *L. esculentum* var. giant heirloom. *Genetics* 158:413-422.

Lozano, R., T. Angosto., P. Gomez., C. Payan., J. Capel., P. Huijser., J. Salinas. and J. M. Martinez-Zapater. 1998. Tomato flower abnormalities induced by low temperatures are associated with change of expression of MADS-Box genes. *Plant Physiol* 117:91-100.

MacArthur, J.W. 1928. Linkage studies with the tomato. *Genetics* 13:410-420.

Mangoendidjojo, W. 2003. Dasar-Dasar Pemuliaan Tanaman. Penerbit Kanisius, Yogyakarta.

Martino, G., I. Pan., E. Emmanuel., A. Levy. and V. F. Irisha. 2006. Functional analyses of two tomato *APETALA3* genes demonstrate diversification in their roles in regulating floral development. *The Plant Cell* 18:1833-1845.

Muller, F., J. Xu., L. Kristensen., M. Wolters-Arts., P. F. M. Groot., S. Y. Jansma., C. Mariani., S. Park. and I. Rieu. 2016. High-temperature-induced defects in tomato (*Solanum lycopersicum*) anther and pollen development are associated with reduced expression of B-class floral patterning genes. *Plos One* 11(12):1-12.

Mun, S., N. Ranc., E. Button., A. Berrard., S. Rolland., P. Duffe., Y. Carretero., M. C. L. Paslier., C. Delalande., M. Bouzayen., D. Brunel. and M. Causse. 2011. Increase in tomato locule number is controlled by two single-nucleotide polymorphisms located near WUSCHEL. *Plant Physiology* 156:2244-2254.

Munos, S., N. Ranc., E. Button., A. Berard., S. Rolland., P. Duffe., Y. Carretero., M. C. L. Paslier., C. Delalande., M. Bouzayen., D. Brunel. and M. Causse. 2011. Increase in tomato locule number is controlled by two single-nucleotide polymorphisms located near WUSCHEL. *Plant Physiology* 156:2244-2254.

Murti, R.H., T. Kumiawati. dan Nasrullah. 2004. Pola pewarisan karakter buah tomat. *Zuriat*. 15(2): 140-149. Pengembangan Hortikultura. Lembang.



Monforte, A. J., A. Diaz., A. Caño-Delgado. and E. van der Knaap. 2014. The genetic basis of fruit morphology in horticultural crops: lessons from tomato and melon. *Journal of Experimental Botany* 65 (16):4625-4637.

Nesbitt, T. C. and S. D. Tanksley. 2002. Comparative sequencing in the genus *lycopersicon*: implications for the evolution of fruit size in the domestication of cultivated tomatoes. *Genetics* 162:365-379.

Olimpieri, I. and A. Mazzucato. 2008. Phenotypic and genetic characterization of the pistillate mutation in tomato. *Theor Appl Genet* 118 : 151-163.

Petr, F.C. and K. J. Frey. 1966 Genotype corellation dominace and heritability of quantitative characters in oats. *Crop. Sci.* 6:259-262.

Pracaya. 1998. Bertanaman Tomat. Kanisius, Yogyakarta.

Pracros, P., J. Renaudin., S. Eveillard., A. Mouras. and M. Hernould. 2006. Tomato flowers abnormalities induced by stolbur phytoplasma infection are associated with change of expression of floral development genes. *MPMI* 19(1):62-68.

Puspitasari, Y. D., N. Aini. dan Koesriharti. 2014. Respon dua varietas tomat (*lycopersicon esculentum* Mill.) terhadap aplikasi zat pengatur tumbuh naphthalene acetic acid application. *Jurnal Produksi Tanaman* 2 (7) : 566-575.

Quinet, M., G. Bataille., P. I. Dobrev., C. Capel., P. Gomez., J. Capel., S. Lutts., V. Motyka., T. Angosto. and R. Lozano. 2014. Transcriptional and hormonal regulation of petal and stamen development by stamenless, the tomato (*Solanum lycopersicum* L.) orthologue to the B-class *APETALA3* gene. *Journal of Experimental Botany* 65(9):2243-2256.

Rodriguez, G. R., S. Munos., C. Anderson., S. Sim., A. Michel., M. Causse., B. B. M. Gardener, D. Francis. and E. van der Knaap. 2011. Distribution of sun, ovate, lc, and fas in the tomato germplasm and the relationship to fruit shape diversity. *Plant Physiology* 156:275-285.

Rosh, T. L. 1996. Flower Anatomy.<http://wwwplb.ucdavis.edu/labs/rost/Tomato/Reproductive/flranat.html>. Diakses pada 20 Agustus 2018 pukul 06.00 WIB.

Sastrahidayat. 1992. Bertanam Tomat. Penebar Swadaya. Jakarta.

Schwarz-Sommer, Z., P. Huijser., W. Nacken., H. Saedler., and H. Sommer. 1990. Genetic control of flower development by homeotic genes in *Antirrhinum majus*. *Science* 250:931-936.

Syukur, M., S. Sujiprihati. dan R. Yunianti. 2012. Teknik Pemuliaan Tanaman. Penebar Swadaya, Jakarta.



Syukur., H. E. Saputra. dan R. Hermanto. 2015. Bertanam Tomat Di Musim Hujan. Edisi Pertama. Penebar Swadaya, Jakarta.

Szymkowiak, E. J. and I. M. Sussex. 1992. The internal maristem layer (L3) determines floral meristem size and carpel number in tomato periclinal chimeras. *The Plant Cell* 4:1089-1100.

Tanksley, S. D. 2004. The genetic, developmental, and molecular bases of fruit size and shape variation in tomato. *The Plant Cell* 16 : 181-189.

Tanksley, S. D., S. Grandillo., T. M. Fulton., D. Zamir., Y. Eshed., V. Petiard., J. Lopez. and T. B. Bunn. 1996. Advanced backcross QTL analysis in a cross between an elite processing line of tomato and its wild relative *L. pimpinellifolium*. *Theor Appl Genet* 92:213-224.

USDA. 2015. Classification for Kingdom Plantae Down to Species *Solanum lycopersicum* L. <[https://plants.usda.gov/java/ClassificationServlet? source=display&classid=SOLY2](https://plants.usda.gov/java/ClassificationServlet?source=display&classid=SOLY2)>. Diakses pada tanggal 21 Mei 2017.

Wahyuni, S., R. Yunianti., M. Syukur., J. R. Witono. dan S. I. Aisyah. 2014. Ketahanan 25 genotipe tomat (*Solanum lycopersicum* Mill.) terhadap pecah buah dan korelasinya dengan karakter-karakter lain. *Jurnal Agron. Indonesia* 42:195-202.

Yanofsky, M.F. 1995. Floral meristems to floral organs: Genes controlling early events in *Arabidopsis* flower development. *Annu. Plant Mol. Biol.* 46:167–188.

Zielinski, Q. 1948. Fasciation in *Lycopersicon*. I. Genetic analysis of dominance modification. *Genetics* 33:405–428.