

DAFTAR PUSTAKA

- Anders, H.J., Banas, B., and Schlondorff, D. 2004. Signaling danger: toll-like receptors and their potential roles in kidney disease. *J Am Soc Nephrol* 15: 854-867.
- Arfian, N., Muflikhah, K., Soeyono, S., Sari, D., Tranggono, U., Anggorowati, N. and Romi, M. (2018). Vitamin D Attenuates Kidney Fibrosis via Reducing Fibroblast Expansion, Inflammation, and Epithelial Cell Apoptosis. *Kobe J. Med. Sci*, 62(2), pp.38-44.
- Bostom, A.G., 2002. Predictive Performance of Renal Function Equations for Patients with Chronic Kidney Disease and Normal Serum Creatinine Levels. *Journal of the American Society of Nephrology*, 13(8), pp.2140–2144.
- Brenner, P.D.B.M., 1983. Hemodynamically mediated glomerular injury and the progressive nature of kidney disease. *Kidney International*, 23(4), pp.647–655.
- Breyer, M.D. & Susztak, K., 2016. The next generation of therapeutics for chronic kidney disease. *Nature Publishing Group*, pp.1–21.
- Bruck, K., Stel, V., Gambaro, G., Hallan, S., Volzke, H., Arnlo v, J. *et al.*, 2015. CKD Prevalence Varies across the European General Population. *Journal of the American Society of Nephrology*, 27(7), pp.2135-2147.
- Chen, Y., Zhang, J., Ge, X., Du, J., Deb, D. and Li, Y. (2013). Vitamin D Receptor Inhibits Nuclear Factor κ B Activation by Interacting with I κ B Kinase β Protein. *Journal of Biological Chemistry*, 288(27), pp.19450-19458.
- Chow, K.-M., Liu, Z.-C. & Chang, T.M.-S., 2003. Animal Remnant Kidney Model of Chronic Renal Failure Revisited. *Hong Kong Journal of Nephrology*, 5(2), pp.57–64.
- Collaborators, G.2.M.A.C.O.D., 2015. Articles Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. *The Lancet*, 385(9963), pp.117–171.
- Cuppari, L. & Garcia-Lopes, M.G., 2009. Hypovitaminosis D in Chronic Kidney Disease Patients: Prevalence and Treatment. *Journal of Renal Nutrition*, 19(1), pp.38–43.
- Deb, D., Sun, T., Wong, K., Zhang, Z., Ning, G., Zhang, Y., Kong, J., Shi, H., Chang, A. and Li, Y. (2010). Combined vitamin D analog and AT1 receptor antagonist synergistically block the development of kidney disease in a model of type 2 diabetes. *Kidney International*, 77(11), pp.1000-1009.
- Doorenbos, C., van den Born, J., Navis, G. and de Borst, M. (2009). Possible renoprotection by vitamin D in chronic renal disease: beyond mineral metabolism. *Nature Reviews Nephrology*, 5(12), pp.691-700.
- Evans, P.D. & Taal, M.W., 2015. Epidemiology and causes of chronic kidney disease. *Medicine*, pp.1–4.
- Fearn, A., 2015. Complement activation in progressive renal disease. *World Journal of Nephrology*, 4(1), pp.31–11.
- Jha, V. and Prasad, N. (2016). CKD and Infectious Diseases in Asia Pacific: Challenges and Opportunities. *American Journal of Kidney Diseases*, 68(1),

pp.148-160.

- Gandhi, M., Olson, J.L. & Meyer, T.W., 1998. Contribution of tubular injury to loss of remnant kidney function. *Kidney International*, 54(4), pp.1157–1165.
- Gowda S, Desai PB, Kulkarni SS, Hull VV, Math AA, Vernekar SN. 2010. Markers of renal function tests. *N Am J Med Sci*. 2(4):170-3.
- Harris, R.C. & Neilson, E.G., 2006. Toward a Unified Theory of Renal Progression. *Annual Review of Medicine*, 57(1), pp.365–380.
- Henderson, J. & Henderson, I.W., 1994. The endocrine functions of the kidney. *Journal of Biological Education*, 28(4), pp.245–254.
- Hill, N.R. *et al.*, 2016. Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis G. Remuzzi, ed. *PLOS ONE*, 11(7), pp.e0158765–18.
- Hodgkins, K.S. & Schnaper, H.W., 2011. Tubulointerstitial injury and the progression of chronic kidney disease. *Pediatric Nephrology*, 27(6), pp.901–909.
- Hollis, B.W. & Wagner, C.L., 2013. The Role of the Parent Compound Vitamin D with Respect to Metabolism and Function: Why Clinical Dose Intervals Can Affect Clinical Outcomes. *The Journal of Clinical Endocrinology & Metabolism*, 98(12), pp.4619–4628.
- Hunter, C.A. & Jones, S.A., 2015. IL-6 as a keystone cytokine in health and disease. *Nature Publishing Group*, 16(5), pp.448–457.
- Ito, I., Waku, T., Aoki, M., Abe, R., Nagai, Y., Watanabe, T. *et al.*, 2013. A nonclassical vitamin D receptor pathway suppresses renal fibrosis. *Journal of Clinical Investigation*, 123(11), pp.4579-4594.
- Jones, G., 2007. Phosphorus Metabolism and Management in Chronic Kidney Disease: Expanding Role for Vitamin D in Chronic Kidney Disease: Importance of Blood 25-OH-D Levels and Extra-Renal 1 α -Hydroxylase in the Classical and Nonclassical Actions of 1 α ,25-Dihydroxyvitamin D. *Seminars in Dialysis*, 20(4), pp.316–324.
- Jones, S., Fraser, D., Fielding, C. and Jones, G. 2014. Interleukin-6 in renal disease and therapy. *Nephrology Dialysis Transplantation*, 30(4), pp.564-574.
- Kren, S. & Hostetter, T.H., 1999. The course of the remnant kidney model in mice. *Kidney International*, 56(1), pp.333–337.
- Kuhlmann, A., Haas, C., Gross, M., Reulbach, U., Holzinger, M., Schwarz, U., Ritz, E. and Amann, K. (2004). 1,25-Dihydroxyvitamin D₃ decreases podocyte loss and podocyte hypertrophy in the subtotaly nephrectomized rat. *American Journal of Physiology-Renal Physiology*, 286(3), pp.526-533.
- Kuncio, G.S., Neilson, E.G. & haverty, T., 1991. Mechanisms of tubulointerstitial fibrosis. pp.1–7.
- Levin, A., Hemmelgarn, B., Culeton, B., Tobe, S., McFarlane, P., Ruzicka, *et al.*, 2008. Guidelines for the management of chronic kidney disease. *Canadian Medical Association Journal*, 179(11), pp.1154-1162.
- Li, Y.C., 2010. Renoprotective effects of vitamin D analogs. *Kidney International*, 78(2), pp.134–139.
- López-Marin, L., 2014. Histopathology of Chronic Kidney Disease of Unknown Etiology in Salvadoran Agricultural Communities. pp.1–6.

- Manotham, K., Tanaka, T., Matsumoto, M., Ohse, T., Inagi, R., Miyata, T., Kurokawa, K., Fujita, T., Ingelfinger, J. and Nangaku, M. 2004. Transdifferentiation of cultured tubular cells induced by hypoxia. *Kidney International*, 65(3), pp.871-880.
- Matovinović, M.S., 2009. Pathophysiology and Classification of Kidney Diseases. pp.1–10.
- Mehrotra, R., Kermah, D., Budoff, M., Salusky, I., Mao, S., Gao, Y., Takasu, J., Adler, S. and Norris, K. 2008. Hypovitaminosis D in Chronic Kidney Disease. *Clinical Journal of the American Society of Nephrology*, 3(4), pp.1144-1151.
- Narayanan, S. & Appleton, H., 1980. Creatinine:A Review. pp.1–8.
- Ng YY, Huang TP, Yang WC, *et al*: Tubular epithelial- myofibroblast transdifferentiation in progressive tubulointerstitial fibrosis in 5/6 nephrectomized rats. *Kidney Int* 54:864–876, 1998
- Pecoits-Filho, R., Heimbürger, O., Bárány, P., Suliman, M., Fehrman-Ekholm, I., Lindholm, B. and Stenvinkel, P. 2003. Associations between circulating inflammatory markers and residual renal function in CRF patients. *American Journal of Kidney Diseases*, 41(6), pp.1212-1218.
- Perrone, R.D., Madias, N.E. & Levey, A.S., 1992. Serum Creatinine as an Index of Renal Function- New Insights into Old Concepts. pp.1–21.
- Ranganathan, P., Jayakumar, C. & Ramesh, G., 2013. Proximal tubule-specific overexpression of netrin-1 suppresses acute kidney injury-induced interstitial fibrosis and glomerulosclerosis through suppression of IL-6/STAT3 signaling. *American Journal of Physiology-Renal Physiology*, 304(8), pp.1054–1065.
- Rodríguez-Iturbe, B., Johnson, R.R. & Herrera-Acosta, J., 2005. Tubulointerstitial damage and progression of renal failure. *Kidney International*, 68(Supplement 99), pp.82–86.
- Scheller, J., Chalaris, A., Schmidt-Arras, D. and Rose-John, S., 2011. The pro- and anti-inflammatory properties of the cytokine interleukin-6. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, 1813(5), pp.878-888.
- Schelling, J.R., 2015. Tubular atrophy in the pathogenesis of chronic kidney disease progression. *Pediatric Nephrology*, 31(5), pp.693–706.
- Schwarz, U., Amann, K., Orth, S., Simonaviciene, A., Wessels, S. and Ritz, E., 1998. Effect of 1,25(OH)₂ vitamin D₃ on glomerulosclerosis in subtotal nephrectomized rats. *Kidney International*, 53(6), pp.1696-1705.
- Simmons, E., Himmelfarb, J., Sezer, M., Chertow, G., Mehta, R., Paganini, E., *et al.*, 2004. Plasma cytokine levels predict mortality in patients with acute renal failure. *Kidney International*, 65(4), pp.1357-1365.
- Su, H., Lei, C.-T. & Zhang, C., 2017. Interleukin-6 Signaling Pathway and Its Role in Kidney Disease: An Update. *Frontiers in Immunology*, 8, pp.73–10.
- Svíglerová, J., Kuncová, J., Nalos., Tonar, Z., Radjl, D., Stengl, M., *et al.*, 2010. Cardiovascular Parameters in Rat Model of Chronic Renal Failure Induced by Subtotal Nephrectomy. pp.1–8.
- Tan, X., Wen, X. & Liu, Y., 2008. Paricalcitol Inhibits Renal Inflammation by Promoting Vitamin D Receptor-Mediated Sequestration of NF- B Signaling. *Journal of the American Society of Nephrology*, 19(9), pp.1741–1752.

- Tanaka, T., Narazaki, M. & Kishimoto, T., 2014. IL-6 in Inflammation, Immunity, and Disease. *Cold Spring Harbor Perspectives in Biology*, 6(10), pp.016295–016295.
- Waikar, S., Sabbiseti, V., Ärnlöv, J., Carlsson, A., Coresh, J., Feldman, H., *et al.*, 2016. Relationship of proximal tubular injury to chronic kidney disease as assessed by urinary kidney injury molecule-1 in five cohort studies. *Nephrology Dialysis Transplantation*, 31(9), pp.1460-1470.
- Wyss, M. & Kaddurah-Daouk, R., 2000. Creatine and Creatinine Metabolism. pp.1–107.
- Yang, J., 2012. Effect of Interleukin 6 Deficiency on Renal Interstitial Fibrosis. pp.1–9.
- Zhang, L., Wang, F., Wang, L., Wang, W., Liu, B., Liu, J., *et al.*, 2012. Prevalence of chronic kidney disease in China: a cross-sectional survey. *The Lancet*, 379(9818), pp.815-822.
- Zhang, Y. & Kompa, A.R., 2014. A practical guide to subtotal nephrectomy in the rat with subsequent methodology for assessing renal and cardiac function. *Nephrology*, 19(9), pp.552–561.
- Zhang, Z., Sun, L., Wang, Y., Ning, G., Minto, A., Kong, J., Quigg, R. and Li, Y. (2008). Renoprotective role of the vitamin D receptor in diabetic nephropathy. *Kidney International*, 73(2), pp.163-171.