



DAFTAR PUSTAKA

- Ali, S., Mansoob, M., Omaish, M. and Hwan, M., 2015, Silver Nanoparticles and defec-induced Visible Light Photocatalytic and Photoelectrochemical performance of Ag@m-TiO₂ nanocomposite, *Sol. Energy Mater. Sol. Cells.*, 141, 162-170.
- Amano, F., E. Ishinaga, and A. Yamakata. 2013. Effect of particle size on the photocatalytic activity of WO₃ particles for water oxidation. *J. Phys. Chem. C.*, 117(44), 22584-22590.
- Anonim, 1995, *Keputusan Menteri Negara Lingkungan Hidup Republik Indonesia Nomor 51 tentang Baku Mutu Limbah Cair.*
- Avif, A.N., 2017, Sintesis Nanokomposit Fe₃O₄/SiO₂/TiO₂-Ag dan Uji Aktivitasnya sebagai Fotokatalis untuk Reduksi Ion Cr(VI), *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Bagheri, S., and Julkapli, N. M., 2015, Magnetite Hybrid Photocatalysis: Advance Environmental Remediation, *Rev. Inor. Chem.*, 36(2), 1-16.
- Banisharif, A., Elahi, S.H., Firooz, A.A., Khodadadi, A. A., and Mortazavi, Y., 2013, TiO₂/Fe₃O₄ Nanocomposite Photocatalysts for Enhanced Photo-Decolorization of Congo Red Dye, *Int. J. Nanosci. Nanotechnol.*, 9(4), 193-202.
- Bansal, P. And Verma, P., 2018, Applications of sunlight responsive Fe-Ag-TiO₂ composite incorporating insitu dual effect for the degradation of pentoxifylline, *Mat. Sci. Eng. B*, 236, 197-207.
- Blaney, L., 2007, Magnetite (Fe₃O₄): Properties, Synthesis, and Applications, *Review*, Lehigh University, Pennsylvania.
- Chang, J., and Waclawik, E.R., 2014, Colloidal Semiconductor Nanocrystals: Controlled Synthesis and Surface Chemistry in Organic Media, *RSC Adv.*, 45, 23505-23527.
- Chelli, V.R., Chakraborty, S, and Golder, A.K., 2018, Ag-doping on TiO₂ using plant-based glycosidic compounds for high photonic efficiency degradative oxidation under visible light, *J. Mol. Liq.*, 271, 380-388.
- Cheng, J.P., Ma, R., Chen, X., Shi, D., Liu, F. And Zhang, X. B., 2011, Effect of ferric ions on the morphology and size of magnetite nanocrystal synthesized by ultrasonic irradiation, *Cryst. Res. Technol.*, 46 (7), 723-730.
- Choi, J., Park, H., and Hofmann, M.R., 2010, Effect of Single Metal-Ion Doping on The Visible-Light Photoreactivity of TiO₂, *J. Phys. Chem.*, 114, 783-792.
- Choi, K. H., Park, S. Y., Park, B. J., and Jung, J. S., 2017, Recyclable Ag-coated Fe₃O₄@TiO₂ for efficient photocatalytic oxidation of chlorophenol, *Sur. Coat. Tech.*, 320, 240-245.
- Damato, T.C., De Oliveira, C.C.S., Ando, R.A. and Camargo, P.H.C., 2013, A Facile



- Approach to TiO₂ Colloidal spheres decorated with Au, Ag nanoparticles displaying well-defined sizes and uniform dispersion, *Langmuir*, 29(5), 1642-1649.
- Dang, F., Enomoto, N., Hojo, J., and Anpuku, K., 2009, Sonochemical Synthesis of Monodispersed Magnetite nanoparticles by using an ethanol-water mixed solvent, *J. Ultrason. Sonochem.*, 16, 649-654.
- Faried, M., Shameli, K., Miyake, M. ⁴¹, H., and Khairuddin, N.B.A., 2015, Green Sonochemical Synthesis of Silver Nanoparticles using marine seaweed as biopolymer Media, *Dig J. Nanomater Biostruct.*, 10, 1419-1426.
- Farimani, N.S., Roknabadi, N.G., and Kazemi A., 2013, Study of Structural And Magnetic Properties of Superparamagnetic Fe₃O₄/SiO₂ Core-Shell Nanocomposites Synthesized with Hydrophilic Citrate-Modified Fe₃O₄ Seeds via A Sol-Gel Approach, *J. Phys. E*, 53, 207-216.
- Fujishima, A., Hashimoto, K., and Watanabe, T., 1996, *TiO₂ Photocatalysis Fundamental and Applications*, BKC inc., Tokyo.
- Gupta, S.M. dan Tripathi, M., 2011, A Review on TiO₂ Nanoparticles, *M. Chin. Sci. Bull.*, 56, 1639-1657.
- Hafner, B., 2015, Scanning Electron Microscopy Primer, *Characterization Facility*, University of Minnesota-Twin Cities, Minnesota.
- Hamdaoui, O., and Chiha, M., 2006, Removal of Methylene Blue from Aqueous Solution by Wheat Bran, *Act. Chim. Slo.*, 54(2), 407-418.
- Hoffmann, M.R., Martin, S.T., Choi, W., and Behremann, D. W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69-96.
- Hong, R.Y., Li, J.H., Ding, J., Zheng, Y., and Wei, D.G., 2008, Synthesis of Fe₃O₄ nanoparticles without inert gas protection used as precursors of magnetic fluids, *J. Mag. Mat.*, 320, 1605-1614.
- Houas, A., Lacheb, H., Ksibi, M., Elaloui, E., Guillard, C. Dan Herman, J.M., 2001, Photocatalytic Degradation Pathway of Methylene Blue in Water, *J. Appl. Catal. B. Environ.*, 31(2), 145-157.
- Ibhadon, A.O. dan Fitzpatrick, P., 2013, Heterogeneous Photocatalysis: Recent Advances and Applications, *Catalysts*, 3(1), 189-218.
- Kirilov, V.L., Balaev D. A., Semenov S.V., Shaikhutdinov K.A., and Masrtyanov O.N., 2014, Size Control in the Formation of Magnetite Nanoparticles in the Presence of Citrate Ions, *J. Mat. Chem. Phys*, 145(1), 75-81.
- Ko, S., Banerjee, C. K., and Sankar, J., 2011, Photochemical synthesis and photocatalytic Activity in simulated solar light of nanosized Ag doped TiO₂ Nanoparticle Composite, *Compos. Part B-Eng.*, 42(3), 579-583.
- Krim, L., Salmoune, N., and Goma, B., 2006, Kinetics of Chlorium Sorption on Biomass



- Fungi from Aqueous Solution, *A. J. Environ. Sci.*, 2(1), 31-36.
- Kumar, R., Rashid, J., and Barakat, M.A., 2015, Zero valent Ag deposited TiO₂ for the efficient photocatalysis of methylene blue under UV-C light irradiation, *Colloids Int. Sci. Commun.*, 5, 1-4.
- Kurniawan, C., 2008, Studi tentang sifat luminensi nanopartikel (Ca_xSr_{1-x}) TiO₂: RE (RE:Pr³⁺, Eu³⁺, dan Tb³⁺) yang dipreparasi dengan metode sonokimia, *Tesis*, Departemen Kimia FMIPA ITB, Bandung.
- Li, X. M., Xu, G., Liu, Y., and He, T., 2011, Magnetic Fe₃O₄ nanoparticles: synthesis and Application in water treatment, *J. Nanosci. Nanotechnol.*, 1, 14-24.
- Lin, Y., Geng, Z., Cai, H., Ma, L., Chen, J., Zeng, J., Pan, N., dan Wang, X., 2012, Ternary Graphene-TiO₂-Fe₃O₄ Nanocomposite as a Recollectable Photocatalyst with Enhanced Durability, *Eur. J. Inor. Chem*, 28, 4439-4444.
- Litter, M. I., 1999, Heterogenous photocatalysis: Transition metal Ion in Photocatalysis systems, *J. Appl. Catal. B. Environ.*, 23, 89-114.
- Mahdavi, M., Ahmad, M., Haron, M., and Namwar, F., 2013, Synthesis, Surface Modification and Characterisation of Biocompatible Magnetic Iron Oxide Nanoparticles for Biomedical Applications, *J. Mol.*, 18, 7533-7548.
- Mehranpour, H., Askari, M., and Ghamsari, M., 2012, LaMer Theory Approach to Study the Nucleation and Growth of Sol-gel Derived TiO₂ Nanoparticles, *Proceedings of the 4th International Conference on Nanostructures (ICNS4)*, 12-14 Maret 2012, 1710-1712.
- Monshi, A., Foroughi, M.R., and Monshi, M.R., 2012, Modified Scherrer Equation to Estimate More Accurately Nano-Crystallite Size Using XRD, *J. Nano Sci. Eng.*, 2, 154-160.
- Nogueira, R.F.P., and Jardim, W.F., 1993, Photodegradation of Methylene Blue Using Solar Light and Semiconductor (TiO₂), *J. Chem. Ed.*, 70, 10, 861-862.
- Paschoalino, F.C.S., Paschoalino, M.P. dan Jordão, E., 2012, Evaluation of TiO₂, ZnO, CuO and Ga₂O₃ on The Photocatalytic Degradation of Phenol using an Annular-Flow Photocatalytic Reactor, *J. Sci. Res.*, 2, 135-140.
- Pauzan, M., Kato, T., Iwata, S., dan Suharyadi, E., 2013, Pengaruh Ukuran Butir dan Struktur Kristal terhadap Sifat Kemagnetan pada Nanopartikel Magnetit (Fe₃O₄), *Prosiding Pertemuan Ilmiah XXVII HFI Jateng & DIY*, 23 Maret 2013, 24-28.
- Pavia, D.L., Lampman, G.M., Kriz, G.S. dan Vyvyan, J.R., 2009, *Introduction to Spectroscopy*, 4th Edition, Cengage Learning, Washington DC.
- Petrucci, R. H., Hardwood, W. S., Herring, F.G., dan Madura, J.D., 2011, *Kimia Dasar: Prinsip-prinsip dan Aplikasi Modern*, edisi kesembilan, jilid1, Penerbit Erlangga, Jakarta.



- Rashid, M.H., Shahtahmasebi, N., and Roknabadi, M.R., 2013, Study of Structural and magnetic properties of superparamagnetic Fe₃O₄/TiO₂ core-shell nanocomposites synthesized with hydrophilic citrate-modified Fe₃O₄ seeds via a sol-gel approach, *phys. E. Low-dimensional Syst. Nano.*, 53, 207-216.
- Ray, S.K., Dhakal, D., Kshetri, Y.K., and Lee S.W., 2017, Cu-a-NiMoO₄ photocatalyst for degradation of Methylene blue with pathways and antibacterial performance, *J. Pho. Pho. A: Chem.*, 348, 18-32.
- Riyani, K., dan Setyaningtyas, T., 2011, Pengaruh Karbon Aktif terhadap Aktivitas Fotodegradasi Zat Warna pada Limbah Cair Industri Tekstil Menggunakan Fotokatalis TiO₂, *Molekul*, 6(2), 113-122
- Salazar, M., 2010, Development and Application of Titanium Dioxide Coated Magnetic Particles for Photocatalytic Oxidation of Aqueous Phase Organic Pollutants, *Disertation*, Technischen Universität Berlin, Berlin.
- Salehi, M., Hashemipour, H., and Mirzaee, M., 2012, Experimental Study of Influencing Factors and Kinetics in Catalytic Removal of Methylene Blue with TiO₂ Nanopowder, *Am. J. Environ. Eng.*, 2(1), 1-7.
- Sangchaya, W., Sikonga, L. And Kooptarnonda, K., 2012, Comparison of Photocatalytic Reaction of Commercial P25 and Syntehetic TiO₂-AgCl Nanoparticles, *Proced. Eng.*, 32, 590-596.
- Seery, M. K., George, R., Floris, P., and Pillai, S. C., 2007, Silver Doped Titanium Dioxide Nanomaterials for Enhanced Visible Light Photocatalysis, *J. Photoch. Photobio. A*, 189, 258-263.
- Shi, L., Huang, J., and He, Y., 2017, Recyclable purification-evaporation systems based on Fe₃O₄@TiO₂ nanoparticles, *Proceeding of the 9th International Conference on Applied Energy (ICAE2017)*, 21-24 August 2017, Cardiff.
- Sidiras, D.K. dan Batzias, F. A., 2007, Simulation of Dye Adsorption by beech Sawdust as Affected by pH, *J. Hazard Mater.*, 141, 668-679.
- Shojaie, A., Fattahi, M., Jorfi, S., and Ghasemi, B., 2018, Synthesis and evaluations of Fe₃O₄-TiO₂-Ag nanocomposites for photocatalytic degradation of 4-chlorophenol (4-CP): effect of Ag and Fe compositions, *Int. J. Industry Chem.*, 9(2), 141-151.
- Silva, M.J., Ricardez, O.F.V., Hipolito, S., Vargas, M., and Luna, J.L., 2016, Single and Mixed Adsorption of Cd(II) and Cr(VI) onto Citrate Coated Magnetite Nanoparticles, *J. D. Water Treatment*, 57(9), 4008-4017.
- Sulistyaningsih, T., Santosa, S.J., Siswanta, D., dan Rusdiarso, B., 2017, Synthesis and Characterization of Magnetites Obtained from Mechanically and Sonochemically Assisted Co-Precipitation and Reverse Co-Precipitation Methods, *Int. J. Mat. Mech. Man.*, 5(1), 16-19.
- Suwankar, M. B., Dhabbe, R. S., Kadam, A.N., and Garadkar, K.M., 2014, Enhanced



photocatalytic activity of Ag doped TiO₂ nanoparticles synthesized by a microwave assisted method, *J. Ceram. Int.*, 40(4), 5489-5496.

- Tedsree, K., Temnuch, N., Sriplai, N., and Pinitsoontorn, S., 2017, Ag modified Fe₃O₄@TiO₂ magnetic core-shell nanocomposites for photocatalytic degradation of methylene blue, *J. Materials Today*, 4(5), 6576-6584.
- Thuy, N. T., and Minh, D. L., 2012, Size Effect on the Structural and Magnetic Properties of Nanosized Perovskite LaFeO₃ Prepared by Different Methods, *Adv. Mat. Sci. Eng.*, 2012, 1-6.
- Tripathy, D., Adeyeye, A.O., Boothroyd, C.B. dan Piramanayagam, S.N., 2007, Magnetic and Transport Properties of Co-Doped Fe₃O₄ Films, *J. Appl. Phys.*, 101, 1-6.
- Umer, A., Naveed, S., Ramzan, N., Rafique M. S., and Imran M., 2014, A green method for the synthesis of Copper Nanoparticles using L-ascorbic acid, *J. Rev. Mat.*, 19(3), 197-203.
- Vanaja, M., Paulkumar, K., Baburaja, M., Rajeshkumar, S., Gnanajobitha, G., Malarkodi, C., Sivakavinesan, M., and Annadurai, G., 2014, Degradation of Methylene blue using Biologically synthesized Silver Nanoparticles, *Res. Arc. Bioinorg. Chem. Appl.*, 1-8.
- Wei, J., Leng, C., Zhang, X., Li, W., Liu, Z., dan Shi, J., 2009, Synthesis and Magnetorheological Effect of Fe₃O₄-TiO₂ Nanocomposite, *11th Conference on Electrorheological Fluids and Magnetorheological Suspensions*, 25-29 Agustus 2008, Dresden.
- Widyandari, K. M., 2016, Sintesis Fe₃O₄/TiO₂-Co dan Uji Aktivitasnya sebagai Fotokatalis, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Wu, C. H., and Chern, J. M., 2006, Kinetics of Photocatalytic Decomposition of Methylene Blue, *Ind. Eng. Chem. Res.*, 45(19), 6450-6457.
- Wu, S., Jiang, W., Sun, Z., Dai, J., Liu, L., and Li, F., 2011, Preparation of Novel Magnetic Fluorescent Nanosphere by Sonochemical Method, *J. Magn. Mater.*, 323, 2170-2173.
- Wu, J. H., Ko, S.P., Liu, H.L., Jung, M.H., Lee, J.H., Ju, J.S., dan Kim, Y.K., 2008, Sub 5 nm Fe₃O₄ Nanocrystal via Coprecipitation Method, *Phystochem. Eng. Asp.*, 268-272.
- Xuan, S., Jiang, W., Gong, X., Hu, Y., and Chen, Z., 2009, Magnetically Separable Fe₃O₄/TiO₂ Hollow Spheres: Fabrication and Photocatalytic Activity, *J. Phys. Chem. C.*, 113(2), 553-558.
- Yang, D., Sun, Y., Tong, Z., Tian, Y., Li, Y., and Jiang, Z., 2015, Synthesis of Ag/TiO₂ Nanotube Heterojunction with Improved Visible-Light Photocatalytic Performance Inspired by Bioadhesion, *J. Phys. Chem. C*, 119, 5827-5835.
- Yang, L., Wang, F., Shu, C., Liu, P., Zhang, W., and Hu, S., 2016, An in-situ Synthesis of Ag/AgCl/TiO₂/hierarchical Porous Magnesian Material and its Photocatalytic performance, *Sci. Rep.*, 6(21617), 1-7.



- Yoon, K.Y., Xue, Z., Fei, Y., Lee, J.H., Cheng, V., Bagaria, H. G., Huh, C. Bryant, S. L., Kong, S. D., Ngo, V. W., Rahmani, A. R., Ahmadian, M., Ellison, C. J. and Johnston, K. P., 2016, Control of magnetite primary particle size in aqueous dispersions of nanocluster for high magnetic susceptibilities, *J. Colloid Inter. Sci.*, 462, 359-367.
- Yuan, Q., Li, N., Geng, W., Chi, Y. and Li, X., 2012, Preparation of magnetically recoverable Fe₃O₄@SiO₂@meso-TiO₂ nanocomposites with enhanced photocatalytic ability, *Mater. Res. Bulletin.*, 47(9), 2396-2402.
- Zaleska, A., 2008, Doped-TiO₂: A Review, *Recent Patents on Engineering*, 2(3), 157-164..
- Zhan, J., Zhang, H., and Zhu, G., 2014, magnetic photocatalyst of cenospheres coated with Fe₃O₄/TiO₂ core/shell nanoparticles decorated with Ag nanoparticles, *J. Ceram. Int.*, 40(6), 8547-8559.
- Zhang, X., Gao, H., Li, X., 2018, Atomistic simulations of superplasticity and amorphization of nanocrystalline anatase TiO₂, *Ext. Mech. Lett.*, 22, 131-137.
- Zhang, L., Wu, Z., Chen, L., Zhang, L., Li, X., and Xu, H., 2016, Preparation of magnetic Fe₃O₄/TiO₂/Ag composite microspheres with enhanced photocatalytic activity, *J. Sol. State Sci.*, 52, 42-48.
- Zhang, N., Yu, X., Hu, J., Xue, F., and Ding, E., 2013, Synthesis of Silver nanoparticles coated poly (styrene-co-sulfonic acid) hybrid materials and their application in Surface-Enhanced Raman Scattering (SERS), *RSC Adv.*, 3, 13740-13747.
- Zhao, D.I., Teng, P., Xu. Y., Xia, Q.S., and zang, J.T., 2010, Magnetic and Inductive Heating Properties of Fe₃O₄/Polyethylene Glycol Composite Nanoparticles with core shell Structure, *J. Alloy Compd.*, 502, 392-395.
- Zhu, C., Zhang, M., Qiao, Y., Xiao, G., Zhang, F., and Chen, Y., 2010, Fe₃O₄/TiO₂ Core/Shell Nanotubes: Synthesis and Magnetic and Electromagnetic Wave Absorption Characteristics, *J. Phys. Chem. C.*, 114(39), 16229-16235.