

DAFTAR PUSTAKA

- Aba, L., Yusuf, Y., Mitrayana & Triyana, K., 2012. Selectivity Improvement of Gas Sensor Based on Poly (3,4-ethylenedioxythiophene) Polystyrene sulfonate) Thin Film by Using Imprinting Method. *Journal of Modern Physics*, Volume 3, pp. 529-533.
- Bai,H and G. Shi, “*Gas Sensors Based on Conducting Polymers*,” *Sensors*, Vol. 7, No. 3, 2007, pp. 267-307.
- Bessaire, Bastien., M. Maillard., V. Salles., T Yeghoyan., C Celle., Jean-Pierre Simonato, and A. Brioude, 2016. *Synthesis of continuous conductive PEDOT:PSS nanofibers by electrospinning: a conformal coating for optoelectronics*. Freie University.Berlin.
- Billmeyer, F. W., 1971. *Textbook of Polymer Science*. 2nd ed. New York: WILEY..
- Bower, D. I., 2002. *An Introduction to Polymer Physics*. New York:Cambridge University Press.
- Brabec, C., Dyakonov, V. & Scherf, U., 2008. *Organic Photovoltaics Materials, Device Physics, and Manufacturing Technologies*. Weinheim: WILEY-VCH Verlag GmbH &Co. KGaA.
- Cao, Y.W., Jang, J., Park, C.R., dan Ko, S.W., 2004, *Preparation and Solubility in Acid and Water of Partially Deacetylated Chitins, Biomacromolecules 1*: 609-614.
- Cho, D., Hoepker, N. & Frey, M. W., 2012. *Fabrication and characterization of conducting polyvinyl alcohol nanofibers. Materials Letters*, Volume 68, pp. 293-295.
- Elschner, A., Stephan, K., Lovenich, W. & Merker, U., 2011. *PEDOT Principles and Application of an Intrically Conductive Polymer*. London: CRC Press Taylor & Francis Group
- Garcia, Imam., 2017. *Pengaruh Konsentrasi Larutan Pada Morfologi, Sifat Optik dan Konduktivitas Nanofiber PEO Blend PEDOT:PSS*. Universitas Gadjah Mada, Indonesia.
- Gardner,J.W., V. K. Varadan and O. O. Awadelkarim “*Microsensors, MEMS and Smart Devices*,” John Wiley & Sons Ltd., Chichester, 1994.
- Gavvani, J N., Amirhossein H., Mohammad N., Mojtaba M., Alireza S, 2016. *Highly sensitive and flexible ammonia sensor based on S and N co-doped graphene quantum dots/polyaniline hybrid at room temperature, Sensors and Actuators B: Chemical*.Amirkabir University of Technology. Iran.
- Guan,X., Guo-Qiang Zheng, K. Dai., Liu C, X., Yan, C. Shen., and Zhanhu Guo. 2016. *Carbon Nanotubes-Adsorbed Electrospun PA66 Nanofiber Bundles with Improved Conductivity and Robust Flexibility*. Zhengzhou University. PR China.

- Herdiawan, H., Juliandri, & Nasir, M., 2013. *Pembuatan dan Karakterisasi CoPVDF Nanofiber Komposit menggunakan Metode Elektrospinning*. Prosiding Seminar Nasional Sains dan Teknologi Nuklir PTNBR – BATAN Bandung, 110-116.
- Hudha, Lalu Sahrul., 2013. *Rancang Bangun Mini System Spin Coating untuk Pelapisan Sensor QCM (Quartz Crystal Microbalance)*, Physics. Student journal. ub.ac.id.
- Ichsan,A., 2017, *Kajian Nanofiber Kitosan-Polivinil Acetat sebagai Pembalut Luka, Skripsi*, Jurusan Fisika, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada
- Janata,J and M. Josowicz, “Conducting Polymers in Electronic Chemical Sensors,” Nature Materials, Vol. 2, No. 1, 2003, pp. 19-24.
- Kalantar-Zadeh, K., 2013. *Sensors An Introductory Course*. London: Springer
- Khairurrijal, M. Abdullah, A. Suhendi, M. M. Munir and A. Surachman, “A Simple Microcontroller-Based Current Electrometer Made from LOG112 And C8051F006 for Measuring Current in Metal-Oxide-Semiconductor Devices,” *Measurement Science and Technology*, Vol. 18, No. 9, 2007, pp. 3019-3024.
- Kurečić, M., & Smole, M. S., 2013. *Electrospinning: Nanofiber Production Method*. *Journal Tekstilec*, 56(1):4-12.
- Lay, Makara., P` elach, M` Angels., Pellicer, Neus., Tarr´es, Joaquim A., Bun, Kim Ngun., & Vilaseca, Fabiola., 2017. *Smart nanopaper based on cellulose nanofibers with hybrid PEDOT:PSS/Polypyrrole for energy storage devices*. Girona University.Spain.
- Li, C. 2013. *Electrospun Polyaniline / Poly (ethylene oxide) Composite Nanofibers Based Gas Sensor*. University of California.
- Li, D., Wamh, Y., Xia, Y., 2003, eletrospinning of Polymeric and ceramic Nanofibers as Uniaxially Aligned Arrays, *Nano letters*, vol.3 ,No.8,1167-1171.
- Lipol, L.S., Rahman, M., 2015. *Electrospinning and Electrospun Nanofibers*.
- Meng, Z. X., Wang, Y. S., Ma, C., Zheng, W., Li, L., Zheng, Y. F., 2010, Electrospinning of PLGA/gelatin randomly-oriented and aligned Nanofibers as Potensial Scaffold in Tissue Engineering, *Material Science and Engineering C*, 30, 1204-1210.
- Miyata,T. S. Kawaguchi, M. Ishii and T. Minami, “High Sensitivity Chlorine Gas Sensors Using Cu-Phthalocya-nine Thin Films,” *Thin Solid Films*, Vol. 425, No. 1-2, 2003, pp. 255-259.
- McMahon, G., 2007, *Analytical and Instrumentation A Guide to Laboratory, Portable and Miniaturized Instruments*, John Wiley & Sous Ltd, England.

- Munir, Misbachul.,2016. *Pengaruh Konsentrasi Larutan pada Morfologi,Sifat Optik dan Konduktivitas PVA Nanofiber*, Skripsi, Fakultas Matematika dan Ilmu Pengetahuan Alam, Yogyakarta.
- Nicolas-Debarnot,D and F. Poncin-Epaillard, “*Polya-niline as a New Sensitive Layer for Gas Sensors*,” *Ana-lytica Chimica Acta*, Vol. 475, No. 1- 2, 2003, pp. 1-15.
- Pang, Z., Yang, Z., Chen,Y., Jinning., Z, Q,Wang., F,Huang., Q Wei.,2016. *A room temperature ammonia gas sensor based on cellulose/TiO2/PANI composite nanofibers*, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. Jiangnam University. China.
- Park,S.W., Tae,H. O, Hwang, J.S., and Young Jae Lee.2016. *Effect of Solvent and Blended Polymer on Electrical Conductivity of PEDOT:PSS/Polymer Blended Nanofibers*. Yeungnam University. Korea.
- Patachia,S., Valente, A.J., Papancea,A. & Lobo,V.,M.,2009.Poly(Vinyl Alcohol) PVA-based Polymer Membranes. New York: Nova Science Publisher.
- Pokorny, M. Niedoba, K.dan Velebny, B., 2010, Transversal Electrostatic Strenght of Patterned Collector Affecting Alignment of Electrospun Nanofibers, *Applied Physics Letters* 96,193111.
- Prasad, T. P. Radhakrishnan, D. S. Kumar and M. G. Krishna, “*Ammonia Sensing Characteristics of Thin Film Based on Polyelectrolyte Templated Polyaniline*,” *Sensors and Actuators B: Chemical*, Vol. 106, No. 3, 2005, pp. 626-631.
- Puspa, K.A., 2014, Sintesis dan Karakterisasi Biokeramik Hidroksiapatit Bahan Tulang Sapi pada Suhu 800-1100⁰C, *Skripsi*, Jurusan Fisika, Fakultas Matematika dan Ilmu Pengetahuan Alam,Universitas Lampung.
- Ramakrishna, S., Fujihara, K., Wee-EongTeo & Teik-ChengLim & ZuweiMa., 2005, *Introduction to Electrospinning and Nanofiber*, Singapore: World Scientific Publishing
- Reneker, D.H., dan Chun, I., 1996, Nanometre Diameter Fibres of Polymer Produced by Electrospinning, *Nanotechnology* 7 : 216-223.
- Rianjanu, Aditya., 2015. *Karakterisasi Nanofiber PEDOT:PSS/PVA yang Berpotensi digunakan Sebagai Lapisan Penyangga Pada Sel Surya Organik Bulk- Heterojunction Menggunakan Metode Electrospinning*.Universitas Gadjah Mada, Indonesia.
- Rohaeti, E., 2009, Karakterisasi Biodegradasi Polimer, *Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA*, Fakultas MIPA, Universitas Negeri Yogyakarta.
- Saghei, J., Fallahzadeh,A., & Saghei, T. 2015. ITO-free organic solar cells using highly conductive phenol-treated PEDOT:PSS anodes. *Organic Electronics*, 24 188-194.

- Sarabi, G.A., Latifi, M., Bagherzadeh, R. 2017. *Align and Random Electrospun Mat of PEDOT:PSS and PEDOT:PSS/RGO*. Amirkabir Univeristy of Technology. Iran
- Schweizer ,T.M., “Electrical Characterization and Inves-tigation of the Piezoresistive Effect of PEDOT:PSS TC.-Y. Lin, J.-G. Chen, C.-W. Hu, J. J. Tunney and K.-C. Ho, “Using a PEDOT:PSS Modified Electrode for De-tecting Nitric Oxide Gas,” *Sensors and Actuators B: Chemical*, Vol. 140, No. 2, 2009, pp. 402-406.
- Shalihah, Himayatus., 2016. *Pengoptimalan Konsentrasi Nanofiber Membran Kitosan/PVA dan Aplikasinya Sebagai Filter Asap Rokok*. Universitas Gadjah Mada, Indonesia.
- Syam, Rafiuddin., 2013. *Dasar-Dasar Teknik Sensor*. Makasar: Fakultas Teknik Universitas Hasanuddin.
- Ula, Nur., 2015. *Kajian Serat Nano Polyvinyl Alcohol (PVA) Searah untuk Penyearahan Molekul Kristal Cair Menggunakan Metode Electrospinning dengan Variasi Jarak Dua Kolektor Tembaga*. Universitas Gadjah Mada. Indonesia
- Winardianto, Bimo., 2016. *Studi Peningkatan Sifat Listrik dari Nanofiber Poly(vinyl) Alcohol dengan Solvent Vapor Method*. Universitas Gadjah Mada. Indonesia
- Wang, L., Wang, Z., Xiang, Q., Chen, Y., Duan, Z., Xu, J., 2017. High Performance Formaldehyde Detection Based on a Novel Copper (II) Complex Functionalized QCM Gas Sensor. *Sensors and Actuators B* 248, 820–82. *World Journal of Nano Science and Engineering* 6, 45-50.
- Zhang,H.D., XuYan, Zhi-HuaZhang, Yu,G.P W.P. Han, Zhang,C.H., Yun-Z.I. 2016.*Electrospun PEDOT:PSS/PVP Nanofibers for CO Gas Sensing with Quartz Crystal Microbalance Technique*.Qingdao University.China.
- Zhou, Y.Z., Yang, D.Z., Nie, J., 2006. Preparation and Characterization of Cross-linked Chitosan-Based Nanofibers. *Chinese Chem. Letters* 18, 118–120.



UNIVERSITAS
GADJAH MADA

PENGARUH PENYEARAHAN SUSUNAN NANOFIBER PEDOT:PSS/PVA TERHADAP KONDUKTIVITAS DAN APLIKASINYA UNTUK DETEKSI AMONIA

ALDIANSYAH PUTRA, Dr. Chotimah, M.Si.

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>