

DAFTAR PUSTAKA

- Barney, B. (2017). Message passing interface (mpi). Diakses tanggal 19 Februari 2018 <https://computing.llnl.gov/tutorials/mpi/>.
- Bell, N. and Garland, M. (2008). Efficient sparse matrix-vector multiplication on cuda. Technical report, Nvidia Technical Report NVR-2008-004, Nvidia Corporation.
- Bylina, B., Karwacki, M., and Bylina, J. (2012). A cpu-gpu hybrid approach to the uniformization method for solving markovian models—a case study of a wireless network. In *International Conference on Computer Networks*, pages 401–410. Springer.
- Catalyurek, U. V. and Aykanat, C. (1999). Hypergraph-partitioning-based decomposition for parallel sparse-matrix vector multiplication. *IEEE Transactions on parallel and distributed systems*, 10(7):673–693.
- Ciptayani, P. I. (2012). Pemodelan stokastik regulasi gen dalam merespon *graded hypoxia* dengan *continuous-time markov chains*. Thesis, Universitas Gadjah Mada.
- Devine, K. D., Boman, E. G., Heaphy, R. T., Bisseling, R. H., and Catalyurek, U. V. (2006). Parallel hypergraph partitioning for scientific computing. IEEE.
- Dingle, N. J., Harrison, P. G., and Knottenbelt, W. J. (2004). Uniformization and hypergraph partitioning for the distributed computation of response time densities in very large markov models. *Journal of Parallel and Distributed Computing*, 64(8):908 – 920.
- Fox, B. L. and Glynn, P. W. (1988). Computing poisson probabilities. *Communications of the ACM*, 31(4):440–445.
- Gebali, F. (2011). *Algorithms and parallel computing*, volume 84. John Wiley & Sons.
- Harris, M. (2017). An even easier introduction to cuda. Diakses tanggal 19 Februari 2018 <https://devblogs.nvidia.com/even-easier-introduction-cuda/>.
- Hermanns, H., Meyer-Kayser, J., and Siegle, M. (1999). Multi terminal binary decision diagrams to represent and analyse continuous time markov chains. In

- 3rd Int. Workshop on the Numerical Solution of Markov Chains*, pages 188–207. Citeseer.
- Ibe, O. C. and Trivedi, K. S. (1990). Stochastic petri net models of polling systems. *IEEE Journal on Selected areas in Communications*, 8(9):1649–1657.
- Karwacki, M., Bylina, B., and Bylina, J. (2012). Multi-gpu implementation of the uniformization method for solving markov models. In *Computer Science and Information Systems (FedCSIS), 2012 Federated Conference on*, pages 533–537. IEEE.
- Kirk, D. B. and Wen-Mei, W. H. (2016). *Programming massively parallel processors: a hands-on approach*. Morgan kaufmann.
- Kraus, J. (2013). *An Introduction to CUDA-Aware MPI*. Diakses tanggal 19 Februari 2018 <https://devblogs.nvidia.com/introduction-cuda-aware-mpi/>.
- Lin, S. and Xie, Z. (2017). A jacobi_pcg solver for sparse linear systems on multi-gpu cluster. *The Journal of Supercomputing*, 73(1):433–454.
- Matloff, N. (2011). *Programming on parallel machines*. University of California, Davis.
- Nielsen, F. (2016). *Introduction to HPC with MPI for Data Science*. Springer.
- NVIDIA (2018). *An Even Easier Introduction to CUDA*. Diakses tanggal 19 Februari 2018 http://docs.nvidia.com/cuda/pdf/CUDA_C_Programming_Guide.pdf.
- Okamura, H., Kunimoto, Y., and Dohi, T. (2014). Coarse-grained parallel uniformization for continuous-time markov chains. In *Dependable Computing (PRDC), 2014 IEEE 20th Pacific Rim International Symposium on*, pages 116–124. IEEE.
- Oyarzun, G., Borrell, R., Gorobets, A., and Oliva, A. (2014). Mpi-cuda sparse matrix-vector multiplication for the conjugate gradient method with an approximate inverse preconditioner. *Computers & Fluids*, 92:244 – 252.
- Pulungan, R. and Hermanns, H. (2018). Transient analysis of ctmc: Uniformization or matrix exponential? *IAENG International Journal of Computer Science*, 45(2).



Rathom, M. R. (2015). Peningkatan kecepatan pemrosesan algoritma genetika dengan paralelisasi menggunakan metode *coarse-grained*. Master's thesis, Universitas Gadjah Mada.