

DAFTAR PUSTAKA

- . 2007. Chapter III Strength Properties and Dimensional Stability of Black Spruce Medium Density Fiberboard Panels : Effect of Log Position In The Tree. <http://www.theses.ulaval.ac>.
- . 2007. Oriented Strand Board-Fiberboard Composite Structure And Method Of Making The Same. [http://www. Freepatensonline.com](http://www.Freepatensonline.com)
- Angels MN., Ferrando F, Farriol X, Salvado J, (2001). Suitability of Steam Exploded Residual Softwood for The Production of Binderless Panels. Effect Of The Pre-Treatment Severity and Lignin Addition. *Biomass Bioenerg* 21:211-224.
- Batubara, R. 2002.Pemanfaatan Bambu di Indonesia. USU Digital Library. <http://www.library.usu.ac.id>. Dikunjungi tanggal 26 Juni 2008.
- Boonstra, M.J. and B. Tjeersma. 2005. Chemical Analysis of Heat Treated Softwoods. *Journal of Holz als Roh-und Werkstoff*. DOI 10.1007/s001007-005-0078-4.
- Boonstra, M.J. and B. Tjeersma. 2006. Chemical analysis of heat treated softwoods. *Holz als Roh- und Werkstoff* (2006) 64: 204–211. DOI 10.1007/s00107-005-0078-4.
- Brito, J.O. F.G. Silva, M.M. Leao and G. Almeida. 2008. Chemical Composition Changes in Eucalyptus and Pinus Woods Submitted to Heat Treatment. *Wood. Journal of Bioresources Technology*. DOI. 10.1016/j.biortech.2008.03.069.
- Brown, H.P., A.J. Panshin and C.C. Forsaith, 1952. *Textbook of Wood Technology. Vol II, The Physical, Mechanical and Chemical Properties of The Comercial Wood of The United States*. New York, Mc Graw Hill
- Ellis, S. and L. Paszner, 1994. “Activated Self-bonding of Wood and Agricultural Residues”. *Holzforschung* 48: 82-90
- Fardianto, R. 2009. Pengaruh Suhu Perebusan Partikel Jerami (*Straw*) Terhadap Sifat-sifat Papan Partikel.repository.ipb.ac.id/handle/123456789/14178

- Fengel, D. and G. Wegener. 1989. Wood Chemistry, Ultrastructure, Reactions. Walter de Gruyter and Co. Berlin. New York
- Gusmailina, Sumadiwangsa dan Suwardi. 1988. Analisis Kimia Sepuluh Jenis Bambu dari Jawa Timur. Jurnal Penelitian Hasil Hutan. Pusat Penelitian dan Pengembangan Hasil Hutan. Bogor.
- Haygreen, J.G. dan J.L. Bowyer. 1996. Hasil Hutan dan Ilmu Kayu. Suatu Pengantar (Terjemahan). Gadjah Mada University Press. Yogyakarta.
- Hill, C. 2006. Wood Modification : Chemical, Thermal and Other Processes. John Willey and Sons, Ltd., England.
- Inari, G.N., m. Petrissans, and P. Gerdin. 2007. Chemical Reactivity of Heat Treated Wood. Journal of Wood Science and Technology. 41: 157– 168
- Joesoef, M. 1977. Papan Majemuk. Yayasan Pembina Fakultas Kehutanan UGM. Yogyakarta.
- Johansson, D., 2008. Heat Treatment of Solid Wood: Effect of Absorption, Strength and Colour. Ph.D. Thesis. Lulea University of Technology. ISSN: 1402-1544.
- Kelly, M.W 1997. Critical Literature Review of Relationships Between Processing Parameters and Physical Properties of Particle Boards. *USDA Forest Serv.* <http://www.fpl.fs.fed.us>
- Koencoro, S., R. 1991. Pengaruh Jenis Pengisi dan Kerapatan Papan Pada Sifat Papan Partikel Kayu Meranti Merah (*Shorea* sp) dan Kayu Bayur (*Pterosorpum* sp). Fakultas Kehutanan STIPER. Tidak diterbitkan.
- Kollmann, F.F., Kuezi, E.W., and Stamm, A.J. 1975. *Principle of Wood Science and Technology*, jilid 2. Berlin : Spinger verlag
- Kotilainen, R., 2000. Chemical Changes in Wood During Heating at 150°C-260°C. Ph.D. Thesis. Jyvaskyla University. Finland.
- Krisdianto, A., Ismanto dan G. Sumarni. 2005. Sari Hasil Penelitian Bambu. <http://www.dephut.go.id/INFORMASI/litbang/teliti/bambu.htm> dikunjungi tanggal 30 Mei 2008.

- Lee, Jong N. 2007. Influence of Board Density, Mat Construction, and Chip Type on Performance of Particle Board Made From Eastern Redcedar. <http://www.allbusiness.com>
- Liese, W.. 1985. Anatomy and Properties of Bamboos.
- Maloney, T. M. 1977. Modern Particle Board and Dry Process Fiberboard Manufacturing. Miller Freeman Publications., Inc USA.
- Mburu, F., S. Dumarcay, J.F. Boequet, M. Petrissans and P. Gerardin. 2008. Effect of Chemical Modifications Caused By Heat Treatment on Mechanical Properties of *Greviilea robusta* Wood. Journal of Polymer Degradation and Stability. 93: 401-405. DOI : 10.1016/j.polymdegradstab.2007.11.017.
- Mitsui, K., Inagaki, T., and Tsucikhawa, S., 2007. Monitoring of Groups in Wood During Heat Treatment Using NIR Spectroscopy. American Chemical Society.
- Mobarak, F., Fahmy, Y. and Augustin, H, 1982. "Binderless Lignocellulose Composite from Bagasse and Mechanism of Self-bonding". *Holzforschung* 36: 131-135.
- Mohmod, A.L. and W. Liese. 1995. Utilization of Bamboos. *In Planting and Utilization of Bamboo in Peninsular. Malaysia*. Research Pamphlet No 118 :50-69. Forest Research Institute Malaysia (FRIM). Kuala Lumpur. Malaysia.
- Morisco, S.Kamal dan T.A.Prayitno. 2006. Pengembangan proses produksi bamboo laminasi kualitas tinggi untuk bangunan dan mebel . Laporan Hibah Bersaing XIII
- Morisco, T.A.Prayitno dan IS. Irawati. 2005. Perilaku mekanik balok laminasi bamboo dengan tampang I. Fakultas Teknik UGM.
- Mottet, Arthur L. 1967. The Particle Geometry Factor in The Particle Manufacturing. *WSU*. Proceeding Particle Board I.
- Nasendi, B.D. 1995. Bamboo Forest Resources for Future Countries Social-Economics Development. *Duta Rimba* XX (183-184):2-15. Jakarta.
- Okamoto, H., Sano, S., Kawai, S., Okamoto, T. and Sasaki, H., 1994. "Production of Dimensionally Stable Medium Density Fiberboard by Use of High-

pressure Steam Pressing”. *Mokuzai Gakkaishi (J Jpn Wood Res Soc)* 40: 380-389

Okuda, N. and Sato M. 2004. “Manufacture and Mechanical Properties of Binderless Boards from Kenaf Core”. *J Wood Sci* 50:53-61

Okuda, N. and Sato M. 2006. “Chemical Changes of Kenaf Core Binderless Boards During Hot Pressing (I). Influence of the Pressing Temperature Condition”. *J Wood Sci* (2006). DOI 10.1007/s10086-005-0761-4.

Okuda, N. and Sato, M., 2007. “Finely Milled Kenaf Core as a natural Plywood Binder”. *Holzforschung* 61: 439-444

Pandey, K.K. 1998. A Study of Chemical Structure of Soft and Hardwood and Wood Polymers by FTIR Spectroscopy. *Journal of Applied Polymer Science*, Vol. 71, 1969–1975 (1999). John Wiley & Sons, Inc. CCC 0021-8995/99/121969-07

Park, He Jun. 2007. Properties Variation Study of Furniture Grade M2 Particle Board Manufactured in Canada. [http://www. Aabusiness.com](http://www.Aabusiness.com)

Parysek, M., and Zakrzewski, R., 2006. Investigations on The Chemical Composition of Pine Wood Subjected to Hydrothermal Modification. The August Cieszkowski Agricultural University of Poznan.

Prastowomanan, H. 1962. Kemungkinan Penanaman Bambu di Jawa Timur Untuk Memenuhi Kebutuhan Bahan Mentah Pabrik Kertas. Skripsi. Fakultas Pertanian UI. Bogor.

Prayitno, T.A. 1994. Teknologi Papan Partikel. Fakultas Kehutanan UGM. Yogyakarta.

Prayitno, T.A. 1996. Perekatan Kayu. Bagian Penerbitan Fakultas Kehutanan UGM. Yogyakarta.

Prayitno, T.A. 2000. The effect of pressure and glue spread on the quality of beam made of jati wood waste. Research Report Fac. of Forestry GMU

Pulle, A.A. 1952. Compendium Van De Terminologie Nomenclatur En Systematik Der Zaadplaten. 3de Druck S.V.A.A. Coththooken's Vitgevers – Maatscyhappj. Utrecht.

- Rowell, R. M., R. Pettersen, J.S. Han, J.S. Rowell, and M.A. Tshabalala. 2005. Cell Wall Chemistry. In Rowell R.M. (ed.). Handbook of Wood Chemistry and Wood Composites. PP:37-32. Madison. CRC Press.
- Sarni, F., M. Moutounet, J.L. Puech and P. Rabier. 1990. Effect of Heat Treatment on Oak Wood Extractable Compounds. Journal of Holzforschung. 44(6): 461-466
- Setyadi, A. 2002. Pengaruh Perak Labur dan Tekanan Pengempaan Terhadap Sifat Fisika dan Mekanika Balok Laminasi bambu Petung. Skripsi. Fakultas Kehutanan UGM. Yogyakarta. (Tidak Dipublikasikan).
- Shafizadeh, F. 1984. The Chemistry of Pyrolysis and Combustion, In The Chemistry of Solid Wood. Rowell, r.M. (Ed.) ACS Symposium Series. 207:489-529.
- Shen, K.C.. 1986. "Process for Manufacturing Composite Products from Lignocellulosic Materials". United States Patent: 4627951
- Sriyanti, D. 2006. Pengaruh Komposisi Ukuran Partikel dan Jumlah Perak Urea Formaldehida Terhadap Sifat – sifat Papan Partikel Limbah Pasahan bambu Petung. Skripsi. Fakultas Kehutanan UGM. Yogyakarta. (Tidak Dipublikasikan).
- Sundqvist, B. 2004. Colour Changes and Acid Formation in Wood During Heating. Ph.D. Thesis. Lulea University of Technology.
- Sutigno, P.1994. Mutu Papan Partikel.
<http://www.dephut.go.id/informasi/SETJEN-PUSSTAN>
- Sutigno, P. 2000. Perak dan Perakatan. Pusat Penelitian dan Pengembangan Hasil Hutan. Bogor.
- Suzuki S, Shintani H, Park SY, Saito K, Laemsak N, Okuma M, and Iiyama K , 1998. Preparation of Binderless Boards from Steam Exploded Pulps of Oil Palm (*Elaeis guineensis* Jaxq.) Fronds and structural characteristics of lignin and wall Polysaccharides in Steam Exploded Pulps to be Discussed for Self Bonding. Holzforschung 52: 417-426
- Tina, H. 2007. Pengaruh Kombinasi Ukuran Partikel dan Jumlah Perak Urea Formaldehida Terhadap Sifat Papan Partikel dari Limbah Kayu Manii (*Maeopsis manii*). Fakultas Kehutanan Universitas Gadjah Mada. Tidak diterbitkan.

- Tsoumis, G. 1991. Science and Technology of Wood Structure, Properties, Utilization. New York : Van Nostrand Reinhold.
- Van Dam JEG, van den Oever MJA, Teunissen W, Keijsers ERP, and Peralta AG 2004. Process For Production Of High Density/High Performance Binderless Boards From Whole Coconut Husk. Part 1: Lignin As Intrinsic Thermosetting Binder Resin. *Ind Crop Prod* 19: 207–216
- Velasquez, J.A., Ferrando, and Salvado, J.. 2003. “Effect of Kraft Lignin Addition In The Production Of Binderless Fiberboard From Steam Exploded *Miscanthus sinensis*”. *Ind Crop Prod* 18:17-23
- Velasquez, J.A., Ferrando, F., and Salvado, J.. 2002. “Binderless Fiberboard from steam exploded *Miscanthus sinensis*”. The Effect of a Grinding Process. *Holz Roh Werkst* 60:297-302.
- Velasquez, J.A., Ferrando, F., Farriol, X. and Salvado, J.. 2003. “Binderless Fiberboard from steam exploded *Miscanthus sinensis*”. *Wood Sci Technol* 37:269-278
- Wardojo, Wahjudi. 1976. Pengaruh Perbedaan Tebal Partikel, Jumlah Perekat Urea Formaldehida dan Kerapatan Papan Terhadap Sifat Fisik dan Mekanik Papan Partikel dari Kayu Meranti Merah dan Sengon Laut. Fakultas Kehutanan Universitas Gadjah Mada. Tidak diterbitkan.
- Widjaja, S.W. 1995. Perilaku Batang Struktur Komposit lamina Bambu dan Phenol Formaldehida. Tesis. Program Pasca Sarjana UGM. Yogyakarta. (Tidak Dipublikasikan).
- Widyorini, R., Xu. J., Umemura, K. and Kawai, S.. 2005c. “Manufacture and Properties of Binderless Particleboard from Bagasse I. Effects of Raw Material Type. Storage Method. and Manufacturing Process. *J Wood Sci* 51(6): 648-654
- Widyorini, R., Xu. J., Watanabe, T. and Kawai, S.. 2005a. “Chemical changes in steam-pressed kenaf core binderless particleboard”. *J Wood Sci* 51(1): 26-32
- Widyorini. R., Higashihara. T., Xu. J., Watanabe, T. and Kawai S.. 2005b. “Self-bonding Characteristics of Binderless Kenaf Core Composites. *Wood Sci Technol* 39(8): 651-662

- Xu, J., Han, G.P., Wong, E.D. and Kawai, S. 2003. "Development of Binderless Particleboard from Kenaf Core Using Steam-injection Pressing". *J. Wood Sci* 49(4):327-332
- Xu, J., Sugiwar, R., Widyorini, R., Han, G., and Kawai, S. 2004. "Manufacture and Properties of Low-density Binderless Particleboard from Kenaf Core". *J Wood Sci* 50(1):62-68
- Xu, J., Widyorini, R., Kawai S. 2006. "Development of Binderless Fiberboard from Kenaf Core". *J Wood Sci* 52(3): 236-243
- Yap, F. 1967. *Bambu Sebagai Bahan Bangunan*. Lembaga Penyelidikan Masalah Bangunan. Bandung.
- Yildiz, S., E.D. gezer and U.C. Yildiz. 2006. Mechanical and Chemical Behaviour of Spuce Wood Modified by Heat. *Journal of Building and Environment*. 41` : 1762-1766.
- Zu-shan, C. and Paszner. 1988. "Salt Catalyzed Wood Bonding with Hemicellulose". *Holzforschung* 42: 11-20