

DAFTAR PUSTAKA

- Abou-Elela, S. I., 2017. Constructed Wetlands: The Green Technology for Municipal Wastewater Treatment and Reuse in Agriculture. *Springer International Publishing: 1-51*.
- Agustina, A., Suprihatin, I. E., & Sibarani, J. (2017). Pengaruh Biofilm terhadap Efektivitas Penurunan BOD, COD, TSS, Minyak dan Lemak dari Limbah Pengolahan Ikan Menggunakan Tricking Filter. *Indonesian E-Journal of Applied Chemistry, 4(2)*, 137-145.
- Ali, M., Rousseau, D. P., Ahmed, S., 2018. A full-scale comparison of two hybrid constructed wetlands treating domestik wastewater in Pakistan. *Journal of environmental management*, 210, 349-358.
- Almeida, A., Carvalho, F., Imaginário, M. J., Castanheira, I., Prazeres, A. R., Ribeiro, C., 2017. Nitrate removal in vertical flow constructed wetland planted with *Vetiveria zizanioides*: Effect of hydraulic load. *Ecological engineering*, 99, 535-542.
- Ambarwati, Siti., 2007. Budidaya Tanaman Hias. Indonesia: Azka Press.
- Alzate, E. Y., Castrillón-Cano, L. V., Rúa-Vásquez, L. F., Rojas, D. L., Pino, N. J., Agudelo, C., Peñuela, G. A., 2016. Microbial consortium identification in constructed wetlands of horizontal subsurface flow fed with industrial wastewater colored. *Ingeniería y competitividad*, 18, 53-64.
- Arunbabu, V., Sruthy, S., Antony, Ignatius., Ramasamy, E.V., 2015, Sustainable Greywater Management with *Axonopus compressus* (broadleaf carpet grass) Planted in Sub Surface Flow Constructed Wetlands, *Journal of Water Process Engineering*, 7,153-160.
- Bama, P. Thushyanthy, M., Alvappillai, P., Pirabhaharan M., 2013, Evaluation of lab scale constructed wetlands to treat the toddy distillery effluent with different aquatic plants, *Archives of Applied Science Research*, 5(5), 213-219.
- Bañuelos-Hernández, K.P., García-Nava, J.R., Leyva-Ovalle, O.R., Peña-Valdivia C.B and Ybarra-Moncada, M.C.,2016. Flowering stem storage of *Heliconia psittacorum* L.f.cv. Trópica. *Postharvest Biology and Technology*,112,156-169.
- Barco, A., Borin, M., 2017. Treatment performance and macrophytes growth in a restored hybrid constructed wetland for municipal wastewater treatment. *Ecological Engineering*, 107, 160-171.
- Bestari, Odhy Fauzan Bestari., Utomo, Kiki Prio., Umar., 2017, Daur ulang *greywater* untuk keperluan siram WC dan urinal pada rumah sakit pendidikan Universitas Tanjungpura, *Jurnal Mahasiswa Teknik Lingkungan UNTAN*,1, 1-10.
- Burgos, V., Araya, F., Reyes-Contreras, C., Vera, I., Vidal, G., 2017. Performance of ornamental plants in mesocosm subsurface constructed wetlands under different organic sewage loading. *Ecological Engineering*, 99, 246-255.
- Bohórques, Eliana., Arias, Carlos Alberto., Pardedes, Diego., 2016, Vertical flow-constructed wetlands for domestik wastewater treatment under tropical conditions: effect of different design and operational parameters, *Environmental Technology*, 38, 199-208.
- Borne, K. E., Fassman-Beck, E. A., Tanner, C. C. 2014. Floating treatment wetland influences on the fate of metals in road runoff retention ponds. *Water research*, 48, 430-442.
- Bose, B., Srivastava, H. S. 2001. Absorption and accumulation of nitrate in plants: Influence of environmental factors, *Indian Journal of Experimental Biology*, 101-110.
- Brisson, J., Chazarenc, F., 2009. Maximizing pollutant removal in constructed wetlands: should we pay more attention to macrophyte species selection? *Science of the Total Environment*, 407(13), 3923-3930.



- Brix, H., 1997, "Do Macrophytes Play a Role in Constructed Treatment Wetlands? Water Sci.Technol, 35(5), hal.11-17.
- Brix, H., 2003, "Plants Used in Constructed Wetland and Their Functions", 1st International Seminar on The Use of Aquatic Macrophytes for Wastewater Treatment in Constructed Wetland, hal. 1-30.
- Calheiros, C. S., Bessa, V. S., Mesquita, R. B., Brix, H., Rangel, A. O., Castro, P. M., 2015. Constructed wetland with a polyculture of ornamental plants for wastewater treatment at a rural tourism facility. *Ecological Engineering*, 79, 1-7.
- Camacho, J. V., Martínez, A. D. L., Gómez, R. G., Sanz, J. M. 2007. A comparative study of five horizontal subsurface flow constructed wetlands using different plant species for domestic wastewater treatment. *Environmental technology*, 28(12), 1333-1343.
- Cole, S., 2012. A political ecology of water equity and tourism: A case study from Bali. *Annals of tourism Research*, 39, 1221-1241.
- Collins, C., Fryer, M., Grosso, A., 2006. Plant uptake of non-ionic organic chemicals. *Environmental Science & Technology*, 40, 45-52.
- Cucarella, V., Renman, G. 2009. Phosphorus sorption capacity of filter materials used for on-site wastewater treatment determined in batch experiments—a comparative study. *Journal of environmental quality*, 38(2), 381-392.
- Cuong, Nguyen Xuan ., Loan, Nguyen Thi., 2017. Performance Evaluation of Three Native Plants for Sewage Wastewater Treatment in Constructed Wetland. *International Journal of Environment and Pollution Research*, 5, 1-7.
- Crampton, E.W. dan L. E. Haris. 1969. Applied Animal Nutrition 1st E. d. The Engsminger Publishing Company, California, U. S. A.
- Cronk, J. K., Fennessy, M. S. 2001. Water Plants: Biology and Ecology.
- Dewatisari, W. F., Lyndiani, M. 2015. Kemampuan Kultivar Sansevieria Trifasciata Dalam Menyerap Gas Karbonmonoksida (Co) Asap Rokok. *Ekosains*, 7(3).
- Dunne, G. G. C., Keogh, E., Menton, C., Brazil, D., Ryan, D., Germaine, K. J., Dowling, D. N. 2015. Bacterial communities associated with monocotyledonous plants used for effluent treatment. *Envirocore*, 1-12.
- Effendi, Hefni., 2003, Telaah Kualitas Air.Yogyakarta: PT Kanisius.
- Emanuel, Ninno., 2017, Pantai Suluban (Blue Point Beach) - Pantai Indah di Bawah Tebing.<http://www.nnoart.com/2017/10/pantai-suluban-blue-point-beach-bali.html>(diakses tanggal 26 Februari 2018).
- Fan, J., Liang, S., Zhang, B., Zhang, J. 2013. Enhanced organics and nitrogen removal in batch-operated vertical flow constructed wetlands by combination of intermittent aeration and step feeding strategy. *Environmental Science and Pollution Research*, 20(4), 2448-2455.
- Fountoulakis, Michael S., Daskalakis, Giorgos., Papadaki, Akrivi., Kalogerakis, Nicolas., & Manios, Thrassyvoulos., 2016. Use of Halophytes in Pilot-Scale Horizontal Flow Constructed Wetland Treating Domestic Wastewater, *Environ Sci Pollut Res*, 24(20), 16682-16689.
- Gulyas, Holger., & Wendland, Claudia., 2005, Characteristic, Analytic, and Sampling of Wastewater, https://cgi.tuharburg.de/~awwwweb/wbt/emwater/documents/slides_a1.pdf, (diakses 26 Februari 2018).
- Gupta, P., Ann, T. W., Lee, S. M., 2015. Use of biochar to enhance constructed wetland performance in wastewater reclamation. *Environmental Engineering Research*, 21, 36-44.
- Haritash, A. K., Sharma, A., Bahel, K., 2015. The potential of Canna lily for wastewater treatment under Indian conditions. *International journal of phytoremediation*, 17, 999-1004.



- Haryanti, D., Budianta, D., Salni, S. 2013. Potensi Beberapa Jenis Tanaman Hias sebagai Fitoremediasi Logam Timbal (Pb) dalam Tanah. *Jurnal Penelitian Sains*, 16(2).
- Heers, Martin., 2006. Constructed wetlands under different geographic conditions: Evaluation of the suitability and criteria for the choice of plants including productive species, Tesis: Hamburg University of Applied Sciences.
- Hendrawan, Diana Irvindiaty., Widanarko, Sulistyoweni., Moersidik, Setyo Sarwanto., Triweko, Robertus Wahyudi, 2013. The Performance Of Subsurface Constructed Wetland For Domestic Wastewater Treatment, *International Journal of Engineering Research & Technology*, 2(6), hal. 3374-3382.
- Hua, Y., Peng, L., Zhang, S., Heal, K. V., Zhao, J., Zhu, D., 2017. Effects of plants and temperature on nitrogen removal and microbiology in pilot-scale horizontal subsurface flow constructed wetlands treating domestic wastewater. *Ecological Engineering*, 108, 70-77.
- IDEP Foundation, 2015a, *Water Consumption Study and Wastewater Treatment Recommendation*. Bali: IDEP Foundation.
- IDEP Foundation, 2015b, *Ethnobotanical Plant List for Subsurface Flow Constructed Wetlands in Indonesia and Similar Climates*. Bali: IDEP Foundation.
- Islaha, Finda Aulia., 2017, Kajian Kerusakan Lingkungan Perairan Air Tanah Bebas Akibat Pembuangan Limbah Cair Domestik di Kampung Inggris Kecamatan Pare Kabupaten Kediri Provinsi Jawa Timur, Tesis: Universitas Gadjah Mada.
- Jesus, Joao M., A.C, Cassoni., Danko, Anthony S., Fiuza, Antonio., Borges, Maria-Teresa., 2017. Role of Three different plants on Simultaneous Salt and Nutrient Reduction from Saline Synthetic Wastewater in Lab-Scale Constructed Wetlands, *Science of the Total Environment*, 579, hal. 447-455.
- Jin, M., Carlos, J., McConnell, R., Hall, G., Champagne, P., 2017. Peat as substrate for small-scale constructed wetlands polishing secondary effluents from municipal wastewater treatment plant. *Water*, 9, 928.
- Kasman, M., Riyanti, A., Sy, S., Ridwan, M. 2018. Reduksi pencemar limbah cair industri tahu dengan tumbuhan melati air (*Echinodorus palaefolius*) dalam sistem kombinasi constructed wetland dan filtrasi. *JLI: Jurnal Litbang Industri*, 8(1), 39-46.
- Karathanasis, A. D., Potter, C. L., Coyne, M. S. (2003). Vegetation effects on fecal bacteria, BOD, and suspended solid removal in constructed wetlands treating domestic wastewater. *Ecological engineering*, 20(2), 157-169.
- Keizer-Vlek, H. E., Verdonschot, P. F., Verdonschot, R. C., Dekkers, D., 2014. The contribution of plant uptake to nutrient removal by floating treatment wetlands. *Ecological Engineering*, 73, 684-690.
- Khasanudin, M.N. 2013. Hubungan Suhu Oksigen Terlarut dan pH Perairan terhadap Konsentrasi Nitrat dan Fosfat di Muara Sungai Wonorejo Gunung Anyar Surabaya. <https://pta.trunojoyo.ac.id> (diakses pada 27 September 2018).
- Konnerup, D., Koottatep, T., Brix, H., 2009. Treatment of domestic wastewater in tropical, subsurface flow constructed wetlands planted with *Canna* and *Heliconia*. *Ecological engineering*, 35, 248-257.
- Kurniadie, H.D., 2011. Teknologi Pengolahan Limbah Cair Secara Biologis. Bandung: Widya Padjajaran.
- Lestari, Garsinia., Kencana, Ira Puspa., 2008, Galeri Tanaman Hias Lanskap, Jakarta: Penebar Swadaya.
- Lestari, Garsinia., Kencana, Ira Puspa., 2015, Tanaman Hias Lanskap Edisi Revisi, Jakarta: Penebar Swadaya.



- Lin, Y. F., Jing, S. R., Wang, T. W., Lee, D. Y., 2002. Effects of macrophytes and external carbon sources on nitrate removal from groundwater in constructed wetlands. *Environmental pollution*, 119, 413-420.
- Maghfirah, A. 2014. Motif Tindakan Sosial terhadap Partisipasi Politik Berdasarkan Stratifikasi Sosial Masyarakat Pedesaan. Skripsi : Institut Pertanian Bogor (diakses tanggal 30 September 2018).
- Mara, Duncan., 2003, *Domestik Wastewater Treatment in Developing Countries*, UK: Earthscan.
- Masduqi, A. 2004. Penurunan Senyawa Fosfat Dalam Air Limbah Buatan Dengan Proses Adsorpsi Menggunakan Tanah Haloisit. Jurusan Teknik Lingkungan FTSP ITS Surabaya. *Majalah IPTEK*, 15,1.
- Matheson, F. E., & Sukias, J. P., 2010. Nitrate removal processes in a constructed wetland treating drainage from dairy pasture. *Ecological Engineering*, 36, 1260-1265.
- Megia R., Ratnasari, Hadisunarso., 2015. Karakteristik Morfologi dan Anatomi, serta Kandungan Klorofil Lima Kultivar Tanaman Penyerap Polusi Udara *Sansevieria trifasciata*. *Jurnal Sumberdaya Hayati*, 1(2).
- Méndez-Mendoza, A. S., Bello-Mendoza, R., Herrera-López, D., Mejía-González, G., & Calixto-Romo, A., 2015. Performance of constructed wetlands with ornamental plants in the treatment of domestik wastewater under the tropical climate of South Mexico. *Water Practice and Technology*, 10, 110-123.
- Menon, R., Holland, M. M., 2014. Phosphorus release due to decomposition of wetland plants. *Wetlands*, 34, 1191-1196.
- Merino-Solís, M. L., Villegas, E., de Anda, J., López-López, A., 2015. The effect of the hydraulic retention time on the performance of an ecological wastewater treatment system: An anaerobic filter with a constructed wetland. *Water*, 7, 1149-1163.
- Mojiri, A., Ahmad, Z., Tajuddin, R. M., Arshad, M. F., Gholami, A., 2017. Ammonia, phosphate, phenol, and copper (II) removal from aqueous solution by subsurface and surface flow constructed wetland. *Environmental monitoring and assessment*, 189, 337.
- Murava, Iuliia., Korobeinykova, Yaroslava, 2016, The Analysis of the Waste Problem in Tourist Destinations on the Example of Carpathian Regin in Ukraine, *Journal of Ecological Engineering*, 17(2), hal. 43-51.
- Mustapha, H. I., van Bruggen, H. J. J. A., Lens, P. N., 2018. Vertical subsurface flow constructed wetlands for the removal of petroleum contaminants from secondary refinery effluent at the Kaduna refining plant (Kaduna, Nigeria). *Environmental Science and Pollution Research*, 1-12.
- NatureGate, 2018, Yellow Iris, <http://www.luontoportti.com/suomi/en/kukkakasvit/yellow-iris>, (diakses tanggal 1 Februari 2018).
- Padmaningrum, Regina Tutik, 2011. Karakter Ekstrak Zat Warna Daun *Rhoeo discolor* sebagai Indikator Titrasi Asam Basa”, *Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA*, Fakultas MIPA, Universitas Negeri Yogyakarta, 229-234.
- Panrare, A., Sohsalam, P., Tondee, T., 2015. Constructed wetland for sewage treatment and thermal transfer reduction. *Energy Procedia*, 79, 567-575.
- PCU, 2015, Project Clean Uluwatu, <https://www.projectcleanuluwatu.com/>(diakses pada 30 Januari 2018)
- Perdana, M. C., Sutanto, H. B., Prihatmo, G. 2018. Vertical Subsurface Flow (VSSF) constructed wetland for domestik wastewater treatment. *IOP Conference Series: Earth and Environmental Science*, 148, 012025.



- Prawira, Jimmy., 2015, Efektivitas Sistem Lahan Basah Buatan sebagai Alternatif Pengolahan Limbah Domestik menggunakan Tanaman Hias *Iris pseudacorus*, Skripsi: Universitas Maritim Raja Ali Haji.
- Priya., Sharma G., Brighu, U., 2013. Comparison of different types of media for nutrient removal efficiency in vertical upflow constructed wetland. *International journal of environmental engineering and management*, 4, 2231-1319.
- Purwanto, Ari W., 2007, *Keladi Hias, Flora Klasik Tampil cantik*, Yogyakarta:PT Kanisius.
- Rahmat, S. N., Ali, A. Z. M., Ibrahim, M. H. W., & Alias, N. A. 2017. Oil and grease (O&G) removal from commercial kitchen waste water using carbonised grass as a key media. In *MATEC Web of Conferences* (Vol. 87, p. 01010). EDP Sciences.
- Rosha, Putri Tiara., Fitriyana, Meuthika Noor., Ulfa, Shofia Fadhila., Dharminto, 2013. Pemanfaatan Sansevieria Tanaman Hias Penyerap Polutan Sebagai Upaya Mengurangi Pencemaran Udara Di Kota Semarang, *Jurnal Ilmiah Mahasiswa*, 3, 1-6.
- Saeed, T., Sun, G., 2012, A review on nitrogen and organics removal mechanisms in subsurface flow constructed wetlands: Dependency on environmental parameters, operating conditions and supporting media, *Journal of Environmental Management*, 112, 429-448.
- Sastrapradja, Setijati., Nasoetion, Rusdy Effendy., Idris, Saleh., Imelda, Maria., Roedjito, Wismaniah., Soerohaldoko, Soetomo., Soerojo, Lili, 1977. *Tanaman Hias*, Bogor: LIPI.
- Sehar, S., Naeem, S., Perveen, I., Ali, N., Ahmed, S., 2015. A comparative study of macrophytes influence on wastewater treatment through subsurface flow hybrid constructed wetland. *Ecological Engineering*, 81, 62-69.
- Šereš, M., Hnátková, T., Vymazal, J., Vaněk, T., 2017. Removal Efficiency of Constructed Wetland for Treatment of Agricultural Wastewaters. *Chemistry Journal of Moldova: General*, 12(1), 45-52.
- Setyawati, N. 2015. Motif masyarakat Surabaya dalam menonton acara berita kriminal Kecek MHTV. *Jurnal e-Komunikasi*, 3(1), 1-10.
- Shamir, E., Thompson, T. L., Karpiscak, M. M., Freitas, R. J., & Zauderer, J. 2001. Nitrogen Accumulation in a Constructed Wetland for Dairy Wastewater Treatment . *JAWRA Journal of the American Water Resources Association*, 37(2), 315-325.
- Shelef, O., Gross, A., Rachmilevitch, S., 2013. Role of plants in a constructed wetland: current and new perspectives. *Water*, 5, 405-419.
- Sim, C. H., Yusoff, M. K., Shutes, B., Ho, S. C., Mansor, M., 2008. Nutrient removal in a pilot and full scale constructed wetland, Putrajaya city, Malaysia. *Journal of Environmental Management*, 88, 307-317.
- Siracusa, G., & La Rosa, A.D., 2006. Design of a Constructed Wetland for Wastewater Treatment in a Sicilian Town and Environmental Evaluation using the Emerging Analysis, *Ecological Modelling*, 197, 490-497.
- Sudarsan, J. S., Annadurai, R., Mukhopadhyay, M., Chakraborty, P., & Nithiyantham, S., 2017. Domestik wastewater treatment using constructed wetland: an efficient and alternative way. *Sustainable Water Resources Management*, 1-7.
- Sunarta, I. N., Mahendra, M. S., Wiranatha, A. S., Paturusi, S. A., 2014. Tourism Development Impacts on Water Resources in Northern Kuta District of Badung Bali. *E-Journal of Tourism*, 1, 160-175.
- Suyasa, Wayan Budiarsa., 2015, *Pencemaran Air dan Pengolahan Air Limbah*, Bali: Udayana University Press.



- Stein, O. R., Hook, P. B., 2005. Temperature, plants, and oxygen: how does season affect constructed wetland performance? *Journal of Environmental Science and Health*, 40, 1331-1342.
- Stottmeister, U., Wießner, A., Kusch, P., Kappelmeyer, U., Kästner, M., Bederski, O., ... Moormann, H., 2003. Effects of plants and microorganisms in constructed wetlands for wastewater treatment. *Biotechnology advances*, 22, 93-117.
- Tencer, Yoram., Idan, Gil., Strom, Marjorie., Nusinow, Uri., Banet, Dorit., Cohen, Eli., Schröder, Peter., Shelef, Oren., Rachmilevitch, Shimon., Soares Ines., Gross, Amit., Golan-Goldhirsh, Avi, 2009. Establishment of a Constructed Wetland in Extreme Dryland, *Environ Sci Pollut Res*, 6,862–875.
- Thiyagu, R., Vijayanand, C., 2015, Low cost domestik waste water treatment technique using constructed wetland, *Trends in Bioscience*,1265-1269.
- Tilak, A. S., Wani, S. P., Datta, A., Patil, M. D., Kaushal, M.,Reddy, K. R., 2017. Evaluation of *Ageratum conyzoides* in field scale constructed wetlands (CWs) for domestik wastewater treatment. *Water Science and Technology*, 75, 2268-2280.
- Toet, S., Van Logtestijn, R. S., Kampf, R., Schreijer, M., Verhoeven, J. T. 2005. The effect of hydraulic retention time on the removal of pollutants from sewage treatment plant effluent in a surface-flow wetland system. *Wetlands*, 25(2), 375-391.
- Ulimma, R., Apriani, I., Siahaan, S., 2016. Potensi Tanaman Hias dalam Meremediasi Tanah Tercemar Logam Merkuri (Hg) (Studi Kasus: Tailing Mandor). *Jurnal Teknologi Lingkungan Lahan Basah* 1,1.
- United States Department of Agriculture,2018, *Iris pseudacorus*
L.<https://plants.usda.gov/core/profile?symbol=IRPS>(diakses tanggal 1 Februari 2018).
- United States Department of Agriculture, 2018, *Heliconia psittacorum*
L.<https://plants.usda.gov/core/profile?symbol=HEPS2>,(diakses tanggal 1 Februari 2018).
- US Environmental Protection Agency., 1993, *Subsurface Flow Constructed Wetlands For WasteWater Treatment A Technology Assessment*,US: United States Environmental Protection Agency, Office Of Water (4204), EPA 832-R-93-008.
- US Environmental Protection Agency.,2000,*Manual for Constructed Wetlands Treatment of Municipal Wastewaters*, US: United States Environmental Protection Agency, Office of Research and Development Cincinnati Ohio 45268, EPA/625/R-99/010.
- Valipour, Alireza., Raman, Venkatraman Kalyan., dan Ahn, Young-Ho., 2015. Effectiveness of Domestik Wastewater Treatment Using a Bio-Hedge Water Hyacinth Wetland System, *Water*, 7, 329-347.
- Vasudevan, P., Griffin, P., Warren, A., Thapliyal, A., & Tandon, M., 2011. Localized domestik wastewater treatment: part I-constructed wetlands (an overview). *Journal of Scientific & Industrial Research*70, 583-594.
- Vera, I., Araya, F., Andrés, E., Sáez, K., Vidal, G., 2014. Enhanced phosphorus removal from sewage in mesocosm-scale constructed wetland using zeolite as medium and artificial aeration. *Environmental technology*, 35, 1639-1649.
- Verhoeven, J. T., & Meuleman, A. F., 1999. Wetlands for wastewater treatment: opportunities and limitations. *Ecological Engineering*, 12, 5-12.
- Vymazal, J., 2004. Removal of phosphorus in constructed wetlands with horizontal sub-surface flow in the Czech Republic. *Water, Air, and Soil Pollution: Focus* 4:657–670.
- Vymazal, J., 2007. Removal of nutrients in various types of constructed wetlands. *Science of the Total Environment*, 380, 48-65.



- Vymazal, J., & Kröpfelová, L. 2008. *Horizontal flow constructed wetlands* (pp. 203-322). Springer Netherlands.
- Vymazal, J. 2009. The use constructed wetlands with horizontal sub-surface flow for various types of wastewater. *Ecological engineering*, 35, 1-17.
- Vymazal, J. 2010. Constructed wetlands for wastewater treatment. *Water*, 2(3), 530-549.
- Vymazal, J. 2016. Concentration is not enough to evaluate accumulation of heavy metals and nutrients in plants. *Science of the Total Environment*, 544, 495-498.
- Vymazal, J. 2017. The use of constructed wetlands for nitrogen removal from agricultural drainage: a review. *Scientia Agriculturae Bohemica*, 48(2), 82-91.
- Vystavna, Y., Frkova, Z., Marchand, L., Vergeles, Y., Stolberg, F., 2017. Removal efficiency of pharmaceuticals in a full scale constructed wetland in East Ukraine. *Ecological Engineering*, 108, 50-58.
- Wang, P., Zhang, H., Zuo, J., Zhao, D., Zou, X., Zhu, Z., ...An, S. 2016. A hardy plant facilitates nitrogen removal via microbial communities in subsurface flow constructed wetlands in winter. *Scientific Reports*, 6, 33600.
- Wardhana, I. W., Siwi, D. H., dan Ika, D. R., 2013, Penggunaan Karbon Aktif dari Sampah Plastik untuk Menurunkan Kandungan Phosphat pada Limbah Cair (Studi Kasus: Limbah Cair Industri Laundry di Tembalang, Semarang), *Jurnal Presipitasi*, 10 (1),30-40.
- Winanti, S., Nurcahyo, Aan., A., Erista., Rosmalinda., R., E. Mubarak, Y., (2012). Pengaruh Lama Adsorpsi Ekstrak Sansevieria (Lidah Mertua) sebagai Adsorben Logam Ag dari Limbah Industri Perak di Kotagede. *Pelita*, 82, 1-10.
- Winanti, E. T., Rahmadyanti, E., Fajarwati, I. N., 2018.Ecological Approach of Campus Wastewater Treatment using Constructed Wetland. *IOP Conference Series: Materials Science and Engineering*, 288,1-9.
- Weedon, C. M., 2016. Tertiary sewage treatment by a full-scale compact vertical flow constructed wetland. *Environmental Technology*, 38, 140-153.
- Wahyudi, H. 2007. Memadukan motif sosial dalam kehidupan sehari-hari. *Jurnal Arah Reformasi Edisi*, (37).
- Welz, P. J., Ramond, J. B., Cowan, D. A., Prins, A., Burton, S. G., 2011. Ethanol degradation and the benefits of incremental priming in pilot-scale constructed wetlands. *Ecological Engineering*, 37, 1453-1459.
- Wu, H., Zhang, J., Li, P., Zhang, J., Xie, H., Zhang, B., 2011. Nutrient removal in constructed microcosm wetlands for treating polluted river water in northern China. *Ecological Engineering*, 37(4), 560-568.
- Yang, Y Li L., Tam, N. F., Yang, L., Mei, X. Q., & Yang, F. J., 2013. Growth characteristics of six wetland plants and their influences on domestik wastewater treatment efficiency. *Ecological Engineering*, 60, 382-392.
- Yuris, Y., Cahyani, C., Atikah, A. 2014. Potensi Lignin Untuk Penanganan Logam Berat Cr (VI). *Jurnal Kimia dan Kemasan*, 36(1).
- Zhang, S. Y., Li, G., Li, X., & Tao, L., 2015. Four stage hybrid constructed wetlands treating low-strength aquaculture wastewater with and without artificial aeration. *Environment Protection Engineering*, 41, 31-42.
- Zhu, W., Theliander, H.,2011. Equilibrium of lignin precipitation. 16th International Symposium on Wood, Fiber and Pulping Chemistry-Proceedings, *ISWFPC*, Tianjin, 1, 195-199.
- Zubair, A., Arsyad, A., Hasanah, U. 2015. Fitoremediasi Menggunakan Tanaman Lidah Mertua (Sansevieria trifasciata) Pada Tanah Tercemar Logam Seng (Zn) dan Tembaga (Cu). *Sumber*, 60(91), 36-93.