

DAFTAR PUSTAKA

- [1] Muriadi and W. L. Yan, “Land cover changes from 1995 to 2016 in sebus forest of sambas regency, Indonesia,” *Proc. - 2016 Int. Electron. Symp. IES 2016*, pp. 369–374, 2017.
- [2] T. Takayama, A. Iwasaki, and O. Kashimura, “Optimal segmentation of classification and prediction maps for monitoring forest condition with spectral and spatial information from hyperspectral data,” *Int. Geosci. Remote Sens. Symp.*, pp. 3498–3501, 2014.
- [3] B. Li, H. Liu, J. Zhang, X. Zhao, and B. Zhao, “Small UAV Autonomous Localization Based on Multiple Sensors Fusion,” 2017.
- [4] M. Abdulla, J. V. Svoboda, and L. Rodrigues, “Avionics Made Simple,” 2005.
- [5] A. A. Farghani, R. Sumiharto, and S. B. Wibowo, “Purwarupa Ground Control Station untuk Pengamatan dan Pengendalian Unmanned Aerial Vehicle Bersayap Tetap,” *Indones. J. Electron. Instrum. Syst.*, vol. 3, no. 1, pp. 1–10, 2013.
- [6] X. Ding and X. Wang, “Design and realization of ground control station for multi-propeller multifunction aerial robot,” *2014 IEEE Int. Conf. Mechatronics Autom. IEEE ICMA 2014*, pp. 227–232, 2014.
- [7] A. M. B. S. Handayani, “SISTEM GROUND CONTROL STATION UNTUK PENGAMATAN DAN PENGENDALIAN UNMANNED AERIAL VEHICLE.” 2016.
- [8] S. Gupte, P. I. T. Mohandas, and J. M. Conrad, “A survey of quadrotor unmanned aerial vehicles,” *Conf. Proc. - IEEE SOUTHEASTCON*, 2012.
- [9] A. M. Khaleghi, D. Xu, A. Lobos, S. Minaeian, Y. J. Son, and J. Liu, “Agent-based hardware-in-the-loop simulation for UAV/UGV surveillance and crowd control system,” *Proc. 2013 Winter Simul. Conf. - Simul. Mak. Decis. a Complex World, WSC 2013*, no. Ledin 1999, pp. 1455–1466, 2013.
- [10] S. Haykin and M. Moher, “Introduction to Analog and Digital

- Communications,” p. 515, 2007.
- [11] D. G. Pestana and F. Mendonça, “A Low Cost FPGA based Thermal Imaging Camera for Fault Detection in PV Panels,” 2017.
- [12] I. Runcam, “RUNCAM OWL 2 USER MANUAL,” 2016.
- [13] NASA Glenn Research Center, “Beginner’s Guide to Aeronautics.” [Online]. Available: <https://www.grc.nasa.gov/WWW/K-12/airplane/>. [Accessed: 19-Mar-2018].
- [14] Portland State Aerospace Society, “A Quick Derivation relating altitude to air pressure,” *Portl. State Aerosp. Soc.*, pp. 1–4, 2004.
- [15] OSGB, “A guide to coordinate systems in Great Britain,” *Ordnance Surv. Southampt. httpwww gps gov*, vol. v2.0, no. v1.9, p. 43, 2010.
- [16] Movable Type Scripts, “Calculate distance and bearing between two Latitude/Longitude points using haversine formula in JavaScript.” [Online]. Available: <https://www.movable-type.co.uk/scripts/latlong.html>. [Accessed: 19-Mar-2018].
- [17] Suyadi, “Komunikasi Serial dan Port Serial (COM),” *Ums*, no. April, pp. 1–8, 2012.
- [18] C. M. Gevaert, C. Persello, S. O. Elberink, G. Vosselman, and R. Sliuzas, “Context-Based Filtering of Noisy Labels for Automatic Basemap Updating From UAV Data,” *IEEE J. Sel. Top. Appl. Earth Obs. Remote Sens.*, pp. 1–11, 2017.
- [19] E. Chen, Chun-houh, Wolfgang Karl Härdle, and Antony Unwin, *Handbook of data visualization*. Springer Science & Business Media, 2007.
- [20] T. C. Lethbridge and R. Laganriere, “Object-Oriented Software Engineering: Practical Software Development Using Uml and Java,” *McGraw-Hill Publ. Co.*, p. 561, 2004.
- [21] V. Chandra, “Comparison between Various Software Development Methodologies,” *Int. J. Comput. Appl.*, vol. 131, no. 9, pp. 7–10, 2015.
- [22] S. Hassan, U. Qamar, and M. A. Idris, “Purification of requirement engineering model for rapid application development,” *2015 6th IEEE Int. Conf. Softw. Eng. Serv. Sci.*, pp. 357–362, 2015.

- [23] Casem. .Inc, “What is Rapid Application Development?,” pp. 1–34, 2000.
- [24] Microsoft, “Welcome to Visual Studio 2013,” 2013. .
- [25] K. Haines, P. Paré, and P. Pelland, “Moving from Microsoft Visual Studio 2003 to Visual Studio 2010,” pp. 1–321, 2011.
- [26] P. Louridas, “Declarative GUI programming in Microsoft Windows,” *IEEE Softw.*, vol. 24, no. 4, pp. 16–19, 2007.
- [27] X. Qu *et al.*, “A spatial web service client based on Microsoft Bing Maps,” *Proc. - 2011 19th Int. Conf. Geoinformatics, Geoinformatics 2011*, 2011.
- [28] Microsoft, “What is NuGet and what does it do? | Microsoft Docs,” 2015. [Online]. Available: <https://docs.microsoft.com/en-us/nuget/what-is-nuget>. [Accessed: 30-Apr-2018].
- [29] A. van Lamsweerde, “Formal Methods for Software Architectures,” *Sfm*, vol. 2804, pp. 25–43, 2003.
- [30] M. E. Khan and F. Khan, “A Comparative Study of White Box, Black Box and Grey Box Testing Techniques,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 3, no. 6, pp. 12–15, 2012.
- [31] I. Jovanovic, “Software Testing Methods and Techniques,” *IPSI BgD Trans. Internet Res.*, vol. 5, no. 1, pp. 30–41, 2009.
- [32] L. Williams, “Testing overview and black-box testing techniques,” vol. 12, 2006.
- [33] Arduino, “Arduino - Getting Started,” 2017. [Online]. Available: <https://www.arduino.cc/en/Guide/HomePage>. [Accessed: 20-Mar-2018].
- [34] Github .inc, “Features · The right tools for the job · GitHub,” 2018. [Online]. Available: <https://github.com/features>. [Accessed: 20-Mar-2018].
- [35] D. Spandel, J. Kjellgren, and C. Johansson, “Choosing between Git and Subversion,” no. May, 2014.
- [36] S. Lauesen, “User Interface Design - A Software Engineering Perspective,” p. 604, 2005.