

## DAFTAR PUSTAKA

- Alamo, M.S., Soriano J.Y., Perez S.G.M., 2011. Dental consideration for the patient with diabetes, *J Clin Exp Dent*. 3(1):e24-30.
- Angelo, T., Veiga N., Loper P., Coelbo I., 2016. Diabetes melitus and periodontal disease, *OHDM- Vol 15(6)*.
- Arunachalam, R., Rajeev V., Vedam V., Ganapathy S., Dhanavel J., 2017. Perioceutics in the management of periodontal disease. *J Young Pharm*; 9(1);8-13.
- Bharti, P., Sayaka K., Hiroshi N., Toshiyuki N., Kobayashi H., Takeuchi Y., Hajime I., Uchimura, I. Inoue, S. Izumi, Y., 2013 , Periodontal treatment with topical antibiotics improves glycemic control in association with elevated serum adiponectin in patients with type 2 Diabetes melitus, *Obesity Rsh & Clin Practice- Vol 7*, e129-e138
- Dinyati, M., Adam, M.A., 2016, Kuretase gingival sebagai perawatan poket periodontal. *Makassar Dent J*. 5(2):58-64
- Elavarasu, S., Suthanthiran, T., Thangavelu, A., Mohandas, L., Selvaraj, S dan Saravanan, J., 2015. Laser curettage as adjunct to SRp compared to SRP alone, in patients with periodontitis and controlled type 2 Diabetes melitus: A comparative clinical study. *J Pharm Bioallied Sci*. Aug; 7(Suppl 2): S636-S642
- Ermawati, T., 2012, Periodontitis dan Diabetes melitus. *J.K.G.Uneg*, 9(3): 152-154
- Goodson, J.M., Gunsollet, C.J., Grossi, G.S., Bland S.P., Corgel O.P., Frances, D., Comiskey, J., 2007. Minocycline HCL microspheres reduce red-complex bakteri in periodontal disease therapy , *J Periodontol*, (78).
- Griffiths, G.D.,Smart,G.J., Bulman, J.S., Weiss, G., Shrowder, J., Newman, H.N., Comparassion of clinical outcomes following treatment of chronic adult periodontitis with subgingival scaling or subgingival scaling plus metronidazole gel. *JclintPer* 2000;27;910-917
- Haris, M.P., Panickal, D.M., 2017, Role of Metronidazole as a Local Drug Delivery in the Treatment of Periodontitis:A Review. *Int J Oral Health Med Res* ;3(6):141-145.
- Illueca, AF., Vera, B.P., Cabanilles, G.P, Femandez, F.V., dan loscos, G.F.J., 2006. Periodontal regeneration in clinical practice. *Med Oral Patol Oral Cir buccal*: 11: E382-92

- Iwamoto, Y., Nishimura, F., Nakagawa, M., Sugimoto, H., Shikata, K., Fukuda, T., Tsuji, T., Iwamoto, M., Muruyama, Y., 2001. The effect of antimicrobial periodontal treatment on circulating tumor necrosis factor-alpha and glycated hemoglobin level in patients with type 2 diabetes. *Jperio.* (72) : 774-778
- Júnior, H.A.S., Santiago, F.L., Martins, L.G, Dias, P.C., Magalhães, D.D., 2015, local drug delivery systems in the treatment of periodontitis: A Literature Review. *Journal of the International Academy of Periodontology* 17/3: 82–90
- Kassem, A.A., Ismail, A.F., Naggar F.V.,Aboulmagd, E., 2014, Comparative Study to investigate the effect of meloxicam or minocycline HCL in situ Gel system on local treatment of Periodontal pocket, *AAPS PharmSciTech*, Vol. 15, No.4, Agustus
- Kim, J.S., dan Dailey, R.J.,2008.Biostatistic for oral healthcare . *Blackwell Munksgard*, 4(4.2)55-58
- Koromantzou, P.A., Makrilakis, K., Dereka, X., Offenbacher, S., Katsilambros, N., Vrotsos, I.A., Madiansos, P.N., 2012. Effect of non-surgical periodontal therapy on C-reactive protein, oxidative stress, and matrix metalloproteinase (MMP)-9 and MMP-2 level in patients with type 2 diabetes: a randomized controlled study. *Jdenperio.* (93): e292
- Kuru, L., Kuru B., Noyan, U., Kukrer, A., Acar, T., Selcuk, Y., 2010, Effects of adjunctive local or systemic metronidazole with non surgical periodontal therapy on periodontal clinical parameters and gingival crevicular fluid biomarkers, *Nobel medicus22, Cilt 1*
- Leikness, T., Lekmes , K.N., Boe, O.E., Skavland, R.J., dan Lie, T., 2007. Topical use of a metronidazole gel in the treatVahabzadeh,M., Houshang, M., Vedam, V., 2015, effect of Diabetes melitus on the metaboli:1538-1544
- Lu H.K., dan Chei C.J.,2005. Efficacy of subgingivally applied minocycline in the treatment of chronic periodontitis. *Jperiorsch.* 40:20-27
- Mealey, B.L., 2006, Periodontal disease and diabetes A two-way street. *JADA*, vol. 137 (10 supplement): 26S-31S
- Mesa, N.G., Zarzuelo, A.,Galvez, J., 2013, Minocycline far beyond An Antibiotic, *British Journal of pharmacology*, Vol 169 (2):337-352
- Newman, M.G, Takei, H.H, Carranza FA. s *clinperio.* 10th ed. Philadelphia: WB Saunders Co; 2006. p. 798–802, 803–11

- Pandit, N., Dahiya, R., Gupta, R., Bali, D., Kathuria, A., 2013. Comparative evaluation of locally delivered minocycline and metronidazole in the treatment of periodontitis . *Contempclindent*, Vol 4 , Issue 1 48-52
- Rudi, W., Herawati, D.,Sudiby. 2014. Perbedaan efektifitas topical gel asam hialuronat dan gel metronidazol terhadap penyembuhan jaringan periodontal setelah kuretase pada periodontitis kronis. *Maj Ked Gi*, 5(3)
- Sari, R., Herawati, D., Nurcahyanti, R., Wardani, K.P., 2017. Prevalensi periodontitis pada pasien Diabetes melitus (Studi observasional di poliklinik penyakit dalam RSUP Dr. Sardjito). *MKGI*, Vol 3 , No 2
- Sugumari, E., Thangakumaran, S., Arthiie, T. Lakshmi, M.Selvaraj, S.Jayashakthi, S., 2015 , Laser curettage as adjunct to SRP, compared to SRP alone, in patients with periodontitis and controlled type 2 Diabetes melitus: A comparative clinical study. *J Pharm Bioallied Sci*. 7(Suppl 2): S636-S642
- Syaify, A., 2012, Pengaruh level HBA1C terhadap fungsi fagositosis neutrofil (PMN) pada penderita Periodontitis diabetika. *Maj Ked Gi*, 19(2):93-97
- Vahabzadeh, M., Houshang, M., Vedam, V., 2015, effect of Diabetes melitus on the metabolism of drugs and toxins. *J Clin Toxicol* 5:233.