

## DAFTAR PUSTAKA

- Anggraeni, I., S.E. Intari dan W. Darwiati. 2006. Hasil-Hasil Penelitian Hama/Penyakit Tanaman Hutan dan Implementasinya. Diskusi Sehari Jaringan Kerja Litbang Hutan Tanaman, 23 Nopember 2006. Badan Litbang Kehutanan Pusat Penelitian dan Pengembangan Hutan Tanaman. Jakarta.
- Anonim. 2007a. Pengendalian Kutu Lilin pada *Pinus merkusii* Secara Kimia, Laporan Penelitian Kerjasama. Puslitbang Perhutani – Fakultas Kehutanan IPB.
- Anonim. 2007b. Analisa Molekuler untuk Seleksi Pohon Plus Pinus Tahan Hama, Laporan akhir kerjasama Fahutan IPB – Perum Perhutani.
- Barnes, R.D., R.F. Jarvis, M.A. Schweppenhauser and L.J. Mullin. 1976. Introduction, spread and control of the pine woolly aphid, *Pineus pini* (L.) in Rhodesia. South African Forestry Journal, 96:1-11.
- Bauce E', Cre' pin M, Carisey N. 1994. Spruce budworm growth, development and food utilization on young and old balsam fir trees. *Oecologia* 97, 499–507.
- Birkett, M.A.; Al Abassi, S.; Krober, T.; Chamberlain, K.; Hooper, A.M.; Guerin, P.M.; Pettersson, J.; Pickett, J.A.; Slade, R.; Wadhams, L.J. 2008. Antiectoparasitic activity of the gum resin, gum haggar, from the East Africa plant, *Commiphora holtziana*. *Phytochemistry* 2008, 69, 1710–1715.
- Blackman, R.L. & V.F. Eastop. 1994. Aphids on the world's trees: an identification and information guide. Wallingford, CAB International.
- Bruce, T.J.A.; Birkett, M.A.; Blande, J.; Hooper, A.M.; Martin, J.L.; Khambay, B.; Prosser, I.; Smart, L.E.; Wadhams, L.J. Response of economically important aphids to components of *Hemizygia petiolata* essential oil. *Pest Manag. Sci.* 2005, 61, 1115–1121.
- Carter, C. and G. Watson. 1991. The Ecology of Conifer Aphids and its Bearing on Forest Establishment & Productivity. Workshop Proceeding "Exotic Aphid Pests of Conifers, a crisis in African forestry". FAO. Roma.
- Ciesla, W.M. 1991. Survey and Monitoring. Workshop Proceedings "Exotic Aphid Pests of Conifers, a crisis in african forestry". FAO. Roma.
- Cotteril, P.P. and C.A. Dean. 1990. *Successful Tree Breeding with Index Selection*. CSIRO Division of Forestry and Forest Product. Australia.
- Danielsson, M. 2011. Chemical Defence in Norway Spruce. Doctoral Thesis. Kunliga Tekniska Hogskolan Stokholm. ISSN 1654-1081.
- Doerksen, A.H. and R.G. Mitchell, 1985. Effects of the balsam woolly aphid upon the wood anatomy of some western true firs. *Forest Science* 11:181-188.

- Eyles, A., Andrew P. Robinson, David Smith, Angus Carnegie, Ian Smith, Christine Stone, Caroline Mohammed. 2011. Quantifying Stem Growth Loss at the Tree-Level in a *Pinus radiata* Plantation to Repeated Attack by the Aphid, *Essigella californica*. *Forest Ecology and Management* 261 (2011) 120–127.
- Eyles, A., David Smith, Elizabeth A. Pinkard, Ian Smith, Ross Corkrey, Stephen Elms, Chris Beadle and Caroline Mohammed. 2011. Photosynthetic Responses of Field-Grown *Pinus radiata* Trees to Artificial and Aphid-Induced Defoliation. *Tree Physiology* Volume 00, 2011, 1-12.
- Fäldt J, Solheim H, Langstrom B, Borg-Karlson AK. 2006. Influence of fungal infection and wounding on contents and enantiomeric compositions of monoterpenes in phloem of *Pinus sylvestris*. *Journal of Chemical Ecology* 32:1779-1795
- Gomez, K.A. dan A.A. Gomez. 1995. *Prosedur Statistik untuk Penelitian Pertanian. Edisi Kedua*. Penerjemah: Endang Sjamsuddin dan Justika S. Baharsjah. Penerbit Universitas Indonesia (UI Press).
- Hardi TW. 1986. Informasi beberapa hama hutan tanaman industri. Disampaikan pada Seminar Nasional ‘Ancaman gangguan terhadap Hutan Tanaman Industri’, 20 Desember 1986, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Indonesia, Jakarta.
- Hardiyanto, E.B. 2008. Diktat Mata Kuliah Pemuliaan Pohon Lanjut. Program Pasca Sarjana. Fakultas Kehutanan Universitas Gadjah Mada Yogyakarta. *Tidak dipublikasikan*
- Harvell CD, Tollrian R, 1999. Why inducible defenses? In *The ecology and evolution of inducible defenses*, eds. Tollrian R and Harvell CD, Princeton, New Jersey: Princeton University Press.
- Huber DPW, Philippe RN, Madilao LL, Sturrock RN, Bohlmann J. 2005. Changes in anatomy and terpene chemistry in roots of Douglas-fir seedlings following treatment with methyl jasmonate. *Tree Physiology* 25: 1075–1083.
- Karban R, Baldwin IT, 1997. *Induced responses to herbivory*. Chicago: University of Chicago Press.
- Kiran, S.R.; Devi, P.S. Evaluation of mosquitocidal activity of essential oil and sesquiterpenes from leaves of *Chloroxylon swietenia* DC. *Parasitol. Res.* 2007, 101, 413–418.
- Lazzari, S.M.N. and J.T. Cardoso. 2011. *Pineus boernerii* Annand, 1928 (Hemiptera, Adelgidae) – A New Species To Brazil: Morphology Of Eggs, Nymphs and Adults. *Revista Brasileira de Entomologia* 55(4): 459-466, dezembro, 2011.

- Leksono, B. 1994. Variasi Genetik Produksi Getah *Pinus merkusii* Jungh et de Vriese. Tesis Mahasiswa Fakultas Kehutanan UGM. Yogyakarta. *Tidak dipublikasikan*.
- Madoffe, S.S. 1989. Infestation densities on the Pine woolly aphid (*Pineus pini*) on *Pinus patula* as related to site productivity at Sao-Hill Forest Plantation. M.Sc. Thesis, University of Dares Salaam, Tanzania.
- Mattson W.J., Alvin Yanchuk, Gyula Kiss, Bruce Birr. 1999. Resistance To Gallling Adelgids Varies Among Families Of Engelmann Spruce (*Picea engelmanni* P.), in Lieutier, F; Mattson, W.J.; Wagner, M.R., eds. Physiology And Genetics Of Tree-Phytophage Interactions International Symposium; 1997 August 31-September 5; Gujan, France. Paris, France: INRA Editions: 51-64.
- May, B.M., J.C. Carlyle. 2003. Effect of Defoliation Associated with *Essigella californica* on Growth of Mid-Rotation *Pinus radiata*. Forest Ecology and Management 183 (2003)297-312.
- Mazid, M., Khan TA., Mohammad F. 2011. Role of secondary metabolites in defense mechanisms of plants. Biology and Medicine, 3(2) Special Issue: 232-249, 2011.
- McClure, M.S. 1989. Biology, population trends and damage of *Pineus boernerii* and *P. coloradensis* (Homoptera: Adelgidae) on red pine. Environmental Entomology 18: 1066-1073.
- Moreira X., Zas R., Sampedro L. 2012. Differential Allocation of Constitutive and Induced Chemical Defenses in Pine Tree Juveniles: A Test of the Optimal Defense Theory. PLoS ONE 7(3): e34006, doi:10.1371/journal.pone.0034006. <http://www.plosone.org>.
- Murphy, S.T.; Y.J. Abraham and A.E. Cross. 1991. Prospects for the biological control of exotic forest aphid pests in southern and eastern africa. Workshop Proceedings "Exotic Aphid Pests of Conifers, a crisis in african forestry". FAO. Roma.
- Murphy, ST., YJ Abraham & AE Cross. 1991. Ecology and Economic Importance of the Aphid Pests, *Pineus* sp. and *Eulachmus rileyi* in Exotic Pine Plantations in Southern and Eastern Africa, Workshop Proceedings "Exotic Aphid Pests of Conifers, a crisis in african forestry". FAO. Roma.
- Muslimin, I. 2012. Variasi Genetik Produksi Getah Uji Keturunan *Pinus merkusii* Jungh. Et de Vriese di KPH Banyumas Barat. Tesis Mahasiswa Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta.
- Natawiria, D. 1986. Ancaman hama dan penyakit terhadap hutan tanaman. Prosiding Seminar Nasional Ancaman terhadap HTI, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Indonesia, tanggal 20 Desember 1986. Jakarta.

- Nichols, J.F.A., 1987. Damage and performance of the green spruce aphid, *Elatobium abietinum* on twenty spruce species. *Entomologia Experimentalis & Applicata* 45:211-217.
- Nichols, J.F.A., 1987. The performance of the green spruce aphid on various spruce species and the effect of foliar amino-acids and secondary compounds. M. Phil. Thesis, University of Reading.
- Noge, K. and Judith X. Becerra. 2009. Germacrene D, a common sesquiterpene in the genus *Bursera* (Burseraceae). *Molecules* 2009, 14, 5289-5297, doi: 10.3390/molecules14125289. <http://www.mdpi.com/journal/molecules>
- Odhiambo, TR. 1991. The Philosophy, Perspective and Goal of the International Workshop on Exotic Aphid Pests on Conifers: A Crisis in African Forestry. Workshop Proceeding "Exotic Aphid Pests of Conifers, a crisis in african forestry". FAO. Roma.
- Okioga, D.M. 1991. Phytosanitary services in africa a strategy for avoiding entry of forest pests and diseases into the continent. Workshop Proceedings "Exotic Aphid Pests of Conifers, a crisis in african forestry". FAO. Roma.
- Owino, F. 1991. Silvicultural methods of exotic aphidpest control: use of resistant strains of host trees. Workshop Proceedings "Exotic Aphid Pests of Conifers, a crisis in african forestry". FAO. Roma.
- Persson M, Borg-Karlson A-K, Norin T. 1993. Enantiomeric composition of six chiral monoterpene hydrocarbons in different tissues of *Picea abies*. *Phytochemistry* 33:303-307.
- Perum Perhutani. 2010. Statistik Perum Perhutani 2005 – 2009. Direksi Perum Perhutani Tahun 2010 No. 1.375.485. Jakarta.
- Petro, R. and S.S. Madoffe. 2011. Status of Pine Wolly Aphid (*Pineus boernerii*) in Sao-Hill Forest Plantation, Tanzania. *Journal of Entomology* 8(5): 468-475, 2011.
- Prasetia, R. Y. 2008. Potensi Getah Pertanaman Uji Keturunan *Pinus merkusii* Jungh. et de Vriese Materi Introduksi Genetik Asal Aceh di RPH Sumberjati, BKPH Sempolan, KPH Jember. Skripsi Mahasiswa Jurusan Budidaya Hutan. Fakultas Kehutanan UGM. Yogyakarta. *Tidak dipublikasikan*.
- Sadono, R., B. Murdawa, D. Soeprijadi, Nawari. 2011. *Biometrika Hutan: volume 1. Metode Statistika*. Penerbit Interlude. Yogyakarta.
- Sampedro, L., X. Moreira, J. Llusia, J. Penuelas, and R. Zas. 2010. Genetic, phosphorus availability, herbivore-derived induction as sources of phenotypic variation of leaf volatile terpenes in a pine species. *Journal of Experimental Botany*, Vol. 61, No. 15, pp. 4437-4447, 2010.
- Shaw, M.J.P., 1984. Some effects of infestation by the black pine aphid, *Cinara cronartii* (Tissot and Pepper) Proc. 17th Int. Congress Entomol. Hamburg.

- Siemens DH, Garner SH, Mitchell-Olds T, Callaway RM. 2002. Cost of defense in the context of plant competition: *Brassica rapa* may grow and defend. *Ecology*, 83(2): 505–517.
- Simms EL, 1992. Costs of plant resistance to herbivory. In Plant resistance to herbivores and pathogens. eds. Ecology, evolution and genetics, Fritz RS and Simms EL, Chicago: University of Chicago Press, pp 392-425.
- Simpson, J.A. and P.K. Ades.1990. Variation in Susceptibility of *Pinus muricata* and *Pinus radiata* to Two Species of Aphidoidae. *Silvae Genetica* 39, 5-6 (1990).
- Stotz H.U., Kroymann J, Mitchell-Olds T, 1999. Plant-insect interactions. *Current Opinion in Plant Biology*, 2: 268-272.
- Sumantoro, P. 2005a. Identifikasi Hama Cabuk pada *Pinus merkusii*. Disampaikan dalam Pelatihan Hama Pinus, Perum Perhutani di KPH Lawu Ds. Madiun, 7 – 8 Juli 2005. *Tidak Dipublikasikan*.
- Sumantoro, P. 2005b. The influenced factors at the attack of sap-sucking pest on the 2<sup>nd</sup> Pine Progeny Trial –Tampomas. Proceeding of The 1<sup>st</sup> International Conference of Crop Security 2005, 20-22 September 2005 at Brawijaya University. Malang.
- Sumantoro, P. 2012. Pengendalian Hama dan Penyakit Tanaman Pinus (*Pinus merkusii*). *Disampaikan dalam Focus Group Discussion (FGD) Pengendalian Hama dan Penyakit Tanaman Kehutanan di Wilayah Perum Perhutani, tanggal 3 Mei 2012 di Pusdiklat SDM Perum Perhutani. Madiun. Tidak Dipublikasikan*.
- Sumantoro, P., K. Mawardi, F.E. Astanti, P. Jayanto 2010. Monitoring dan Kesehatan Pohon *Pinus merkusii* Kandidat Tahan Hama Kutu Lilin Tahun 2010. Laporan Akhir. Puslitbang Perhutani Cepu. *Tidak Dipublikasikan*.
- Sumantoro, P., P. Jayanto, S.D. Budhiatmoko, H. Gunawan, S. Purwanta, Suryanaji, F.E. Astanti, Inan. 2008. Teknik Pengendalian Hama & Penyakit Tanaman Hutan (Jati, Pinus, Sengon, Kayu Putih). Puslitbang Perhutani. Cepu. *Tidak Dipublikasikan*.
- Sumardi dan S.M. Widyastuti. 2004. Dasar-Dasar Perlindungan Hutan. Gadjah Mada Pers. Yogyakarta.
- Wainhouse D, Staley JT, Jinks R, Morgan G. 2008. Growth and defence in young pine and spruce and the expression of resistance to a stem-feeding weevil. *Oecologia* 158, 641–650.
- Wallis, C., A. Eyles, R. Chorbadjian, B. McSpadden Gardener, R. Hansen, D. Cipollini, D. A. Herms and P. Bonello. 2007. Systemic induction of phloem secondary metabolism and its relationship to resistance to a canker pathogen in Austrian pine. *New Phytologist* (2007), doi: 10.1111/j.1469-8137.2007.02307.x. <http://www.newphytologist.org>

- Weatherby, J. 1991. Mechanical methods and chemical control. Workshop Proceedings "Exotic Aphid Pests of Conifers, a crisis in African forestry". FAO. Roma.
- Windyarini, E. 2008. Pengaruh Tingkat Defoliiasi Akibat Serangan Kutu Lilin Terhadap Produksi Getah Tusam. Tesis Mahasiswa Fakultas Kehutanan UGM. Yogyakarta. *Tidak Dipublikasikan*.
- Zeneli G, Krokene P, Christiansen E, Krekling T, Gershenzon J. 2006. Methyl jasmonate treatment of mature Norway spruce (*Picea abies*) trees increases the accumulation of terpenoid resin components and protects against infection by *Ceratocystis polonica*, a bark beetle-associated fungus. *Tree Physiology* 26, 977–988.
- Zhao, T. 2011. Conifer Chemical Defense: Regulation of Bark Beetle Colonization and Pheromone Emission. Doctoral Thesis at Kungliga Tekniska Högskolan Stockholm. Royal Institute of Technology, Sweden. ISBN 978-91-7415-884-7.
- Zobel, B., and J. Talbert. 1984. Applied Forest Tree Improvement. Waveland Press, Inc. Illinois – USA.
- Zulak, K.G. and J. Bohlmann. 2010. Terpenoid Biosynthesis and Specialized Vascular Cells of Conifer Defense. *Journal of Integrative Plant Biology* 2010, 52 (1): 86–97, doi: 10.1111/j.1744-7909.2010.00910.x. <http://www.jipb.net> and <http://www.interscience.wiley.com/journal/jipb>.