

Daftar Pustaka

- Akinwale, M. G., R. D. Aladesanwa, B.O. Akinyele, A. G. O. Dixon, dan A. C. Odiyi. 2010. Inheritance of β -carotene in cassava (*Manihot esculenta* Crantz). *International Journal of Genetics and Molecular Biology* Vol. 2: 198 – 201.
- Alfons, J. B. dan D. Wamaer. 2015. Keragaman karakter morfologis dan agronomis ubi kayu varietas lokal Maluku. *Prosiding Seminar Nasional Sumber Daya Genetik Pertanian 2015* 160-168.
- Allem, A. C. 2002. The origins and taxonomy of cassava. Di dalam Hillocks R. J., Thresh J. M., Bellotti A. C., editor. *Cassava: Biology, Production and Utilization*. New York: CABI Publishing. hlm 1-16.
- Anonim. 2009. *Global prevalence for vitamin A deficiency in population at risk 1995 – 2005*: Geneva Switzerland.
- Balitkabi. 2018. Informasi: Deskripsi Varietas Terbaru. <<http://balitkabi.litbang.pertanian.go.id/informasi/deskripsi-varietas-terbaru/>>. Diakses pada tanggal 6 Juli 2018.
- Ceballos H, F. Davrieux, E. F. Talsma, J. Belalcazar, P. Chavarriaga, dan Andersson MS. 2017. Carotenoids in Cassava Roots. *Carotenoids: InTech*.
- Chahal, G. S. and S. S. Gosal. 2002. *Principles and Procedures of Plant Breeding: Biotechnological and Conventional Approaches*. Alpha Science International Ltd., United Kingdom.
- Colombo, C., G. Second, T. L. Valle and A. Charrier. 1998. Genetic diversity characterization of cassava cultivars (*Manihot esculenta* Crantz). I) RAPD markers. *Genetics and Molecular Biology* 21.
- Cunha, E. F. M., C. R. d. S. Silva, P. S. B. d. Albuquerque, G. F. Ramalho, L. C. G. Pontes and J. T. d. F. Neto. 2016. Molecular characterization of ‘sweet’ cassavas (*Manihot esculenta*) from a germplasm bank in Brazilian Eastern Amazonia. *Crop Breeding and Applied Biotechnology* 16: 28-34.
- El-Sharkawy, M. A. 2004. Cassava biology and physiology. *Plant Molecular Biology* 56: 481–501.
- Esuma, W., P. Rubaihayo, A. Pariyo, R. Kawuki, B. Wanjala, I. Nzuki, J. J. W. Harvey, and Y. Baguma. 2012. Genetic diversity of provitamin A in Uganda. *Journal of Plant Studies* 1: 60 – 71.
- Ferreira, C. F., E. Alves, K. N. Pestana, D. T. Junghans, A. K. Kobayashi, V. De J. Santos, R. P. Silva, P. H. Silva, E. Soares, and W. Fukuda. 2008. Molecular characterization of cassava (*Manihot esculenta* Crantz) with yellow-orange roots for beta-carotene improvement. *Crop Breeding and Applied Biotechnology* 8: 23-29.

- Fukuda, W.M.G., C.L. Guevara, R. Kawuki, and M.E. Ferguson. 2010. Selected morphological and agronomic descriptors for the characterization of cassava. International Institute of Tropical Agriculture (IITA), Ibadan, Nigeria.
- Iglesias, C., J. Mayer, L. Chavez and F. Calle. 1997. Genetic potential and stability of carotene content in cassava roots. *Euphytica* 94: 367- 373.
- Kementerian Pertanian. 2015. Outlook Komoditas Pertanian Tanaman Pangan Ubi Kayu. Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian.
- Kizito, E. B. 2006. Genetic and root growth studies in cassava (*Manihot esculenta* Crantz): implications for breeding. Swedish University of Agricultural Sciences. Disertasi Doktor.
- Marmey, P., J. R. Beeching, S. Hamon and A. Charrier .1994. Evaluation of cassava (*Manihot esculenta* Crantz) germplasm collections using RAPD markers. *Euphytica* 74: 203-209.
- Mezette, T. F., C. G. Blumer, and E. A. Veasey. 2013. Morphological and molecular diversity among cassava genotypes. *Pesq. agropec. bras.* 48: 510-518.
- Morillo, C.A.C., C. Y. Morillo, and L. H. Ceballos 2013. Identification of QTLs for carotene content in the genome of cassava (*Manihot esculenta* Crantz.) and S1 population validation. *Acta Agronómica* 62: 197-208.
- Njoku, D. N., C. N. Egesi, V. E. Gracen, S. K. Offei, I. K. Asante dan E. Y. Danquah. 2014. Identification of pro-vitamin a cassava (*Manihot esculenta* Crantz) varieties for adaptation and adoption through participatory research. *Journal of Crop Improvement* 28: 361-376.
- Njoku, D. N., G. Vernon, C. N. Egesi, I. Asante, S. K. Offei, E. Okogbenin, P. Kulakow, O. N. Eke-okoro, dan H. Ceballos. 2011. Breeding for enhanced β -carotene content in cassava: constraints and accomplishments. *Journal of Crop Improvement* 25: 560-571.
- Njoku, D. N., V. E. Gracen, S. K. Offei, I. K. Asante, E. Y. Danquah, C. N. Egesi, dan E. Okogbenin. 2014. Molecular marker analysis F1 progenies and their parents for carotenoid inheritance in African cassava (*Manihot esculenta* Crantz). *African Journal of Biotechnology* 13: 3999 – 4007.
- Ochieng' Orek, C. 2014. Morphological, physiological and molecular characterization of drought tolerance in cassava (*Manihot esculenta* Crantz). University of Nairobi. Disertasi Doktor.
- Rosyadi, M. I., Toekidjo, dan Supriyanta. 2014. Karakterisasi ubikayu lokal (*Manihot utilissima* L.) Gunung Kidul. *Vegetalika* 3: 2014 : 59 – 71.

- Rychlik, W., W. J. Spencer, and R. E. Rhoads. 1990. Optimization of the annealing temperature for DNA amplification in vitro. *Nucleic acids research*, 18: 6409-12.
- Seilatu, M., J. J. G. Kailola, H. Hetharie, M. Pesireron, dan S. H. T. Raharjo. 2015. Keragaman dan budidaya ubi kayu pada sistem kabong di Seram Bagian Barat. *Prosiding Seminar Nasional Agroforestri ke-5 tanggal 21 Nopember 2014 di Ambon*, hlm. 157-164. Balai Penelitian Teknologi Agroforestry bekerjasama dengan Fakultas Pertanian Universitas Pattimura, World Agroforestry Centre (ICRAF), Indonesia Network for Agroforestry Education, dan Masyarakat Agroforestri Indonesia. Ciamis. 730p.
- Soemartono, Nasrullah dan H. Hartiko. 1992. *Genetika Kuantitatif dan Bioteknologi Tanaman. Proyek Pengembangan Pusat Fasilitas Bersama Antar Universitas (Bank Dunia XVII) – PAU Bioteknologi Universitas Gadjah Mada, Yogyakarta.*
- Sraphet, S., D. R. Smith & K. Triwitayakorn. 2015. Isolation and characterization of microsatellite loci and genetic diversity in cassava (*Manihot esculenta* Crantz). *Journal of Crop Improvement* 29: 447-454.
- Susiarti, S dan D. Sulistiarini. 2015. Keanekaragaman umbi-umbian di beberapa lokasi di Propinsi Bangka Belitung dan pemanfaatannya. *PROS SEM NAS MASY BIODIV INDON 1*: 1088-1092.
- Taryono. 2014. *Pengantar Bioteknologi untuk Pemuliaan Tanaman*. Gadjah Mada University Press, Yogyakarta.
- Wang, A., F. Meng, X. Xu, Y. Wang, dan J. Li. 2007. Development of molecular markers linked to *Cladosporium fulvum* resistant gene *Cf-6* in tomato by RAPD and SSR methods. *HORTSCIENCE* 42:11–15.
- Welsch, R., J. Arango, C. Bär, B. Salazar., S. Al-Babili, J. Beltráin, P. Chavarriaga, H. Ceballos, J. Tohme, dan P. Beyer. 2010. Provitamin A accumulation in cassava (*Manihot esculenta*) roots driven by single nucleotide polymorphism in a phytoene synthase gene. *Plant Cell* 22: 3.356 – 3.365.
- Zacarias, A.M., A.-M. Botha, M.T. Labuschagne and I.R.M. Benesi. 2004. Characterization and genetic distance analysis of cassava (*Manihot esculenta* Crantz) germplasm from Mozambique using RAPD fingerprinting. *Euphytica* 138: 49–53.