

DAFTAR PUSTAKA

- Adisewojo, R. S. 1964. Bertjotjok Tanam Teh (*Camellia theifera*). Penerbitan Sumur, Bandung.
- Anjarsari, I.R.D. 2016. Katekin teh Indonesia: prospek dan manfaatnya. *Jurnal Kultivasi*. 15(2): 99-106.
- Anonim. 2008. Keadaan Umum Perkebunan Teh PT Pagilaran. Kiprah PT Pagilaran Pengembangan Klon-Klon Unggul Teh dan Kakao. PT Pagilaran, Pekalongan.
- AOAC. 2013. Guideline for dietary supplements and botanicals. Association of Official Analytical Chemists.
- Bathia, I.S., and Ullah, M.R. 1968. Polyphenols of tea. *J. Sci. Food Agric.*, 19: 535-542.
- Cherotich, L., S.M. Kamunya, A. Alakonya, S.W. Msomba, M.A. Uwimana, J.K. Wanyoko, and P.O. Owuor. 2013. Variation in catechin composition of popularly cultivated tea clones in East Africa (Kenya). *American Journal of Plant Sciences*. 4:628-640.
- Chrismaaji, Y.D. 2018. Penetapan Kadar Kafein dalam Kopi Bubuk Murni Robusta Merek “X” dengan Metode *High Performance Liquid Chromatography* (HPLC) Fase Terbalik. Skripsi Universitas Sanata Dharma, Yogyakarta.
- Dalluge, J. J., B. C. Nelson, J. B. Thomas, and L. C. Sander. 1998. Selection of column and gradient elution system for the separation of catechins in green tea using high performance liquid chromatography. *Journal of Chromatography A*. 793: 265–274.
- Direktorat Jenderal Perkebunan. 2011. Profile Komoditi Teh. Direktorat Jenderal Perkebunan Kementerian Pertanian, Jakarta.
- Ermer, J. and H.M. Miller. 2005. *Method Validation in Pharmaceutical Analysis. A Guide to Best Practice*. Weinheim: Willey-VCH Verlag GmbH & Co.KgaA.
- Gandjar, I.G. dan A. Rohman. 2007. *Kimia Farmasi Analisis*. Pustaka Pelajar, Yogyakarta.
- Hara Y. 1999. Tea in Japan. *Dalam: In Jain N.K. (ed.). Global Advances in Tea Science*, hal 89-102. Aravali Book International (P) Ltd., New Delhi.
- Harler, C. R. 1966. *Tea Growing*. Oxford University Press, London.
- Kamiyama, O., F. Sanae, K. Ikeda, Y. Higashi, Y. Minami, and N. Asano. 2010. In vitro inhibition of α -glucosidases and glycogen phosphorylase by catechin gallates in green tea. *Food Chemistry*. 122: 1061–1066.
- Kusandryani, Y., Luthfy, dan Gunawan. 2005. Karakterisasi dan deskripsi plasma nutfah tomat. *Buletin Plasma Nutfah*. 11(2):55-59.
- Lee, K.J. and H.L. Sang. 2008. Extraction behavior of caffeine and egcg from green and black

- Liu, Y., L. Gao, T. Xia, and L. Zhao. 2009. Investigation of the site-specific accumulation of catechin in the tea plant (*Camellia sineunzte*) via Vanillin-HCl Staining. *J. Agric. Food Chem.*57:10371-10376.
- Mangoendidjojo, W. 2003. Dasar-Dasar Pemuliaan Tanaman. Penerbit Kanisius, Yogyakarta.
- Mangoendidjojo, W. 2006. Varietas dan Potensi Hasil Tanaman Teh. Fakultas Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Martono, B. 2011. Keragaman dan tanggap pertumbuhan serta produksi asiatikosida pegagan (*Centella asiatica* (L.) Urban) pada ketinggian tempat dan naungan yang berbeda (Disertasi, Institut Pertanian Bogor, Bogor).
- Martosupono, M. 1995. Beberapa Faktor Ketahanan Tanaman Teh Terhadap Penyakit Cacar (*Exobasidium vexans*). Disertasi Doktor UGM.
- Nagata, T. and S. Sakai. 1984. Differences caffeine, flavonols, and amino acids contents in leaves of cultivated species of *Camellia*. *Jpn. J. Breed.* 34:459-467.
- Pusat Penelitian Teh dan Kina. 2008. Petunjuk Teknis Pengelolaan Teh. Pusat Penelitian Teh dan Kina, Gambung.
- Ramos, S. 2007. Effects of dietary flavonoids on apoptotic pathways related to cancer chemoprevention. *Journal of Nutritional Biochemistry.* 18(7): 427-442.
- Saito, S.T., A. Welzel, E.S. Suyenaga, dan F. Bueno. 2006. A method for fast determination of epigallocatechin gallate (EGCG), epicatechin (EC), catechin (C) and caffeine (CAF) in green tea using HPLC. *Ciênc. Tecnol. Aliment.* 26(2): 394-400.
- Sealy, J. 1958. A revision of genus *Camellia*. Royal Horticultural Society, London.
- Sing, D. Dan P.S. Ahuja. 2006. 5S rDNA gene diversity in tea (*Camellia sinensis* (L.) O. Kuntze) and its use for variety identification. *Genome.* 49: 91-96.
- Singh, R., N. Akhtar, and T. M. Haqqi. 2010. Green tea polyphenol epigallocatechin-3-gallate: information and arthritis. *Life Sciences.* 86: 679-684.
- Suyadi, M., W. Mangoendidjojo, H. Hartiko, dan P. Yudono. 2012. Kandungan katekin dan kualitas (warna air seduhan, flavor, kenampakan) enam klon teh (*Camellia sinensis* (L.) O. Kuntze) di ketinggian yang berbeda. *Agritech.* 32(2): 199-206.
- Sriyadi, B. 2012. Seleksi klon teh assamica unggul berpotensi hasil dan kadar katekin tinggi. *Jurnal Penelitian Teh dan Kina.* 15(1): 1-10.
- Syakhala, A. R., D. Puspitaningrum dan E. P. Purwandari. 2015. Perbandingan metode *Principle Component Analysis* (PCA) dengan metode *Hidden Markov Model* (HMM) dalam pengenalan identitas seseorang melalui wajah. *Jurnal Rekursif* 3(2): 68-80.



Visser, T. 1969. Outlines of Perennial Crop Breeding in the Tropics. Institute of Plant Breeding, Landbouwhogeschool, Wageningen.

Wei, K., L. Wang, J. Zhou, W. He, J. Zeng, Y. Jiang, and H. Cheng. 2011. Catechins contents in tea (*Camellia sinensis*) as affected by cultivar and environment and their relation to chlorophyll contents. *Food Chem.* 125: 44-48.

Xiong, L., J. Li, Y. Li, L. Yuan, S. Liu, J. Huang, and Z. Liu. 2013. Dynamic changes in catechin levels and catechin biosynthesis-related gene expression in albino tea plants (*Camellia sinensis* L.). *Plant Physiology and Biochemistry.* 71:132-143.

Yamanishi T. 1999. Tea flavor. Aravali Book International (P) Ltd., New Delhi.

Yang, T. T. C. and M. W. L. Koo. 1997. Hypocholesterolemic effects of Chinese tea. *Pharmacological Research.* 35(6):505–512.