



REFERENCE

- Barba, C., Cavalli-Sforza, T., Cutter, J., Darnton-Hill, I., Deurenberg, P., Deurenberg-Yap, M., Nishida, C. (2004). Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *Lancet*, 363(9403), 157–163. [https://doi.org/10.1016/S0140-6736\(03\)15268-3](https://doi.org/10.1016/S0140-6736(03)15268-3)
- Brady, T. M. (2016). The Role of Obesity in the Development of Left Ventricular Hypertrophy Among Children and Adolescents. *Current Hypertension Reports*, 18(1), 1–7. <https://doi.org/10.1007/s11906-015-0608-3>
- Brown, L. M., Gent, L., Davis, K., & Clegg, D. J. (2011). Metabolic Impact of Sex Hormones on Obesity. *Brain*, 77–85. <https://doi.org/10.1016/j.brainres.2010.04.056>
- Cain, P. A., Ahl, R., Hedstrom, E., Ugander, M., Allansdotter-Johnsson, A., Friberg, P., & Arheden, H. (2009). Age and gender specific normal values of left ventricular mass, volume and function for gradient echo magnetic resonance imaging: A cross sectional study. *BMC Medical Imaging*, 9(Lvm). <https://doi.org/10.1186/1471-2342-9-2>
- Daimon, M., Watanabe, H., Abe, Y., Hirata, K., Hozumi, T., Ishii, K., Yoshikawa, J. (2008). Normal Values of Echocardiographic Parameters in Relation to Age in a Healthy Japanese Population, 72(December), 1–8.
- Daniels, S. R., Meyer, R. A., Liang, Y., & Bove, K. E. (1988). Echocardiographically Determined Left Ventricular Mass Index in Normal Children, Adolescents and Young Adults. *Journal of the American College of Cardiology*, 12(3), 703–708. [https://doi.org/10.1016/S0735-1097\(88\)80060-3](https://doi.org/10.1016/S0735-1097(88)80060-3)
- de Simone, G., Izzo, R., De Luca, N., & Gerds, E. (2013). Left ventricular geometry in obesity: Is it what we expect? *Nutrition, Metabolism and Cardiovascular Diseases*, 23(10), 905–912. <https://doi.org/10.1016/j.numecd.2013.06.012>
- de Simone, G., Pasanisi, F., & Contaldo, F. (2001). Link of nonhemodynamic factors to hemodynamic determinants of left ventricular hypertrophy. *Hypertension*, 38(1), 13–18. <https://doi.org/10.1161/01.HYP.38.1.13>
- Du, T., Sun, X., Yin, P., Huo, R., Ni, C. and Yu, X. (2013). Increasing trends in central obesity among Chinese adults with normal body mass index, 1993–2009. *BMC Public Health*, 13(1).



- Dušan, P., Tamara, I., Goran, V., Gordana, M.-L., & Amira, P.-A. (2015). Left ventricular mass and diastolic function in obese children and adolescents. *Pediatric Nephrology*, 30(4), 645–652. <https://doi.org/10.1007/s00467-014-2992-3>
- Estephan, M. (2010). Effect of body mass index on left ventricular mass. *Journal of Al-Nahrain University Science*, 13(2), pp.114-123.
- Ganau, A., Devereux, R. B., Pickering, T. G., Roman, M. J., Schnall, P. L., Santucci, S., Laragh, J. H. (1990). Relation of left ventricular hemodynamic load and contractile performance to left ventricular mass in hypertension. *Circulation*, 81(1), 25–36. <https://doi.org/10.1161/01.CIR.81.1.25>
- Gelber RP, Gaziano JM, Orav EJ et al. Measures of obesity and cardiovascular risk among men and women. *Journal of the American College of Cardiology*, 2008, 52(8):605-615.
- Han, T., Seidell, J., Currall, J., Morrison, C., Deurenberg, P. and Lean, M. (1997). The influences of height and age on waist circumference as an index of adiposity in adults. *International Journal of Obesity*, 21(1), pp.83-90
- Han, T. S. (2006). Assessment of obesity and its clinical implications. *Bmj*, 333(7570), 695–698. <https://doi.org/10.1136/bmj.333.7570.695>
- Huxley R, Mendis S, Zheleznyakov E et al. Body mass index, waist circumference and waist:hip ratio as predictors of cardiovascular risk – a review of the literature. *European Journal of Clinical Nutrition*, 2010, 64(1):16-22.
- Bassett J., et International Diabetes Institute/ Western Pacific World Health Organization (2000). The Asia-Pacific perspective: redefining obesity and its treatment. *Geneva, Switzerland: World Health Organization*. <https://doi.org/0-9577082-1-1>
- Jafary, F. H., & Jafar, T. H. (2008). Disproportionately high risk of left ventricular hypertrophy in Indo-Asian women: A call for more studies. *Echocardiography*, 25(8), 812–819. <https://doi.org/10.1111/j.1540-8175.2008.00713.x>
- Kamal, H. M., Atwa, H. A., Saleh, O. M., & Mohamed, F. A. (2012). Echocardiographic evaluation of cardiac structure and function in obese Egyptian adolescents. *Cardiology in the Young*, 22(4), 410–416. <https://doi.org/10.1017/S1047951111001910>
- Kemenkes RI. (2014). Info Datin Pusat Data Dan Informasi Kementerian Kesehatan RI. *Jakarta: Kementerian Kesehatan RI*, 109(1), 1–8. <https://doi.org/10.1017/CBO9781107415324.004>



- Lang, R. M., Badano, L. P., Mor-Avi, V., Afilalo, J., Armstrong, A., Ernande, L., Voigt, J. U. (2015). Recommendations for cardiac chamber quantification by echocardiography in adults: An update from the American society of echocardiography and the European association of cardiovascular imaging. *European Heart Journal Cardiovascular Imaging*, 16(3), 233–271. <https://doi.org/10.1093/ehjci/jev014>
- Liu, X., Chen, Y., Boucher, N. L., & Rothberg, A. E. (2017). Prevalence and change of central obesity among US Asian adults: NHANES 2011-2014. *BMC Public Health*, 17(1), 1–9. <https://doi.org/10.1186/s12889-017-4689-6>
- Lorell H baverly, Blase A, C. (2000). Left Ventricular Hypertrophy Patogenesis, Detection and Prognosis. *American Heart Association*, 101(February), 329–335. <https://doi.org/10.1161/01.CIR.0000069330.41022.90>
- Mahmood, D., Jahan, K., & Habibullah, K. (2015). Primary prevention with statins in cardiovascular diseases: A Saudi Arabian perspective. *Journal of the Saudi Heart Association*, 27(3), 179–191. <https://doi.org/10.1016/j.jsha.2014.09.004>
- Marwick, T. H., Gillebert, T. C., Aurigemma, G., Chirinos, J., Derumeaux, G., Galderisi, M., Zamorano, J. L. (2015). Recommendations on the use of echocardiography in adult hypertension: A report from the European Association of Cardiovascular Imaging (EACVI) and the American Society of Echocardiography (ASE). *European Heart Journal Cardiovascular Imaging*, 16(6), 577–605. <https://doi.org/10.1093/ehjci/jev076>
- Mehta, S. (2014). Left Ventricular Mass in Children and Adolescents With Elevated Body Mass Index and Normal Waist Circumference. *The American Journal of Cardiology*, 113(6), pp.1054-1057.
- Park, S., Choi, S., Lee, K. and Park, H. (2009). Waist Circumference and Waist-to-Height Ratio as Predictors of Cardiovascular Disease Risk in Korean Adults. *Circulation Journal*, 73(9), pp.1643-1650.
- Pasco, J. A., Holloway, K. L., Dobbins, A. G., Kotowicz, M. A., Williams, L. J., & Brennan, S. L. (2014). Body mass index and measures of body fat for defining obesity and underweight: a cross-sectional, population-based study. *BMC Obesity*, 1(1), 9. <https://doi.org/10.1186/2052-9538-1-9>
- Redinger, R. (2007). The Pathophysiology of Obesity and Its Clinical Manifestations. *Gastroenterology & Hepatology*, 3(11).
- Sweeting, H. N. (2008). Gendered dimensions of obesity in childhood and adolescence. *Nutrition Journal*, 7(1), 1–14. <https://doi.org/10.1186/1475-2891-7-1>



- Turkbey, E. B., McClelland, R. L., Kronmal, R. A., Burke, G. L., Bild, D. E., Tracy, R. P., Bluemke, D. A. (2010). The Impact of Obesity on the Left Ventricle. The Multi-Ethnic Study of Atherosclerosis (MESA). *JACC: Cardiovascular Imaging*, 3(3), 266–274.
<https://doi.org/10.1016/j.jcmg.2009.10.012>
- Welch GW, Sowers MR. The interrelationship between body topology and body composition varies with age among women. *Journal of Nutrition*, 2000, 130(9):2371-2377.
- Wowor, R. L., & Umboh, G. D. K. J. M. L. (2015). Faktor-faktor yang Mempengaruhi Pembesaran Jantung Kiri (LVH) pada Mahasiswa Pria Peserta Kepanitraan Klinik Madya Fakultas Kedokteran Universitas Sam Ratulangi, 54–62.
- Yoon, Y. S., & Oh, S. W. (2014). Optimal waist circumference cutoff values for the diagnosis of abdominal obesity in korean adults. *Endocrinology and Metabolism (Seoul, Korea)*, 29(4), 418–426.
<https://doi.org/10.3803/EnM.2014.29.4.418>
- Yusuf S, Hawken S, Ounpuu S et al. Obesity and the risk of myocardial infarction in 27,000 participants from 52 countries: a case-control study. *Lancet*, 2005, 366(9497):1640-1649.
- Z Attar, R., & Y Safdar, O. (2016). Left Ventricular Hypertrophy in Obese Children. *Journal of Obesity & Weight Loss Therapy*, 06(02).
<https://doi.org/10.4172/2165-7904.1000309>