

DAFTAR PUSTAKA

- Almatsier, S., 2004, *Prinsip Dasar Ilmu Gizi*, Gramedia Pustaka Utama, Jakarta.
- Anggorodi, R., 1994, *Ilmu Makanan Ternak Umum*, Cetakan ke-5, Gramedia Pustaka Utama, Jakarta.
- Anfinsen, C.B.Jr., 1965, *Advance in Protein Chemistry*, Volume 20, Academic Press, New York.
- Astuti, E.P., 2017, Status Gizi Balita Di Posyandu Melati Desa Sendangadi Mlati Sleman Yogyakarta, *Jurnal Permata Indonesia*, 8(1), 18-23.
- Barac, M.B., Pesic, M.B., Stanojevic, S.P., Kostic, A.Z., dan Bivolarevic, V., 2014, Comparative Study of The Functional Properties of Three Legume Seed Isolates: Adzuki, Pea, and Soy Bean, *J. Food Sci. Technol.*, 52(5), 2779-2787.
- Bashir, A., Ashraf, S.A., Khan, M.A., dan Azad, A.A., 2015, Development and Compositional Analysis of Protein Enriched Soybean-Pea-Wheat Flour Blended Cookies, *Asian J. Clin Nutr*, 7(3), 76-83.
- Belitz, H.D., Grosch, W., dan Schieberle, P., 2009, *Food Chemistry*, 4th Revised and Extended Edition, Pringer, Verlag-Berlin-Heidelberg.
- Bewley, J.D., dan Black, M., 1994, *Seeds: Physiology of Development and Germination*, Plenum Press, New York.
- Boye, J.I., Aksay, S., Raufik, S., Riberiau, S., Mondor, M., Farnworth, E., dan Rajamuhamed, S.H., 2010, Comparison of the Functional Properties of Pea, Chickpea and Lentil Protein Concentrates Processed Using Ultrafiltration and Isoelectric Precipitation Techniques, *Food Research International*, 43(2), 537-546.
- Budianto, A.K., 2009, *Dasar-Dasar Ilmu Gizi*, UMM Press, Malang.
- Budijanto, T., Azis, B.S., dan Wita, M., 2011, Karakterisasi Sifat Fisko-Kimia dan Fungsional Isolat Protein Biji Kecapir, *J.Tekno dan Ilmu Pangan*, 22(2), 130-136.
- Carey, F.A., 2000, *Organic Chemistry*, 4th Edition, McGraw Hill, Amerika.
- Chenchen, Y., dan Jaczynski, A., 2007, Protein Recovery from Rainbow Trout (*Oncorhynchus mykiss*) Processing by Product via Isoelektric Solubilization/Precipitation and Its Gelation Properties As Affected by Functional Additivies, *J. Agric. Food Chem.*, 55, 9078-9088.
- Cherney, D.J.R., 2000, *Characterization of Forage by Chemichal Analysis*, CABI Publishing, Wallingford.

- Colgrave, M.L., Allingham, P.G., Tyrell, K., dan Jones, A., 2012, *Multiple Reaction Monitoring for the Accurate Quantification of Amino Acids: Using Hydroxyproline to estimate Collagen Content*. Dalam Alterman, M.A, Hunziker, P., *Amino Acid Analysis: Methods and Protocol*, 828, Springer Science+Business Media, Berlin.
- Considine, D.M, dan Considine, G.D., 1982, *Food and Food Production Encyclopedia*, Vand Nostrand Reinhold Company, New york.
- Codex Alimentarius Commission, 1983, *Recommended International Standard for Concentrated Orange Juice Preserved Exclusively by Physical Process*, CAC/ACCEPTANCES/PART I-Rev. 2, 1 Feb 1983 APPENDIX II.
- Darmadjati, D. S., Marwoto, D. K. S., Swastika D. M. Arsyad dan Y. Hilman., 2005, *Prospek dan Pengembangan Agribisnis Kedelai*. Badan Litbang Pertanian, Departemen Pertanian, Jakarta.
- Dalimartha, S., 2000, *Atlas Tumbuhan Obat Indonesia*, Trobus Agriwidya, Bogor.
- Davis, G.K., dan Mertz, W., 1987, *Trace Elements in Human and Animal Nutrition*, Academic Press, Inc, San Diego.
- Ensminger, A., 1994, *Foods and Nutrition Encyclopedia Volume 1*, 2nd Edition, CRC Press LLC, Boca Raton.
- Eny K., 1998, Pemanfaatan Tepung Gayam dalam Rangka Keanekaragaman Pangan, *Skripsi*, Institut Pertanian Bogor.
- Eromosele, I.C., Eromosele, C.O., dan Funmilayo, D.O, 2008, Grafting of Acrylonitrile onto Allylated Caesarweed Fibers by Potassium Permanganate-N,N'- Dimethylacetamide Redox Pair, *J. Appl. Polym. Sci*, 110(5), 2671-2675
- Fan, T.Y. dan Sosulski, F.W., 1974, Dispersibility and Isolation of Proteins from Legume Flours. *Can. Inst. Food Sci. Technol. J.*, 7(4), 256-259.
- FAO/WHO, 1992, *Protein Quality Evaluation: Report of Joint FAO/WHO Expert Consultation*, Food and Agriculture Organization, Roma.
- FAO/WHO, 1985, *Energy and Protein Requirements*, World Health Organisation, Tech Report Series, 522, India
- Ghering, C.K., Davenport, M.P., dan Jaczynski, J., 2009, Functional and Nutritional Quality of Protein and Lipid Recovered from Fish Processing by-Product and Underutilized Aquatic Species Using Isoelectric Solubilization/Precipitacion, *Curr. Nutr. Food Sci*, 5. 17-39.
- Gopakumar, K., 1998, Utilization of by Catches and Low-Value Fish in India, *Proceedings of the APFIC Symposium*, Sept. 24-26, RAP Publication (FAO), 29-48.
- Handayani, T., Sutarno., Setyawan, A.D., 2004. Analisis Komposisi Nutrisi Rumput Laut (*Sargassum crassifolium*), *J. Agardh. Biofarmasi*, 2(2), 45-52.

- Harper., V. W. Rodwell., dan P.A Mayes., 1979, *Biokimia*, EGC, Jakarta.
- Haslina., Muis, S.F., dan Suyatno., 2006, Nilai Gizi Daya Cerna Protein dan Daya Terima Patilo sebagai Manakan Jajanan yang Diperkaya dengan Hidrolisat Protein Ikan Mujair (*Oreochomis Mossambicus*), *J. Gizi Indonesia*, 1(2), 34-40.
- Hindrawati, S., dan Hesty, N., 2011, *Keunggulan Lamtoro sebagai Pakan Ternak*, BPTU Sumbawa, Sumbawa.
- Hrynets, Y., Omana, D.S., Xu, Y., Betti, M., 2010, Impact of Citric Acid and Calcium Ions on Acid Solubilization Separated Turkey Meat: Effect on Lipid and Pigment C, *J. Poultry . Sci.*, 90(2), 458-466.
- Hui, Yiu H., 2006, *Handbook of Food Science, Technology, and Engineering Volume 1*, Taylor & Francis Group, Boca Raton
- Ingale, S., dan Shrivastava, S.k., 2011, Amino Acid Profile of Some New Vartieties of Oil Seeds, *Adv. J Food Sci. Technol.*, 3(2), 111-115.
- Irawan, M.A., 2007, Glukosa dan Metabolisme Energi, *Sport Science Brief*, 1(6), 1-5.
- Irianto, 2007, *Panduan Gizi Lengkap Keluarga dan Olahragawan*, Andi Offset, Yogyakarta.
- Ivanova, P., Chalova, V., dan Koleva, L., 2014, Functional Properties of Proteins Isolated From Industrially Produced Sunflower Meal, *International Journal of Food Studies*, 3, 203-2012.
- Kinsella, J.E., 1979, Functional Properties of Soy Protein, *J. Am. Oil Chemists Soc*, 56, 242-258.
- Kristinson, H.G., Theodore, A.E., Demir, N. Dan Ingadottir, B., 2005, A Comparative Study between Acid-aided and Alkali-aided Processing and Surimi Processing for the Recovery of Protein from Channel Catfish Muscle, *J. Food Sci.*, 70, 298-306.
- Kumoro, A.C., Sofiah, Aini, N., Retnowati, D.S., dan Budiayati, C.S., 2010, Effect of Temperature and Particle Size on the Alkaline Extraction of Protein from Chicken Bone Waste, *Reaktor*, 13(2), 124-130.
- Kuntari, J., Sunarto., dan Kurniati., 2013., Faktor Risiko Malnutrisi Balita, *Jurnal Kesehatan Masyarakat Nasional*, 7(12). 573-576.
- Kusnandar, F., 2011, *Kimia Pangan Komponen Makro*, Dian Rakyat, Jakarta.
- Linder, M.C., 1992, *Biokimia Nutrisi dan Metabolisme*, Terjemahan Aminuddin Parakkasi, UI Press, Jakarta.
- Madandola, H.A., Oguntoye, M.O., Apeh, L.E., dan Olorunmaiye, K.S., 2018, Proximate Analysis of *Leucaena Leucocephala* (Lam.) De Wit, *Parkia Biglobosa* (Jacq.) Benth and *Prosopis Africana* (guill & perr.) Taub., *Annals. Food Science and Technology*, 19(1) 35-38.

- Mamoun, N., Homedia, S., Mabyou, M., Muntasir, H.M.A., Salah, T., dan Adam, I., 2005, Prevalence, types, and risk factors for malnutrition in displaced Sudanese children, *American Journal of Infectious Disease*, 1(2), 84-6.
- Marino, R., Lammarino, M., Santalino, A., Muscarella, M., Caroprese, M., dan Albenzio, M., 2010, Technical Note: Rapid Method for Determination of Amino Acids in Milk, *J. Dairy Sci*, 93, 2367-2370.
- McCarthy, A.L., O'Callaghan, Y.C., dan O'Brien, N.M., 2013, Protein Hydrolysates from Agricultural Crops-Bioactivity and potential for Functional Food Development, *Agriculture*, 3, 112-130.
- Moore, J.C., de Vries, W., Lipp, M., Griffiths, J.C. Abernethy, D.R., 2010, Total Protein Methods and their Utility to Reduce the Risk of Food Protein Adulteration, *Comp. Rev. Food Sci. Food Staf*, 9(4), 330-351.
- Muchtadi, D., Palupi, N. S., dan Astawan, M., 1993. *Metabolisme Zat Gizi*, Pustaka Sinar Harapan, Jakarta.
- Muslim, Azis., 2014, Faktor-Faktor yang Mempengaruhi Nilai Impor Kedelai Indonesia. *Determining Factors Of Indonesia's Soybean Import*, Buletin Ilmiah Litbang Perdagangan, 8(1), 117-138.
- Nielsen, S.S., 2009, *Food Analysis*, 4th Edition, Springer, New York.
- Nolsoe, H., dan Undeland, I., 2009, The Acid and Alkaline Solubilization Process for the Isolation of Muscle Protein: State of the art, *Food Bioprocess Technol.*, 2, 1-27.
- Nurilmala, M., M, Wahyuni., dan H, Wiratmaja., 2006, Perbaikan Nilai Tambah Limbah Tulang Ikan Tuna (*Thunus SP*) Menjadi Gelatin Serta Analisis Fisika-Kimia, *Jurnal Buketin Teknologi Hasil Perikanan*, 9(2), 22-33.
- Oktavia, S., Laksmi, W., dan Ronny, A., 2017, Faktor-Faktor yang Berhubungan Dengan Status Gizi Buruk Pada Balita Di Kota Semarang Tahun 2017, *Jurnal Kesehatan Masyarakat*, 5(3), 186-192.
- Pitt, J.J., 2009, Principles and Applications of Liquid Chromatography-Mass Spectrometry in Clinical Biochemistry, *Clin. Biochem.Rev.*, 30, 19-34.
- Poedjiadi, A., 1994, *Dasar-Dasar Biokimia*, UI-Press, Jakarta.
- Pomeranz, Y., dan Meloan, C.E., 1994. *Food analysis: theory and practice*, 3rd Edition., Chapman and Hall, New York.
- Pringgohandoko, B., dan O.S, Padmini., 1999, Pengaruh Rhizo-plus dan Pemberian Cekaman Air Selama Stadia Reproduksi terhadap Hasil dan Kualitas Biji Kedelai, *Agrivet*, 1, 23-28.
- Purnomo, H., dan Adiono., 2010, *Ilmu Pangan*, UI-Press, Jakarta.
- Ragab, D.M., Babiker, E.E., Eltinay, A.H., 2004, Fractination, Solubility and Functional Properties of Cowpea (*Vigna unguiculata*) Proteins as Affected by pH and/or Salt Concentration, *J. Food Chem.*, 84,207-212.

- Rochman, Abdul., dan Sumantri., 2007, *Analisis Makanan*, UGM Press, Yogyakarta.
- Rodri'guez-Ambriz, S.L., Marti'nez-Ayala, A.L., Milla'n, F., dan Da'vila-Orti'z,g., 2005, Composition and Functional Properties of *Lupinus campestris* Protein Isolates, *Plant Foods Hum. Nutr.*, 60, 99-107.
- Rosenberg, I.M., 2005, *Protein Analysis and Purification: Benchtop Techniques*, Second Edition, Birkhauser, Boston.
- Rosida, Dedin F., Yulistiani R., dan Ardiani W., 2014, Isolasi Protein Biji Lamtoro Gung (*Leucaena leucocephala*) Menggunakan Cairan Rumen Domba, *Jurnal Rekapangan*, 8(1), 117-127.
- Saetae, Donlaporn., Kleekayai, Thanyaorn., Jayasena, Vijay., dan Suntornasuk, Worapot., 2011, Functional Properties of Protein Isolate Obtained from Physic Nut (*Jatropha curcas* L.) Seed Cake, *Food Sci.. Biotechnol.*, 20(1), 29-37.
- Saha, U.K., Sonnon, L., Kissel, D.E., 2012, Comparasion of Conductimetric and Colorimetric Method with Distillation-Titration Method of Analyzing Ammonium-Nitrogen in Total Kjeldahl Digests, *Commun. Soil Sci. Plant Anal.*, 43(18), 2323-2341.
- Sarantinos., J.Tran, V.H., dan Robert, G.B., 1996, The effects of fungal infection on chemical and functional properties of chickpeas (*Cicer arietinum*) and faba bean (*Vicia faba*), *J.Sci. Food Agric.*, 70, 197-200.
- Sarker, D.S., Latif, Z., Gray, A.I., 2006, *Natural Products Isolation: 2nd edition*, Humana Press, New Jersey.
- Scrimshaw, N.S., dan Young, V.R., 1976, The Requirements of Human Nutrition, *Scientific American*, 235, 50-64.
- Siagian, A., 2003, *Pendekatan Fortifikasi Pangan untuk Mengatasi Masalah Kekurangan Zat Gizi Mikro*, Universitas Sumatera Utara. Medan.
- Simoons, F.J., 1981, *Eat Not This Flesh: Food Avoidances in The Old World*, Greenwood Press, Westport.
- Soekirman., 2000, *Ilmu Gizi dan Aplikasinya untuk Keluarga dan Masyarakat*, Ditjen Pendidikan Tinggi Departemen Pendidikan Nasional, Jakarta.
- Sudarmadji, S., Haryono, B., dan Suhardi., 2003, *Prosedur Analisis Bahan Makanan dan Pertanian*, Liberty, Yogyakarta.
- Suliman, M.A., El-Tinay, A.H., dan El-Khalifa, A.E.O., 2006, Solubility as Influenced by NaCl Concentration and Functional Properties of Lentil Protein Isolate, *J. Nutr.*, 5(6), 589-593.
- Sultana, R., dan Gulzar, T., 2012, Proximate Analysis of *Adenanthera pavonina* L. Seed Oil, A Source of Lignoceric Acid Grown in Pakistan, *J.Am. Oil Chem. Soc.*, 89(9), 1611-1618.
- Syah, D., 2012, *Pengantar Teknologi Pangan*, IPB Press, Bogor.

- Thenawidjaja, M., 1993, *Dasar-Dasar Biokimia*, jilid I (Lehninger, A.L., 1982, Principles of biochemistry, whort publisher, Inc., Maryland) Erlangga, Jakarta.
- Triyono, A., 2010, *Mempelajari Pengaruh Penambahan Beberapa Asam pada Proses Isolasi Protein Terhadap Tepung Protein Isolat Kacang Hijau (*Phaseolus Radiates L.*)*, Seminar Rekayasa Kimia dan Proses, 4-5 Agustus 2010, 1-9.
- Vidotti, R.M., Viegas, E.M.M., dan Carneiro, D.J., 2003, Amino Acid Co,position of Processed Fish Silage Using Different Raw Materials, *Anim. Feed Sci. Technol.*, 105, 199-204.
- Villaneuva, A., Vioque, J., Sanchez-Vioque, R., Clemente, A., Bautista, J., dan Millan, F., 1999, Production of An Extensive Sunflower Protein Hydrolysate by Sequential Hydrolysis with Endo and Exo-Proteases, *Grasas y Aceites*, 50(6), 472-476.
- Wani, A.A., Sogi, D.S., Snigh, P., dan Khatkar, B.S., 2015, Influence of Watermelon Seed Protein Concetrtes on Dought Handling, Textural and Sensory Properties of Cookies, *J. Food Sci. Technol*, 52(4), 2139-2147.
- Widodo, R., 2009, *Pemberian Makanan, Suplemen, dan Obat Pada Anak*, EGC, Jakarta.
- William, D.H., and Flemming, I., 1997, *Spectroscopic Methods in Organic Chemistry*, 5th Edition, McGraw-Hill Companies, London.
- Winarno., 1997, *Kimia Pangan dan Gizi*, Gramedia Pustaka Utama, Jakarta.
- Wu, G.Y., Bazer, F.W., Dai, Z.L., Li, D.F., Wang, J.J., Wu, Z.L., 2014, Amino Acid Nutrition in Animals: Protein Synthetis and Beyond, *Annu. Rev. Ani. Biosci*, 2, 387-417.
- Yuliana, M., Truong, C.T., Huynh, L.H., Ho, Q.P., and Ju, Y.H., 2014, Isolation and Characterization of Protein Isolated from Defatted Cashew Nut Shell: Influence of pH and NaCl on Solubulity and Functional Properties, *J.Food Sci.Technol*, 55(2), 21-26.
- Zimmer, D., 2003, Introduction to Quantitative Liquid Chromatography-Tandem Mass Spectrometry (LC-MS-MS), *Chromatography Supplement*, 57, S-325-S-332.