

## DAFTAR PUSTAKA

- Afzal, I., A. Butt, H. Ur Rehman, S.M.A. Basra, A. Afzal. 2012. Alleviation of salt stress in fine aromatic rice by seed priming. *Aust. J. Crop Sci.* 6 (10) : 1401-1407.
- Agus, H. 2007. *Budidaya Padi secara Organik*. Penebar Swadaya, Jakarta.
- Aksi Agri Kanisius. 1990. *Budidaya Tanaman Padi*. Penerbit Kanisius, Yogyakarta.
- Amrullah. 2000. Tingkat Kandungan Klorofil Daun dan Kontribusinya serta Pengaruh Pemupukan NPKMg dan Pemberian Metanol terhadap Kandungan Klorofil, Pertumbuhan dan Produktivitas Tanaman Cabai Merah (*Capsicum annuum* L.). Program Pascasarjana. Institut Pertanian Bogor. Tesis.
- Anggraini, F., A. Suryanto, N. Aini. 2013. Sistem tanam dan umur bibit pada tanaman padi sawah (*Oryza sativa* L.) varietas INPARI 13. *Jurnal Produksi Tanaman* 1 (2): 52-60.
- Ashari, S. 1995. *Hortikultura (Aspek Budidaya)*. Universitas Indonesia Press, Jakarta.
- BPS. 2014. Perkiraan Penduduk beberapa Negara, 2000-2014. <<https://www.bps.go.id/linkTableDinamis/view/id/960>>. Diakses pada tanggal 27 Februari 2017.
- BPS. 2015. Konsumsi Rata-Rata per Kapita Seminggu beberapa Macam Bahan Makanan Penting, 2007-2014. <<https://www.bps.go.id/linkTabelStatis/view/id/950>>. Diakses pada tanggal 27 Februari 2017.
- BPTP Yogyakarta. 2017. *Sembada Merah dan Sembada Hitam Sumber Daya Genetik Lokal Kabupaten Sleman*. <[http://yogya.litbang.pertanian.go.id/ind/index.php?option=com\\_content&view=article&id=1213:sembada-merah-dan-sembada-hitam-sumber-daya-genetik-lokal-kabupaten-sleman&catid=4:info-aktual&Itemid=174](http://yogya.litbang.pertanian.go.id/ind/index.php?option=com_content&view=article&id=1213:sembada-merah-dan-sembada-hitam-sumber-daya-genetik-lokal-kabupaten-sleman&catid=4:info-aktual&Itemid=174)>. Diakses pada tanggal 14 Maret 2018.
- Brown, A. 2000. *Understanding Food: Principles and Preparation*. Wadsworth Thomson Learning, USA.
- Castanares, J.L., and C.A. Bouzo. 2017. Effect of priming on germination and initial growth of melon plants under salt stress. *Revista FAVE-Ciencias Agrarias* 16 (2).
- Chahal, G.S. and S.S. Gosal. 2002. *Principles and Procedures of Plant Breeding: Biotechnological and Conventional Approaches*. Alpha Science International Ltd., UK.
- Champagne, E.T. and R.J. Hron. 1992. Stabilizing brown rice to lipolytic hydrolysis by ethanol vapors. *Cereal Chem.* 69 (2): 152-156.
- Chang, T.T., and E.A. Bardenas. 1965. *The Morphology and Varietal Characteristics of the Rice Plant*. The International Rice Research Institute, Philippines.
- Copeland, L.O. and M.B. McDonald. 2001. *Principles of Seed Science and Technology*. Burgess Publishing Company, New York.

- Erinnovita, M. Sari, D. Guntoro. 2008. Invigorasi benih untuk memperbaiki perkecambahan kacang panjang (*Vigna unguiculata* Hask. ssp. *sesquipedalis*) pada cekaman salinitas. *Bul. Agron.* 36 : 214-220.
- Farooq, M., S.M.A. Basra, K. Hafeez. 2006. Seed invigoration by osmohardening in coarse and fine rice (*Oryza sativa* L.). *Seed Sci Technol* 34: 181-187.
- Farooq, M., S.M.A. Basra, N. Ahmad. 2007. Improving the performance of transplanted rice. *Plant Growth Regul.* 51:129-137.
- Farooq, S., M. Hussain, K. Jabran, W. Hassan, M.S. Rizwan, T.A. Yasir. 2017. Osmopriming with  $\text{CaCl}_2$  improves wheat (*Triticum aestivum* L.) production under water-limited environments. *Environ Sci Pollut Res* 24: 13638-13649.
- Finocchiaro, F., B. Ferrari, A. Gianinetti. 2010. A study of biodiversity of flavonoid content in the rice caryopsis evidencing simultaneous accumulation of anthocyanins and proanthocyanidins in a black-grained genotype. *Journal of Cereal Science* 51 : 28-34
- Gardner, F.P, R.B. Pearce, dan R.L. Mitchell. 1991. *Physiology of Crop Plant (Fisiologi Tanaman Budidaya, alih bahasa D.H. Goenadi)*. Universirtas Gadjah Mada Press, Yogyakarta.
- Hairmansis, A., H. Aswidinnor, Trikoesoemangtyas, dan Suwarno. 2005. Evaluasi daya pemulih kesuburan padi lokal dari kelompok tropical japonica. *Bul. Agron.* 33 (3): 1-6.
- Haryadi. 2008. *Teknologi Pengolahan Beras*. Universitas Gadjah Mada Press, Yogyakarta.
- Halimursyadah dan E. Murniati. 2008. Pengaruh pemberian senyawa antioksidan sebelum simpan terhadap umur simpan benih kapas (*Gossypium hirsutum* L.). *J. Floratek* 3: 1-9.
- Hawkes, J.G., N. Maxted and B.V. Ford-Lloyd. 2000. *The Ex Situ Conservation of Plant Genetic Resources*. Kluwer Academic Publishers, London.
- Heydecker, W. 1972. In *Viability of Seeds*. E. H. Roberts ed. Syracuse University Press, USA.
- Hussain, M., M.B. Khan, M. Shahzad, A. Ullah, A. Sher, and A. Sattar. 2017. Influence of priming on emergence, weed infestation, growth an yield of wheat sown under different tillage practices. *Int. J. Agric. Biol.* 19 (2): 367-373.
- Ilyas, S. 2012. *Ilmu dan Teknologi Benih. Teori dan Hasil-hasil Penelitian*. IPB Press, Bogor.
- Immawati, D.R., S. Purwanti, D. Prajitno. 2013. Daya simpan benih kedelai hitam (*Glycine max* (L) Merrill) hasil tumpangsari dengan sorgum manis (*Shorgum bicolor* (L) Moench). *Vegetalika* 2 (4): 25-34.
- Jisha, K.C., and J.T. Puthur. 2014. Seed Halopriming Outdo Hydropriming in Enchancing Seedling Vigor and Osmotic Stress Tolerance Potential of Rice Varieties. *J. Crop Sci. Biotech* 17 (4) : 209 – 219.

- Kamil, Jurnalis. 1982. Teknologi Benih. Penerbit Angkasa, Bandung.
- Kartasapoetra, A.G. 2003. Teknologi Benih Pengolahan Benih dan Tuntunan Praktikum. Rineka Cipta, Jakarta.
- Kartika dan D.K. Sari. 2015. Pengaruh lama penyimpanan dan invigorasi terhadap viabilitas dan vigor benih padi lokal Bangka aksesori Mayang. *Enviagro, Jurnal Pertanian dan Lingkungan* 8(1): 10-18.
- Kaczmarek, M., O. Fedorowicz-Stronska, K. Glowacka, A. Waskiewicz, J. Sadowski. 2017. CaCl<sub>2</sub> treatment improves drought stress tolerance in barley (*Hordeum vulgare* L.). *Acta Physiol Plant* 39:42.
- Khan, A. A. 1992. Preplant physiological seed conditioning. *Horticultural Reviews* 13(4):131-181.
- Kim, W. I., A. Kunhikrishnan, J. Y. Kim, H. S. Kim, J. H. Yoo, N. Cho, and J. H. Hong. 2015. Current mitigation techniques for arsenic and cadmium contaminated paddy soils and rice grains in Korea. <[http://www.niaes.affrc.go.jp/marco/marco2015/text/ws3-7\\_wi\\_kim.pdf](http://www.niaes.affrc.go.jp/marco/marco2015/text/ws3-7_wi_kim.pdf)>. Diakses pada tanggal 22 Januari 2017.
- Kong, L., H. Huo, and P. Mao. 2015. Antioxidant response and related gene expression in aged oat seed. *Front. Plant Sci.* 6:158.
- Kushwaha, U.K.S. 2016. Black Rice Research, History and Development. Springer International Publishing, Switzerland.
- Lehner, A., N. Mamadou, P. Poels, D. Côme, C. Bailly, F. Corbineau. 2008. Changes in soluble carbohydrates, lipid peroxidation and antioxidant enzyme activities in the embryo during ageing in wheat grains. *J. Cereal Sci.* 47 : 555–565.
- Makarim, A.K., dan E. Suhartatik. 2009. Morfologi dan Fisiologi Tanaman Padi. Balai Besar Penelitian Tanaman Padi. Jawa Barat.
- Moller, I.M., Jensen, P.E., Hansson, A.. 2007. Oxidative modifications to cellular components in plants. *Annu. Rev. Plant Biol.* 58 : 459-81.
- Mugnisjah, W.Q and S. Nakamura. 1984. Vigour of soybean seed production produced from different nitrogen and phosphorus fertilizer application. *Seed Sci. Technol.* 12: 475 – 482.
- Nautiyal, A.R., and A.N. Purohit. 1985. Seed Viability in Sal III. Membran Distruption in Ageing Seeds of Shorea Robusta. *Seed Sci and Technol.* 13 (1) : 77-82.
- Nonogaki H, G.W. Baseel, J.D. Bewley. 2010. Germination- Still a mystery, *J. Plant Sci.* 1(1): 1-8.
- Nurmauli, N., dan Y. Nurmiaty. 2010. Pengaruh hidrasi dehidrasi dan dosis NPK pada viabilitas benih kedelai. *Jurnal Agrotropika* 15(1): 1 – 8.
- Peter, K. H. 2006. Calcium: a central regulator of plant growth and development. <<http://www.plantcell.org/cgi/content/full/17/8/2142>>. Diakses pada 24 Desember 2017.

- Purwanti, S. 2004. Kajian suhu ruang simpan terhadap kualitas benih kedelai hitam dan kedelai kuning. *Jurnal Ilmu Pertanian* 11 (1): 22-31.
- Rehman, H., S.M.A. Basra, M. Farooq, N. Ahmed, I. Afzal. 2011. Seed priming with  $\text{CaCl}_2$  improves the stand establishment, yield and quality attributes in direct seeded rice (*Oryza sativa*). *Int. J. Agric. Biol.* 13: 786–790.
- Rehman, H, M.Q. Nawaz, S.M.A. Basra, I. Afzal, A. Yasmeen, F. Hassan. 2014. Seed priming influence on early growth, phenological development and yield performance of Linola (*Linum usitatissimum* L.). *Journal of Integrative Agriculture* 13(5): 990-996.
- Rehman, H.U, M. Kamran, S. Maqsood, A. Basra, I. Afzal, M. Farooq. 2015. Influence of seed priming on performance and water productivity of direct seeded rice in alternating wetting and drying. *Rice Science* 22 (4): 189-196.
- Ruliansyah, Agus. 2011. Peningkatan Performansi Benih Kacangan dengan Perlakuan Invigorasi. *J. Perkebunan & Lahan Tropika* 1: 13-18.
- Sadjad, S. 1989. Panduan Mutu Benih Tanaman Kehutanan di Indonesia. IPB, Bogor.
- Sadjad, S. 1994. Kuantifikasi Metabolisme Benih. Grasindo, Jakarta.
- Singh, I., P.K. Rai, A. Dayal, D.K. Srivastav, N. Kumari, and V. Dugesar. 2017. Effect of pre-sowing invigoration seed treatments on germination behaviour and seedling vigour in wheat (*Triticum aestivum* L.) seeds. *Journal of Pharmacognosy and Phytochemistry* 6(4): 932-935.
- Siregar, Hadrian. 1981. Budidaya Tanaman Padi di Indonesia. Sastra Hudaya, Bogor.
- Siswoputranto. 1976. Komoditi Ekspor Indonesia. Gramedia, Jakarta.
- Sitairesmi, T., R.H. Wening, A.T. Rakhmi, N. Yunani, dan U. Susanto. 2013. Pemanfaatan plasma nutfah padi varietas lokal dalam perakitan varietas unggul. *IPTEK Tanaman Pangan* 8 (1): 22-30.
- Suardi, D. dan I. Ridwan. 2009. Beras Hitam, Pangan Berkhasiat yang Belum Populer. *Warta Penelitian dan Pengembangan Pertanian* 31(2): 9-10.
- Suparyono dan A. Setyono. 1993. Padi. Penebar Swadaya, Jakarta.
- Sutariati, G.A.K., Zul'aiza, S. Darsan, M.A. Kasra, S. Wangadi, L. Mudi. 2014. Invigorasi benih padi gogo lokal untuk meningkatkan vigor dan mengatasi permasalahan dormansi fisiologis pascapanen. *Jurnal Agroteknos* 4 (1): 10-17.
- Sutopo, Lita. 1993. Teknologi Benih. Rajawali, Jakarta.
- Sutopo, Lita. 2002. Teknologi Benih. PT RajaGrafindo Persada, Jakarta.
- Tilawah, Resti. 2013. Pengaruh Pengusangan Cepat dan Penyimpanan alami terhadap Viabilitas Benih beberapa Varietas Kacang Tanah (*Arachis hypogaea* L.). Fakultas Pertanian. Institut Pertanian Bogor. Skripsi.
- Tjitrosoepomo, G. 2005. Taksonomi Tumbuhan (Spermatophyta). Universitas Gadjah Mada Press, Yogyakarta.

- USDA. 2017. Classification for Kingdom Plantae Down to Species *Oryza sativa* L. <<https://plants.usda.gov/java/ClassificationServlet?source=display&classid=ORSA#>>. Diakses pada 29 Maret 2017.
- Utami, E.P., M. Sari, E. Widajati. 2013. Perlakuan Priming Benih untuk Mempertahankan Vigor Benih Kacang Panjang (*Vigna Unguiculata*) selama Penyimpanan.
- Vanagamudi, K., K. Natarajan, R.U. Marani, N. Natarajan, A. Bharathi, T. Saravanan. 2008. Advance in Seed Science and Technology Volume 1 Recent Trends in Seed Technology and Management. Agrobios, India.
- Yandianto. 2003. Bercocok Tanam Padi. Penerbit M2S Bandung, Bandung.
- Yao, Z., L. Liu, F. Gao, C. Rampitsch, D.M. Reinecke, J.A. Ozga, B.T. Ayele. 2012. Developmental and seed aging mediated regulation of antioxidative genes and differential expression of proteins during pre- and post-germinative phases in pea. *J. Plant Physiol.* 169 : 1477–1488.
- Yawadio, R., S. Tanimori, N. Morita. 2007. Identification of phenolic compounds isolated from pigmented rices and their aldose reductase inhibitory activities. *Food Chemistry* 101 (4): 1616-1625.
- Yin, G., X. Xin, C. Song, X. Chen, J. Zhang, S. Wu, R. Li, X. Liu, X. Lu. 2014. Activity levels and expression of antioxidant enzymes in the ascorbate-gluthione cycle in artificially aged rice seed. *Plant Physiology and Biochemistry* 80: 1-9.
- Yoshida, Shouichi. 1981. Fundamentals of Rice Crop Science. The International Rice Research Institute, Philippines.
- Zaupa, M., L. Calani, D.D. Rio, F. Brighenti, N. Pellegrini. 2015. Characterization of total antioxidant capacity and (poly) phenolic compounds of differently pigmented rice varieties and their changes during domestic cooking. *Food Chemistry* 187 : 338–347.