

## DAFTAR PUSTAKA

- Anonim. 2009. Budidaya tanaman jagung. Balai Pengkajian Teknologi Pertanian. Nanggroe Aceh Darussalam.
- Anonim. 2016. Outlook Komoditas Pertanian Sub Sektor Tanaman Pangan Jagung. Pusat Data dan Sistem Informasi Pertanian, Kementerian Pertanian.
- Banniza, S. and M.A. Rutherford. 2001. Diversity of isolates of *Rhizoctonia solani* AG-1 1A and their relationship to other anastomosis groups based on pectic zymograms and molecular analysis. Mycol. Res. 10: 33-40.
- Bohlooli, A., S.M. Okhowat, and M. Javan-Nikkhah. 2005. Identification of anastomosis group of *Rhizoctonia solani*, the causal agent of seed rot and damping-off of bean in Iran. Commun. Agric. Applied Biol. Sci. 70 :137-141.
- Borges A.C., E.G. Barros, E.A. Gomes, and M.C. Kasuya. 2002. Polymorphism in the internal transcribed spacer (ITS) of the Ribosomal DNA of 26 isolats of ectomycorrhizal fungi. Genetic Molecular Biology 25:477-483.
- Casselton, L.A. and N.S., Olensnicky. 1998. Molecular genetics of mating recognition in basidiomycete fungi. Microbiol Mol Biol Rev 62:55-70.
- Carling, D.E. 1996. Grouping in *Rhizoctonia solani* by hyphal anastomosis reaction. In: Sneh B, Jabaji-Hare S, Neate S, Dijst G (eds), *Rhizoctonia* Species: taxonomy, molecular biology, ecology, pathology and disease control. Kluwer Academic Publishers, Dordrecht: 37-47.
- Davis, R. 2005. *Fusarium Wilt* (Panama Disease) of Banana. Pest Advisory Leaflet. No. 42. Plant Protection Service, Secretariat of the Pacific Community.
- Ekowati, D. dan M. Nasir. 2011. Pertumbuhan tanaman jagung (*Zea mays* L.) varietas bisi-2 pada pasir reject dan pasir asli di Pantai Trisik Kulon Progo. J. Manusia dan Lingkungan 18: 220-231.
- Ferrucho, R.L., J.M. Cifuentes, P. Ceresini, and C.G. Dominquez. 2012. *Rhizoctonia solani* AG-3PT is the major pathogen associated with potato stem canker and black scurf in Colombia. Agronomía Colombiana 30: 204-213.
- Gonzalez, N., G. Godoy-Lutz., J.R. Steadman., R. Higgins., and K.M. Eskridge. 2012. Assessing genetic diversity in The web blight pathogen *Thanatephorus cucumeris* (anamorph 5 *Rhizoctonia solani*) subgroups AG-1-IE and AG-1-IF with molecular markers. J Gen Plant Pathol 78: 85-98.
- Guler, P. 2008. Somatic Incompatibility in *Agaricus bitorquis* (Quell.) Sacc. African Jurnal of Biotechnology. 7: 276-281.

- Grosch, R., J.H.M. Schneider and A. Kofoet. 2004. Characterisation of *Rhizoctonia solani* anastomosis groups causing bottom rot in field-grown lettuce in Germany. *European Journal of Plant Pathology* 110: 53–62.
- Haryuni. 2013. Identifikasi *Rhizoctonia* Mikoriza pada anggrekan dan kelompok anastomosisnya. *Biosaintifika* 5: 43-49.
- Hidayat, T dan A. Pancoro. 2008. Ulasan kajian filogenitika molekuler dan peranannya dalam menyediakan informasi dasar untuk meningkatkan kualitas sumber genetik angrek. *Jurnal AgroBiogen* 4: 35-40.
- Hooda, K.S., M.K. Khokhar., H. Parmar., R. Gogoi., D. Joshi., S.S. Sharma., and O.P. Yadav. Banded leaf and sheath blight of maize: Historical perspectives, current status and future directions. *Biological Science* 87: 1041-1052.
- Julian, M.C., F. Debets, and J. Keijer. 1996. Independence of sexual and vegetative incompatibility mechanisms of *Thanatephorus cucumeris* (*Rhizoctonia solani*) Anastomosis Group 1. *Phytopathology* 86: 566-574.
- Karima, H.E.H. and G.E. Nadia. 2012. In vitro study on *Fusarium solani* and *Rhizoctonia solani* isolates causing the damping off and root rot diseases in tomatoes. *Nature and Science* 10:16-25.
- Kendrick, B. 2001. *The Fifth Kingdom*. Focus Publishing, United States.
- Leslie, J.F. 1990. Genetic exchange within sexual and asexual populations of the genus *Fusarium*. APS Press:St Paul.
- McCabel, P.M., M.P. Gallagher, and J.W. Deacon. 1999. Molecular genetics of mating recognition in basidiomycete fungi. *Microbiol Mol Biol Rev* 62:55–70.
- MacNish, G.C., D.E. Carling, and K.A. Brainard. 1997. Relationship of microscopic and macroscopic vegetative reactions in *Rhizoctonia solani* and the occurrence of vegetatively compatible populations (VCP) in AG -8. *Mycol. Res.* 101: 61-68.
- Mikhail, M.S., K.K. Sabet., M.R. Omar., A.A. Asran., and K.K. Kasem. 2010. Current *Rhizoctonia solani* anastomosis groups in Egypt and their pathogenic relation to cotton seedlings. *African Journal of Microbiology Research* 4: 386-395.
- Muhadjir, F. 1988. *Karakteristik Tanaman Jagung*. Balai Penelitian dan Pengembangan Pertanian: Bogor.
- Muis, A. 2007. Pengelolaan penyakit busuk pelepah (*Rhizoctonia solani* Kuhn.) pada tanaman jagung. *Jurnal Litbang Pertanian*, 26: 100-103.
- Mulyati, S. 2009. Pengendalian penyakit hawar pelepah daun (*Rhizoctonia solani*) menggunakan beberapa agensia hayati golongan cendawan pada tanaman jagung (*Zea mays*). *Jurnal Agronomi* 13:37-43.



- Nuryanto, B. 2017. Penyakit hawar pelepah (*Rhizoctonia solani*) pada padi dan taktik pengelolaannya. *Jurnal Perlindungan Tanaman Indonesia* 21: 63–71.
- Ogoshi, A. 1987. Ecology and pathogenicity of anastomosis and intraspecific groups of *Rhizoctonia solani* Kuhn. *Annual Review of Phytopathology* 25:125–143.
- Pascual, C.B., A.D. Raymundo, and M. Hyakumachi. 2000. Efficacy of hypovirulent binucleat *Rhizoctonia* sp. to control banded leaf and sheath blight in corn. *J. Gen. Plant Pathol.* 66: 95–102.
- Poehlman. 1987. *Breeding Field Crops*. Third Edition an AVI Book. New York.
- Priyatmojo, A., V.E. Escopalao., N.G. Tangonan., C.B. Pascual., H. Suga., K. Kageyama and M. Hyakumachi. 2001. Characterization of a new subgroup of *Rhizoctonia solani* Anastomosis Group 1 (AG-1-ID), causal agent of a necrotic leaf spot on coffee. *Phytopathology* 91: 1054-1061.
- Priyatmojo, A. 2006. Tipe mating pada empat isolat *Thanatephorus cucumeris* (Anamorph: *Rhizoctonia solani*) anastomosis group (AG) 1-1C. *Jurnal Perlindungan Tanaman Indonesia* 12: 112-122.
- Pusposendjojo, N. 1999. Patogenisitas *Rhizoctonia solani* setelah penyimpanan pada substrat berbeda. *Jurnal Perlindungan Tanaman Indonesia* 5: 24-29.
- Puhalla, J.E. 1985. Classification of strain of *Fusarium oxysporum* on the basis of vegetative compatibility. *Canadian Journal of Botany.* 63:179-183.
- Sebrana, C., M.P. Nuti, and M. Giovanneti. 2007. Self-anastomosing Ability and Vegetative Incompatibility of Tuber Borchii Isolates. *Mychorriza.* 17:667-675.
- Soelistijono, A. Priyatmojo, E. Semiarti, dan C. Sumardiyono. 2011. Karakterisasi Isolat *Rhizoctonia* sp. patogenik dan *Rhizoctonia* Mikoriza pada tanaman anggrek tanah *Spathoglottis plicata*. *Biota* 16: 371-380.
- Soenartiningih, M. Akil, dan N.N. Andayani. 2015. Cendawan tular tanah (*Rhizoctonia solani*) penyebab penyakit busuk pelepah pada tanaman jagung dan sorgum dengan komponen pengendaliannya. *IPTEK Tanaman Pangan* 10: 85-92.
- Semangun, H. 2008. *Penyakit-Penyakit Tanaman Pangan di Indonesia (Edisi kedua)*. Gadjah Mada University Press, Yogyakarta.
- Sherwood, R. T. 1967. Anastomosis in relation to morphology and physiology of *Rhizoctonia solani*. *Phytopathology* 57: 830.
- Suciatmih, Yuliar, dan D. Supriyati. 2011. Isolasi, identifikasi, dan skrining jamur endofit penghasil agen biokontrol dari tanaman di lahan pertanian dan hutan penunjang Gunung Salak. *J. Tek. Ling* 12: 171-186.



- Sumartini. 2012. Penyakit tular tanah (*Sclerotium rolfsii* dan *Rhizoctonia solani*) pada tanaman kacang-kacangan dan umbi-umbian serta cara pengendaliannya. Jurnal Litbang Pertanian 31: 27-34.
- Suprpto. 1999. Bertanam Jagung. Penebar Swadaya. Jakarta.
- Suprpto dan H. A. R. Marzuki. 2005. Bertanam Jagung. Edisi Revisi. Penebar Swadaya. Jakarta.
- Suzuki, T and Y. Iwahashi. 2016. Addition of carbon to the culture medium improves the detection efficiency of aflatoxin synthetic fungi. Toxins 8: 1-14
- Toda, T. and M. Hyakumachi. 2006. Heterokaryon formation in *Thanatephorus cucumeris* anastomosis group 2-2 IV. Mycologia 98: 726-736
- Tu, C.C., D.A. Roberts and J. W. Kimbrough. 1969. Hyphal Fusion, Nuclear Condition, and Perfect Stages of Three Species of *Rhizoctonia*. Mycologia 61: 775-783.
- Zhao, G., G.R. Ablett, T.R. Anderson, I. Rajcan, and A.W. Schaafsma. 2005. Anastomosis groups of *Rhizoctonia solani* associated with soybean root and hypocotyl rot in Ontario and resistance of accession PI 442031 to different anastomosis groups. J. Plant Pathol. 27: 108–117