



DAFTAR PUSTAKA

- American Cancer Society. (2017). *Breast Cancer Facts & Figures 2017-2018*. Atlanta.
- Akinbami, A., Popoola, A., Adediran, A., Dosunmu, A., Oshinaike, O., Adebola, P., & Ajibola, S. (2013). Full blood count pattern of pre-chemotherapy breast cancer patients in Lagos , Nigeria. *Caspian J Intern Med*, 4(1), 574–579.
- Amer, M. H. (2014). Genetic factors and breast cancer laterality. *Cancer Management and Research*, 6, 191–203.
- Assi, H. A., Khoury, K. E., Dbouk, H., Khalil, L. E., Mouhieddine, T. H., & El Saghir, N. S. (2013). Epidemiology and prognosis of breast cancer in young women. *Journal of Thoracic Disease*, 5 Suppl 1, S2-8.
<https://doi.org/10.3978/j.issn.2072-1439.2013.05.24>
- Barbieri, J., Fontela, P. C., Winkelmann, E. R., Eloise, C., Zimmermann, P., Sandri, Y. P., ... Frizzo, M. N. (2015). Anemia in Patients with Type 2 Diabetes Mellitus Anemia in Patients with Type 2 Diabetes Mellitus, 2015(May 2016). <https://doi.org/10.1155/2015/354737>
- Boehm, D. U., Lebrecht, A., Schmidt, M., Siggelkow, W., Lindner, C., Litz, A., ... Koelbl, H. (2007). Prognostic Impact of Haemoglobin Levels in Breast Cancer. *Anticancer Research*, 27(2), 1223–1226.
- Chao, C., Page, J. H., Yang, S. J., Rodriguez, R., Huynh, J., & Chia, V. M. (2014). History of chronic comorbidity and risk of chemotherapy-induced febrile neutropenia in cancer patients not receiving G-CSF prophylaxis. *Annals of Oncology*, 25(9), 1821–1829.
<https://doi.org/10.1093/annonc/mdu203>
- Chen, B., Dai, D., Tang, H., Ai, X., Chen, X., Zhang, X., ... Xie, X. (2016). Pretreatment Hematocrit Is Superior to Hemoglobin as a Prognostic Factor for Triple Negative Breast Cancer. *PLoS ONE*, 11(11), 1–12.
<https://doi.org/10.1371/journal.pone.0165133>
- Chen, J., Deng, Q., Pan, Y., He, B., Ying, H., Sun, H., ... Wang, S. (2015). Prognostic value of neutrophil-to-lymphocyte ratio in breast cancer. *FEBS OPEN BIO*, 5, 502–507. <https://doi.org/10.1016/j.fob.2015.05.003>
- Danforth, D. N. (2013). Disparities in breast cancer outcomes between Caucasian and African American women: a model for describing the relationship of biological and nonbiological factors. *Breast Cancer Research*, 15(3), 208.
<https://doi.org/10.1186/bcr3429>
- Dezayee, Z. M. I., & Al-nimer, M. S. M. (2016). The Clinical Importance of Measurement of Hematological Indices in the Breast Cancer Survivals : A Comparison Between Premenopausal and Postmenopausal Women. *World*



Journal of Clinical Oncology, 7(1), 1–4.

Drewry, A. M., Samra, N., Skrupky, L. P., Fuller, B. M., Compton, S. M., Hotchkiss, R. S., & Hospital, B. (2015). HHS Public Access, 42(5), 383–391. <https://doi.org/10.1097/SHK.0000000000000234>.Persistent

Ds, S., Sandhu, S., Rk, K., & Marwah, S. (2018). Profile of breast cancer patients at a tertiary care hospital in north India, 47(1), 16–22. <https://doi.org/10.4103/0019-509X.58853>

Fainsod-Levi, T., Gershkovitz, M., Völs, S., Kumar, S., Khawaled, S., Sagiv, J. Y., ... Granot, Z. (2017). Hyperglycemia Impairs Neutrophil Mobilization Leading to Enhanced Metastatic Seeding. *Cell Reports*, 21(9), 2384–2392. <https://doi.org/10.1016/j.celrep.2017.11.010>

Ferlay, J., Shin, H. R., Bray, F., Forman, D., Mathers, C., & Parkin, D. M. (2010). Estimates of worldwide burden of cancer in 2008: GLOBOCAN 2008. *International Journal of Cancer*, 127(12), 2893–2917. <https://doi.org/10.1002/ijc.25516>

Fitzgibbons, P. L., Page, D. L., Weaver, D., Thor, A. D., Allred, D. C., Clark, G. M., ... Schnitt, S. J. (2000). Prognostic factors in breast cancer. College of American Pathologists Consensus Statement 1999. *Archives of Pathology & Laboratory Medicine*, 124(7), 966–978. [https://doi.org/10.1043/0003-9985\(2000\)124<0966:PFIBC>2.0.CO;2](https://doi.org/10.1043/0003-9985(2000)124<0966:PFIBC>2.0.CO;2)

G Sharma, R. Dave and J. Sanadya, P. S. (2010). March 2010 Revised: 19. *Journal of Advanced Pharmaceutical Technology & Research*, 1(2), 109–126.

Gkrania-Klotsas, E., Ye, Z., Cooper, A. J., Sharp, S. J., Luben, R., Biggs, M. L., ... Langenberg, C. (2010). Differential white blood cell count and type 2 diabetes: Systematic review and meta-analysis of cross-sectional and prospective studies. *PLoS ONE*, 5(10), 159–160. <https://doi.org/10.1371/journal.pone.0013405>

Gustinetti, G., & Mikulska, M. (2016). Bloodstream infections in neutropenic cancer patients: A practical update. *Virulence*, 7(3), 280–297. <https://doi.org/10.1080/21505594.2016.1156821>

Hammond, M. E. H., Hayes, D. F., Dowsett, M., Allred, D. C., Hagerty, K. L., Badve, S., ... Wolff, A. C. (2010). American society of clinical oncology/college of American pathologists guideline recommendations for immunohistochemical testing of estrogen and progesterone receptors in breast cancer (unabridged version). *Archives of Pathology and Laboratory Medicine*, 134(7). <https://doi.org/10.1043/1543-2165-134.7.e48>

Hicks, D. G., & Kulkarni, S. (2008). HER2+ breast cancer: Review of biologic relevance and optimal use of diagnostic tools. *American Journal of Clinical*



Pathology, 129(2), 263–273. <https://doi.org/10.1309/99AE032R9FM8WND1>

Jansma, G., de Lange, F., Kingma, W. P., Vellinga, N. A. R., Koopmans, M., Kuiper, M. A., & Boerma, E. C. (2015). “Sepsis-related anemia” is absent at hospital presentation; a retrospective cohort analysis. *BMC Anesthesiology*, 15(1), 1–6. <https://doi.org/10.1186/s12871-015-0035-7>

Kessler, L. G. (1991). The Relationship Between Age and Incidence of Breast Cancer Population and Screening Program Data, 1896–1903.

Khasraw, M., Faraj, H., & Sheikha, A. (2010). European journal of clinical & medical oncology : EJCMO. *European Journal of Clinical and Medical Oncology*, 2(2), 89–92. Retrieved from <http://dro.deakin.edu.au/view/DU:30046484>

Lal, I., Dittus, K., & Holmes, C. E. (2013). Platelets , coagulation and fi brinolysis in breast cancer progression.

Lin, R. J., Afshar-Kharghan, V., & Schafer, A. I. (2014). Paraneoplastic thrombocytosis: The secrets of tumor self-promotion. *Blood*, 124(2), 184–187. <https://doi.org/10.1182/blood-2014-03-562538>

Lustberg, M. B. (2012). Management of neutropenia in cancer patients. *Clinical Advances in Hematology & Oncology : H&O*, 10(12), 825–826. <https://doi.org/10.1016/j.micinf.2011.07.011>.Innate

Mantas, D., Kostakis, I. D., Machairas, N., & Markopoulos, C. (2016). White blood cell and platelet indices as prognostic markers in patients with invasive ductal breast carcinoma, 1610–1614. <https://doi.org/10.3892/ol.2016.4760>

McGary, C. T., Miele, M. E., & Welch, D. R. (1995). Highly metastatic 13762NF rat mammary adenocarcinoma cell clones stimulate bone marrow by secretion of granulocyte-macrophage colony-stimulating factor/interleukin-3 activity. *The American Journal of Pathology*, 147(6), 1668–1681. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7495292> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC1869940>

Nascimento, T. G. do, Andrade, M. de, Oliveira, R. A. de, Almeida, A. M. de, & Gozzo, T. de O. (2014). Neutropenia: occurrence and management in women with breast cancer receiving chemotherapy. *Revista Latino-Americana de Enfermagem*, 22(2), 301–308. <https://doi.org/10.1590/0104-1169.3305.2416>

Nounou, M. I., ElAmrawy, F., Ahmed, N., Abdelraouf, K., Goda, S., & Syed-Sha-Qhattal, H. (2015). Breast Cancer: Conventional Diagnosis and Treatment Modalities and Recent Patents and Technologies. *Breast Cancer : Basic and Clinical Research*, 9(Suppl 2), 17–34. <https://doi.org/10.4137/BCBCR.S29420>



- Onesti, C. E., Josse, C., Poncin, A., & Frères, P. (2018). Predictive and prognostic role of peripheral blood eosinophil count in triple-negative and hormone receptor-negative / HER2-positive breast cancer patients undergoing neoadjuvant treatment, *9*(72), 33719–33733.
- Otton, R., Soriano, F. G., Verlengia, R., & Curi, R. (2004). Diabetes induces apoptosis in lymphocytes. *Journal of Endocrinology*, *182*(1), 145–156. <https://doi.org/10.1677/joe.0.1820145>
- Pal, A., Rana, S., Kaur, M., Zonunsanga, B., Puri, A., & Kuka, A. S. (2015). Preoperative Peripheral Blood Count in Breast Carcinoma : Predictor of Prognosis or a Routine Test, *2015*. <https://doi.org/10.1155/2015/964392>
- Pawlaczyk, A. (2006). An analysis of long term complications in breast cancer patients after conservative therapy. *Reports of Practical Oncology and Radiotherapy*, *11*(2), 81–89. [https://doi.org/10.1016/S1507-1367\(06\)71052-5](https://doi.org/10.1016/S1507-1367(06)71052-5)
- Piagnerelli, M., Boudjeltia, K. Z., Gulbis, B., Vanhaeverbeek, M., & Vincent, J.-L. (2007). Anemia in sepsis: the importance of red blood cell membrane changes. *Transfusion Alternatives in Transfusion Medicine*, *9*(3), 143–149. <https://doi.org/10.1111/j.1778-428X.2007.00072.x>
- Riley, L. K., & Rupert, J. (2015). Evaluation of Patients with Leukocytosis. *American Family Physician*, *92*(11), 1004–1011. <https://doi.org/d12293> [pii]
- Rodríguez, D. M., Guerrero, M. E., Maldonado, B. M., Vollbracht, C., & Herrera, S. A. (2017). Total lymphocyte count in cancer patients with lymphopenia treated with intravenous vitamin C: Results of an observational study. *Translational Medicine Communications*, *2*(1), 3. <https://doi.org/10.1186/s41231-017-0012-x>
- Semeraro, N., Ammollo, C. T., Semeraro, F., & Colucci, M. (2010). Sepsis-associated disseminated intravascular coagulation and thromboembolic disease. *Mediterranean Journal of Hematology and Infectious Diseases*, *2*(3). <https://doi.org/10.4084/MJHID.2010.024>
- Shah, R. (2014). Pathogenesis, prevention, diagnosis and treatment of breast cancer. *World Journal of Clinical Oncology*, *5*(3), 283. <https://doi.org/10.5306/wjco.v5.i3.283>
- Sharma, N., Narayan, S., Sharma, R., Kapoor, A., Kumar, N., & Nirban, R. (2016). Association of comorbidities with breast cancer: An observational study. *Tropical Journal of Medical Research*, *19*(2), 168. <https://doi.org/10.4103/1119-0388.185449>
- Sood, T. P. (2016). Eosinophils and Cancer – Mini Review, *4*(3), 14–16. <https://doi.org/10.15406/moji.2016.04.00133>
- Soto-perez-de-celis, E., Chavarri-guerra, Y., Leon-, E., & Gamboa-dominguez, A.



- (2017). Tumor-Associated Neutrophils in Breast Cancer Subtypes, *18*, 2689–2693. <https://doi.org/10.22034/APJCP.2017.18.10.2689>
- Surakasula, A., Nagarjunapu, G. C., & Raghavaiah, K. V. (2014). Journal of Research in Pharmacy Practice Original Article A comparative study of pre- and post - menopausal breast cancer : Risk factors , presentation , characteristics and management, *3*(1). <https://doi.org/10.4103/2279-042X.132704>
- Uribe-querol, E., & Rosales, C. (2015). Neutrophils in Cancer : Two Sides of the Same Coin, *2015*. <https://doi.org/10.1155/2015/983698>
- Vincent, L., Vannier, J., Soria, J., Blot, E., Chen, W., Vasse, M., ... Pille, J. (2003). Cooperation between monocytes and breast cancer cells promotes factors involved in cancer aggressiveness, 1207–1212. <https://doi.org/10.1038/sj.bjc.6600872>
- Walsh, T. S., & Saleh, E. E. D. (2006). Anaemia during critical illness. *British Journal of Anaesthesia*, *97*(3), 278–291. <https://doi.org/10.1093/bja/ael189>
- Wen, J., Ye, F., Huang, X., Li, S., Yang, L., Xiao, X., & Xie, X. (2015). Prognostic Significance of Preoperative Circulating Monocyte Count in Patients With Breast Cancer, *94*(49), 1–7. <https://doi.org/10.1097/MD.0000000000002266>
- Xing, C. (2016). The neutrophil lymphocyte ratio is associated with breast cancer prognosis : an updated systematic review and meta-analysis, 5567–5575.
- Yu, Y.-H., Wei, W., & Liu, J.-L. (2012). Diagnostic value of fine-needle aspiration biopsy for breast mass: a systematic review and meta-analysis. *BMC Cancer*, *12*(1), 41. <https://doi.org/10.1186/1471-2407-12-41>
- Zhang, Y. J., Chen, Y. Y., Chen, D. T., Jiang, Y., Huang, W., Ouyang, H. D., ... Zeng, W. (2014). Impact of preoperative anemia on relapse and survival in breast cancer patients. *BMC Cancer*, *14*(1). <https://doi.org/10.1186/1471-2407-14-844>
- Zhu, W., & Xu, B. (2015). Association of Pretreatment Anemia with Pathological Response and Survival of Breast Cancer Patients Treated with Neoadjuvant Chemotherapy : A Population-Based Study, 1–13. <https://doi.org/10.1371/journal.pone.0136268>
- Zhu, Y., Si, W., Sun, Q., Qin, B., Zhao, W., & Yang, J. (2017). Platelet-lymphocyte ratio acts as an indicator of poor prognosis in patients with breast cancer. *Oncotarget*, *8*(1), 1023–1030.