

DAFTAR PUSTAKA

- An, Y.H., and Friedman, R.J. (1998). Concise review of mechanisms of bacterial adhesion to biomaterial surfaces. *J Biomed Mater Res*, 43, 338-348.
- Anderson, G.G., and O'Toole, G.A. (2008). Innate and induced resistance mechanisms of bacterial biofilms. *Curr Top Microbiol Immunol*, 322, 85-105.
- Astuti, P., Saifullah, T., Wulanjati, M., Yosepine, A., Ardianti, D. (2016). Basil Essential Oil (*Ocimum basilicum* L.) Activities on *Streptococcus mutans* Growth, Biofilm Formation and Degradation and its Stability in Micro-Emulsion Mouthwash Formula. *Int J Phar Clin Res*, 8(1), 26-32.
- Azeredo, J., Azevedo, N., Briandet, R., Cerca, N., Coenye, T., Costa, A., Desvaux, M., Di Bonaventura, G., Hébraud, M., Jaglic, Z., Kačániová, M., Knøchel, S., Lourenço, A., Mergulhão, F., Meyer, R., Nychas, G., Simões, M., Tresse, O. and Sternberg, C. (2016). Critical review on biofilm methods. *Crit Rev Microbiol*, 43(3), 313-351.
- Baldassarri, L., Donelli, G., Gelosia, A., Simpson, A. W., & Christensen, G. D. (1997). Expression of Slime Interferes with In Vitro Detection of Host Protein Receptors of *Staphylococcus epidermidis*. *Infect Immun*, 65(4), 1552–1526.
- Branen, J. and Davidson, P. (2004). Enhancement of nisin, lysozyme, and monolaurin antimicrobial activities by ethylenediaminetetraacetic acid and lactoferrin. *Int J Med Microbiol*, 90(1), 63-74.
- Brooks, G., Butel, J., Morse, S. and Jawetz, E. (2001). *Jawetz, Melnick, & Adelberg's Medical Microbiology*. Jakarta: Salemba Medika, 196-198.
- Ceri, H., Olson, M., Stremick, C., Read, R., Morck, D. and Buret, A. (1999). The Calgary Biofilm Device: New Technology for Rapid Determination of Antibiotic Susceptibilities of Bacterial Biofilms. *J Clin Microbiol*, 37(6), 1771-1776.
- Chavant, P., Martinie, B., Meylheuc, T., BellonFontaine, M.N., and Hebraud, M. (2002). *Listeria monocytogenes* LO28: Surface physicochemical properties

and ability to form biofilms at different temperatures and growth phases. *Appl Environ Microbiol*, 68, 728-737.

Ciccio, D.P., Vergara, A., Festino, A.R., Paludi, D., Zanardi, E., Ghidini, S., and Ianieri, A. (2015). Biofilm formation by *Staphylococcus aureus* on food contact surfaces: Relationship with temperature and cell surface hydrophobicity. *Food Control*, 50, 930-936.

Clinical & Laboratory Standards Institute (CLSI). (2012). M07-A9 Method for Dilution Antimicrobial Susceptibility Test for Bacteria That Grow Aerobically; Approved Standart – Ninth Edition. Wayne, PA: Clinical and Laboratory Standards Institute.

Clinical & Laboratory Standards Institute (CLSI). (2018). M100 Performance Standards for Antimicrobial. Wayne, PA: Clinical and Laboratory Standards Institute.

Chung, P. and Toh, Y. (2014). Anti-biofilm agents: Recent breakthrough against multi-drug resistant *Staphylococcus aureus*. *Pathog Dis*, 70(3), 231-239.

Costerton, J. (1999). Bacterial Biofilms: A Common Cause of Persistent Infections. *Sci*, 284(5418), 1318-1322.

Cunha, E., Trovão, T., Pinheiro, A., Nunes, T., Santos, R., Moreira da Silva, J., São Braz, B., Tavares, L., Veiga, A. and Oliveira, M. (2018). Potential of two delivery systems for nisin topical application to dental plaque biofilms in dogs. *BMC Vet Res*, 14(1).

Diekema, D., Pfaller, M., Schmitz, F., Smayevsky, J., Bell, J., Jones, R. and Beach, M. (2001). Survey of Infections Due to *Staphylococcus* Species: Frequency of Occurrence and Antimicrobial Susceptibility of Isolates Collected in the United States, Canada, Latin America, Europe, and the Western Pacific Region for the SENTRY Antimicrobial Surveillance Program, 1997–1999. *Clin Infect Dis*, 32(s2), S114-S132.

Donlan, R. (2001). Biofilm Formation: A Clinically Relevant Microbiological Process. *Clin Infect Dis*, 33(8), 1387-1392.

Donlan, R. and Costerton, J. (2002). Biofilms: Survival Mechanisms of Clinically Relevant Microorganisms. *Clin Microbiol Rev*, 15(2), 167-193.

- Enig, M. (1999). Coconut: In support of good health in the 21st century [presentation]. Presented to the Federated States of Micronesia, Pohnpei.
- Enig M. (1998). Lauric oils as antimicrobial agents: Theory of effect, scientific rationale, and dietary application as adjunct nutritional support for HIVinfected individuals. In: Watson R, ed. Nutrients and Foods in AIDS. Boca Raton, FL: CRC Press.
- Fletcher, M. (1977). The effects of culture concentration and age, time, and temperature on bacterial attachment to polystyrene. *Can J Microbiol*, 23(1), 1-6.
- Fletcher, M., Jennings, M. and Wuest, W. (2014). Draining the moat: disrupting bacterial biofilms with natural products. *Tetrahedron*, 70(37), 6373-6383.
- Garrett, T.R., Bhakoo, M., and Zhang, Z. (2008). Bacterial adhesion and biofilms on surfaces. *Prog Nat Sci*, 18, 1049-1056.
- George, G. (2005). *Bergey's Manual of Systematic Bacteriology, Volume 2*. Springer.
- Gharechahi, M., Moosavi, H., Forghani, M. (2012). Effect of Surface Roughness and Materials Composition on Biofilm Formation. *J Biomater Nanobiotechnol*. 3, 541-546
- Goc, A., Niedzwiecki, A. And Rath, M. (2015). In Vitroevaluation Of Antibacterial Activity Of Phytochemicals And Micronutrients Againstborrelia Burgdorferiandborrelia Garinii. *J Appl Microbiol*, 119(6), 1561-1572.
- Goc, A., Niedzwiecki, A. And Rath, M. (2016). Cooperation Of Doxycycline With Phytochemicals And Micronutrients Against Active And Persistent Forms Of Borrelia Sp. *Int J Biol Sci*, 12(9),1093-1103.
- Gutierrez D, Hidalgo-Cantabrana C, Rodríguez A, García P, Ruas-Madiedo P (2016) Monitoring in Real Time the Formation and Removal of Biofilms from Clinical Related Pathogens Using an Impedance-Based Technology. *PLoS ONE*, 11(10), e0163966
- Ham, Y., & Kim, T. J. (2016). Inhibitory activity of monoacylglycerols on biofilm formation in *Aeromonas hydrophila*, *Streptococcus mutans*, *Xanthomonas*

oryzae, and *Yersinia enterocolitica*. *SpringerPlus*, 5(1), 1526.
doi:10.1186/s40064-016-3182-5

Hassan, A., Usman, J., Kaleem, F., Omair, M., Khalid, A., & Iqbal, M. (2011). Evaluation of different detection methods of biofilm formation in the clinical isolates. *Braz J Infect Dis*, 15(4), 305–311.

Hawser, S., Lociuro, S. and Islam, K. (2006). Dihydrofolate reductase inhibitors as antibacterial agents. *Biochem Pharmacol*, 71(7), 941-948.

Holetz, F. B., Pessini, G. L., Sanches, N. R., Cortez, D. A. G., Nakamura, C. V., & Dias Filho, B. P. (2002). Screening of some plants used in the Brazilian folk medicine for the treatment of infectious diseases. *Mem Inst Oswaldo Cruz*, 97(7), 1027–1031.

James, P., O’Gara., Humphreys, H. (2001). Staphylococcus epidermidis biofilm: importance and implications. *J Med Microbiol*, 50, 582-587.

Jay, J., Loessner, M. and Golden, D. (2005). Modern Food Microbiology. 7th ed. New York: Springer, 304-325.

Kabara, J.J. (1993). Medium-Chain Fatty Acids and Esters from Antimicrobials in Foods. Marcel Dekker, Inc., New York.

Katsikogianni, M., and Missirlis, Y.F. (2004). Concise review of mechanisms of bacterial adhesion to biomaterials and of techniques used in estimating bacteria-material interactions. *Eur Cell Mater*, 8, 37-57.

Krasowska, A. and Sigler, K. (2014). How Microorganisms Use Hydrophobicity And What Does This Mean For Human Needs *Front Cell Infect Microbiol*, 4.

Kumar, C. and Anand, S. (1998). Significance of microbial biofilms in food industry: a review. *Int J Food Microbiol*, 42(1-2), 9-27.

Laverty, G., Alkawareek, M. and Gilmore, B. (2014). The In Vitro Susceptibility of Biofilm Forming Medical Device Related Pathogens to Conventional Antibiotics.

- Li, D., Lundberg, F. and Ljungh, Å. (2000). Binding of von Willebrand factor by coagulase-negative staphylococci. *J Med Microbiol*, 49(3), 217-225.
- Lieberman, S., Enig, M. and Preuss, H. (2006). A Review of Monolaurin and Lauric Acid: Natural Virucidal and Bactericidal Agents. *Altern Complement Ther*, 12(6), 310-314.
- Lindsay, J. (2008). *Staphylococcus*. Norfolk, UK: Caister Academic Press.
- Liu, G., Ozores-Hampton, M., McAvoy, G., Hogue, B., & Snodgrass, C. A. (2016). Application of Surfactants in Commercial Crop Production for Water and Nutrient Management in Sandy Soil.
- Luo, C., Zeng, Z., Gong, D., Zhao, C., Liang, Q. and Zeng, C. (2014). Evaluation of monolaurin from camphor tree seeds for controlling food spoilage fungi. *Food Control*, 46, 488-494.
- Marquès, C., Laurent, F., Forestier, C., Pracros, A., Tasse, J., Collin, V., Franceschi, C. and Chatellier, S. (2015). Effects of antibiotics on biofilm and unattached cells of a clinical *Staphylococcus aureus* isolate from bone and joint infection. *J Med Microbiol*, 64(9), 1021-1026.
- Moloney. (2016). Natural Product as a Source for Novel Antibiotics. *Trends Pharmacol Sci*, 37(8), 689-701.
- McLay, J., Kennedy, M., O'Rourke, A., Elliot, R. and Simmonds, R. (2002). Inhibition of bacterial foodborne pathogens by the lactoperoxidase system in combination with monolaurin. *Int J Med Microbiol*, 73(1), 1-9.
- Nikolić, M., Vasić, S., \DJur\ d jević, J., Stefanović, O., Čomić, L., 2014. Antibacterial and anti-biofilm activity of ginger (*Zingiber Officinale* (Roscoe)) ethanolic extract. Kragujev. *J Sci*. 129–136.
- Nurmala, N., Virgiandhy, I., Andriani, A. and Liana, D. (2015). Resistensi dan Sensitivitas Bakteri terhadap Antibiotik di RSUD dr. Soedarso Pontianak Tahun 2011-2013. *eJournal Kedokteran Indonesia*, 3(1).
- Odel Nitbani, F., Jumina, J., Siswanta, D., Nurwening Sholikhah, E. and Fitriastuti, D. (2016). Synthesis and Antibacterial Activity 1-Monolaurin. *Orient J Chem*, 34(2), 863-867.

- Olson ME, Ceri H, Morck DW, et al. (2002). Biofilm bacteria: formation and comparative susceptibility to antibiotics. *Can J Vet Res*, 66:86–92.
- Otto, M. (2009). Staphylococcus epidermidis — the 'accidental' pathogen. *Nat Rev Microbiol*, 7(8), 555-567.
- Penesyana, A., Gillings, M. and Paulsen, I. (2015). Antibiotic Discovery: Combatting Bacterial Resistance in Cells and in Biofilm Communities. *Molecules*, 20(4), 5286-5298.
- Piazza, V., Dragić, I., Sepčić, K., Faimali, M., Garaventa, F., Turk, T. and Berne, S. (2014). Antifouling Activity of Synthetic Alkylpyridinium Polymers Using the Barnacle Model. *Marine Drugs*, 12(4), 1959-1976.
- Prakash, B., Veeregowda, B. and Krishnappa, G. (2003). Biofilms: A Survival Strategy of Bacteria. *Curr Sci*, 85, 9-10.
- Radji, M., Fauziah, S. and Aribinuko, N. (2011). Antibiotic sensitivity pattern of bacterial pathogens in the intensive care unit of Fatmawati Hospital, Indonesia. *Asian Pac J Trop Biomed*, 1(1), 39-42.
- Ruzicka, J., Velclová, K., Janiš, R. and Krejčí, J. (2003). Antimicrobial effects of 1-monoacylglycerols prepared by catalytic reaction of glycidol with fatty acids. *Eur Food Res Technol*, 217(4), 329-331.
- Schlievert, P. and Peterson, M. (2012). Glycerol Monolaurate Antibacterial Activity in Broth and Biofilm Cultures. *PLoS ONE*, 7(7), e40350.
- Seleem, D., Chen, E., Benso, B., Pardi, V. and Murata, R. (2016). In vitro evaluation of antifungal activity of monolaurin against *Candida albicans* biofilms. *PeerJ*, 4, e2148.
- Hall Snyder, A. D., Vidailac, C., Rose, W., McRoberts, J. P., & Rybak, M. J. (2014). Evaluation of High-Dose Daptomycin Versus Vancomycin Alone or Combined with Clarithromycin or Rifampin Against *Staphylococcus aureus* and *S. epidermidis* in a Novel In Vitro PK/PD Model of Bacterial Biofilm. *Infect Dis Ther*, 4(1), 51–65.
- Spellberg, B. and Gilbert, D. (2014). The Future of Antibiotics and Resistance: A Tribute to a Career of Leadership by John Bartlett. *Clin Infect Dis*, 59(2), S71-S75.

- Srey, S., Jahid, I. and Ha, S. (2013). Biofilm formation in food industries: A food safety concern. *Food Control*, 31(2), 572-585.
- Stepanovic, S., Vuković, D., Hola, V., Bonaventura, G., Djukić, S., Ćirković, I. And Ruzicka, F. (2007). Quantification Of Biofilm In Microtiter Plates: Overview Of Testing Conditions And Practical Recommendations For Assessment Of Biofilm Production By Staphylococci. *Apmis*, 115(8), 891-899.
- Tajik, H., Raeisi, M., Rohani, S., Hashemi, M., Zare, M., Naghili, H., Rozbani, D. and Ammar, D. (2014). Effect of Monolaurin Alone and in Combination with EDTA on Viability of Escherichia coli and Staphylococcus aureus in Culture Media and Iranian White Cheese. *J Food Qual Hazard Control*, 1(4), 108-112.
- Tangwatcharin, P., Khopaibool, P., Development, C., Campus, P., & Krabang, L. (2012). Activity of Virgin Coconut Oil , Lauric Acid or Monolaurin in Combination with Lactic, 969–985.
- Tayag, E. and Dayrit, C. (2000). Results analysis of clinical HIV trial with monoglycerides [presentation]. The 37th Cocotech Meeting, Chennai, India.
- Trotter, T. and Marshall, D. (2003). Influence of pH and NaCl on monolaurin inactivation of Streptococcus iniae. *Food Microbiol*, 20(2), 187-192.
- Williams, I., Venables, W., Lloyd, D., Paul, F. and Critchley, I. (1997). The effects of adherence to silicone surfaces on antibiotic susceptibility in Staphylococcus aureus. *Microbiol*, 143(7), 2407-2413.
- Xu, K., Stewart, P. and McFeters, G. (2000). Biofilm resistance to antimicrobial agents. *Microbiol*, 146(3), 547-549.
- Ziebuhr, W., Meyer, P., Heilmann, C., Go, F., Wilms, K., Straube, E., Tu, D. (1997). Detection of the Intercellular Adhesion Gene Cluster (ica) and Phase Variation in Staphylococcus epidermidis Blood Culture Strains and Mucosal Isolates, 65(3), 890–896.