UNIVERSITAS
GADJAH MADA
POPULASI TUNGAU PADA BEBERAPA KLONA UBIKAYU
LUTFINA AULIA RAHMAN, Dr. Tri Harjaka, S.P., M.P. ; Dr. Ir. Arman Wijonarko, M.Sc.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Allem, A.C., 1994. The Origin of *Manihot esculenta* Crantz (Euphorbiaceae). Genetic Resources and Crop Evolution, 41, pp. 133-150.

Alvarez, E., A. Belloti, Lee Calvert. B. Arias, L. F. Cadavic, B. Pineda, G. Liano and M. Cuervo. 2012.Practical Handbook for managing cassava disease, pest, and nutritional desorders. CIAT.CTA. Cali. Colombia.

Asbani N., Amir AM., Subiyakto. 2007. Inventarisasi hama tanaman jarak pagar *Jatropha curcas* L. didalam Prosiding Lokakarya II: Status Teknologi Tanaman Jarak Pagar *Jatropha curcas* L. (Bogor, 29 November 2006). pp 83 – 90. Bogor: Pusat Penelitian dan Pengembangan Perkebunan.

Auger, P., A. Migeon, E.A. Ueckermann, L. Tiedl, and M. Navajas. 2013. Evidence for synonymy between *Tetranychus urticae* and *Tetranychus cinnabarinus* (Acari, prostigmata, Tetranychidae): Review and new data. Acarologia 53 (4): 383 – 415.

Belloti, A.C. 2002. Pest Cassava: Biology, Production and Utilization. CAB International.

Belloti, A.C., J.A. Reyes, and J.M. Guerrero. 1986. Cassava Mite and Their Control. CIAT. Cali. Colombia.

Budianto, B.H., dan A. Munadjat. 2012. Kemampuan produksi tungau predator family Phyoseiidae pada berbagai kepadatan *Tetranychus urticae* dan polen tanaman di sekitar tanaman singkong (*Manihot esculenta* Cranz). Jurnal HPT Tropika. 12 (2): 129 – 137.

Budianto, B.H., dan H. Pratiknyo. 2009. Faktor kunci dan startegi pelepasan *Phytoseius crinitus* Swinski Et Schebter dalam pengendalian *Tetranychus urticae* pada tanaman singkong (*Manihot esculenta)*. Laporan penelitian RUSNAS, Unsoed Purwokerto.

CABI (Cookies on Invasive Species Compendium). 2015. *Tetranychus urticae* (two-spotted spider mite).

Cahyani, E. 2008.Keragaman dan Heritabilitas Pertumbuhan Vegetatif Beberapa Varietas Adenium Pada Radiasi Sinar Gamma C0-60. Fakultas Pertanian. Universitas Sebelas Maret. Skripsi.

Deciyanto S. Amir M. Trisawa IM.,Harijanto S. 1989. Studi biologi dan perkembangan hama tungau *Tetranychus* sp. (Tetranychidae: Acarina) pada tanaman menthe. Jurnal Penelitian dan Pengembangan Tanaman Industri 15: 9-14.

Deciyanto S., Trisawa IM, Adriani RR. 1991. Studi beberapa inang hama tungau (*Tetranychus* sp.) asal tanaman *Mentha* sp. Jurnal Penelitian dan Pengembangan Tanaman Industri17: 48-55.

El-Wahed.N.M.A. and A.S. El-Halawany. 2012. Effect of temperature degrees on the biology and life table parameters of *Tetranychus urticae* Koch on two pear varieties. Egypt. Acad. Journal Biolog. Sci 4(1): 103 – 109.

UNIVERSITAS
GADJAH MADA
POPULASI TUNGAU PADA BEBERAPA KLONA UBIKAYU
LUTFINA AULIA RAHMAN, Dr. Tri Harjaka, S.P., M.P. ; Dr. Ir. Arman Wijonarko, M.Sc.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Ezelkiel A.A., S.O. Olawuyi, M.O. Ganiyu, I.K. Ojedukun, and S.A Adeyemo. 2012. Effects of climate change on cassava productivity in ilesa – east local government area, Osun State, Nigeria. British J. Of Arts and Social Sci., 10 (II). 153 – 162. http://www.bjournal.co.uk/BJASS.aspx.

Fasulo, T.R. and H. A. Denmark. 2010. Twospotted Spider Mite, *Tetranychus urticae* Koch (Arachnida: Acari: Tetranychidae). Http://edis.ifas.ufl.edu/pdffiles/IN/IN30700.pdf.

Flechtmann, C.H.W. and E.W. Baker. 1970. A preliminary report on the Tetranychidae (Acarina) of Brazil. Ann. Of Entomol. Soc. America 63: 156 – 163.

Fukuda, W. M. G., C. L. Gueveara, R. Kawuki, and M. E. Ferguson. 2010. Selected morphological and agronomic descriptors for the characterization of cassava. International Institute of Tropical Agriculture (IITA), Ibadan, Nigeria.19 pp.

Godfrey, L.D. 2011. Spider mite. Integrated Pest Management for Home Gardeners and Landscape Professionals. Uni of California. 4p. http://www.ipm.ucdavis.edu/PDF/Pestnotes/pnspidermites.pdf.

Hidayah. 2013. Analisis usaha tani ubikayu. Jurnal Agrium 5 (1): 56 – 59.

Hoque, M. F. W. Islam., and M. Khalequzzaman. 2008. Life table of twospotted spider mite *Tetranychus urticae* Koch. (Acari: Tetranychidae) and its predator *Phytoseiulus persimilis* athias – Henriot (Acari: Phytoseiidae). Journal Bio – Sci. 16: 1-10.

Isnanimurti. 2008. Ubikayu (*Manihot esculenta* Crantz) sebagai alternative pengganti bensin (Bioetanol) yang Ramah Lingkungan. Bengkulu.

Klashoven, L.G.E. 1981. The pest of crops, in Indonesia. PT. Ichtiar Baru. Jakarta.

Kompiang, I.P., Haryati, T. dan Darma, J., 1994. Nilai gizi dari ubikayu yang diperkaya protein: Cassapro. Ilmu dan Peternakan, 7, pp. 22 – 25.

Lingga, P. 1986. Bertanam Umbi – umbian. Penebar Swadaya. Jakarta.

Naher N., W. Islam, and M.M. Haque. 2006. Predation of three predators on two-spotted spider mite, *Tetranychus urticae* Koch (Acari: Tetranychidae). J. Life Earth Sci. 1 (1): 1-4.

Nyiira, Z.M. 1972. Report of investation on cassava mite, *Mono-nychellus tanajoa* (Bondar). Kawanda Research Station, Kampala, Uganda. 14.

Nyiira, Z.M. 1973. Bioecological studies on the cassava mite, *M. Tanajoa* (Bondar) (Acarina: Tetranychidae). Proc. 3rd. International Symposium on Tropical Root Crops. IITA, Ibadan, Nigeria. 6.

Onwueme, I.C. 1978. The tropical tuber crops: Yams, Cassava, Sweet Potato, and Cocoyams. English Language Book Society and John Wiley & Sons Chichester.

Purwono dan Purnamawati, H. 2007.Budidaya 8 jenis Pangan Unggul. Penebar Swadaya. Jakarta.

UNIVERSITAS
GADJAH MADA
POPULASI TUNGAU PADA BEBERAPA KLONA UBIKAYU
LUTFINA AULIA RAHMAN, Dr. Tri Harjaka, S.P., M.P. ; Dr. Ir. Arman Wijonarko, M.Sc.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Razmjou, J., H. Tavakkoli, and M.Nemati. 2009. Life history traits of *Tetranychus urticae* Koch on three legumes (Acari: Tetranychidae). Munis Entomology & Zoology. 4 (1): 204 – 211.

Raworth, D.A., D.R. Gillespie, M. Roy, and H. M.A. Thistleswood. 2002. *Tetranychus urticae* Koch, twospotted spider mite (Acari: Tetranychidae). In Peter G. Mason & John Theodore Huber. Biological Control Programmes in Canada, 1981 – 2000. CAB Internat.

Riahi, E., P. Shishehbor, A.R. Nematti, and Z. Saeidi. 2013. Temperature effects on development and life table parameters of *Tetranychus urticae* (Acari: Tetranychidae). Jaournal Agr. Sci. Tech. 15 (1): 661 – 672.

Richana, N., Wargiono, J. and Saleh, N., 2002. Recent developments in cassava starch and derived products used in food processing in Indonesia. Proceedings of 7th Regional Workshop on Cassava Research and Development in Asia: Exploring New Opportunities for an Ancient Crop, Bangkok, Thailand. October 2002 pp. 590 -598.

Reddal A.A., V.O. Sadras., L.J. Wilson, and P.C. Gregg. 2011. Contradictions in host plant resistance to pests: spider mite (*Tetranychus urticae* Koch) behavior undermines the potential resistance of smooth – leaved cotton (*Gossypium hirsulum* L.). Pest Manag Sci. 67 (3): 360 – 370.

Rodriguez, J.G. 1979. Recent Advances in Acarology Vol 1.Academic press. London.

Sharma, A. and P.K. Pati. 2012. First record of the carmine spider mite, *Tetranychus urticae*, infesting *Withania somnifera* in India. Journal of Insect Sci. 12 : 50.

Skorupska, A. 2004.Resistance of apple cultivars to two-spotted spider mite, *Tetranychus urticae* Koch (Acarina, Tetranychidae) Part I. Bonomy of two-spotted spider mite on selected cultivars of apple tree. Journal of Plant Protect. 44 (1): 75 – 80.

Soelistijono. 2006. Tanaman Singkong. Penebar Swadaya. Jakarta.

Soemarjo, P. 1992. Pemuliaan Ubikayu. Simposium Pemuliaan Tanaman I Komda Jatim.

Sun Jing-Tai, C. Lian, M. Navajas, and Xiao-Yue Hong. 2012. Microsatellites reveal a strong subdivision of genetic structure in Chinese populations of the mite *Tetranychus urticae* Koch 9Acari: Tetranychidae) MC. Genetics 2012. 13:8.

Tjitrosoepomo, G. 2003. Morfologi Tumbuhan. Gadjah Mada University Press.Yogyakarta.

Tehri, K., R. Gulati, dan M. Geroh. 2014. Host plant responses, biotic stress and management strategies for the control of *Tetranychus urticae* Koch (Acarina: Tetranychidae). ARCC Journal. 34 (5): 250 -260.

Wargiono, J. dan Barret, D. 1997. Budidaya Ubikayu. Yayasan Obor Indonesia.Gramedia. Jakarta.

UNIVERSITAS
GADJAH MADA

POPULASI TUNGAU PADA BEBERAPA KLONA UBIKAYU
LUTFINA AULIA RAHMAN, Dr. Tri Harjaka, S.P., M.P. ; Dr. Ir. Arman Wijonarko, M.Sc.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Warabieda, W. 2003. Influence of leaf pubescence on the behavior of the two-spotted spider mite (*Tetranychus urticae*) and the European red mite (*Panonychus ulmi*). Acta Agrobotanica. 56 (1): 109 – 115.

Widiarti, W.V. 2012.kelimpahan tungau *Tetranychus urticae* pada beberapa kultivar tanaman singkong di Desa Tegal Kamulyan Kecamatan Cilacap Utara. Thesis. Fakultas Pertanian Universitas Jederal Soedirman. Purwokerto.

Xie, L., H. Miao, and X.Y. Xiao – Yue Hong, X.Y. 2006. The two spotted spider mite *Tetranychus urticae* Koch and the carmine spider mite *Tetranychus cinnabarius* their Wolbachia phylogenetic tree. Zoolaxa, 1166: 33 – 46.