

## DAFTAR PUSTAKA

- Anonim, 1985. *Annual Book of ASTM Standard American Society for Testing and Material*. Philadelphia: Race st.
- Awang, Santoso, Widayanti, Nugroho, Kustomo, dan Supardiono, 2001. *Gurat Hutan Rakyat di Kapur Selatan*. Debut Press. Yogyakarta.
- Bauch, J., H.V. Hundt, G. Weißmann, W. Lange dan H. Kubel, 1991. *On the Causes of Yellow Discolorations of Oak Heartwood (*Quercus Sect. Robur*) during drying*. *Holzforschung* Vol. 45 (2) : 79-85.
- Bhat, K.M. dan E.J.M. Florence, 2003. *Natural Decay Resistance of Juvenile Teak Wood Grown in High Input Plantations*. *Holzforschung* Vol. 57 (5) : 453-455.
- Bhat, K.M., P.K. Thulasidas, E.J. Maria Florence dan K. Jayaraman, 2005. *Wood Durability of Home-Garden Teak Gainst Brown-Root*. *Trees* Vol. 19 : 654 –660.
- Blakenhorn, P.R., T.W. Bowersox, K.M. Kuklewski dan G.L. Stimely, 1983. *Effects of Rotation , Site, and Clone on The Chemical Composition of Populus Hybrids*. *Wood and Fiber Science* Vol. 17 (30) : 351-360.
- Browning, B.L., 1967. *Methods of Wood Cemistry Vol. I*. Interscience Publishers, A Division of John Wiley and Sons, Inc. New York.
- Campbell, A. G., W. J. Kim dan P. Koch, 1988. *Chemical Variation in Lodgepole Pine With Sapwood or Heartwood, Stem Height, and Variety*. *Wood and Fiber Science* Vol. 22 (1) : 22-30.
- Da Costa, E.W.B., P. Rudman dan F.J. Gay, 1958. *Investigations on The Durability of *Tectona grandis**. *Empirical Forestry Review* Vol. 37 : 291–298.
- \_\_\_\_\_, 1961. *Relationship of Growth Rate and Related Factors to Durability in *Tectona grandis**. *Empirical Forestry Review* Vol. 40 : 308–319.
- Departemen Kehutanan, 2005. *Siaran Pers Pusat Informasi Kehutanan tentang Hutan Rakyat Indonesia sangat Prospektif untuk Industri Kehutanan*, No. S.375/II/PIK-1/2005, tanggal 7 Juni 2005. Website: <http://www.dephut.go.id>. Diakses tanggal 13 Oktober 2012.

- \_\_\_\_\_, 2007. *Statistik Kehutanan 2007*. <http://www.dephut.go.id/files/V60.pdf>. Diakses pada tanggal 15 Juni 2012.
- Febrianto, F., W. Syafii dan A. Barata, 2000. *Keawetan alami kayu jati (*Tectona grandis* L.f.) pada berbagai kelas umur*. Jurnal Teknologi Hasil Hutan IPB Vol. 13 (2) : 25-33. Bogor.
- Fengel, D. dan G. Wegener, 1995. *Kayu : Kimia, Ultrastruktur, Reaksi-reaksi*. Gadjah Mada University Press (terjemahan). Yogyakarta.
- Ganapaty, S., P.S. Thomas, S. Fotso dan H. Laatsch, 2004. *Antitermic Quinones from *Diospyros Sylvania**. Phytochemistry Vol. 65 : 1265-1271.
- Gao, H., T.F. Shupe, C.Y. Hse dan T.L. Elberhardt, 2006. *Antioxidant activity of extracts from the bark of *Chamaecyperta lawsoniana* (A. Murray) Parl.* Holforzchung Vol. 60 : 459-462.
- Gierlinger N., D. Jacques, M. Grabner, R. Wimmer, M. Schwanninger, P. Rozenberg dan L.E. Pâques, 2004. *Colour of larch heartwood and relationships to extractives and brown-rot decay resistance*. Trees Vol. 18 : 102–108.
- Hakim, L., R. Hartanto, dan A. H. Iswanto, 2006. *Jenis-Jenis Rayap yang Menyerang Gedung Bertingkat di Kota Medan*. Peronema Forestry Science Journal Vol. 2 (1).
- Harju, A.M., M. Venalainen, S. Anttonen, H. Viitanen, P. Kainulainen, P. Sarapaa dan E. Vapaavuori, 2003. *Chemical factors affecting the brown-rot decay resistance of Scots pine heartwood*. Trees Vol. 17 : 263–268.
- Haupt, M., H. Leithoff, D. Meier, J. Puls, H.G. Richter dan O. Faix, 2003. *Heartwood Extractives and Natural Durability of Plantation-Grown Teakwood (*Tectona grandis* L.) – a Case Study*. Holz als Roh-und Werkstoff Vol. 61 : 473 – 474.
- Haygreen, J.G. dan J.L. Bowyer., 1989. *Hasil Hutan dan Ilmu Kayu*. Gadjah Mada University Press (terjemahan). Yogyakarta.
- Hillis, W.E., 1987. *Heartwood and Tree Exudates*. Springer, Berlin Heidelberg New York.
- Hon, D.N.S. dan N. Minemura, 2001. *Wood and Cellulosic Chemistry*. Marcel Dekker Inc. New York.
- Hunt, G.M dan G.A Garrat. 1986. *Wood Preservation and Mc Graw*. Hill Book Co. New York (Terjemahan oleh Yusuf M. Pengawetan Kayu Akademi Presindo. Jakarta).

- Indrayani, Yuliati, T. Yoshimura, dan Y. Imamura, 2002. *Pengaruh Suhu Terhadap Aktivitas Makan Rayap Kayu Kering*. Prosiding Seminar Nasional MAPEKI V. Bogor.
- Iswanto, A.H., 2005. *Rayap Sebagai Serangga Perusak Kayu dan Metode Penanggulangannya*. e-USU Repostory. Universitas Sumatera Utara: Medan.
- Kokutse, A.D., A. Stokes, H. Bailer, K. Kokou dan C. Baudasse, 2006. *Decay Resistance of Togolese Teak (*Tectona Grandhis* L) Heartwood and Relationship With Colour*. *Trees* Vol. 20 : 219 – 223.
- Krishna, K., 1969. *Introduction Biology of Termites*. Vol. 1 : 1–17. Academy Press. New York.
- Lempang, M. dan M. Asdar, 2007. *Ketahanan Alami Kayu Jati (*Tectona grandis* l.f.) Asal Sulawesi Tenggara Terhadap Rayap Tanah*. *Jurnal Penelitian Hasil Hutan* Vol. 25 (4). Pusat Litbang Hasil Hutan. Bogor.
- Lukmandaru, G. dan K. Takahashi, 2008. *Variation in the Natural Termite Resistance of Teak (*Tectona grandis* Linn. fil.) Wood as a Function of Tree Age*. *Ann. For. Sci.* Vol. 65 : 1286–1296.
- \_\_\_\_\_, 2009. *Radial Distribution of Quinones in Plantation Teak (*Tectona grandis* Linn. fil.)*. *Ann. For. Sci.* Vol. 66 : 605.
- Lukmandaru, G., 2009. *Pengukuran Kadar Ekstraktif dan Sifat Warna Pada Kayu Teras Jati Doreng (*Tectona grandis*)*. *Jurnal Ilmu Kehutanan* Vol. 3 (2).
- \_\_\_\_\_, 2011. *Variability In The Natural Termite Resistance Of Plantation Teak Wood And Its Relations With Wood Extractive Content And Color Properties*. *Journal of Forestry Research* Vol. 8 (1) : 17-31.
- Mandang, Y. I. dan I K. N. Pandit, 1997. *Pedoman Identifikasi Kayu di Lapangan*. Seri Manual. Yayasan PROSEA. Bogor.
- Martawijaya, A., I. Kartasujana., K. Kadir dan S.A. Prawira, 1989. *Atlas Kayu Indonesia Jilid I*. Pusat Penelitian dan Pengembangan Hasil Hutan. CV. Miranti. Bogor.
- Moya, R. dan A. Berrocal, 2010. *Wood Colour Variation in Sapwood and Heartwood of Young Trees of *Tectona grandis* and its Relationship with Plantation Characteristic, Site, and Decay Resistance*. *Ann. For. Sci.* Vol. 67 : 109.

- Nandika, D. dan H. Adijuwana, 1995. *Ekstraktif Enzim Selulase dari Rayap Kayu Kering Cryptotermes cynocephalus Light serta rayap tanah Captotermes curvignathus Holmgren dan Macrotermes gilvus Hagen*. Jurnal Teknologi Hasil Hutan Fakultas Kehutanan IPB Vol. 8 (1).
- Nandika, D., Rismayadi, F. Diba, 2003. *Rayap Biologi dan Pengendaliannya*. Muhammadiyah Surakarta. Surakarta.
- Narayanamurti, D., J. George, H.C. Pant dan J. Singh, 1962. *Extractive in Teak*. Silvae Genetica, Band 11, Heft 3.
- Ngee, P., A. Tashiro, T. Yoshimura, Z. Jaal dan C. Lee, 2004. *Wood Preference of Selected Malaysian Subterranean Termites (Isoptera: Rhinotermitidae, Termitidae)*. Sociobiology Vol. 43 (3).
- Niamke, F.B., N. Amusant, J.P. Charpentier, G. Chaix., Y. Baissac, N. Boutahar., A.A. Adima, S.K. Coulibaly dan C.J. Allemand, 2011. *Relationship Between Biochemical Attributes (Non-Structural Carbohydrates and Phenolic) and Natural Durability againts Fungi in Dry Teak Wood (Tectona grandis L.f.)*. Annals of Forest Science Vol. 68 : 201-211.
- Nicholas, D.D., 1987. *Kemunduran (Deteriorasi) Kayu dan Pencegahannya Dengan Perlakuan-Perlakuan Pengawetan Jilid 1*. Airlangga University Press (ed). Surabaya.
- Pemerintah Kabupaten Kulon Progo, 2010. *Geografis (Kulon Progo Dalam Angka)*. Yogyakarta. <http://www.kulonprogokab.go.id/v21/Geografis> hal 9. Diakses pada tanggal 15 Juni 2012.
- Pereira, H., J. Graca dan J. C. Rodrigues, 2003. *Wood Chemistry in Relation to Quality*. Dalam: Wood Quality and Its Biological Basic. Barnett, R. J. Dan G. Jeronimidis (editor). Blackwell Publishing Ltd. USA.
- Polato, R., P.B. Laming dan R. Sierra-Alvarez, 2005. *Assessment of Some Wood Characteristic of Teak of Brazilian Origin*. Quality Timber Product of Teak from Sustainable Forest Management. P. 257 – 265.
- Prawirohatmodjo, S., 2004. *Kimia Kayu*. Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta.
- Rowell, R.M., 1984. *Bonding of Toxic Chemicals of Wood*. Applied Biochem. Biotechnol. Vol. 9 : 447 – 453.
- Rudi, 1999. *Preferensi Makan Rayap Tanah Captotermes curvignathus Holgren (Isoptera: Rhinotermitidae) Terhadap Delapan Jenis Kayu Bangunan*. Tesis. Tidak diterbitkan. IPB. Bogor.

- Rudman, P., E.W.B. Da Costa dan F. J. Gay, 1966. *Wood Quality in Plus Trees of Teak (*Tectona Grandhis L.f.*)*. Sylvae Genetica Vol. 6 : 102 – 105.
- Sandermann W. dan M.H. Simatupang, 1966. *On the chemistry and biochemistry of teakwood (*Tectona grandis* L. f.)*. Holz als Rohund Werkstoff Vol. 24 : 190–204.
- Sayudha, I.G.N.D, 2011. *Skripsi: Variasi Sifat Kimia dan Ketahanan Alami Kayu Jati Juvenil (*Tectona grandis*) Terhadap Rayap*. Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta.
- Siregar, E.B.M., 2005. *Potensi Budidaya Jati*. e-USU Repostory. Universitas Sumatera Utara: Medan.
- Sjostrom, E., 1981. *Kimia Kayu, Dasar-Dasar dan Penggunaan*. Edisi 2. Gadjah Mada University Press (terjemahan). Yogyakarta.
- Sornnuwat, D., 1996. *Resistence of Commercial Timbers and Fast Growing Timber of Thailand for Building Contruction to *Captotermes gestroi* Wasmann*. Proceeding the 1996 Annual Meeting of The International Research Group on Wood Preservation. Stochlom Sweden.
- Subyanto, 1999. *Kemunduran Kualitas Kayu Bagian II (Bahan Kuliah)*. Fakultas Kehutanan. Universitas Gadjah Mada (Tidak Dipublikasikan).
- Sudjana, 2002. *Metode Statistika*. Tahshiro. Bandung.
- Sumarna, Y., 2002. *Budi Daya Jati*. Penebar Swadaya. Jakarta.
- Tarumingkeng, R. C., 1971. *Biologi dan Perilaku Rayap*. Laporan Pusat Studi Ilmu Hayati. Institut Pertanian Bogor. Bogor. Diakses tanggal 22 Oktober 2012.
- Taylor, A. M., B.L. Gartner., J.J. Morrel dan K. Tsunoda, 2006. *Effects of heartwood extractive fractions of *Thuja plicata* *Chamaecyparis nootkatensis* on wood degradation by termites and fungi*. Jurnal Wood Science Vol. 52 : 147-153
- Venalainen, M., A. Harju, N. Terziev, T. Laakso dan P. Saranpaa, 2003. *The Concentration of Phenolics in Brown-Rot Decay Resistant and Susceptible Scots Pine Heartwood*. Ann. For. Sci. Vol. 60 : 409 – 417.

- Venalainen, M., A. Harju, N. Terziev, T. Laakso dan P. Saranpaa, 2006. *Decay Resistance, Extractive Content, and Water Sorption Capacity of Siberian Larch (*Larix sibirica* Lebed.) Heartwood Timber*. *Holzforschung* Vol. 60 : 99 – 103.
- Wangard, F.F., 1966. *Resistance of Wood to Chemical Degradation*. SWST Research Paper No.2.
- Windeisen, E. dan G. Wegener, 2002. *Investigation of the Correlation Between Extractives Content and Natural Durability in 20 Cultivated Larch Trees*. *Holz als Roh- und Werkstoff* Vol. 60 : 373–374.
- Windeisen, E., A. Klassen dan G. Wegener, 2003. *On the chemical characterisation of plantation teakwood from Panama*. *Holz als Roh- und Werkstoff* Vol. 61 : 416–418.
- Yamamoto, K., H. Simatupang dan R. Hashim, 1998. *Caoutchouc in Teak Wood (*Tectona grandis* L.f.): Formation, Location, Influence on Sunlight Irradiation, Hydrophobicity and Decay Resistance*. *Holz als Roh- und Werkstoff* Vol. 56 : 201 – 209.