

DAFTAR PUSTAKA

- Babar, I.A.J. Czocor, A. Steinmetz, J. B. Weidhaas, P.M. Glazer, and Slack, F.J. (2011). Inhibition of hypoxia-induced miR-155 radiosensitizer hypoxic lung cancer cells. *Cancer Biology & Therapy. USA*. 12(10):908-914.
- Bader, A., Brown, D., Stoudemire, J., and Lammers, P. (2014) ‘Developing therapeutic microRNAs for cancer’, *Gene Ther*, 18(12), pp. 1121–1126
- Bast, Jr. R. C., Hennessy, B., Mills, G. B. 2009. The Biology of Ovarian Cancer: New Opportunities for Translation. *Nat Rev Cancer*. 9: 415–428.
- Bhardwaj, A., Singh, S., & Singh, A. P. (2010). MicroRNA-based cancer therapeutics: big hope from small RNAs. *Molecular and cellular pharmacology*, 2(5), 213.
- Bruning, U., Cerone, L., Neufeld, Z., Fitzpatrick, S. F., Cheong, A., Scholz, C. C., ... & Taylor, C. T. (2011). MicroRNA-155 promotes resolution of hypoxia-inducible factor-1 α activity during prolonged hypoxia. *Molecular and cellular biology*, MCB-01276.
- Cannistra, S. A. 2004. Cancer of The Ovary. *N Engl J Med*. 351: 2519–2529.
- Cao, L., Xie, B., Yang, X., Liang, H., Jiang, X., Zhang, D., & Shao, Z. (2015). MiR-324-5p suppresses hepatocellular carcinoma cell invasion by counteracting ECM degradation through post-transcriptionally downregulating ETS1 and SP1. *PLoS One*, 10(7), e0133074.
- Cooper GM. The Cell: A Molecular Approach. 2nd edition. Sunderland (MA): Sinauer Associates; 2000. *The Development and Causes of Cancer*. Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK9963/>
- Chasanah, S. N., Fitriawan, A. S., Pukan, F. K., Kartika, A. I., Oktriani, R., Trirahmanto, A., Pradjatmo, H., Aryandono, T., Haryana, S. M (2016) hsa-Mir-155-5p dan mRNA Hypoxia Inducible Factor Alpha (HIF1 α) pada Plasma Darah Pasien Kanker Ovarium Stadium Awal dan Stadium Lanjut. Universitas Gadjah Mada.
- Chen, Q., Xu, R., Zeng, C., Lu, Q., Huang, D., Shi, C., ... & Gao, G. (2014). Down-regulation of Gli transcription factor leads to the inhibition of migration and invasion of ovarian cancer cells via integrin β 4-mediated FAK signaling. *PLoS one*, 9(2), e88386.
- Cho, E., Curhan, G., Hankinson, S. E., Kantoff, P., Atkins, M. B., Stampfer, M., Choueiri, T. K. (2013) ‘Prospective evaluation of analgesic use and risk of renal cell cancer’, *Arch Intern Med.*, 171(16), pp. 1487–1493.

- Dahiya, N., Sherman-baust, C. A., Wang, T., Davidson, B., Shih, I., Iii, W. W., Becker, K. G., Morin, P. J. (2008) 'MicroRNA Expression and Identification of Putative miRNA Targets in Ovarian Cancer', *Plos One*, 3(6).
- Du, Z. M., Hu, L. F., Wang, H. Y., Yan, L. X., Zeng, Y. X., Shao, J. Y., & Ernberg, I. (2011). Upregulation of MiR-155 in nasopharyngeal carcinoma is partly driven by LMP1 and LMP2A and downregulates a negative prognostic marker JMJD1A. *PloS one*, 6(4), e19137.
- Falcone, G., Felsani, A. and D'Agnano, I. (2015) 'Signaling by exosomal microRNAs in cancer', *Journal of Experimental & Clinical Cancer Research*, 34(32), pp. 1–10.
- Farazi, T. A., Hoell, J. I., Morozov, P., Tuschl, T. (2013) 'MicroRNA Cancer Regulation', *Adv Exp Med Biol*, 774, pp. 1–20.
- Faraoni, I., Romana, F., Cardone, J., Bonmassar, E. (2009) 'Biochimica et Biophysica Acta miR-155 gene : A typical multifunctional microRNA', *Biochimica et Biophysica Acta*. Elsevier B.V., 1792(6), pp. 497–505.
- Fitira, Meutia Srikandi (2016). Ekspresi Homo Sapien MicroRNA 155 (Hsa-Mir-155-5p) Dan Mrna Suppressor Of Cytokine Signaling 1 (Socs1) Pada Plasma Kanker Payudara Setelah Kemoterapi (Doctoral dissertation, Universitas Gadjah Mada)
- George, G. P. and Mittal, R. D. (2010) 'MicroRNAs : POTENTIAL BIOMARKERS IN CANCER', 25(1), pp. 4–14.
- Hanahan, D. and Weinberg, R. A. (2011) 'Review Hallmarks of Cancer : The Next Generation', *Cell*. Elsevier Inc., 144(5), pp. 646–674.
- Jacobs, I. J., dan Menon, U. 2004. Progress and Challenges in Screening for Early Detection of Ovarian Cancer. *Molecular & Cellular Proteomics*. 3(4): 355-366.
- Jayson, G. C., Kohn, E. C., Kitchener, H. C., & Ledermann, J. A. (2014). Ovarian cancer. *The Lancet*, 384(9951), 1376-1388.
- Joung, J.G., Kim, D., Lee, S. Y., Kang, H. J., Kim, J. H. 2014. Integrated Analysis of MicroRNA-Target Interactions with Clinical Outcomes for Cancers. *BMC Medical Genomics*. 7 (1): S10.
- Kaku, T., Ogawa, S., Kawano, Y., Ohishi, Y., Kobayashi, H., Hirakawa, T., & Nakano, H. (2003). Histological classification of ovarian cancer. *Medical Electron Microscopy*, 36(1), 9-17.
- Kementrian Kesehatan, R. I. (2013). Riset kesehatan dasar (Riskesdas) 2013. Jakarta: Badan Penelitian dan Pengembangan Kesehatan.

Kinose, Yasuto, Kenjiro Sawada, Koji Nakamura, and Tadashi Kimura. "The Role of MikroRNAs in Ovarian Cancer." *BioMed Research International* 2014 (2014): 1–11. <https://doi.org/10.1155/2014/249393>.

Kloosterman, W. P. and Plasterk, R. H. A. (2006) 'The Diverse Functions of MicroRNAs in Animal Development and Disease', *Developmental Cell*, 11(4), pp. 441–450.

Krek, A., Grün, D., Poy, M. N., Wolf, R., Rosenberg, L., Epstein, E. J., ... & Rajewsky, N. (2005). Combinatorial microRNA target predictions. *Nature genetics*, 37(5), 495.

Kuo, W. T., Su, M. W., Lee, Y. L., Chen, C. H., Wu, C. W., Fang, W. L., ... & Lin, W. C. (2015). Bioinformatic interrogation of 5p-arm and 3p-arm specific miRNA expression using TCGA datasets. *Journal of clinical medicine*, 4(9), 1798-1814.

Li, M., Li, J., Ding, X., He, M., & Cheng, S. Y. (2010). microRNA and cancer. *The AAPS journal*, 12(3), 309-317.

Liao, L. M., Zheng, M., Huang, L., Ding, H., He, L., Zhang, Y., & Wang, H. Y. (2011). Molecular characterization of early adenocarcinoma of the uterine cervix by oligonucleotide microarray. *Archives of gynecology and obstetrics*, 283(4), 861-869.

Lingel, A., Simon, B., Izaurralde, E., & Sattler, M. (2003). Structure and nucleic-acid binding of the Drosophila Argonaute 2 PAZ domain. *Nature*, 426(6965), 465.

Liu, C., Li, G., Yang, N., Su, Z., Zhang, S., Deng, T., ... & Qiu, Y. (2017). miR-324-3p suppresses migration and invasion by targeting WNT2B in nasopharyngeal carcinoma. *Cancer cell international*, 17(1), 2.

Liu, J., Majumdar, A., Liu, J., Thompson, L. H., & Seidman, M. M. (2010). Sequence conversion by single strand oligonucleotide donors via non homologous end joining in mammalian cells. *Journal of Biological Chemistry*, jbc-M110.

Liu, Michelle, X. Chan, David, W. Ngan, and Hextan, Y.S 2012. Mechanisms of chemoresistence in human ovarian cancer at a glance. *Gyne Obstet.* 2:3

Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta CT}$ method. *methods*, 25(4), 402-408.

Luo, P., Fei, J., Zhou, J., & Zhang, W. (2015). microRNA-126 suppresses PAK4 expression in ovarian cancer SKOV3 cells. *Oncology letters*, 9(5), 2225-2229

Murphy, L.-A. M. and P. R. (2010) 'Biogenesis, Function and Role in Cancer'.

- Nakamura, K. Sawada, K. Yoshimura, A. Kinose, Y. Nakatsuka, E. And Kimura, T. (2016). Clinical Relevance of circulating cell free microRNAs in ovarian cancer. *Molecular Cancer*. 15(48):1-10.
- Nam, E. J., Yoon, H., Kim, S. W., Kim, H., Kim, Y. T., Kim, J. H., ... & Kim, S. (2008). MicroRNA expression profiles in serous ovarian carcinoma. *Clinical cancer research*, 14(9), 2690-2695.
- National Institutes of Health (US); Biological Sciences Curriculum Study. NIH Curriculum Supplement Series Bethesda (MD): National Institutes of Health (US); 2007
- Oemiati, R., Rahajeng, E., & Kristanto, A. Y. (2011). Prevalensi tumor dan beberapa faktor yang mempengaruhinya di Indonesia. *Buletin Penelitian Kesehatan*, 39(4 Des), 190-204.
- Ponchel, F., Toomes, C., Bransfield, K., Leong, F. T., Douglas, S. H., Field, S. L., ... & Robinson, P. A. (2003). Real-time PCR based on SYBR-Green I fluorescence: an alternative to the TaqMan assay for a relative quantification of gene rearrangements, gene amplifications and micro gene deletions. *BMC biotechnology*, 3(1), 18.
- Qin, W., Ren, Q., Liu, T., Huang, Y., & Wang, J. (2013). MicroRNA-155 is a novel suppressor of ovarian cancer-initiating cells that targets CLDN1. *FEBS letters*, 587(9), 1434-1439.
- Qu, H., Xu, W., Huang, Y., Yang, S. 2011. Circulating miRNAs: Promising Biomarkers of Human Cancer. *Asian Pacific Journal of Cancer Prevention*. 12: 1117-1125.
- Resnick, K. E., Alder, H., Hagan, J. P., Richardson, D. L., Croce, C. M., & Cohn, D. E. (2009). The detection of differentially expressed microRNAs from the serum of ovarian cancer patients using a novel real-time PCR platform. *Gynecologic oncology*, 112(1), 55-59.
- Robbins and Cotran.(2015) *Pathologic Basis of Disease*.Ed.9. Elsevier : Canada
- Rojas, V., Hirshfield, K. M., Ganesan, S., & Rodriguez-Rodriguez, L. (2016). Molecular characterization of epithelial ovarian cancer: implications for diagnosis and treatment. *International journal of molecular sciences*, 17(12), 2113.
- Sardo, C., Craparo, E. F., Porsio, B., Giammona, G., Cavallaro, G. (2016) 'Improvements in Rational Design Strategies of Inulin Derivative Polycation for siRNA Delivery'.
- Taylor, D. D. and Gercel-taylor, C. (2008) 'MicroRNA signatures of tumor-derived exosomes as diagnostic biomarkers of ovarian cancer', 110, pp. 13-21.

- Tosi, L., Sridhara, V., Yang, Y., Guan, D., Shpilker, P., Segata, N., Parekkadan, B. (2017). Long-adapter single-strand oligonucleotide probes for the massively multiplexed cloning of kilobase genome regions. *Nature biomedical engineering*, 1(7), 0092.
- Tinelli, A., Vergara, D., Martignago, R., Leo, G., Pisanò, M., & Malvasi, A. (2009). An outlook on ovarian cancer and borderline ovarian tumors: focus on genomic and proteomic findings. *Current genomics*, 10(4), 240.
- Valadi, H., Ekström, K., Bossios, A., Sjöstrand, M., Lee, J. J., & Lötvall, J. O. (2007). Exosome-mediated transfer of mRNAs and microRNAs is a novel mechanism of genetic exchange between cells. *Nature cell biology*, 9(6), 654.
- Varma, A., Padh, H., & Shrivastava, N. (2007). Plant genomic DNA isolation: an art or a science. *Biotechnology Journal: Healthcare Nutrition Technology*, 2(3), 386-392.
- Wacker, M. J., & Godard, M. P. (2005). Analysis of One-Step and Two-Step Real-Time RT-PCR Using SuperScript III. *Journal of Biomolecular Techniques : JBT*, 16(3), 266–271.
- Wahid, F., Shehzad, A., Khan, T., & Kim, Y. Y. (2010). MicroRNAs: synthesis, mechanism, function, and recent clinical trials. *Biochimica et Biophysica Acta (BBA)-Molecular Cell Research*, 1803(11), 1231-1243.
- Wahidin, Mugi.,Subrido, Hardina., Tehuteru, Edi Setiawan., Wiradinata, Dini and Andriana. (2015). Buletin Jendela Data dan Informasi Kesehatan. Kementerian Kesehatan RI : Kepala Pusat Data dan Informasi.
- Wang and Chen.(2014) .Circulating miRNAs as in cancer : from detection to Therapy. *Journal of Hematology & Oncology* . 7:86.
- Wang, Z., Zhou, Z. J., Liu, D. P., & Huang, J. D. (2006). Single-stranded oligonucleotide-mediated gene repair in mammalian cells has a mechanism distinct from homologous recombination repair. *Biochemical and biophysical research communications*, 350(3), 568-573.
- Winter, J., Jung, S., Keller, S., Gregory, R. I., & Diederichs, S. (2009). Many roads to maturity: microRNA biogenesis pathways and their regulation. *Nature cell biology*, 11(3), 228.
- Zhou, H., Huang, X., Cui, H., Luo, X., Tang, Y., Chen, S., Wu, L., Shen, N. (2017) ‘miR-155 and its star-form partner miR-155 * cooperatively regulate type I interferon production by human plasmacytoid dendritic cells’, *BLOOD*, 116(26), pp. 5885–5895.