



## DAFTAR PUSTAKA

- Arroyo, V., García-Martínez, R., Salvatella, X. (2014). Human serum albumin, systemic inflammation, and cirrhosis. *J Hepatol*, 61, 396–407. doi: 10.1016/j.jhep.2014.04.012
- Bacon, B. R. (2015). Cirrhosis and Its Complications. dalam D. L. Kasper, A. S. Fauci, S. L. Hauser, D. L. Longo, J. L. Jameson, & J. Loscalzo (Eds.), *Harrison's Principles of Internal Medicine* (hal. 2058-2067). McGraw-Hill Education.
- Biyik, M., Ucar, R., Solak, Y., Gungor, G., Polat, I., Gaipov, A., et al. (2013). Blood neutrophil-to-lymphocyte ratio independently predicts survival in patients with liver cirrhosis. *Eur J Gastroenterol Hepatol*, 25(4), 435-41. doi: 10.1097/MEG.0b013e32835c2af3
- Coussens, L. M., & Werb, Z. (2002). Inflammation and cancer. *Nature*, 420(6917), 860–867. <http://doi.org/10.1038/nature01322>
- Dirchwolf, M. & Ruf, A. E. (2015). Role of systemic inflammation in cirrhosis: From pathogenesis to prognosis. *World J Hepatol*, 7(16), 1974-1981. doi: 10.4254/wjh.v7.i16.1974
- Forget, P., Khalifa, C., Defour, J. P., Latinne, D., Van Pel, M. C., & De Kock, M. (2017). What is the normal value of the neutrophil-to-lymphocyte ratio?. *BMC Research Notes*, 10, 12. doi: 10.1186/s13104-016-2335-5
- Garcia-Tsao, G. (2011). Ascites. dalam J. S. Dooley, A. S. F. Lok, A. K. Burroughs, & E. J. Heathcote (Eds.), *Sherlock's Diseases of the Liver and Biliary system* (hal. 210-233). Chichester, West Sussex: Wiley-Blackwell.
- Gordon, F. D. (2012). Ascites. *Clin Liver Dis*, 16, 285-299. doi: 10.1016/j.cld.2012.03.004
- Hou, W. & Sanyal, A. J. (2009). Ascites: Diagnosis and Management. *Med Clin North Am*, 810-817. doi: 10.1016/j.mcna.2009.03.007
- Kalra, A., Wedd, J. P., Bambha, K. M., Gralla, J., Golden-Mason, L., Collins, C., et al. (2017). Neutrophil-to-lymphocyte ratio correlates with proinflammatory neutrophils and predicts death in low model for end-stage liver disease patients with cirrhosis. *Liver Transpl*, 23(2), 155-165. doi: 10.1002/lt.24702.
- Kaplan, L. J. (2017). *Systemic Inflammatory Response Syndrome*. dilihat pada 21 Januari 2018, dari: <http://www.medscape.com>
- Kuiper, J. J., van Buuren, H. R., & de Man, R. A. (2007). Ascites in cirrhosis: a review of management and complications. *Neth J Med*, 65(8), 283-8.
- Kumar, V., Abbas, A. K., & Aster, J. C. (2015). *Robbins and Cotran Pathologic Basis of Disease*. Philadelphia, PA: Elsevier Saunders.
- Kwon, J. H., Jang, J. W., Kim, Y. W., Lee, S. W., Nam, S. W., Jaegal, D., et al. (2015). The usefulness of C-reactive protein and neutrophil-to-lymphocyte ratio for predicting the outcome in hospitalized patients with liver cirrhosis. *BMC Gastroenterol*, 15:146. doi: 10.1186/s12876-015-0378-z.
- Liu, X., Qu, J. K., Zhang, J., Yan, Y., Zhao, X. X., Wang, J. Z., Qu, H. Y., Liu,



- L., Wang, J. S., & Duan, X. Y. (2017). Prognostic role of pretreatment neutrophil to lymphocyte ratio in breast cancer patients: A meta-analysis. *Medicine*, 96(45), <http://doi.org/10.1097/MD.00000000000008101>
- Liu, X., Shen, Y., Wang, H., Ge, Q., Fei, A., & Pan, S. (2016). Prognostic Significance of Neutrophil-to-Lymphocyte Ratio in Patients with Sepsis: A Prospective Observational Study. *Mediators Inflamm*, 2016, 8191254. doi: 10.1155/2016/8191254
- McCormick, P. A. (2011). Hepatic Cirrhosis. dalam J. S. Dooley, A. S. F. Lok, A. K. Burroughs, & E. J. Heathcote (Eds.), *Sherlock's Diseases of the Liver and Biliary system* (hal. 103-120). Chichester, West Sussex: Wiley-Blackwell.
- Moore, C. M., & Van Thiel, D. H. (2013). Cirrhotic ascites review: Pathophysiology, diagnosis and management. *World J Hepatol*, 5(5), 251–263. doi: 10.4254/wjh.v5.i5.251
- Moore, K. P. & Aithal, G. P. (2006). Guidelines on the management of ascites in cirrhosis. *Gut*, 55(Suppl VI):vi1–vi12. doi: 10.1136/gut.2006.099580
- Nurdjanah, S. (2014). Jilid II. Sirosis hati. dalam A.W. Sudoyo, B. Setiyohadi, I. Alwi, M. Simadibrata, S. Setiati (Eds.), *Buku Ajar Ilmu Penyakit Dalam Edisi 6* (hal. 668-673). Jakarta: Interna Publishing.
- Oyama, J., Nagatomo, D., Yoshioka, G., Yamasaki, A., Kodama, K., Sato, M., Komoda, H., Nishikido, T., Shiraki, A., & Node, K. (2016). The relationship between neutrophil to lymphocyte ratio, endothelial function, and severity in patients with obstructive sleep apnea. *J Cardiol*, 67, 295–302. doi:10.1016/j.jjcc.2015.06.005
- Pinzani, M., Rosselli, M. and Zuckermann, M. (2011). Liver cirrhosis. *Best Pract Res Clin Gastroenterol*, 25(2), 281-290.
- Probowati, W., Bayupurnama, P., dan Ratnasari, N. 2015. Korelasi Antara Rasio Neutrofil Limfosit dengan skor Child Tucoffe Pugh pada pasien sirosis hati dekompensata. *Tesis*. Fakultas Kedokteran Universitas Gadjah Mada/Program Pendidikan Dokter Spesialis Ilmu Penyakit Dalam.
- Ramírez, M. J., Titos, E., Clària, J., Navasa, M., Fernández, J., & Rodés, J. (2004). Increased apoptosis dependent on caspase-3 activity in polymorphonuclear leukocytes from patients with cirrhosis and ascites. *J Hepatol*, 41, 44-48, doi:10.1016/j.jhep.2004.03.011
- Schuppan, D. & Afdhal, N. (2008). Liver cirrhosis. *Lancet*, 371, 838-851.
- Tsochatzis, E. A., Bosch, J., & Burroughs, A. K. (2014). Liver cirrhosis. *Lancet*, 383, 1749-61. doi: 10.1016/ S0140-6736(14)60121-5
- Wang, R., Qi, X., & Guo, X. (2017). Quantification of ascites based on abdomino pelvic computed tomography scans for predicting the in-hospital mortality of liver cirrhosis. *Exp Ther Med*, 14, 5733-5742. doi: 10.3892/etm.2017.5321
- Xu, T., Weng, Z., Pei, C., Yu, S., Chen, Y., Guo, W., Wang, X., Luo, P., & Sun, J. (2017). The relationship between neutrophil-to-lymphocyte ratio and diabetic peripheral neuropathy in Type 2 diabetes mellitus. *Medicine*, 96, 45.
- Zhang, H., Sun, Q., Mao, W., Fan, J., & Ye, B. (2016). Neutrophil-to



UNIVERSITAS  
GADJAH MADA

**Rasio Neutrofil Limfosit sebagai Prediktor Keberadaan Asites pada Penderita Sirosis Hati**  
Wynne Wijaya, Dr. dr. Neneng Ratnasari, SpPD-KGEH; dr. Catharina Triwikatmani, M. Kes, SpPD-KGEH; dr. Fahmi  
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Lymphocyte Ratio Predicts Early Mortality in Patients with HBV-Related  
Decompensated Cirrhosis. *Gastroenterol Res Pract*, 2016, 4394650. doi:  
10.1155/2016/4394650