DAFTAR PUSTAKA

Agle, M., A. N. Hristov, S. Zaman, C. Schneider, P. M. Ndegwa, and V. K. Vaddella. 2010. Effect of dietary concentrate on rumen fermentation, digestibility, and nitrogen losses in dairy cows. J. Dairy Sci. 93: 4211-4222.

Aguerre., M, C. Cajarville, G. V. Kozloskic, and J. L. Repetto. 2013. Intake and digestive responses by ruminants fed fresh temperate pasture supplemented with increased levels of sorghum grain: A Comparison Between Cattle and Sheep. Anim. Feed Sci. Tech. 186: 2-19.

Ali, O., Z. Shen, U. Tietjen, and H. Martens. 2006. Transport of acetate and sodium in sheep omasum: mutual, but asymmetric interactions. J. Comp. Physiol. 176: 477-487.

Al-anas, M. 2015. Penambahan Tanaman Pakan Sumber Tanin Sebagai Agensia Penghambat Produksi Metan Ternak Domba Secara *In vitro*. Skripsi. Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.

Al-Masaudi, S., A. El Kaoutari, E. Drula, H. Al-Mehdar, E. M. Redwan, V. Lombard, and B. Henrissat. 2017. A metagenomics investigation of carbohydrate-active enzymes along the gastrointestinal tract of saudi sheep. Fron. Micro. 8: 1-10

Allen, M. J. and G. L. Borkowski. 1999. The Laboratory Small Ruminant. M. A. Suckow (ed.), CRC Press, Taylor and Francis Group.

Anbarasu, C., N. Dutta, K. Sharma, and M. Rawat. 2004. Response of goats to partial replacement of dietary protein by a leaf meal mixture containing *Leucaena leucocephala*, *Morus alba* and *Tectona grandis*. Small Rum. Res. 51: 47-56.

Animut, G., R. Puchala, A. L. Goetsch, A. K. Patra, T. Sahlu, V. H. Varel, and J. Wells. 2008. Metane emission by goats consuming different sources of condensed tannins. Anim. Feed Sci. Tech. 144: 228-241.

Aschenbach, J. R., G. B. Penner, F. Stumpff, and G. Gäbel. 2011. Ruminant Nutrition Symposium: Role of fermentation acid absorption in the regulation of ruminal pH 12. J. Anim. Sci. 89: 1092-1107.

Astuti, M. 2007. Pengantar Ilmu Statistik untuk Peternakan dan Kesehatan Hewan. Edisi 1. Binasti Publisher. Bogor.

Attia-Ismail, S. A. 2016. Rumen Physiology Under High Salt Stress. Halophytic and Salt-Tolerant Feedstuffs. Taylor and Francis Group. pp 348-357.

Bach, A., S. Calsamiglia, and M. D. Tern. 2005. Nitrogen metabolism in the rumen. J. Dairy Sci. 88: 9-21.

Badan Pusat Statistik. 2018. https://www.bps.go.id/dynamictable/2015/12/17/1022/populasi-kambing-menurut-provinsi-2009-2017.html. Diakses pada Jumat, 17 Agustus 2018.

Badan Pusat Statistik. 2018. https://www.bps.go.id/dynamictable/2015/12/18/1042/produksi-daging-kambing-menurut-provinsi-2009-2017.html. Diakses pada Jumat, 17 Agustus 2018.

Baldwin, R. L. and M. J. Allison. 1983. Rumen Metabolism. J. Anim. Sci. 57: 461-477.

Beauchemin, K. A., S. M. McGinn, T. F. Martinez, and T. A. McAllister. 2007. Use of condensed tannin extract from quebracho trees to reduce methane emissions from cattle. J. Anim. Sci. 85: 1990-1996.

Beauchemin, K. A., M. Kreuzer, F. O'Mara, and T. A. McAlister. 2008. Nutritional management for enteric methane abatement: A review. Aust. J. Exp. Agr. 48: 21-27.

Benchaar, C., T. A. McAllister, and P. Y. Chouinard. 2008. Digestion, ruminal fermentation, ciliate protozoal populations, and milk production from dairy cows fed cinnemaldehyde, quebracho condensed tannin or *Yucca shidigera* saponin extracts. J. Dairy Sci. 91: 4765-4777

Bennick, A. 2002. Interaction action of plant polyphenols with salivary proteins. Crit. Rev. Oral. Biol. Med. 13: 184-196.

Bhatta, R., M. Saravanan, L. Baruah, and C. S. Prasad. 2014. Effects of graded levels of tannin-containing tropical tree leaves on *in vitro* rumen fermentation, total protozoa and methane production. ICAR. Bangalore, India.

Branco, A. F., F. Giallongo, T. Frederick, H. Weeks, J. Oh, and A. N. Hristov. 2015. Effect of technical cashew nut shell liquid on rumen methane emission and lactation performance of dairy cows. J. Dairy Sci. 98:6.

Boisen, S., T. Hvelplund, and M. R. Weisbjerg. 2000. Ideal amino acid profiles as a basis for feed protein evaluation. Liv. Prod. Sci. 64: 239-251.

Budisatria, I. G. S. 2006. Dynamics of Small Ruminant Development in Central Java Indonesia. Thesis. Animal Production Systems Group. Wageningen University.

Buddle, B. M., M. Denis, G. T. Attwood, E. Altermann, P. H. Janssen, R. S. Ronimus, C. S. Pinares-Patino, S. Muetzel, and D. N. Wedlock. 2011. Strategies to reduce methane emissions from farmed ruminants grazing on pasture. Vet. J. 188: 11-17.

Burns, J. C. 2008. Utilization of pasture and forages by ruminants: A historical perspective. ASAS Centennial Paper. J. Anim. Sci. 86: 3647-3663.

Cahyani, R. D., L. K. Nuswantara, dan A. Subrata. 2012. Pengaruh proteksi protein tepung kedelai dengan tanin daun bakau terhadap konsentrasi amonia, undegraded protein, dan protein total secara *in vitro.* Anim. Agr. J. 1: 159-166.

Calsamiglia, S., M. Busquet, P. W. Cardozo, L. Castillejos, A. Ferret, and I. Fandiño. 2007. The use of essential oils in ruminants as modifiers of rumen microbial fermentation. Penn. State. Dairy Cattle Nutrition Workshop.

Cardozo, P. W., S. Calsamiglia, A. Ferret, and C. Kamel. 2004. Effects of natural plant extracts on ruminal protein degradation and fermentation profiles in continuous culture. J. Anim. Sci. 82: 3230-3236.

Cardozo, P. W., S. Calsamiglia, A. Ferret, and C. Kamel. 2005. Screening for the effects of natural plant extracts at different pH on *in vitro* rumen microbial fermentation of a high-concentrate diet for beef cattle. J. Anim. Sci. 83: 2572–2579.

Carulla, J. E., M. Kreuzer, A. Machmüller, and H. D. Hess. 2005. Supplementation of *Acacia mearnsii* tannins decreases methanogenesis and urinary nitrogen in forage-fed sheep. Aust. J. Agr. Res. 56: 961–970.

Chapa, A. M. 2001. Influence of dietary carnitine in growing sheep fed diets containing non-protein nitrogen. Small Rum. Res. 40: 13-28.

Clauss, M., J. Fritz, D. Bayer, K. Nygren, S. Hammer, J. M. Hatt, K. H. Südekum, and J. Hummel. 2009. Physical characteristics of rumen contents in four large ruminants of different feeding type, the addax (*Addax nasomaculatus*), bison (*Bison bison*), red deer (*Cervus elaphus*) and moose (*Alces alces*). Comp. Biochem. Physiol. 152: 398-406.

Clauss, M. and R. R. Hofmann. 2014. The digestive system of ruminants, and peculiarities of (wild) cattle. M. Melletti and J. Burton (ed.), Ecology, Evolution and Behaviour of Wild Cattle: Implications for Conservation. Cambridge University Press, Cambridge, UK. pp 57-62.

Clauss, M. and J. Hummel. 2017. Physiological adaptations of ruminants and their potential relevance for production systems. R. Bras. Zootec. 46: 606-613.

Cortés, J. E., B. Moreno, M. L. Pabón, P. Avila, M. Kreuzer, H. D. Hess, and J. E. Carulla. 2009. Effects of purified condensed tannins extracted from calliandra, flemingia and leucaena on ruminal and postruminal

degradation of soybean meal as estimated *in vitro*. Anim. Feed Sci. Tech. 151: 194-204.

Desnoyers, M., S. Giger-Reverdin., D. Sauvant., and C. Duvaux-Ponter 2011. The use of a multivariate analysis to study between goat variability in feeding behavior and associated rumen pH patterns. J. Dairy Sci. 94: 842-852.

Dewhurst, R., R. J. Merry, and D. R. Davies. 2000. Microbial protein supply in the rumen. Anim. Feed Sci. Tech. 85: 1-21.

Dixon, R. A., D. Y. Xie, and S. B. Sharma. 2005. Proanthocyanidins, a final frontier in flavonoid research?. New Phyt. 165: 9-28.

El-Zaiat, H. M., R. C. Araujo, Y. A. Soltan, A. S. Morsy, H. Louvandini, A. V. Pires, H. O. Patino, P. S. Correa, and A. L. Abdalla. 2014. Encapsulated nitrate and cashew nut shell liquid on blood and rumen constituents, methane emission, and growth performance of lambs. J. Anim. Sci. 92: 2214-2224.

Ferreira, L. M. M., G. Hervas, A. Belenguer, R. Celaya, M. A. M. Rodrigues, U. Garcia, P. Frutos, and K. Osoro. 2015. Comparison of feed intake, digestion and rumen function among domestic ruminant species grazing in upland vegetation communities. J. Anim. Phy. Nutr. pp 1-11.

Fitriastuti, R. 2018. Produksi Metan dalam Rumen dan Kinerja Kambing Bligon dengan Suplementasi Minyak Kulit Biji Mete pada Ransum. Tesis. Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.

Freer, M., H. Dove, and J. V. Nolan. 2007. Nutrient Requirements of Domesticated Ruminants. CSIRO Publishing. Australia.

Galbraith, H. 2000. Protein and sulphur amino acid nutrition of hair fibre-producing Angora and Cashmere goats. Liv. Prod. Sci. 64: 81-93.

Geishauser, T. 1993. An instrument for collection and transfer of ruminal fluid and for the administration of water soluable drugs in adult cattle. Bovine Pract. 27: 38-42

Givens, D. I., E. Owen, and A. T. Adesogan. 2000. Current procedures, future requirements and the need for standardization. In: Forage Evaluation in Ruminant Nutrition. R. F. E. Axford and H. M. Omed (ed.), CABI Publishing. pp 449-474.

Guilloteau, P. and R. Zabielski. 2005. Digestive secretions in preruminant and ruminant calves and some aspects of their regulation. In: Calf and Heifer Rearing. P. C. Garnsworthy (ed.), University Press, Nottingham. pp 159-189.

Guilloteau, P., R. Zabielski, and J. W. Blum. 2009. Gastrointestinal tract and digestion in the young ruminant: Ontogenesis, Adaptations, Consequences and Manipulations. J. Phy. Phar. 60: 37-46.

Hartadi, H., S. Reksohadiprodjo, dan A.D. Tillman. 1997. Tabel Komposisi Pakan untuk Indonesia. Gadjah Mada University Press, Yogyakarta.

Hassan, S. A. and E. A. Moussa. 2015. Light and scanning electron microscopy of the small intestine of goat (*Capra hircus*). J. Cell. Anim. Bio. 9: 1-8.

Hayashida, T., K. Murakami, M. Nishihara, M. Nakazato, M. S. Mondal, Y. Horii, M. Kojima, K. Kangawa, and N. Murakami. 2001. Ghrelin in Domestic Animals: Distribution in Stomach and its Possible Role. Dom. Anim. Endo. 21: 17-24.

Hess, H. D., L. M. Monsalve, C. E. Lascano, J. E. Carulla, T. E. Diaz, and M. Kreuzer. 2003. Supplementation of a tropical grass diet with forage legumes and *Sapindus saponaria* fruits: Effects on *in vitro* Ruminal Nitrogen Turnover and Methanogenesis. Aust. J. Agr. Res. 54: 703-713.

Hu, W., J. Liu, J. Ye, Y. Wu, and Y. Guo. 2005. Effect of tea saponin on rumen fermentation *in vitro*. Feed Sci. Tech. 120: 333-339.

Jayanegera, A., F. Leiber, and M. Kreuzer. 2011. Meta-analysis of the relationship between dietary tannin level and metane formation in ruminants from *in vivo* and *in vitro* experiments. J. Anim. Physiol. Nutr. 96: 365-375.

Janssen, P. H. and M. Kirs. 2008. Structure of the archaeal community of the rumen. App. Env. Mic. 74: 3619-3625.

Janssen, P. H. 2010. Influence of hydrogen on rumen methane formation and fermentation balances through microbial growth kinetics and fermentation thermodynamics. Anim. Feed Sci. Tech. 160: 1-22.

Jerónimo, E., C. Pinheiro, E. Lamy, M. T. Dentinho, E. Sales-Baptista, O. Lopes, and F. Capela e Silva. 2016. Tannins in ruminant nutrition: Impact on animal performance and quality of edible products. In: Tannins Biochemistry, Food Sources, and Nutritional Properties. C. A. Combs (ed.), Nova Publishers, New York.

Kamra, D. N. 2005. Rumen microbial ecosystem. Special Section: Microbial Diversity Current Science. 89: 124-135.

Kamra, D. N., M. Pawar, and B. Singh. 2012. Effect of plant secondary metabolites on rumen metanogens and metane emissions by ruminants. Dieatary Phyto. Mic. 12: 351-370.

Kang, S., R. Suzuki, Y. Suzuki, S. Koike, K. Nagashima, and Y. Kobayashi. 2018. Rumen responses to dietary supplementation with cashew nut shell liquid and its cessation in sheep. J. Anim. Sci. pp 1-7.

Keidane, D. and E. Birgele. 2003. The efficacy of feed on the intra ruminal and intra abomasal pH dynamics in goats. Veterinarija IR Zootechnika. 22: 200-205.

Kingston-Smith, A. H., A. H. Marshall, and J. M. Moorby. 2012. Breeding for genetic improvement of forage plants in relation to increasing animal production with reduced environmental footprint. Anim. 1: 1-10.

Kobayashi, Y., K. Nagashima, and M. Mochizuki. 2008. Bloat controlling agent for a ruminant. United States Patent. National University Corporation, Hokkaido University.

Kobayashi, Y., S. Oh, H. Myint, and S. Koike. 2016. Use of Asian selected agricultural byproducts to modulate rumen microbes and fermentation. J. Anim. Sci. Biotech. pp 1-10

Kumar, R. and M. Singh. 1984. Tannins: Their adverse role in ruminant nutrition. J. Agr. Food Chem. 32: 447-453.

Kusrini, D. dan M. Ismardiyanto. 2003. Asam anakardat dari kulit biji jambu mete (*Anacardium occidentale* L.) yang mempunyai aktivitas sitotoksik. J. Kim. Sains. Apl. 6: 4-6.

Kusumastuti, T. A. 2012. Kelayakan usaha ternak kambing menurut sistem pemeliharaan, bangsa, dan elevasi di Yogyakarta. Sains Peternakan. 10: 75-84.

Lamy, E., G. da Costa, R. Santos, F. Capela e Silva, J. Potes, A. Pereira, A. V. Coelho, and E. S. Baptista. 2011. Effect of condensed tannin ingestion in sheep and goat parotid saliva proteome. J. Anim. Physiol. Anim. Nutr. 95: 304-312.

Lana, R. P., J. B. Russell, and M. E. Van Amburgh. 1998. The role of pH in regulating ruminal methane and ammonia production. J. Anim. Sci. 76: 2190-2196.

Lee, J. H., J. Jeon, and S. Kim. 2011. Green adhesive using tannins and chasew nut shell liquid for environment-friendly furniture materials. J. Korea Furn. Soc. 22.

Lesschaeve, I. and A. C. Noble. 2005. Polyphenols: factors influencing their sensory properties and their effects on food and beverage preferences. Amer. J. Clin. Nutr. 81: 330-335.

Liener, I. E. 2001. Toxic Constituents of Plant Foodstuffs. In: Food Science and Technology. Academic Press Inc. Publishers, New York and Sydney.

Liu, J., T. Xu, W. Zhu, and S. Mao. 2014. High-grain feeding alters caecal bacterial microbiota compositioncand fermentation and results in caecal mucosal injury in goats. Brit. J. Nutr. 112: 416-427

Makkar, H. P. S. 2003. Effects and fate of tannins in ruminant animals, adaptation to tannins, and strategies to overcome detrimental effects of feeding tannin rich feeds. Small Rum. Res. 49: 241-256.

Mariscal-Landına, G., J. H. Avellanedab, T. C. Reis de Souzac, A. Aguilerac, G. A. Borbollad, and B. Mar. 2004. Effect of tannins in sorghum on amino acid ileal digestibility and on trypsin (E.C.2.4.21.4) and chymotrypsin (E.C.2.4.21.1) activity of growing pigs. Anim. Feed Sci. Tech. 117: 245-264.

Markom, M., M. Hasan, W. R. W. Daud, H. Singh, and J. M. Jahim. 2007. Extraction of hydrolysable tannins from Phyllanthus niruri Linn: Effects of solvents and extraction methods. Separa. Purifi. Tech. 52: 487-496.

Martin, C., D. P. Morgavi, and M. Doreau. 2010. Methane mitigation in ruminants: from microbe to the farm scale. Animal. 4: 351-365.

Maxin, G., D. R. Oullet, and H. Lapierre. 2013. Ruminal degradability of dry matter, crude protein, and amino acids in soybean meal, canola meal, corn, and wheat dried distillers grains. J. Dairy Sci. 96: 1-10.

McAllister, T. A. and C. J. Newbold. 2008. Redirecting rumen fermentation to reduce methanogenesis. Aus. J. Exp. Agr. 48: 7-17.

McDonald, P., R. A. Edwards, J. F. D. Greeshalgh, and C. A. Morgan. 2002. Animal Nutrition. 6th ed. Pearson Education Limited, England.

McSweeney, C. S., B. Palmer, D. M. McNeill, and D. O. Krause. 2001. Microbial interaction with tannins: nutritional consequences for ruminants. Anim. Feed Sci. Tech. 91: 83-93.

Mills, J. A. N., J. France, J. L. Ellis, L. A. Crompton, A. Bannink, M. D. Hanigan, and J. Dijkstra. 2017. A mechanistic model of small intestinal starch digestion and glucose uptake in the cow. J. Dairy Sci. 100: 1-21.

Min, B. R. and S. P. Hart. 2003. Tannins for suppression of internal parasites. J. Anim. Sci. 81: 102-109.

Min, B. R., T. N. Barry, G. T. Attwood, and W. C. McNabb. 2003. The effect of condensed tannins on the nutrition and health of ruminants fed fresh temperature forages. A review. Anim. Feed Sci. Tech. 106: 3-19.

Moss, A. R., J. P. Jounany, and J. Neevbold. 2000. Methane production by ruminants: Its contribution to global warming. Annales de Zootechnie. 49: 231-253.

Ngadiyono, N., I. G. S. Budisatria, dan A. Sadeli. 2014. Penggunaan complete feed terfermentasi terhadap produksi karkas dan kualitas kimia daging kambing bligon. Buletin Peternakan. 38: 109 -115.

Nuraini., I. G. S. Budisatria, dan A. Agus. 2014. Pengaruh tingkat penggunaan pakan penguat terhadap performa induk kambing bligon di peternakan rakyat. Buletin Peternakan. 38: 7-12.

Patra, A. K., D. N. Kamra, and N. Agarwal. 2006. Effect of plant extracts on *in vitro* methanogenesis, enzyme activities and fermentation of feed in rumen liquor of buffalo. Anim. Feed Sci. Tech. 128: 276-291

Pearson, R. A., R. F. Archibald, and R. H. Muirhead. 2006. A comparison of the effect of forage type and level of feeding on the digestibility and gastrointestinal mean retention time of dry forages given to cattle, sheep, ponies and donkeys. Brit. J. Nutr. 95: 88-98.

Puastuti, W. 2005. Tolak Ukur Mutu Protein Ransum dan Relevansinya dengan Retensi Nitrogen serta Pertumbuhan Domba. Disertasi. Program Pasca Sarjana, Institut Pertanian Bogor, Bogor.

Puastuti, W. dan D. Yulistiani. 2006. Bungkil kedelai terproteksi cairan batang pisang sebagai pakan imbuhan ternak domba: *in sacco* dan *in vivo.* Jurnal Ilmu Teknologi Veteriner. 11: 107-115.

Purwati, C. S., L. M. Yusiati, dan S. P. S. Budhi. 2013. Kontribusi ekskresi basal purin terhadap total ekskresi derivat purin dalam urin kambing Bligon dan Kejobong. Buletin Peternakan. 37: 6-11.

Rafael, A., Naflkov, dan C. Donald. 2007. Carbohydrate and lipid metabolism in farm. Anim. J. Nutr. 137: 702-705.

Rahmat, H. 2009. Identifikasi Senyawa Flavonoid Pada Sayuran *Indegenous* Jawa Barat. Skripsi. Fakultas Teknologi Pertanian, Institut Pertanian, Bogor.

Rimbawanto, E. A., L. M. Yusiati, E. Baliarti, dan R. Utomo. Effect of condensed tannin of leucaena and calliandra leaves in protein trash fish silage on *in vitro* ruminal fermentation, microbial protein synthesize, and digestibility. Anim. Prod. 17: 83-91.

Russel, J. B., J. D. O' Connor, D. G. Fox, P. J. Van Soest, and C. J. Sniffen. 1992. A net carbohydrate and protein system for evaluating cattle diets. J. Anim. Sci. 70: 3551-3561.

Russel, J. B. 2006. Growth Independent Energy Dissipation by Ruminan Bacteria. Japan Scientific Society Press, Tokyo.

Salah, N., D. Sauvant, and H. Archimède. 2014. Nutritional requirements of sheep, goats and cattle in warm climates: A meta-analysis. Anim. Cons. 8: 1439-1447.

Santos-Buelga, C. dan V. de Freitas. 2008. Wine Chemistry and Biochemistry: Influence of Phenolics on Wine Organoleptic Properties. Springer Science and Business Media.

Santos, M. L. and D. C. Magalhaes. 1999. Utilisation of cashew nut shell liquid from *Anacardium occidentale* as strating material for organic synthesis: A Novel Route to Lasiodiplodin from Cardols. J. Braz. Chem. Soc. 10: 13-20.

Saricicek, B. 2000. Protected (bypass) protein and feed value of hazelnut kemel oil meal. Asian-Aust. J. Anim. Sci. 13: 317-322

Sarwono, B. Beternak Kambing Unggul. 2012. Penebar Swadaya, Depok.

Schofield, P., D. M. Mbugua, and A. N. Pell. 2001. Analysis of condensed tannin: A review. Anim. Feed Sci. Tech. 91: 21-40.

Shimada, T. 2006. Salivary proteins as a defense against dietary tannins. J. Chem. Ecol. 32: 1149-1163.

Shinkai, T., O. Enishi, M. Mitsumori, K. Higuchi, Y. Kobayashi, A. Takenaka, K. Nagashima, M. Mochizuki, and Y. Kobayashi. 2012. Mitigation of methane production from cattle by feeding cashew nut shell liquid. J. Dairy Sci. 95: 5308-5316.

Silanikove, N., A. Perevolotsky, and F. D. Provenza. 2001. Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants. Anim. Feed Sci. Tech. 91: 69-81.

Simpen, I. N. 2008. Isolasi chasew nut shell liquid dari kulit biji jambu mete dan kajian beberapa sifat fisiko kimianya. Jurnal Kimia. 2: 1-10.

Sinclair, L. A., P. C. Garnsworthy, J. R. Newbold, and P. J. Buttery. 1993. Effect of synchronizing the rate of dietary energy and nitrogen release on rumen fermentation and microbial protein synthesis in sheep. J. Agr. Sci. 120: 251-263.

Sitompul, S. 2004. Analisis asam amino dalam tepung ikan dan bungkil kedelai. Buletin Teknik Pertanian. 9: 33-37.

Smith, A. H., E. Zoetendal, and R. I. Mackie. 2005. Bacterial mechanisms to overcome inhibitory effects of dietary tannins. Microb. Ecol. 50: 197-205.

Soto-Navarro, S., A. Goetsch, T. Sahlu, and R. Puchala. 2004. Effects of level and source of supplemental protein in a concentrate-based diet on growth performance of Boer × Spanish wether goats. Small Rum. Res. 51: 101-106.

Stasiuk, M. dan A. Kozubek. 2010. Biological activity of phenolic lipids. Cell. Mol. Life. Sci. 67: 841-860.

Stern, M. D., A. Bach, and S. Calsamiglia. 2006. New concepts in protein nutrition in ruminants. 21st Annual Southwest Nutrition and Management Conference. Tempe, AZ.

Sugino, T., Y. Hasegawa, Y. Kurose, M. Kojima, K. Kangawa, and Y. Terashima. 2004. Effects of ghrelin on food intake and neuroendocrine function in sheep. Anim. Reprod. Sci. 82: 183-194.

Suhartanto, B., Kustantinah, dan S. Padmowijoto. 2000. Degradasi *in sacco* bahan organik dan protein kasar empat macam bahan pakan diukur menggunakan kantong inra dan *rowett research institute*. Buletin Peternakan. 24: 82-93.

Sun, Z. H., Z. L. Tan, S. M. Liu, G. O. Tayo, B. Lin, B. Teng, and Y. Hu. 2007. Effects of dietary methionine and lysine sources on nutrient digestion, nitrogen utilization, and duodenal amino acid flow in growing goats. J. Anim. Sci. 85: 3340-3347.

Szumacher-Strabel, M. and A. Cieślak. 2012. Dietary possibilities to mitigate rumen metane and ammonia production, greenhouse gases capturing, uilization, and reduction. InTech Europe. Croatia.

Takahashi, J. 2011. Some prophylactic options to mitigate methane emission from animal agriculture in Japan. J. Anim. Sci. 24: 285-294.

Tan, H. Y., C. C. Sieo, N. Abdullah, J. B. Liang, X. D. Huang, and Y. W. Ho. 2011. Effects of condensed tannins from Leucaena on methane production, rumen fermentation and populations of methanogens and protozoa *in vitro*. Anim. Feed Sci. Tech. 169: 185-193.

Tandi, E. J. 2010. Pengaruh tanin terhadap aktivitas enzim protease. Seminar Nasional Teknologi Peternakan dan Veteriner. Bogor.

Tavendale, M. H., L. P. Meagher, D. Pacheco, N. Walker, G. T. Attwood, and S. Sivakumaran. 2005. Methane production from *in vitro* rumen incubations with *Lotus pedunculatus* and *Medicago sativa*, and effects of extractable condensed tannin fractions on metanogenesis. Anim. Feed Sci. Tech. 123: 403-419.

Thauer, R. K., A. K. Kaster, H. Seedorf, W. Buckel, and R. Hedderich. 2008. Methanogenic archaea: ecologically relevant differences in energy conservation. Nature Reviews Microbiology. 6: 579-591.

Tillman, H. H., R. Soedomo, P. Soeharto, dan L. Soekanto. 1998. Ilmu Makanan Ternak Dasar. Gadjah Mada University Press, Yogyakarta.

Waghorn, G. C., M. H. Tavendale, and D. R. Woodfield. 2002. Methanogenesis from forages fed to sheep. Proceedings of the New Zealand Grassland Association 64: 167-171.

Waghorn, G. 2008. Beneficial and detrimental effects of dietary condensed tannins for sustainable sheep and goat production: Progress and challenges. Anim. Feed Sci. Tech. 147: 116-139.

Waghorn, G. C. and W. C. McNabb. 2003. Consequences of plant phenolic compounds for productivity and health of ruminants. Procedings of Nutrition Socety. 62: 383-392.

Wanapat, M., A. Cherdthong, K. Phesatcha, and S. Kang. 2015. Dietary sources and their effect on animal production and environmental suistainability. J. Anim. Nutr. 1: 96-103.

Wang, L., Y. Liang, Q. Chen, N. Ahmed, F. Wang, B. Hu, and P. Yang. 2018. Identification and distribution of the interstitial cells of cajal in the abomasum of Lingling goats. Cell Transplantation. 27: 335-344.

Watanabe, Y., R. Suzuki, S. Koike, K. Nagashima, M. Mochizuki, R. J. Foster. 2010. *In vitro* evaluation of cashew nut shell liquid as a methane-inhibiting and propionate-enhancing agent for ruminants. J. Dairy Sci. 93: 58-67.

Westendarp, H. 2006. Effects of tannins in animal nutrition. Dutsch Tierarztl Wochenschr. 113: 264-268.