



## BIBLIOGRAPHY

- Altemimi, A. Altemimi, Ammar Lakhssassi, Naoufal Baharlouei, Azam Watson, and Dennis G.2017.Phytochemicals: Extraction, Isolation, and Identification of Bioactive Compounds from Plant Extracts Ammar. *Plants*.6(23) : 1-23.
- AOAC.2012.AOAC peer verified methods program, manual on policies and procedures, AOAC International, Maryland, USA, USA.
- Arbianti, R. Tania Surya Utami, Aji Kurmana, and Andre Sinaga.2007.Comparison Of Antioxidant Activity And Total Phenolic Content Of Dillenia Indica Leaves Extracts Obtained Using Various Techniques.  
Availableat:<http://staff.ui.ac.id/system/files/users/tania.surya/publication/comparisonofantioxidantactivityritatania.pdf> (Accessed: 3 January 2019).
- Celli, G.B.; Ghanem, A.; Brooks, M.S.2015.Optimization of ultrasound-assisted extraction of anthocyanins from haskap berries (*Lonicera caerulea* L.) using Response Surface Methodology. *Ultrason. Sonochem.* 27:449–455
- Chauhan, A.2015.Analytical Method Development and Validation: A Concise Review', *Journal of uoJ Analytical & Bioanalytical Techniques*.6(1): 1–5.
- Chemat, F. Rombaut Natacha, Anne-Gaëlle Sicaire, Alice Meullemiestre, Anne-Sylvie Fabiano-Tixier, and Maryline Abert-Vian.2017.Ultrasound assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols and applications. A review', *Ultrasonics Sonochemistry*,34(10): 540– 545
- Cong-cong, X. U., Wang Bing, Pu Yi-Qion, Tao Jian-Sheng, and Zhang Tong .2017.Advances in extraction and analysis of phenolic compounds from plant materials', *Chinese Journal of Natural Medicines*.15(10): 721–731.
- Dai, J., and Mumper, R. J.2010. Plant phenolics: extraction, analysis and their antioxidant and anticancer properties. *Molecules*, 15(10), 7313-7352.
- Das, A. B., Goud, V. V and Das, C. 2016.Extraction of phenolic compounds and anthocyanin from black and purple rice bran (*Oryza sativa* L.) using ultrasound: A comparative analysis and phytochemical profiling', *Industrial Crops & Products*. Elsevier B.V.92(13) :1-10
- Daso, A. P. and Okonkwo, O. J.2015.Conventional Extraction Techniques: Soxhlet and Liquid-Liquid Extractions and Evaporation', in *Analytical*



- Separation Science*. Weinheim, Germany: Wiley-VCH Verlag GmbH & Co. KGaA.1437–1468.
- Đukić, D.2017.IOP Conference Series: Earth and Environmental Science Conventional and unconventional extraction methods applied to the plant, *Thymus serpyllum L'*, *IOP Conf. Series: Earth and Environmental Science*, 85, p. 12064. doi: 10.1088/1755-1315/85/1/012064.
- Friedman, M. and Ju, H. S.2000.Effect of pH on the Stability of Plant Phenolic Compounds', pp. 2101–2110.
- Ghafoor, K. and I-Juhaimi FY, C. Y.2012.Supercritical fluid extraction of phenolic compounds and antioxidants from grape (*Vitis labrusca B.*) seeds [J]. *Plant Foods Hum Nutr*, 2012', *Plant Foods and Human Nutrition*, 67(4):407–414.
- Gutiérrez-Grijalva, E. P.2016.Review: dietary phenolic compounds, health benefits and bioaccessibility', *Órgano Oficial de la Sociedad Latinoamericana de Nutrición*,66(2): 87-92
- Haminiuk, C. W. I., Plata-Oviedo, M. S. V., de Mattos, G., Carpes, S. T., & Branco, I. G.2014. Extraction and quantification of phenolic acids and flavonols from *Eugenia pyriformis* using different solvents. *Journal of food science and technology*, 51(10):2862-2866.
- Izadifar, Z.2013.Ultrasonics Sonochemistry Ultrasound pretreatment of wheat dried distiller ' s grain ( DDG ) for extraction of phenolic compounds', *Ultrasonics - Sonochemistry*. Elsevier B.V., 20(6):1359–1369.
- Magalhães, A.S.; Silva, B.M.; Pereira, J.A.; Andrade, P.B.; Valentão, P.; Carvalho, M. 2009.*Food Chem. Toxicol.* 47(1):1372-1377.
- Marten, S.2008.*The Theory of HPLC Gradient HPLC*. Available at: [www.chromacademy.com](http://www.chromacademy.com) (Accessed: 3 January 2019).
- Medina-torres, Ayora-talavera N, and Espinosa-andrews H. 2017.Ultrasound Assisted Extraction for the Recovery of Phenolic Compounds from Vegetable Sources'.7(47):1-19
- Mertz, C.; Gancel, A-L.; Punata, Z.; Alter, P.; Dhuique-Mayer, C.; Vaillant, F.; Perez, A.M.; Ruales, J.; Prat, P.2009. Phenolic compounds, carotenoids and antioxidant activity of three tropical fruits. *J. Food. Compos. Anal.* 22: 381-387.
- Mulinacci, N.; Prucher, D.; Peruzzi, M.; Romani, A.; Pinelli, P.; Giaccherini, C.; Vincieri, F.F.2004.Commercial and laboratory extracts from artichoke leaves: estimation of caffeoyl esters and flavonoidic compounds content.



J. Pharm. Biomed., 34(3):349-357.

Monschein M, Jaindl K, Buzimkic S.,2015.Content of phenolic compounds in wild populations of *Epilobium angustifolium* growing at different altitudes [J]. *Pharm Bio*, 53(11): 1576-1582.

Naczk, M. and Shahidi, F.2006.Phenolics in cereals, fruits and vegetables: Occurrence, extraction and analysis', *Journal of Pharmaceutical and Biomedical Analysis*.41(5):1523–1542.

Park, S. Sun-Hwa Ha, Sun-Hyung Lim, Ji Yun Jung, Si Myung Lee, Yunsoo Yeo, and Jae Kwang Kim.2012.Determination of Phenolic Acids in Korean Rice ( *Oryza sativa* L .) Cultivars Using Gas Chromatography-time-of-flight Mass Spectrometry.21(4):1141–1148.

Pinelo, M. Patric Del Fabbro, Lara Manzocco, Maria Jose' Nun'ez, and Maria Cristina Nicoli.2004.Extraction of antioxidant phenolics from almond hulls ( *Prunus amygdalus* ) and pine sawdust ( *Pinus pinaster* )', *Food Chemistry*, 85(2):267–273.

Porto, C. Da, Porretto, E. and Decorti, D.2013.Ultrasonics Sonochemistry Comparison of ultrasound-assisted extraction with conventional extraction methods of oil and polyphenols from grape ( *Vitis vinifera* L .) seeds', *Ultrasonics - Sonochemistry*.20(4):1076–1080.

Ramawat, K. G. and Mérillon, J. M.2013.Natural products: Phytochemistry, botany and metabolism of alkaloids, phenolics and terpenes', *Natural Products: Phytochemistry, Botany and Metabolism of Alkaloids, Phenolics and Terpenes*.3(6):1–4242.

Ryu, D. and Koh, E. 2017.Influence of Cooking Methods on Free and Bound Phenolic Acids in Korean Black Rice', *Journal of Food Processing and Preservation*, 41(2): 1-7.

Samaram, S. , Hamed Mirhosseini, Chin Tan, and Hasanah Ghazali.2013. 'Ultrasound-Assisted Extraction (UAE) and Solvent Extraction of Papaya Seed Oil: Yield, Fatty Acid Composition and Triacylglycerol Profile', *Molecules*, 18(10): 12474–12487..

Setyaningsih, W. Nikmatul Hidayah, Irfan Estiono Saputrob, Miguel Palma, and Carmelo García Barroso.2016.Profile of phenolic compounds in Indonesian rice (*Oryza sativa*) varieties throughout post-harvest practices', *Journal of Food Composition and Analysis*. Elsevier Inc., 54: 55–62.

Shabir, G. A.2016.Step-by-Step Analytical Methods Validation and Protocol in the Quality System Compliance Industry. *Food Composition and*



*Analysis*. Elsevier Inc., 54: 55–62.

- Singh, A.P.; Luthria, D.; Wilson, T.; Vorsa, N.; Singh, V.; Banuelos, G.S.; Pasakdee, S. 2009. Polyphenols content and antioxidant capacity of eggplant pulp. *Food Chem.* 114, 955–961.
- Shirsath, S., S. Sable, S.G Gaikwad, S.H Sonawane, D.R.Saini, and P.R. Gogate. 2017. Intensification of extraction of curcumin from *Curcuma amada* using ultrasound assisted approach: Effect of different operating parameters', *Ultrasonics Sonochemistry*, 38(1): 437–445.
- Soria, A. C. and Villamiel, M. 2010. Effect of ultrasound on the technological properties and bioactivity of food: a review', *Trends in Food Science & Technology*. Elsevier, 21(7): 323–331.
- Tabaraki, R. and Nateghi, A. 2011. Optimization of ultrasonic-assisted extraction of natural antioxidants from rice bran using response surface methodology', *Ultrasonics Sonochemistry*. Elsevier, 18(6): 1279–1286.
- Tao, Y., Di Wu, Qing-An Zhang, and Da-Wen Sun. 2014. Ultrasound-assisted extraction of phenolics from wine lees: Modeling, optimization and stability of extracts during storage', *Ultrasonics Sonochemistry*. Elsevier, 21(2): 706–715.
- Vinatoru, M. (2001). An overview of the ultrasonically assisted extraction of bioactive principles from herbs. *Ultrasonics Sonochemistry*. 8(1):303-313
- Walter, M. and Marchesan, E. 2011. Phenolic Compounds and Antioxidant Activity of Rice', *Braz. Arch. Biol. Technol.*, 54(2): 371–377.
- Wang, L. and Weller, C. L. 2006. Recent advances in extraction of nutraceuticals from plants', *Trends in Food Science & Technology*. Elsevier, 17(6): 300–312.
- Waterhouse, A. 2014. *Folin-Ciocalteu Micro Method for Total Phenol in Wine*. Available at: <http://waterhouse.ucdavis.edu/faqs/foolin-ciocalteu-micro-method-for-total-phenol-in-wine> (Accessed: 12 May 2018).
- Wong Paz, J. E. Jorge E., Diana B. Muñiz Márquez, Guillermo C.G. Martínez, Belmares Cerda, Ávila Ruth E., and Cristóbal Aguilar. 2015. Ultrasound-assisted extraction of polyphenols from native plants in the Mexican desert', *Ultrasonics Sonochemistry*, 22(0):474–481.
- Yilmaz, Y. and Toledo, R. T. 2006. Oxygen radical absorbance capacities of grape/wine industry byproducts and effect of solvent type on extraction of grape seed polyphenols', *Journal of Food Composition and Analysis*. Academic Press, 19(1):41–48.



UNIVERSITAS  
GADJAH MADA

**DEVELOPMENT AND VALIDATION OF SONICATION CONDITIONS**

Menuk Rizka Alauddina, Dr. Widastuti Setyaningsih, STP, M.Sc; Prof.Dr.Ir. Sri Anggrahini, MSc  
Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhang, M. W, Rui Feng Zhang, Fang Xuan Zhang, and Rui Hai Liu.2010.Phenolic profiles and antioxidant activity of black rice bran of different commercially available varieties', *Journal of Agricultural and Food Chemistry*, 58(13): 7580–7587.