

DAFTAR PUSTAKA

- Artuc, M., Hermes, B., Steckelings, K.M., Grützkau, A., Henz, B.M., 1999, Mast cells and their mediators in cutaneous wound healing – active participants or innocent bystanders? *Exp Dermatol*, 8(1):1-16.
- Balaji, S.M., 2013, *Textbook of Oral and Maxillofacial Surgery*, 2nd ed, RR Donnelly Publishing India Pvt. Ltd., India, 154-163, 345-382.
- Baqain, Z.H., Al-Shafii, A., Hamdan, A.A., Sawair, F.A., 2012, Flap design and mandibular third molar surgery: a split mouth randomized clinical study, *Int J Oral Maxillofac Surg*, 41:1020-1024.
- Barbato, L., Kalemaj, Z., Buti, J., Baccini, M., La Marca, M., Duvina, M., Tonelli, P., 2016, Effect of Surgical Intervention for Removal of Mandibular Third Molar on Periodontal Healing of Adjacent Mandibular Second Molar: A Systematic Review and Bayesian Network Meta-Analysis, *Journal of Periodontology*, 87(3):291-302.
- Bello, S.A., Olaitan, A.A., Ladeinde, A.L., 2011, A randomized comparison of the effect of partial and total wound closure techniques on postoperative morbidity after mandibular third molar surgery, *J Oral Maxillofac Surg*, 69: 24-30.
- Bosshardt, D.D. dan Lang, N.P., 2005, The Junctional Epithelium: from Health to Disease, *J Dent Res*, 84(1):9-20.
- Brancato, S.K., Albina, J.E., 2011, Wound Macrophages as Key Regulators of Repair: Origin, Phenotype, and Function, *The American Journal of Pathology*, 178:19-25.
- Burke, A., Smyth, E., Fitzgerald, G.A., 2006, Analgetic-antipyretic agents; pharmacotherapy of gout in Brunton, L.L., Lazo, J.S., Parker, K.L., (eds.): *Goodman and Gilman's: The pharmacological basis of therapeutics*, 11th Ed., McGraw-Hill, New York, hal. 671-715.

- Carrasco-Labra, A., Brignardello-Petersen, R., Yanine, N., Araya, I., Guyatt, G., 2012, Secondary versus primary closure techniques for the prevention of postoperative complications following removal of impacted mandibular third molars: a systematic review and meta-analysis of randomized controlled trials, *J Oral Maxillofac Surg*, 70:441-457.
- Cashman, J.N., 1996, The Mechanisms of Action of NSAIDs in Analgesia, *Drugs*, 52(5):13-23.
- Chang, H.H., Lee, J.J., Kok, S.H., Yang, P.J., 2004, Periodontal healing after mandibular third molar surgery—A comparison of distolingual alveolectomy and tooth division techniques, *Int. J. Oral Maxillofac. Surg.*, 33:32–37.
- Chen, Y.W., Lee, C.T., Hum, L., Chuang, S.K., 2017, Effect of flap design on periodontal healing after impacted third molar extraction: a systematic review and meta-analysis, *Int J Oral Maxillofac Surg*, 46:363-372.
- Childs, D.R., Murthi, A.S., 2017, Overview of wound healing and management, *Surg Clin N Am*, 97:189-207.
- Chiramel, S.J., Chammanam, S., Kalliath, R., Gopinath, A., 2018, Comparison of Szmyd incision over envelope incision during the surgical removal of impacted third molar for evaluating postoperative prognosis: a prospective randomized study, *Int Surg J.*, 5(7):2600-2604.
- Chuang, S.K., Perrott, D.H., Susarla, S.M., Dodson, T.B., 2007, Age as a risk factor of third molar surgery complications, *J Oral Maxillofac Surg*, 65:1685-92
- Chuang, S.K., Perrott, D.H., Susarla, S.M., Dodson, T.B., 2008, Risk factors for inflammatory complications following third molar surgery in adults, *J Oral Maxillofac Surg*, 66:2213-8.
- Dahlan, M.S., 2009, *Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan*, Edisi ke-2, Penerbit Salemba Medica, Jakarta.

- Danda, A.N., Tatiparthi, M.K., Narayanan, V., Siddareddi, A., 2010, Influence of primary and secondary closure of surgical wound after impacted mandibular third molar removal on postoperative pain and swelling—a comparative and split mouth study, *J Oral Maxillofac Surg*, 68:309-312.
- Darawade, D.A., Kumar, S., Mehta, R., Sharma, A.R., Reddy, G.S., 2014, In search of better option: dexamethasone versus methylprednisolone in third molar impaction surgery, *J Int Oral Health*, 6(6):14-17.
- Davie, E.W., Kulman, J.D., 2006, An overview of the structure and function of thrombin, *Semin Thromb Hemost*, 32:3–15.
- Derry, P., Derry, S., Moore, R.A., 2009, Single dose oral diclofenac for acute postoperative pain in adults, *Cochrane Database Syst Rev*(2): CD004768.
- Derry, C., Derry, S., Moore R.A., 2009, Single dose oral ibuprofen for acute postoperative pain in adults, *Cochrane Database Syst Rev*(3): CD001548.
- Dodson, Thomas, 2004, Management of Mandibular Third Molar Extraction Sites to Prevent Periodontal Defects, *J Oral Maxillofac Surg*, 62:1213-1224.
- Dolanmaz, D., Esen, A., Isik, K., Candirli, C., 2013, Effect of two flap designs on postoperative pain and swelling after impacted third molar surgery, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 116:244-246.
- Druckman, R.F., Fowler, B.E., Breault, L.G., 2001, Post-surgical hemorrhage: Formation of a “liver clot” secondary to periodontal plastic surgery, *J Contemp Dent Practice*, 2:62.
- Dutta, S.R., Passi, D., Singh, P., Sharma, S., Singh, M., Srivastava, D., 2016, A randomized comparative prospective study of platelet-rich plasma, platelet-rich fibrin, and hydroxyapatite as a graft material for mandibular third molar extraction socket healing, *Natl J Maxillofac Surg*, 7:45-51.
- Edwards, J.E., Loke, Y.K., Moore, R.A., 2000, Single dose piroxicam for acute postoperative pain, *Cochrane Database Syst Rev*(4): CD002762.

- Edwards, J.E., Oldman., A., Smith, L., 2000, Single dose oral aspirin for acute pain, *Cochrane Database Syst Rev*(2): CD002067.
- Egbor, P.E., Saheeb, B.D., 2017, A prospective randomized clinical study of the influence of primary closure or dressing on post-operative morbidity after mandibular third molar surgery, *Nigerian J Surg*, 20:59-63.
- Elo, J.A., Sun, H.H., Dong F., Tandon, R., Singh, H.M., 2016, Novel incision design and primary flap closure reduces the incidence of alveolar osteitis and infection in impacted mandibular third molar surgery, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 122:124-133.
- Fiorellini, J.P., dan Stathopoulou, P.G., 2012, Anatomy of periodontium dalam Newman, M.G., Takei, H.H., Klokkevold, P.R., Carranza, F.A., *Carranza's clinical periodontology*, 12th Ed., Elsevier, St. Louis, hal. 9-39.
- Fragiskos, F.D., 2007, *Oral Surgery*. Springer Verlag, Berlin, hal. 31-41, 95-200.
- Gay-Escoda, C., Gómez-Santos, L., Sánchez-Torres, Herráez-Villas, J-M., 2015, Effect of the suture technique on postoperative pain, swelling and trismus after removal of lower third molars: a randomized clinical trial, *Med Oral Patol Oral Cir Bucal*, 20:372-377.
- Ghaeminia, H., Perry, J., Nienhuijs, M.E.L., Toedtling, V., Tummers, M., Hoppenreijts, T.J.M., Van der Sanden, W.J.M., Mettes, T.G., 2016, Surgical removal versus retention for the management of asymptomatic disease-free impacted wisdom teeth. *Cochrane Database of Systematic Reviews*, Issue 8. Art. No.: CD003879.
- Goldberg, S.R., Diegelmann, R.F., 2010, Wound healing primer, *Surg Clin N Am*, 90:1133-1146.
- Goldsmith, S.M., de Silva, R.K., Tong, D.C., Love, R.M., 2012, Influence of a pedicle flap design on acute postoperative sequelae after third molar removal, *Int J Oral Maxillofac Surg*, 41:371-375.

- González-Bárnádás, A., Cámps-Font, O., Espányá-Grifoll, D., Espáná-Tost, A., Figueiredo, R., Valmasedá, E., 2017, An “in vitro” tensile strength study on suturing technique and material, *Journal of Oral Implantology*, 92:104-109.
- Harper, D., Young, A., McNaught, C.E., 2014, The physiology of wound healing, *Surgery*, 32:445-450.
- Harrison, J.A., Nixon, M.A., Fright, W.R., Snape, L., 2004, Use of hand-held laser scanning in the assessment of facial swelling: a preliminary study, *Br J Oral and Maxillofac Surg*, 42:8-17.
- Hawkey, C.J., Cullen, D.J.E., Pearson, G., Holmes, S., Doherty, M., Wilson, J.V., 2000, Ibuprofen versus other non-steroidal anti-inflammatory drugs: use in general practice and patient perception, *Aliment Pharmacol Ther*, 14:187-191.
- Houlton, J.J., Hom, D.B., 2013, Approaching delayed-healing wounds on the face and neck, *Facial Plast Surg Clin N Am*, 21:81–93.
- Hupp, J.R., Ellis III, E., Tucker, M.R., 2014, *Contemporary oral and maxillofacial surgery*, 6th ed, Mosby Co., St. Louis, 43-64, 144-173.
- Jakse, N., Bankaoglu, V., Wimmer, G., Eskici, A., Pertl, C., 2002, Primary wound healing after lower third molar surgery: evaluation of two different flap designs, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 93:7-12.
- Jephcott, A., 2007, The surgical management of the oral soft tissues, *1. Flap Des Dent Update*, 34:518–20.
- Joshi, A.D., Saluja, H., Mahindra, U., Halli, R., 2011, A comparative study: efficacy of tissue glue and sutures after impacted mandibular third molar removal, *J Maxillofac Oral Surg*, 10:310-315.
- Karaca, I., Şimşek, Ş., Uğar, D., Bozkaya, S., 2007, Review of flap design influence on the health of the periodontium after mandibular third molar surgery, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 104:18-23.

- Khande, K., Saluja, H., Mahindra, U., 2011, Primary and secondary closure of the surgical wound after removal of impacted mandibular third molars, *J. Maxillofac. Oral Surg.*, 10(2):112–117.
- Kim, J.C., Choi, S.S., Wang, S.J., Kim, S.K., 2006, Minor complications after mandibular third molar surgery: type, incidence, and possible prevention, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 102:4-11.
- Kirtiloğlu, T., Bulut, E., Sümer, M., Cengiz, I., 2007, Comparison of two flap designs in the periodontal healing of second molars after fully impacted mandibular third molar extractions, *J Oral Maxillofac Surg*, 65:2206-2210.
- Kirk, D.G., Liston, P.N., Tong, D.C., Love, R.M., 2007, Influence of two different flap designs on incidence of pain, swelling, trismus, and alveolar osteitis in the week following third molar surgery, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 104:1-6.
- Korkmaz, Y.T., Mollaoglu, N., Ozmeriç, N., 2015, Does laterally rotated flap design influence the short-term periodontal status of second molars and postoperative discomfort after partially impacted third molar surgery?, *J Oral Maxillofac Surg*, 73:1031-1041.
- Koyuncu, B.Ö., Çetingül, E., 2013, Short-term clinical outcomes of two different flap techniques in impacted mandibular third molar surgery, *Oral Surg Oral Med Oral Pathol Oral Radiol*, 116:179-184.
- Kumar, S., Gupta, K.K, Bhowmick, D., Singh, A., 2015, Concepts of healing in periodontal therapy - part I, *IOSR-JDMS*, 14(10):89-101.
- Kumar, B.S., Sarumathi, T., Veerabahu, M., Raman, U., 2013, To compare standard incision and comma shaped incision and its influence on post-operative complications in surgical removal of impacted third molars, *J Clin Diagn Res*, 7:1514–1518.
- Larjava, H., 2012, *Oral wound healing: cell biology and clinical management*, Wiley Publishing, Iowa, 1-31.

- Laskarides, C., 2016, Update on analgesic medication for adult and pediatric dental patients, *Dent Clin N Am*, 60:347–366.
- Leung, W.K., Corbet, E.F., Kan, K.W., Lo, E.C.M., Liu, J.K.S., 2005, A regimen of systematic periodontal care after removal of impacted mandibular third molars manages periodontal pockets associated with the mandibular second molars, *J Clin Periodontol*, 32:725–731.
- Macintyre, P.E., Schug, S.A., Scott, D.A., Visser, E.J., Walker, S.M., 2010, Working Group of the Australian and New Zealand College of Anaesthetists and Faculty of Pain Medicine, *Acute Pain Management: Scientific Evidence*, 3rd ed, ANZCA & FPM, Melbourne, 1-34.
- Marwah, S., 2010, *Textbook of surgery for dental students*, Jaypee Brothers, New Delhi, hal. 59-66.
- McQuay, H.J., Derry, S., Eccleston, C., Wiffen, P.J., Moore, R.A., 2012, Evidence for analgesic effect in acute pain – 50 years on, *Pain*, 153:1364–1367.
- van der Meer, W.J., Dijkstra, P.U., Visser, A., Vissink, A., Ren, Y., 2014, Reliability and validity of measurements of facial swelling with a stereophotogrammetry optical three-dimensional scanner, *Br J Oral and Maxillofac Surg*, 36:50-56.
- Mehra, P., Baran, S., 2006, Surgical management of impacted third molar teeth in Koerner, K.R. (ed.): *Manual of minor oral surgery for the general dentist*, Blackwell Munksgaard, Iowa, hal. 49-80.
- Moore, N.D., 2009, In search of an ideal analgesic for common acute pain, *Acute Pain*, 11:129-137.
- Nageshwar, 2002, Comma incision for impacted mandibular third molars, *J Oral Maxillofac Surg*, 60:1506-1509.

- Nazar, M.N., Puthiriraj, V., 2014, Analgesics following mandibular third molar surgery, *International Journal of Pharmaceutical and Clinical Research*, 6(1):13-19.
- Pasqualini, D., Cocero, N., Castella, A., Mela, L., Bracco, P., 2005, Primary and secondary closure of the surgical wound after removal of impacted mandibular third molars: a comparative study, *Int. J. Oral Maxillofac. Surg.*, 34: 52–57.
- Pell, G.J., Gregory, G.T., 1933, Impacted mandibular third molars: classification and modified technique for removal, *The Dental Digest*, 39 (9): 325-338.
- Peng, K.Y., Tseng, Y.C., Shen, E.C., Chiu, S.C., Fu, E., Huang, Y.W., 2001, Mandibular second molar periodontal status after third molar extraction, *J Periodontol*, 72: 1647-51.
- Peterson, L.J., 2011, *Contemporary Oral and Maxillofacial Surgery*, 4th ed, Mosby Co., St. Louis, 156-213.
- Pogrel, M.A., Kahnberg, K., Andersson, L., 2014, *Essentials of oral and maxillofacial surgery*, John Wiley & Sons, Sussex, hal. 53-59.
- Polimeni, G., Xiropaidis, A.V., Wikesjö, U.M.E., 2006, Biology and principles of periodontal wound healing/regeneration, *Periodontology 2000*, 41:30–47.
- Pramono, D., 2015, Implementasi clinical practice guidelines dan luaran klinis odontektomi gigi molar tiga rahang bawah impaksi di RSGM Prof. Soedomo Yogyakarta, *Disertasi*, FK Universitas Gadjah Mada, Yogyakarta.
- Rahpeyma, A., Khajedhahmadi, S., Ilkhani, S., 2015, Wound dehiscence after wisdom tooth removal in mandibular mesioangular class IB impactions: triangular transposition flap versus envelope flap, *J Dent Res Dent Clin Dent Prospect*, 9:175-180.
- Ren, Y.S., Malmstrom, H.S., 2007, Effectiveness of antibiotic prophylaxis in third molar surgery: a meta-analysis of randomized controlled clinical trials, *J Oral Maxillofac Surg*, 65(10):1909-1921.

- Ricard, A.S., Nau, O., Veyret, A., Majoufre-Lefèbvre, C., Laurentjoye, M., 2015, Comparaison entre fermeture et absence de fermeture du site d'avulsion des troisièmes molaires mandibulaires incluses : étude prospective randomisée, *Rev Stomatol Chir Maxillofac Chir Orale*, 116:12-17.
- Rosa, A.L., Carneiro, M.G., Lavrador, M.A., Novaes, A.B., 2002, Influence of flap design on periodontal healing of second molars after extraction of impacted mandibular third molars. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.*, 93:404-7.
- Rubro-Palau, J., Garcia-Linares, J., Hueto-Madrid, J-A., González-Lagunas, J., Raspall-Martin, G., Mareque-Bueno, J., 2015, Effect of intra-alveolar placement of 0.2% chlorhexidine bioadhesive gel on the incidence of alveolar osteitis following the extraction of mandibular third molars: a double-blind randomized clinical trial, *Med Oral Patol Oral Cir Bucal*, 20(1):117-122.
- Sanchis-Bielsa, J.M., Hernández-Bazán, S., Peñarrocha-Diago, M., 2008, Flap repositioning versus conventional suturing in third molar surgery, *Med Oral Patol Oral Cir Bucal*, 13:138-142.
- Sandhu, A., Sandhu, S., Kaur, T., 2010, Comparison of two different flap designs in the surgical removal of bilateral impacted mandibular third molars, *Int J Oral Maxillofac Surg*, 39:1091-1096.
- Sato, H., Takeda, Y., 2007, Proliferative activity, apoptosis, and histogenesis in the early stages of rat tooth extraction wound healing, *Cells Tissues Organs*, 186:104-111.
- Scherstén, E., Lysell, L., Rohlin, M., 1989, Prevalence of impacted third molars in dental students, *Swed Dent J*, 13:7-13.
- Sculean, A., Gruber, R., Bosshardt, D.D., 2014, Soft tissue wound healing around teeth and dental implants, *J Clin Periodontol*, 41(15): 6–22.

- Setiya, S., Halli, R., Shah, A., Chhabaria, G., Singh, T., 2015, Comparative evaluation of efficacy of tissue glue and sutures after surgical removal of impacted mandibular third molars - a prospective controlled clinical study, *J Oral Maxillofac Surg Med Path*, 27:183-188.
- Smith, L.A., Carroll, D., Edwards, J.E., 2000, Single-dose ketorolac and pethidine in acute postoperative pain: systematic review with meta-analysis, *Br J Anaesth*, 84(1): 48–58.
- Stella, P.E., Falci, S.G., Oliveira de Medeiros, L.E., Douglas-de-Oliveira, D.W., Gonçalves, P.F., Flecha, O.D., Rocha dos Santos, C.R., 2017, Impact of mandibular third molar extraction in the second molar periodontal status: A prospective study. *J Indian Soc Periodontol*, 21:285-90.
- Suarez-Cunqueiro, M.M., Gutwald, R., Reichman, J., Otero-Cepeda, X.L., Schmelzeisen, R., 2003, Marginal flap versus paramarginal flap in impacted third molar surgery: a prospective study, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 95(4):403-408.
- Sutas, R., Verasak, P., 1997, Mandibular third molar surgery with primary closure and tube drain, *Int J Oral Maxillofac Surg*, 26:187–190.
- Szmyd, L., 1971, Impacted teeth, *Dent Clin North Am*, 15:299-318.
- Szpaderska, A.M., DiPietro, L.A., 2005, Inflammation in surgical wound healing: friend or foe? *Surgery*, 137:571-573.
- Trombelli, L., Farina, R., Marzola, A., Bozzi, L., Liljenberg, B., Lindhe, J., 2008, Modeling and remodeling of human extraction socket, *J Clin Periodontol*, 35:630-639.
- Vaishali, M.R., Roospashri, G., Davis, M.P., Indira, A.P., 2010, Trismus, *Indian Journal of Dental Advancements*, 2(3):303-307.
- Yamagushi, A., dan Sano, K., 2013, Effectiveness of preemptive analgesia on post operative pain following third molar surgery: review of literatures, *Japanese Dental Science Review*, 49:131-138.



UNIVERSITAS
GADJAH MADA

PENGARUH DESAIN FLAP TRIANGULAR DAN REVERSED TRIANGULAR TERHADAP DEHISENSI LUKA, PERDARAHAN, DAN CLINICAL ATTACHMENT LOSS SISI DISTAL MOLAR DUA PASCA ODONTEKTOMI MOLAR TIGA BAWAH

HENRI MUDJONO, drg. Poerwati Soetji Rahajoe, Sp.BM(K) ; drg. E. Riyati Titi Astuti, M.Kes., Sp.BM
Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yolcu, Ü., Acar, A.H., 2015, Comparison of a new flap design with the routinely used triangular flap design in third molar surgery, *Int J Oral Maxillofac Surg*, 44:1390-1397.